Cucumber Report

| Start : Sep 28, 5:21:19.590 PM	End : Sep 28, 5:21:37.313 PM	Duration : 17.723 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 9

Features: 1

Scenarios: 1

Steps: 19

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 47 %

#	Feature Name	T	P	F	S	Duration
1	L1 Apporval	1	0	1	0	17.723 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	L1 Apporval	enter a data	19	9	1	9	17.719 s

(F)- L1 Apporval

FAILED	DURATION - 17.723 s	Scenarios		Steps	
	/ 5:21:19.590 PM // 5:21:37.313 PM /	Total - 1	1	Total - 19	19
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- enter a data

FAILED	DURATION - 17.719 s		Steps	
	/ 5:21:19.594 PM // 5:21:37.313 PM /		Total - 19	19
	L1 Apporval		Pass - 9	
	@AT_UNW_003		Fail - 1	
			Skip - 9	

#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.350 s
2	And login with valid credentials	PASSED	4.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.475 s

#	Step / Hook Details	Status	Duration
3	And get the test data for test case ID AT_UNW_003	PASSED	0.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.564 s
4	And click on mail box	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.304 s
5	And click on search box upon click on the mail box	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.197 s
6	And search the record reference number in search text box	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.209 s
7	And Select record after search	PASSED	0.506 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.294 s

#	Step / Hook Details	Status	Duration
8	And Click On the edit button Below Faclity Info	PASSED	0.517 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot 		
9	And Click On the Recommendation in Offer Decision	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.806 s
	screenshot 		
10	And Click On the Add button in List of Condition	FAILED	0.128 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "helper.JavascriptHelper.executeScriptWithWebElement(String)" is null
	    at stepdefinitions.IjaraTest.click_on_the_add_button_in_list_of_condition(IjaraTest.java:5526)
	    at ?.Click On the Add button in List of Condition(file:///C:/Users/inindc00626/git/ULS_Ijarahkk/ULS_kailash/src/test/java/features/L1Approval.feature:13)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot 		
11	And select not recommended in Note Code Dropdown Below the Conditions	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
12	Then Enter Number in Sequence Number Field Below the Conditions	SKIPPED	0.000 s
13	Then select not recommended in Note Sub Code Dropdown Below the Conditions	SKIPPED	0.000 s
14	Then Enter Data in Condition Field Below the Conditions	SKIPPED	0.000 s
15	Then Select the Date Below the Conditions	SKIPPED	0.001 s
16	Then select Fulfiiled in fulfilled Dropdown Below the Conditions	SKIPPED	0.000 s
17	Then Turn on the Approval Status Below the Conditions	SKIPPED	0.000 s
18	Then Fill The Remarks Field Below the Conditions	SKIPPED	0.001 s
19	Then Click on the Save button To Save The Conditions Record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) enter a data	
(F) L1 Apporval	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) enter a data	
(F) L1 Apporval	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

AZENTIO
ONEBanking

31-Jan-2023

Inbox

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	3244	Mehul	Loan Application	Tawarruq Retail work Flow	0371	App Data Entry	CPUEXEC	28-Sep-2023	
	3063	Shyam	Loan Application	Ijara Auto Retail work Flow	0371	L1 Approval	CREUNDREV	27-Sep-2023	
	3214	David	Loan Application	Ijara Auto Retail work Flow	0371	Offering	CREOFF	22-Sep-2023	
	3018	Akxar	Loan Application	Ijara Auto Retail work Flow	0371	L1 Approval	CREUNDREV	06-Sep-2023	

Showing 1 to 4 of 4 entries « ‹ 1 › » 10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

AZENTIO
ONEBanking

31-Jan-2023

Inbox

3063

Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
	3244	Mehul	Loan Application	Tawarruq Retail work Flow	0371	App Data Entry	CPUEXEC	28-Sep-2023	
	3063	Shyam	Loan Application	Ijara Auto Retail work Flow	0371	L1 Approval	CREUNDREV	27-Sep-2023	
	3214	David	Loan Application	Ijara Auto Retail work Flow	0371	Offering	CREOFF	22-Sep-2023	
	3018	Akxar	Loan Application	Ijara Auto Retail work Flow	0371	L1 Approval	CREUNDREV	06-Sep-2023	

Showing 1 to 4 of 4 entries « ‹ 1 › » 10

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) enter a data

(F) L1 Apporval