
Start: Nov 27, 12:07:24.064 PM End: Nov 27, 12:08:48.610 PM **Duration: 1 m 24.546 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 15 SKIPPED - 0 SKIPPED - 0 SKIPPED - 11 27 40 50 60 40 50 60 40 50 60 30 Pass / 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 55 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the Tawarraq_Employment details feature	1	0	1	0	1 m 24.546 s




#	Feature Name	ature Name Scenario Name		P	F	S	Duration
1	To check the Tawarraq_Employment	To verify that user can able to update the record in	27	15	1	11	1 m 24.541 s
	details feature	Employment details view list					

**DETAILED SECTION** 

## (F)- To check the Tawarraq\_Employment details feature

FAILED	DURATION - 1 m 24.546 s	Scenarios		Steps	
		Total - 1		Total - 27	
/ 12:07:24.064 F	PM // 12:08:48.610 PM /	Pass - 0	1	Pass - 15	27
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

## (S)- To verify that user can able to update the record in Employment details view list



#	Step / Hook Details	Status	Duration	
1	Given navigate the IJARA URL	PASSED	4.796 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s	
	screenshot			
	AZENTIO TO THE PROPERTY OF THE			
2	And login with valid credentials for Tawarraq_App data entry_Employment details	PASSED	5.353 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s	
	screenshot			
	TO THE PROPERTY OF THE PROPERT			

After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  After_step - stepdefinitions.	#	Step / Hook Details	Status	Duration
screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.997 s  0.997 s	3	And User_608 get the test data for test case AT_TW_AD_EMPD_12	PASSED	1.089 s
4 And User click the Mail box in ULS application PASSED 0.594 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.291 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.725 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.176 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
And User click the Mail box in ULS application  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Search button under inbox  And User click the Search button under inbox  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_STEP_STEP_STEP_STEP_STEPDE		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User click the Search button under inbox  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.291 s  0.725 s  0.198 s  0.127 s  0.199 s  0.199 s		AMENTO AMENTO AMENTO DE SE SONO DE COMPANIO DE SE SONO DE COMPANIO DE SE SONO		
screenshot  And User click the Search button under inbox  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.199 s  4FTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.176 s	4	And User click the Mail box in ULS application	PASSED	0.594 s
Arter Step - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java.Scenario)  And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  Arter_Step - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java.Scenario)  Arter_Step - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java.Scenario)  Arter_Step - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java.Scenario)  Screenshot  7 And User click the Entitle button under inbox  PASSED  0.127 s  PASSED  0.129 s  AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java.Scenario)  PASSED  0.937 s  AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java.Scenario)  PASSED  0.176 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  PASSED  0.199 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  0.127 s  PASSED  0.199 s		## ATENTO		
Screenshot  And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  PASSED  0.176 s	5	And User click the Search button under inbox	PASSED	0.725 s
And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  0.199 s  0.190 s  0.191 s  0.191 s  0.191 s  0.191 s  0.191 s  0.191 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
And User search the Ref id under inbox for Tawarraq_App data entry_Employment details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  0.199 s  0.199 s  0.199 s  0.176 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.199 s  0.199 s  0.199 s  0.197 s		West		
Screenshot  7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.176 s	6	And User search the Ref id under inbox for Tawarraq_App data entry_Employment details	PASSED	0.127 s
7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  0.176 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
7 And User click the Entitle button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.937 s  0.176 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.176 s		### ACTION		
	7	And User click the Entitle button under inbox	PASSED	0.937 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
		screenshot		


#	Step / Hook Details	Status	Duration
	ASSISTED   Parison   Par		
8	And User Navigate to Customer financials section	PASSED	1.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot		
	AZENTO Service de la companio del la companio de la companio del la companio de l		
9	And Click on Edit icon in Customer personal information page	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
	A SENTICE  Section 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
10	And User_608 click the Salaried Customer record Eye button under Employment List section in Customer Financials tab	PASSED	14.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
	** ASSETTIO**  ** provided in the control of the co		
11	And User_074 Update the value in Nature of Employment field	PASSED	1.863 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		


#	Step / Hook Details	Status	Duration
	A SENTO  Section Secti		
12	And User_074 Update the value in Company Type field	PASSED	0.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
	A FASHTO  P - 200 D D D D D D D D D D D D D D D D D D		
13	And User_074 Update the value in Profession field	PASSED	0.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
	### AFSINTO    Particular   Par		
14	And User_074 Update the value in Profession Type field	PASSED	0.739 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
	A SENTO  Section 1 Section		
15	And User_074 Update the value in Statutory Authority field	PASSED	0.550 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

#	Step / Hook Details	Status	Duration
	FOR THE PROPERTY OF THE PROPER		
16	And User_074 Update the value in Employment End Date field	FAILED	42.458 s
	java.lang.AssertionError: element not interactable (Session info: chrome=119.0.6045.160) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [025714ec2736f2b5065d55e5abc8296d, sendKeysToElement {id=BD80748465A5997E3D9583CBE81C05E8_element_243, value=[Ljava.lang.CharSequence;@3f80d919]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\ININDC~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56825}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56825/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@113fcee7 -> unknown locator] Session ID: 025714ec2736f2b5065d55e5abc8296d at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.Tawarraq_AppDataEntry_EmploymentDetails_Step. user_074_update_the_value_in_employment_end_date_field(Tawarraq_AppDataEntry_EmploymentDetails_Step.java:2791) at ?.User_074 Update the value in Employment End Date field(file:///C:/Users/ININDC00074/git/Arul_ljarah/ljarah_Arul/src/test/java/features/Tawarraq_AppDataEntry_EmploymentDetails.feature:161) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
	FAMILY REPORT OF THE PROPERTY		
17	And User_074 Update the value in Employer Phone Extension field	SKIPPED	0.001 s
18	And User_074 Update the value in No Of Partners field	SKIPPED	0.000 s
19	And User_074 Update the value in Nature of Business field	SKIPPED	0.000 s
20	And User_074 Update the value in Registered business Name field	SKIPPED	0.000 s
21	And User_074 Update the value in Registered business Number field	SKIPPED	0.000 s
22	And User_074 Update the value in Business Registration Date field	SKIPPED	0.000 s
23	And User_074 Update the value in Office Premises Type field	SKIPPED	0.000 s
24	And User_074 Update the value in Share Holder Percentage field	SKIPPED	0.000 s

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
25	And User_074 Update the value in No Of Employees field	SKIPPED	0.000 s
26	And User_074 Update the value in Remarks field	SKIPPED	0.001 s
27	And Click on Save icon in customer employment page	SKIPPED	0.000 s







(S) To verify that user can able to update the record in Employment details view list


(F) To check the Tawarraq\_Employment details feature

	Inbox									
∌	Action	Reference Id	Client Name	Event	Workflow	Employee	Stage Description	Role Code	Created Date	Approver Role
X;		3841	Prabanjan	Loan Application	Tawarruq Retail work Flow	0353	Commodity Purchase Maker	CPUEXEC	27-Nov-2023	
ව		3763	Krutik	Loan Application	Consumer Durable Retail work Flow	0353	App Data Entry	CPUEXEC	15-Nov-2023	
		3611	David	Loan Application	Tawarruq Retail work Flow	0353	App Data Entry	CPUEXEC	25-Oct-2023	
		3300	Tawarruq Test	Loan Application	Tawarruq Retail work Flow	0353	App Data Entry	CPUEXEC	03-Oct-2023	
		3250	shreya	Loan Application	Consumer Durable Retail work Flow	0353	App Data Entry	CPUEXEC	27-Sep-2023	
		3220	SANJUNA SUDHAKARN	Loan Application	Tawarruq Retail work Flow	0353	App Data Entry	CPUEXEC	25-Sep-2023	
		2942	Tawarruq mallu 2	Loan Application	Tawarruq Retail work Flow	0353	Commodity Purchase Maker	CPUEXEC	01-Sep-2023	
		2491	gopali	Loan Application	Ijara Auto Retail work Flow	0353	App Data Entry	CPUEXEC	02-Aug-2023	
		1669	ANITA	Loan Application	Home Loan Workflow	0353	Post Disbursement Maker	BREXEC	15-Feb-2023	
							Showing 1	to 9 of 9 entries	1	10 😵




**AZENTIO** (Step) AFTER STEP - stepdefinitions. 31-Jan-2023 📰 🔀 🏭 Eng... • LOS • Cen... • **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 3300 java. Scenario) 0 Action Reference Id Client Name Event Workflow Employee **Stage Description** Role Code **Created Date Approver Role** Tawarrug Retail work 20 0353 CPUEXEC 27-Nov-2023 Prabanjan Loan Application Flow Maker Consumer Durable 20 3763 CPUEXEC 15-Nov-2023 Loan Application App Data Entry Retail work Flow Tawarruq Retail work 20 3611 25-Oct-2023 David Loan Application App Data Entry CPUEXEC Flow Tawarruq Retail work 20 (S) To verify that user can able to update 3300 Tawarrug Test Loan Application App Data Entry CPUEXEC 03-Oct-2023 Flow Consumer Durable the record in Employment details view list 20 3250 Loan Application 0353 CPUEXEC 27-Sep-2023 shreya App Data Entry Retail work Flow Tawarrug Retail work 20 3220 SANJUNA SUDHAKARN Loan Application App Data Entry CPUEXEC 25-Sep-2023 Flow Tawarrug Retail work 20 2942 Tawarruq mallu 2 Loan Application 01-Sep-2023 Flow 20 Ijara Auto Retail work 2491 gopali Loan Application App Data Entry CPUEXEC 02-Aug-2023 (F) To check the Tawarraq Employment 20 Post Disbursemen Loan Application Home Loan Workflow 0353 15-Feb-2023 details feature Maker C Showing 1 to 9 of 9 entries <<






EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

