


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | To check the Tawarraq_Employment details feature | 1 | 0 | 1 | 0 | 2 m 24.219 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--|----|----|---|----|--------------|
| 1 | To check the Tawarraq_Employment | To verify that user can able to update the record in | 27 | 15 | 1 | 11 | 2 m 24.216 s |
| | details feature | Employment details view list | | | | | |

DETAILED SECTION

(F)- To check the Tawarraq_Employment details feature

| FAILED | DURATION - 2 m 24.219 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 27 | |
| / 11:45:23.563 A | M // 11:47:47.782 AM / | Pass - 0 | 1 | Pass - 15 | 27 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 11 | |

(S)- To verify that user can able to update the record in Employment details view list



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate the IJARA URL | PASSED | 4.520 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.311 s |
| | screenshot | | |
| | + AZENTIO | | |
| 2 | And login with valid credentials for Tawarraq_App data entry_Employment details | PASSED | 5.201 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.505 s |
| | screenshot | | |
| | The state of the | | |

| A And User_608 get the less data for rest case AT_TW_AD_EMPD_12 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.746 s PASSED O.746 s PASSED O.746 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.881 s PASSED O.746 s PASSED O.302 s O.755 s PASSED O.475 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.152 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.930 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.930 s PASSED O.204 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| screenshot And User click the Mail box in ULS application AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.443 s PASSED 0.143 s PASSED 0.165 s PASSED 0.930 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s | 3 | And User_608 get the test data for test case AT_TW_AD_EMPD_12 | PASSED | 0.881 s |
| A And User click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.44 s ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| 4 And User click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s PASSED 0.165 s 7 And User click the Entitle button under inbox PASSED 0.930 s PASSED 0.204 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot And User click the Search button under inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.302 s PASSED 0.167 s PASSED 0.143 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.930 s PASSED 0.204 s | | ADMINISTRATION NAMED IN 2 NOW MED BY | | |
| screenshot ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s Arter_stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s | 4 | And User click the Mail box in ULS application | PASSED | 0.746 s |
| And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.302 s |
| Arter step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And User search the Ref id under inbox for Tawarraq_App data entry_Employment details Arter_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s PASSED 0.204 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s 0.152 s | | Manadatana 3. | | |
| Screenshot And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s | 5 | And User click the Search button under inbox | PASSED | 0.675 s |
| Screenshot And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.152 s |
| 6 And User search the Ref id under inbox for Tawarraq_App data entry_Employment details AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s PASSED 0.165 s 0.165 s | | | 1 | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s 0.930 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s | | ACCUPATION ACCUPA | | |
| 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s 0.204 s | 6 | And User search the Ref id under inbox for Tawarraq_App data entry_Employment details | PASSED | 0.143 s |
| 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s 0.204 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| 7 And User click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.930 s 0.204 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s | | ### ALENTO ### AL | | |
| | 7 | And User click the Entitle button under inbox | PASSED | 0.930 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.204 s |
| | | screenshot | | |


| 1.219 s |
|----------|
| 0.318 s |
| |
| |
| 0.306 s |
| 0.603 s |
| |
| |
| 13.742 s |
| 1.125 s |
| |
| |
| 0.898 s |
| 0.274 s |
| |
| |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | AMERICA A PARTICAL A PARTICA | | |
| 12 | And User_074 Update the value in Company Type field | PASSED | 0.513 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |
| | A SENTIO Fundamental substances A Senting | | |
| 13 | And User_074 Update the value in Profession field | PASSED | 0.890 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.326 s |
| | screenshot | | |
| | Family (1) | | |
| 14 | And User_074 Update the value in Profession Type field | PASSED | 0.735 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.220 s |
| | screenshot |] | |
| | ACTION ACTION | | |
| 15 | And User_074 Update the value in Statutory Authority field | PASSED | 30.818 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.143 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|--------------|
| | ACTIVITY PARTIES PA | | |
| 16 | And User_074 Update the value in Employment End Date field | FAILED | 1 m 13.213 s |
| | java.lang.AssertionError: element not interactable (Session info: chrome=119.0.6045.160) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [32f2f2f6775f7062e869ea8a2a3a0676, sendKeysToElement {id=A4BCE5003E98E37343986A2B168787B1_element_239, value=[Ljava.lang.CharSequence;@3314136f]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 119.0.6045.160, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e, userDataDir: C:\Users\ININDC~1\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55767}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55767/devtoo, se:cdpVersion: 119.0.6045.160, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@d6017dc0 -> unknown locator] Session ID: 32f2f2f6775f7062e869ea8a2a3a0676 at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.Tawarraq_AppDataEntry_EmploymentDetails_Step. user_074_update_the_value_in_employment_end_date_field(Tawarraq_AppDataEntry_EmploymentDetails_Step.java:2790) at ?.User_074_Update the value in Employment End Date field(file:///C:/Users/ININDC00074/git/Arul_ljarah/ljarah_Arul/src/test/java/features/Tawarraq_AppDataEntry_EmploymentDetails.feature:161) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | screenshot | | |
| | ACCUPTION | | |
| 17 | And User_074 Update the value in Employer Phone Extension field | SKIPPED | 0.000 s |
| 18 | And User_074 Update the value in No Of Partners field | SKIPPED | 0.000 s |
| 19 | And User_074 Update the value in Nature of Business field | SKIPPED | 0.000 s |
| 20 | And User_074 Update the value in Registered business Name field | SKIPPED | 0.000 s |
| 21 | And User_074 Update the value in Registered business Number field | SKIPPED | 0.000 s |
| 22 | And User_074 Update the value in Business Registration Date field | SKIPPED | 0.000 s |
| 23 | And User_074 Update the value in Office Premises Type field | SKIPPED | 0.000 s |
| 24 | And User_074 Update the value in Share Holder Percentage field | SKIPPED | 0.000 s |

DETAILED SECTION -- 9 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 25 | And User_074 Update the value in No Of Employees field | SKIPPED | 0.000 s |
| 26 | And User_074 Update the value in Remarks field | SKIPPED | 0.000 s |
| 27 | And Click on Save icon in customer employment page | SKIPPED | 0.000 s |










AZENTIO (Step) AFTER STEP - stepdefinitions. 31-Jan-2023 📰 🔀 🔐 Eng... • LOS • Cen... • **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 3300 java. Scenario) 0 Action Reference Id Client Name Event Workflow Employee **Stage Description** Role Code **Created Date Approver Role** Tawarrug Retail work 20 0353 CPUEXEC 27-Nov-2023 Prabanjan Loan Application Flow Maker Consumer Durable 20 3763 CPUEXEC 15-Nov-2023 Loan Application App Data Entry Retail work Flow Tawarruq Retail work 20 3611 25-Oct-2023 David Loan Application App Data Entry CPUEXEC Flow Tawarruq Retail work 20 (S) To verify that user can able to update 3300 Tawarrug Test Loan Application App Data Entry CPUEXEC 03-Oct-2023 Flow Consumer Durable the record in Employment details view list 20 3250 Loan Application 0353 CPUEXEC 27-Sep-2023 shreya App Data Entry Retail work Flow Tawarrug Retail work 20 3220 SANJUNA SUDHAKARN Loan Application App Data Entry CPUEXEC 25-Sep-2023 Flow Tawarrug Retail work 20 2942 Tawarruq mallu 2 Loan Application 01-Sep-2023 Flow 20 Ijara Auto Retail work 2491 gopali Loan Application App Data Entry CPUEXEC 02-Aug-2023 (F) To check the Tawarraq Employment 20 Post Disbursemen Loan Application Home Loan Workflow 0353 15-Feb-2023 details feature Maker C Showing 1 to 9 of 9 entries <<

EXPANDED SECTION -- 13 --






EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

