


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | To test the ApplicationDataEntry module in URL | 1 | 0 | 1 | 0 | 41.552 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|---|----|----|---|---|----------|
| 1 | To test the ApplicationDataEntry | To verify the functionality of Export to PDF button,Excel | 14 | 12 | 1 | 1 | 41.548 s |
| | module in URL | button and back button | | | | | |

DETAILED SECTION -- 4 --

(F)- To test the ApplicationDataEntry module in URL

| FAILED | DURATION - 41.552 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 14 | |
| / 4:09:02.114 pm | n // 4:09:43.666 pm / | Pass - 0 | 1 | Pass - 12 | 14 |
| | | Fail - 1. | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |


(S)- To verify the functionality of Export to PDF button, Excel button and back button





| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate the IJARA URL | PASSED | 5.402 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.462 s |
| | screenshot | | |
| | AZENTIO TO THE PROPERTY OF THE | | |
| 2 | And User_6047 Login with valid credentials-ijara-AppDataEntry_FacilityInfo | PASSED | 9.341 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.499 s |
| | screenshot | | |
| | AZENTIO | | |

| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 Then User_6047 Click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | # | Step / Hook Details | Status | Duration |
|--|---|---|--------|----------|
| screenshot 4 Then User_6047 Click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ### PASSED | 3 | And User_6047 Get the test data for test case ID AT_FI_013 | PASSED | 0.515 s |
| 4 Then User_6047 Click the Mail box in ULS application PASSED 0.340 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s 5 Then User_6047 Click the Search button under inbox PASSED 0.629 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.444 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.442 s Then User_6047 click the Entitle button under inbox PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| 4 Then User_6047 Click the Mail box in ULS application AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.444 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.444 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.444 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.445 s | | screenshot | | |
| Then User_6047 Click the Mail box in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.340 s PASSED O.296 s PASSED O.629 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.444 s PASSED O.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.265 s | | AZENTO MANUEL DE PARTICIO DE LA RESIDIO DE TANDOS DE LA RESIDIO DE LA RESIDIORI DE LA RESIDIO DE LA | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s 0.629 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.444 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s | | | | |
| screenshot Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot PASSED 0.444 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.442 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s | 4 | Then User_6047 Click the Mail box in ULS application | PASSED | 0.340 s |
| 5 Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_6047 Search the Ref Id under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.444 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s 7 Then User_6047 click the Entitle button under inbox PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.296 s |
| Then User_6047 Click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User_6047 Search the Ref Id under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.444 s PASSED 0.242 s 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s PASSED 0.434 s PASSED 0.434 s PASSED 0.265 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And User_6047 Search the Ref Id under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.444 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.444 s PASSED O.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.434 s PASSED O.265 s | | | | |
| Screenshot 6 And User_6047 Search the Ref ld under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s 0.265 s | 5 | Then User_6047 Click the Search button under inbox | PASSED | 0.629 s |
| 6 And User_6047 Search the Ref Id under inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| And User_6047 Search the Ref Id under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.444 s 0.242 s PASSED 0.434 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s PASSED 0.265 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s PASSED 0.243 s PASSED 0.265 s | | The state of the | | |
| 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s 0.265 s | 6 | And User_6047 Search the Ref Id under inbox | PASSED | 0.444 s |
| 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s 0.265 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.242 s |
| 7 Then User_6047 click the Entitle button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s 0.265 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.265 s | | 1. Squares 1. ♥ 1. 1. 2. 2. 2. | | |
| | 7 | Then User_6047 click the Entitle button under inbox | PASSED | 0.434 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.265 s |
| | | screenshot | 7 | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ACENTO | | |
| 8 | Then User_6047 Click the Facility info tab | PASSED | 0.790 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.384 s |
| | screenshot | | |
| | TARRYTO MADE OF THE CONTROL OF THE | | |
| 9 | And User_6047 Click the Export button under Facility info tab | PASSED | 0.600 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.357 s |
| | screenshot | | |
| | ACRETICO STATE OF THE PROPERTY OF THE PROPERT | | |
| 10 | And User_6047 Click the Excel button under Export | PASSED | 6.534 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.283 s |
| | screenshot |] | |
| | ASSITIO THE REST OF THE PROPERTY OF THE PROPE | | |
| 11 | Then User_6047 verify the system is downloading the excel file | PASSED | 0.284 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.352 s |
| | screenshot | | |








EXPANDED SECTION -- 10 --





AZENTIO 25-Feb-2023 📰 💌 🛗 Eng... 🔻 No ... 🔻 Aze... 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 3016 java. Scenario) Ø Client Name 5448 Vikram Auto Loan Workflow 17-Feb-2024 Murabaha Auto Retail work v0169 Murabaha AML Stage Loan Application App Data Entry 08-Feb-2024 2, 5313 Auto Loan Workflow Duplicate App Decision 08-Feb-2024 20 CPUEXEC 01-Feb-2024 Tawarrug Retesting Loan Application App Data Entry 2, Murabaha Auto Retail work v0169 3900 Vikram Loan Application Duplicate App Decision BRMANG 29-Jan-2024 2/ Murabaha Auto Retail work v0169 5089 29-Jan-2024 Vikram Loan Application Duplicate App Decision (S) To verify the functionality of Export to 20 5088 25-Jan-2024 Prahanian Loan Application Tawarrug Retail work Flow v0169 Duplicate App Decision PDF button, Excel button and back button 2, Yakeen Interface Testing Loan Application App Data Entry 18-Jan-2024 20 Murabaha Auto Retail work v0169 Contract Signing SME Ijara corporate work v0169 20 CPUEXEC SME Ijarah eligibility Loan Application App Data Entry 28-Dec-2023 Showing 1 to 10 of 16 entries << <

(F) To test the ApplicationDataEntry

module in URL







EXPANDED SECTION -- 14 --

