

## SE Fundamentals 6 – Software Evolution

Ian Sommerville,  
*Software Engineering*, 9<sup>th</sup> Edition  
Pearson Education, Addison-Wesley

Note: These are a modified version of Ch 9 slides available from the author's site <http://www.cs.st-andrews.ac.uk/~ifs/Books/SE9/>

# Topics covered

---

## ✧ Evolution processes

- Change processes for software systems

## ✧ Software maintenance


- Making changes to operational software systems

## ✧ Legacy system management

- Making decisions about software change

# Software change

---




✧ **Software change** is inevitable:

- New requirements emerge when the software is used
- The business environment changes
- Errors must be repaired
- New computers and equipment are added to the system
- The performance or reliability of the system may have to be improved

✧ A key problem for all organizations is **implementing and managing change** to their existing software systems



# Importance of evolution

---





- ✧ Organizations have **huge investments** in their software systems - they are critical business assets
- ✧ To maintain the value of these assets to the business, they must be changed and updated
- ✧ The majority of the software budget in large companies is devoted to **changing and evolving** existing software rather than developing new software

# A spiral model of development and evolution



# Evolution and servicing



# Evolution and servicing

---

## ✧ Evolution

- The stage in a software system's life cycle where it is in operational use and is evolving as new requirements are proposed and implemented in the system

## ✧ Servicing


- At this stage, the software remains useful but the only changes made are those required to keep it operational, i.e. bug fixes and changes to reflect changes in the software's environment. No new functionality is added

## ✧ Phase-out

- The software may still be used but no further changes are made to it

# Evolution processes



---





- ✧ **Software evolution processes** depend on
  - The type of software being maintained
  - The development processes used
  - The skills and experience of the people involved
- ✧ **Proposals for change** are the driver for system evolution
  - Should be linked with components that are affected by the change, thus allowing the cost and impact of the change to be estimated
- ✧ **Change identification and evolution** continues throughout the system lifetime





# Change identification and evolution processes



# The software evolution process




# Change implementation



# Change implementation

---



- ✧ **Iteration of the development process** where the revisions to the system are designed, implemented and tested
- ✧ A critical difference is that the first stage of change implementation may involve **program understanding**, especially if the original system developers are not responsible for the change implementation
- ✧ During the **program understanding phase**, you have to understand how the program is structured, how it delivers functionality and how the proposed change might affect the program



# Urgent change requests

---

- ✧ **Urgent changes** may have to be implemented without going through all stages of the software engineering process
- If a serious system fault has to be repaired to allow normal operation to continue
  - If changes to the system's environment (e.g., an OS upgrade) have unexpected effects
  - If there are business changes that require a very rapid response (e.g. the release of a competing product)


# The emergency repair process

---



# Software maintenance

---



- ✧ Modifying a program after it has been put into use
- ✧ The term is mostly used for **changing custom software**. **Generic software** products are said to **evolve** to create new versions.
- ✧ Maintenance does not normally involve major changes to the system's architecture
- ✧ Changes are implemented by modifying existing components and adding new components to the system



# Types of maintenance

---

- ✧ Maintenance **to repair** software faults
  - Changing a system to correct deficiencies in the way meets its requirements
- ✧ Maintenance **to adapt** software to a different operating environment
  - Changing a system so that it operates in a different environment (computer, OS, etc.) from its initial implementation
- ✧ Maintenance **to add to or modify** the system's functionality
  - Modifying the system to satisfy new requirements



## Figure 9.8 Maintenance effort distribution





# Maintenance costs

---

- ✧ Usually greater than development costs (2\* to 100\* depending on the application)
- ✧ Affected by both technical and non-technical factors
- ✧ Increases as software is maintained. Maintenance corrupts the software structure so makes further maintenance more difficult.
- ✧ Ageing software can have high support costs (e.g., old languages, compilers etc.).

## Figure 9.9 Development and maintenance costs



# Maintenance cost factors

---

## ✧ Team stability

- Maintenance costs are reduced if the same staff are involved with them for some time

## ✧ Contractual responsibility

- The developers of a system may have no contractual responsibility for maintenance so there is no incentive to design for future change

## ✧ Staff skills

- Maintenance staff are often inexperienced and have limited domain knowledge

## ✧ Program age and structure



- As programs age, their structure is degraded and they become harder to understand and change

# Maintenance prediction

---

- ✧ **Maintenance prediction** is concerned with assessing which parts of the system may cause problems and have high maintenance costs
- Change acceptance depends on the maintainability of the components affected by the change
  - Implementing changes degrades the system and reduces its maintainability
  - Maintenance costs depend on the number of changes and costs of change depend on maintainability

# Maintenance prediction



# Change prediction

---

- ✧ Predicting the number of changes requires and understanding of the relationships between a system and its environment
- ✧ Tightly coupled systems require changes whenever the environment is changed
- ✧ Factors influencing this relationship are
  - Number and complexity of system interfaces
  - Number of inherently volatile system requirements
  - The business processes where the system is used

# Complexity metrics


---

- ✧ Predictions of maintainability can be made by assessing the complexity of system components
- ✧ Studies have shown that most maintenance effort is spent on a relatively small number of system components
- ✧ **Complexity** depends on
  - Complexity of control structures
  - Complexity of data structures
  - Object, method (procedure) and module size



# Process metrics


---



- ✧ **Process metrics** may be used to assess maintainability
  - Number of requests for corrective maintenance
  - Average time required for impact analysis
  - Average time taken to implement a change request
  - Number of outstanding change requests
- ✧ If any or all of these is increasing, this may indicate a decline in maintainability

# System re-engineering


---



- ✧ Re-structuring or re-writing part or all of a legacy system without changing its functionality
- ✧ Applicable where some but not all sub-systems of a larger system require frequent maintenance
- ✧ Re-engineering involves adding effort to make them easier to maintain. The system may be re-structured and re-documented.

# Advantages of reengineering

---





## ✧ Reduced risk

- There is a high risk in new software development. There may be development problems, staffing problems and specification problems.

## ✧ Reduced cost

- The cost of re-engineering is often significantly less than the costs of developing new software.

# The reengineering process



# Reengineering process activities

---

## ✧ Source code translation

- Convert code to a new language

## ✧ Reverse engineering

- Analyze the program to understand it

## ✧ Program structure improvement

- Restructure automatically for understandability

## ✧ Program modularization

- Reorganize the program structure

## ✧ Data reengineering

- Clean-up and restructure system data

# Reengineering cost factors

---

- ✧ The quality of the software to be reengineered
- ✧ The tool support available for reengineering
- ✧ The extent of the data conversion which is required
- ✧ The availability of expert staff for reengineering
  - This can be a problem with old systems based on technology that is no longer widely used

# Preventive maintenance by refactoring

---

- ✧ **Refactoring** is the process of making improvements to a program to slow down degradation through change
- ✧ You can think of refactoring as ‘**preventive maintenance**’ that reduces the problems of future change
- ✧ Refactoring involves modifying a program to improve its structure, reduce its complexity or make it easier to understand
- ✧ When you refactor a program, you should not add functionality but rather concentrate on program improvement

# Refactoring and reengineering

---

- ✧ **Re-engineering** takes place after a system has been maintained for some time and maintenance costs are increasing. You use automated tools to process and re-engineer a legacy system to create a new system that is more maintainable.
- ✧ **Refactoring** is a continuous process of improvement throughout the development and evolution process. It is intended to avoid the structure and code degradation that increases the costs and difficulties of maintaining a system.



# “Bad smells” in program code

---

## ✧ Duplicate code

- The same or very similar code may be included at different places in a program. This can be removed and implemented as a single method or function that is called as required.

## ✧ Long methods

- If a method is too long, it should be redesigned as a number of shorter methods

## ✧ Switch (case) statements

- These often involve duplication, where the switch depends on the type of a value. The switch statements may be scattered around a program. In object-oriented languages, you can often use polymorphism to achieve the same thing.

# ‘Bad smells’ in program code

---

## ✧ Data clumping

- Data clumps occur when the same group of data items (fields in classes, parameters in methods) re-occur in several places in a program. These can often be replaced with an object that encapsulates all of the data.

## ✧ Speculative generality



- This occurs when developers include generality in a program in case it is required in the future. This can often simply be removed.

# Legacy system management

---

- ✧ Organizations that rely on legacy systems must choose a strategy for evolving these systems
  - **Scrap the system completely** and modify business processes so that it is no longer required;
  - **Continue maintaining** the system;
  - **Transform the system** by re-engineering to improve its maintainability;
  - **Replace the system** with a new system.
- ✧ The strategy chosen should depend on the **system quality** and its **business value**.

# Figure 9.13 An example of a legacy system assessment



# Legacy system categories

---

## ✧ Low quality, low business value

- These systems should be scrapped

## ✧ Low-quality, high-business value

- These make an important business contribution but are expensive to maintain. Should be re-engineered or replaced if a suitable system is available.

## ✧ High-quality, low-business value

- Replace with COTS, scrap completely or maintain

## ✧ High-quality, high business value

- Continue in operation using normal system maintenance

# Business value assessment

---

- ✧ Assessment should take different viewpoints into account
  - System end-users
  - Business customers
  - Line managers
  - IT managers
  - Senior managers
- ✧ Interview different stakeholders and collate results

# Issues in business value assessment

---

## ✧ The use of the system

- If systems are only used occasionally or by a small number of people, they may have a low business value

## ✧ The business processes that are supported

- A system may have a low business value if it forces the use of inefficient business processes

## ✧ System dependability


- If a system is not dependable and the problems directly affect business customers, the system has a low business value

## ✧ The system outputs

- If the business depends on system outputs, then the system has a high business value

# System quality assessment

---



## ✧ Business process assessment

- How well does the business process support the current goals of the business?

## ✧ Environment assessment

- How effective is the system's environment and how expensive is it to maintain?

## ✧ Application assessment


- What is the quality of the application software system?



# Factors used in environment assessment

| Factor               | Questions   |
|----------------------|---|
| Supplier stability   | Is the supplier still in existence? Is the supplier financially stable and likely to continue in existence? If the supplier is no longer in business, does someone else maintain the systems?   |
| Failure rate         | Does the hardware have a high rate of reported failures? Does the support software crash and force system restarts?   |
| Age                  | How old is the hardware and software? The older the hardware and support software, the more obsolete it will be. It may still function correctly but there could be significant economic and business benefits to moving to a more modern system. |
| Performance          | Is the performance of the system adequate? Do performance problems have a significant effect on system users?   |
| Support requirements | What local support is required by the hardware and software? If there are high costs associated with this support, it may be worth considering system replacement.  |
| Maintenance costs    | What are the costs of hardware maintenance and support software licences? Older hardware may have higher maintenance costs than modern systems. Support software may have high annual licensing costs.  |
| Interoperability     | Are there problems interfacing the system to other systems? Can compilers, for example, be used with current versions of the operating system? Is hardware emulation required?  |


# Factors used in application assessment



| Factor                   | Questions  |
|--------------------------|--|
| Understandability        | How difficult is it to understand the source code of the current system? How complex are the control structures that are used? Do variables have meaningful names that reflect their function? |
| Documentation            | What system documentation is available? Is the documentation complete, consistent, and current?  |
| Data                     | Is there an explicit data model for the system? To what extent is data duplicated across files? Is the data used by the system up to date and consistent?                                      |
| Performance              | Is the performance of the application adequate? Do performance problems have a significant effect on system users?   |
| Programming language     | Are modern compilers available for the programming language used to develop the system? Is the programming language still used for new system development?                                     |
| Configuration management | Are all versions of all parts of the system managed by a configuration management system? Is there an explicit description of the versions of components that are used in the current system?  |
| Test data                | Does test data for the system exist? Is there a record of regression tests carried out when new features have been added to the system?  |
| Personnel skills         | Are there people available who have the skills to maintain the application? Are there people available who have experience with the system?  |

# System measurement


---



- ✧ You may collect **quantitative data** to make an assessment of the quality of the application system
  - The number of system change requests
  - The number of different user interfaces used by the system
  - The volume of data used by the system

# Key points


---



- ✧ Software development and evolution can be thought of as an integrated, iterative process that can be represented using a spiral model
- ✧ For custom systems, the costs of software maintenance usually exceed the software development costs
- ✧ The process of software evolution is driven by requests for changes and includes change impact analysis, release planning and change implementation

# Key points

---



- ✧ There are **3 types of software maintenance**, namely bug fixing, modifying software to work in a new environment, and implementing new or changed requirements
- ✧ Software **re-engineering** is concerned with re-structuring and re-documenting software to make it easier to understand and change
- ✧ **Refactoring**, making program changes that preserve functionality, is a form of preventative maintenance.
- ✧ The business value of a **legacy system** and the quality of the application should be assessed to help decide if a system should be replaced, transformed or maintained