

# Cucumber Report

02-Oct-2024, 2:02:50 pm

Start : Oct 02, 2:02:33.380 pm

End : Oct 02, 2:02:48.495 pm

Duration : 15.115 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Action</u>	15.115 s	3	0	3	0	18	0	3	15

#	Feature Name	Scenario Name
1	<u>Login Action</u>	<u>MycontactForm Successfull Login with valid Credential</u>
2		<u>Login Data Driven</u>
3		<u>Login Data Driven</u>





#	Feature Name	T	P	F	S	Duration
1	Login Action	3	0	3	0	15.115 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Action</u>	<u>MycontactForm Successfull Login with valid Credential</u>	6	0	1	5	12.156 s
2		<u>Login Data Driven</u>	6	0	1	5	1.503 s
3		<u>Login Data Driven</u>	6	0	1	5	1.370 s

## Login Action

<b>FAILED</b>	<b>DURATION - 15.115 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 18 Pass - 0 Fail - 3 Skip - 15	
/ 2:02:33.380 pm // 2:02:48.495 pm /					



## MycontactForm Successfull Login with valid Credential

<b>FAILED</b>	<b>DURATION - 12.156 s</b>		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 2:02:33.430 pm // 2:02:45.586 pm /				
Login Action				

#	Step / Hook Details	Status	Duration
1	<p>Given user open chrome browser</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 124 Current browser version is 129.0.6668.90 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'AZHAR75', ip: '192.168.0.103' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --remote-allow-origin=*], extensions: []}}]]     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94)     at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)     at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:157)     at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:101)     at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:88)</pre>	<b>FAILED</b>	12.102 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:73) at stepDefinitions.Steps.user_open_chrome_browser(Steps.java:48) at ?.user open chrome browser(file:///D:/c_drive/c_drive/eclipse-workspace/MycontactBDDCucumberN/./Features/Login.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinitions.Steps.addScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepDefinitions.Steps.addScreenshot(Steps.java:145)	FAILED	0.006 s
2	When user open URL "https://www.mycontactform.com/index.php"	SKIPPED	0.001 s
3	When user enter username as "azhar123" and password as "AzharTD"	SKIPPED	0.000 s
4	Then click the login button	SKIPPED	0.000 s
5	And click the logout button	SKIPPED	0.000 s
6	Then close browser	SKIPPED	0.001 s
	AFTER - stepDefinitions.Steps.tearDown() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepDefinitions.Steps.tearDown(Steps.java:159)	FAILED	0.002 s

## Login Data Driven



FAILED	DURATION - 1.503 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 2:02:45.609 pm // 2:02:47.112 pm /				
Login Action				

#	Step / Hook Details	Status	Duration
1	Given user open chrome browser org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 124 Current browser version is 129.0.6668.90 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'AZHAR75', ip: '192.168.0.103' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --remote-allow-origin=*], extensions: []}}]}]	FAILED	1.493 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:157) at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:101) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:88) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84) at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:73) at stepDefinitions.Steps.user_open_chrome_browser(Steps.java:48) at ?.user open chrome browser(file:///D:/c_drive/c_drive/eclipse-workspace/MycontactBDDCucumberN/./Features/Login.feature:13) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER_STEP - stepDefinitions.Steps.addScreenshot(io.cucumber.java.Scenario)</b> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepDefinitions.Steps.addScreenshot(Steps.java:145) </pre>	<b>FAILED</b>	0.003 s
2	When user open URL "https://www.mycontactform.com/index.php"	<b>SKIPPED</b>	0.000 s
3	When user enter username as "azhar123" and password as "AzharTD"	<b>SKIPPED</b>	0.000 s
4	Then click the login button	<b>SKIPPED</b>	0.000 s
5	And click the logout button	<b>SKIPPED</b>	0.000 s
6	Then close browser	<b>SKIPPED</b>	0.001 s
	<b>AFTER - stepDefinitions.Steps.tearDown()</b> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepDefinitions.Steps.tearDown(Steps.java:159) </pre>	<b>FAILED</b>	0.001 s

## Login Data Driven



<div>FAILED</div> <div>DURATION - 1.370 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 2:02:47.125 pm // 2:02:48.495 pm /				
Login Action				

#	Step / Hook Details	Status	Duration
1	<p>Given user open chrome browser</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 124 Current browser version is 129.0.6668.90 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'AZHAR75', ip: '192.168.0.103' Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*, --remote-allow-origin=*], extensions: []}}]}]</pre> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:136)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:94)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:157)  at org.openqa.selenium.chromium.ChromiumDriver.&lt;init&gt;(ChromiumDriver.java:101)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:88)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:84)  at org.openqa.selenium.chrome.ChromeDriver.&lt;init&gt;(ChromeDriver.java:73)  at stepDefinitions.Steps.user_open_chrome_browser(Steps.java:48)  at ?.user open chrome browser(file:///D:/c_drive/c_drive/eclipse-workspace/MycontactBDDCucumberN/.//Features/Login.feature:13)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	1.359 s
	<p>AFTER_STEP - stepDefinitions.Steps.addScreenshot(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null</pre> <p>at stepDefinitions.Steps.addScreenshot(Steps.java:145)</p>	FAILED	0.002 s
2	When user open URL "https://www.mycontactform.com/index.php"	SKIPPED	0.000 s
3	When user enter username as "azhar234" and password as "azhar@123"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then click the login button	SKIPPED	0.000 s
5	And click the logout button	SKIPPED	0.000 s
6	Then close browser	SKIPPED	0.001 s
	AFTER - stepDefinitions.Steps.tearDown()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at stepDefinitions.Steps.tearDown(Steps.java:159)		