Wiley Online Library

Log in / Register

Go to old article view

Anaesthesia Explore this journal >

View issue TOC

Volume 72, Issue 8

August 2017

Pages 944-952

Original Article

Data fabrication and other reasons for non-random sampling in 5087 randomised, controlled trials in anaesthetic and general medical journals

J. B. Carlisle

First published:

4 June 2017 Full publication history

DOI:

10.1111/anae.13938 View/save citation

Cited by (CrossRef):

1 article Citation tools



This article is accompanied by an editorial by Loadsman and McCulloch, Anaesthesia 2017; 72: 931–5.

You can respond to this article at http://www.anaesthesiacorrespondence.com

1 sur 4 06/08/2017 13:13

Summary

Randomised, controlled trials have been retracted after publication because of data fabrication and inadequate ethical approval. Fabricated data have included baseline variables, for instance, age, height or weight. Statistical tests can determine the probability of the distribution of means, given their standard deviation and the number of participants in each group. Randomised, controlled trials have been retracted after the data distributions have been calculated as improbable. Most retracted trials have been written by anaesthetists and published by specialist anaesthetic journals. I wanted to explore whether the distribution of baseline data in trials was consistent with the expected distribution. I wanted to determine whether trials retracted after publication had distributions different to trials that have not been retracted. I wanted to determine whether data distributions in trials published in specialist anaesthetic journals have been different to distributions in non-specialist medical journals. I analysed the distribution of 72,261 means of 29,789 variables in 5087 randomised, controlled trials published in eight journals between January 2000 and December 2015: Anaesthesia (399); Anesthesia and Analgesia (1288); Anesthesiology (541); British Journal of Anaesthesia (618); Canadian Journal of Anesthesia (384); European Journal of Anaesthesiology (404); Journal of the American Medical Association (518) and New England Journal of Medicine (935). I chose these journals as I had electronic access to the full text. Trial p values were distorted by an excess of baseline means that were similar and an excess that were dissimilar: 763/5015 (15.2%) trials that had not been retracted from publication had p values that were within 0.05 of 0 or 1 (expected 10%), that is, a 5.2% excess, $p = 1.2 \times 10^{-7}$. The p values of 31/72 (43%) trials that had been retracted after publication were within 0.05 of 0 or 1, a rate different to that for unretracted trials, $p = 1.03 \times 10^{-10}$. The difference between the distributions of these two subgroups was confirmed by comparison of their overall distributions, $p = 5.3 \times 10^{-15}$. Each journal exhibited the same abnormal distribution of baseline means. There was no difference in distributions of baseline means for 1453 trials in non-anaesthetic journals and 3634 trials in anaesthetic journals, p = 0.30. The rate of retractions from JAMA and NEJM, 6/1453 or 1 in 242, was one-quarter the rate from the six anaesthetic journals, 66/3634 or 1 in 55, relative risk (99%CI) 0.23 (0.08–0.68), p = 0.00022. A probability threshold of 1 in 10,000 identified 8/72 (11%) retracted trials (7 by Fujii et al.) and 82/5015 (1.6%) unretracted trials. Some p values were so extreme that the baseline data could not be correct: for instance, for 43/5015 unretracted trials the probability was less than 1 in 10¹⁵ (equivalent to one drop of water in 20,000 Olympic-sized swimming pools). A probability threshold of 1 in 100 for two or more trials by the same author identified three authors of retracted trials (Boldt, Fujii and Reuben) and 21 first or corresponding authors of 65 unretracted trials. Fraud, unintentional error, correlation, stratified allocation and poor methodology might have contributed to the excess of randomised, controlled trials with similar or dissimilar means, a pattern that was common to all the surveyed journals. It is likely that this work will lead to the identification, correction and retraction of hitherto unretracted randomised, controlled trials.

Continue reading full article

Supporting Information

2 sur 4 06/08/2017 13:13

Related content

Articles related to the one you are viewing

The articles below have been selected for you based on the article you are currently viewing.

Calculating the probability of random sampling for continuous variables in submitted or published randomised controlled trials

J. B. Carlisle, F. Dexter, J. J. Pandit, S. L. Shafer, S. M. Yentis 29 May 2015

Evidence for non-random sampling in randomised, controlled trials by Yuhji Saitoh

J. B. Carlisle, J. A. Loadsman

18 December 2016

The role of biostatistics in the prevention, detection and treatment of fraud in clinical trials

Marc Buyse, Stephen L. George, Stephen Evans, Nancy L. Geller, Jonas Ranstam, Bruno Scherrer, Emmanuel Lesaffre, Gordon Murray, Lutz Edler, Jane Hutton, Theodore Colton, Peter Lachenbruch, Babu L. Verma

22 December 1999

Retracted Publications in the Drug Literature

Jennifer C. Samp, Glen T. Schumock, A. Simon Pickard

11 May 2012

3 sur 4 06/08/2017 13:13

Using statistical techniques to detect fraud: a test case

Michael O'Kelly

October 2004

Citing Literature



Browse Publications

Browse by Subject

Resources

Help & Support

Cookies & Privacy

Terms & Conditions

About Us

Wiley Job Network

Advertisers & Agents

Powered by Wiley Online Library Copyright © 1999 - 2017 John Wiley & Sons, Inc. All Rights Reserved

4 sur 4 06/08/2017 13:13