

ICPSR 4549

## **The 500 Family Study [1998-2000: United States]**

Barbara Schneider

*University of Chicago. National Organization  
for Research and Computing (NORC). Alfred  
P. Sloan Center on Parents, Children and Work*

Linda J. Waite

*University of Chicago. National Organization  
for Research and Computing (NORC). Alfred  
P. Sloan Center on Parents, Children and Work*

Codebook for Student Data


**ICPSR** | INTER-UNIVERSITY  
CONSORTIUM FOR  
POLITICAL AND  
SOCIAL RESEARCH

P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

## About *Research Connections*

These data are made available by the Child Care and Early Education *Research Connections* project. *Research Connections* promotes high quality research in child care and early education and the use of that research in policymaking.

*Research Connections* is operated by the National Center for Children in Poverty at the Mailman School of Public Health, Columbia University and the Inter-university Consortium for Political and Social Research at the Institute for Social Research, University of Michigan, through a cooperative agreement with the Child Care Bureau, Office of Family Assistance and the Office of Planning, Research, and Evaluation, Administration for Children and Families in the U.S. Department of Health and Human Services.



## **Terms of Use**

The terms of use for this study can be found at:

<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/4549.xml>



## **ICPSR PROCESSING NOTES FOR STUDY # 4549**

*The 500 Family Study, 1998-2000*

Within this data collection, users may encounter variables that do not contain variable and/or value labels. Additionally, some wild codes may be found. We have attempted to provide as complete information as possible based on what was supplied to us. If any additional useful information is received about these variables, we will update the data collection as needed.

# Codebook for ICPSR 04549

## 500 Family Study

### Dataset 4: Student Data

ID_1	student id
------	------------

Location: 1-6 (width: 6; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

PERID__1	Person ID
----------	-----------

Location: 7-14 (width: 8; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
0	same-sex parent	0	0.0 %	-
1	dad	0	0.0 %	-
2	mom	0	0.0 %	-
3	focal child	319	68.6 %	-
4	other child	127	27.3 %	-
5	other child	17	3.7 %	-
6	other child	2	0.4 %	-

FAMID__1	Family ID
----------	-----------

Location: 15-22 (width: 8; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

FAMTYP_1	Family Type
----------	-------------

Location: 23-30 (width: 8; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

Value	Label	Frequency	%	Valid %
1	teen family	431	92.7 %	-
2	tot family	0	0.0 %	-
3	teen/tot family	34	7.3 %	-

GENDER_1	1 - what is your gender
----------	-------------------------

Location: 31-31 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE	223	48.0 %	-
2	FEMALE	239	51.4 %	-
9 (M)	MISSING	3	0.6 %	-

**AGE\_\_1**

**2 - how old you are**

Location: 32-33 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	7	1.5 %	-
11	6	1.3 %	-
12	38	8.2 %	-
13	39	8.4 %	-
14	83	17.8 %	-
15	123	26.5 %	-
16	65	14.0 %	-
17	66	14.2 %	-
18	36	7.7 %	-
19	2	0.4 %	-

**GRADE\_\_1**

**3 - grade you are in**

Location: 34-34 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	6TH	24	5.2 %	-
2	7TH	40	8.6 %	-
3	8TH	39	8.4 %	-
4	9TH	132	28.4 %	-
5	10TH	73	15.7 %	-
6	11TH	59	12.7 %	-
7	12TH	82	17.6 %	-
8	OTHER	9	1.9 %	-
9 (M)	MISSING	7	1.5 %	-

**RACE\_\_1**

**4 - which best describes you**

Location: 35-36 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Asian or Pac Isnd	3	0.6 %	-
2	Hispanic	20	4.3 %	-
3	Black, Non-His	38	8.2 %	-
4	White, Non-His	372	80.0 %	-
5	Amer. Indian	2	0.4 %	-
6	Asian or Pac Isnd and Black, Non-His and White, non-His and Amer. Indian	1	0.2 %	-
7	All races (1 through 5)	0	0.0 %	-
8	Black, Non-His; White, Non-His; Amer. Indian or Alaskan Native	2	0.4 %	-
9 (M)	MISSING	11	2.4 %	-
12	Asian or Pac Isnd; Hispanic	1	0.2 %	-
13	Asian or Pac Isnd; Black, Non-Hisp	1	0.2 %	-
14	Asian or Pac Isnd; White, Non-His	4	0.9 %	-
15	Asian or Pac Isnd; Amer. Indian or Alaskan Native	1	0.2 %	-
23	Hispanic, ragardless of race; Black, Non-Hisp	2	0.4 %	-
24	Hispanic, regardless of race; White, not of Hispanic Origin	2	0.4 %	-
34	Black, Non-His; White, Non-Hisp	2	0.4 %	-
35	Black, not of Hispanic Origin; American Indian or Alaskan Indian	2	0.4 %	-
45	White, Non-His; Amer. Indian or Alaskan Native	1	0.2 %	-

**LVBIOM\_1**

**5a - live in household with biological mother**

Location: 37-37 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	18	3.9 %	-
1	YES	437	94.0 %	-
9 (M)	MISSING	10	2.2 %	-

**LVBIOD\_1**

**5b - live in household with biological father**

Location: 38-38 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	112	24.1 %	-
1	YES	335	72.0 %	-
9 (M)	MISSING	18	3.9 %	-



- Study 04549 -

**LVADPM\_1                      5c - live in household with adoptive mother**

Location: 39-39 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	369	79.4 %	-
1	YES	15	3.2 %	-
9 (M)	MISSING	81	17.4 %	-

**LVADPD\_1                      5d - live in household with adoptive father**

Location: 40-40 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	366	78.7 %	-
1	YES	17	3.7 %	-
9 (M)	MISSING	82	17.6 %	-

**LVSTPM\_1                      5e - live in household with stepmother**

Location: 41-41 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	367	78.9 %	-
1	YES	16	3.4 %	-
9 (M)	MISSING	82	17.6 %	-

**LVSTPD\_1                      5f - live in household with stepfather**

Location: 42-42 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	355	76.3 %	-
1	YES	30	6.5 %	-
9 (M)	MISSING	80	17.2 %	-

**LVGRDM\_1                      5g - live in household with grandmother**

Location: 43-43 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	371	79.8 %	-
1	YES	12	2.6 %	-
9 (M)	MISSING	82	17.6 %	-

**LVGRDD\_1**      **5h - live in household with grandfather**

Location: 44-44 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	375	80.6 %	-
1	YES	8	1.7 %	-
9 (M)	MISSING	82	17.6 %	-

**LVFREL\_1**      **5i - live in household with other female relative**

Location: 45-45 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	340	73.1 %	-
1	YES	47	10.1 %	-
9 (M)	MISSING	78	16.8 %	-

**LVMREL\_1**      **5j - live in household with other male relative**

Location: 46-46 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	343	73.8 %	-
1	YES	43	9.2 %	-
9 (M)	MISSING	79	17.0 %	-

**LVOTHF\_1**      **5k - live in household with other adult female**

Location: 47-47 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	372	80.0 %	-
1	YES	9	1.9 %	-
9 (M)	MISSING	84	18.1 %	-

**LVOTHM\_1**      **5l - live in household with other adult male**

Location: 48-48 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	375	80.6 %	-
1	YES	4	0.9 %	-
9 (M)	MISSING	86	18.5 %	-

**LVOLDB\_1**      **6a - live in household with older brother**

Location: 49-49 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	231	49.7 %	-
1	yes	107	23.0 %	-
9 (M)	-	127	27.3 %	-

**LVYNGB\_1**      **6b - live in household with younger brother**

Location: 50-50 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	210	45.2 %	-
1	yes	149	32.0 %	-
9 (M)	-	106	22.8 %	-

**LVOLDS\_1**      **6c - live in household with older sister**

Location: 51-51 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	239	51.4 %	-
1	yes	101	21.7 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	-	125	26.9 %	-

**LVYNGS\_1                      6d - live in household with your younger sister**

Location: 52-52 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	218	46.9 %	-
1	yes	133	28.6 %	-
9 (M)	-	114	24.5 %	-

**LVGRDP\_1                      6e - live in household with grandparents**

Location: 53-53 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	303	65.2 %	-
1	yes	11	2.4 %	-
9 (M)	-	151	32.5 %	-

**LVMINR\_1                      6f - live in household with 18 under cousin**

Location: 54-54 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	306	65.8 %	-
1	yes	5	1.1 %	-
9 (M)	-	154	33.1 %	-

**LVMAGR\_1                      6g - live in household with 18 and over cousin**

Location: 55-55 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	307	66.0 %	-
1	yes	5	1.1 %	-
9 (M)	-	153	32.9 %	-

- Study 04549 -

**LVMINO\_1                      6h - live with non-relative under 18 not in question 5**

Location: 56-56 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	310	66.7 %	-
1	yes	2	0.4 %	-
9 (M)	-	153	32.9 %	-

**LVMAJO\_1                      6i - live with non-relative over 18 not in question 5**

Location: 57-57 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	307	66.0 %	-
1	yes	8	1.7 %	-
9 (M)	-	150	32.3 %	-

**LVMYKD\_1                      6j - live with your child or children**

Location: 58-58 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	no	311	66.9 %	-
1	yes	0	0.0 %	-
9 (M)	-	154	33.1 %	-

**SEEDAD\_1                      7 - how often you see biological father**

Location: 59-59 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	38	8.2 %	-
1	ONCE OR TWICE IN A YEAR	19	4.1 %	-
2	LESS THAN ONCE PER MONTH	12	2.6 %	-
3	TWICE A MONTH	12	2.6 %	-
4	ONCE A WEEK	23	4.9 %	-
5	EVERYDAY	9	1.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	329	70.8 %	-
. (M)	-	23	4.9 %	-

**SEEMOM\_1**      **8 - how often you see biological mother**

Location: 60-60 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	10	2.2 %	-
1	ONCE OR TWICE IN A YEAR	1	0.2 %	-
2	LESS THAN ONCE PER MONTH	2	0.4 %	-
3	TWICE A MONTH	1	0.2 %	-
4	ONCE A WEEK	5	1.1 %	-
5	EVERYDAY	4	0.9 %	-
9 (M)	MISSING	432	92.9 %	-
. (M)	-	10	2.2 %	-

**CKTNHW\_1**      **9a - how often do parents check your homework**

Location: 61-61 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	40	8.6 %	-
1	RARELY	98	21.1 %	-
2	SOMETIMES	130	28.0 %	-
3	OFTEN	163	35.1 %	-
9 (M)	MISSING	34	7.3 %	-

**HELPHW\_1**      **9b - how often do parents help you with homework**

Location: 62-62 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	55	11.8 %	-
1	RARELY	137	29.5 %	-
2	SOMETIMES	176	37.8 %	-
3	OFTEN	63	13.5 %	-
9 (M)	MISSING	34	7.3 %	-

- Study 04549 -

**HSEWRK\_1      9c - how often do parents require you to do chores**

Location: 63-63 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	5	1.1 %	-
1	RARELY	43	9.2 %	-
2	SOMETIMES	165	35.5 %	-
3	OFTEN	218	46.9 %	-
9 (M)	MISSING	34	7.3 %	-

**LIMTNT\_1      9d - how often do parents limit tv, video/computer games**

Location: 64-64 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	85	18.3 %	-
1	RARELY	117	25.2 %	-
2	SOMETIMES	120	25.8 %	-
3	OFTEN	107	23.0 %	-
9 (M)	MISSING	36	7.7 %	-

**LIMGO\_1      9e - how often do parents limit time out with friends**

Location: 65-65 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	46	9.9 %	-
1	RARELY	89	19.1 %	-
2	SOMETIMES	155	33.3 %	-
3	OFTEN	138	29.7 %	-
9 (M)	MISSING	37	8.0 %	-

**CKTOUT\_1      9f - how often do parents check up on you with friends**

Location: 66-66 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	121	26.0 %	-
1	RARELY	147	31.6 %	-
2	SOMETIMES	103	22.2 %	-
3	OFTEN	58	12.5 %	-
9 (M)	MISSING	36	7.7 %	-

**ASKTNC\_1**

**9g - how often parents ask you to call when with friends**

Location: 67-67 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	26	5.6 %	-
1	RARELY	55	11.8 %	-
2	SOMETIMES	103	22.2 %	-
3	OFTEN	243	52.3 %	-
9 (M)	MISSING	38	8.2 %	-

**REWGRD\_1**

**9h - how often do parents punish/reward for grades**

Location: 68-68 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	105	22.6 %	-
1	RARELY	105	22.6 %	-
2	SOMETIMES	117	25.2 %	-
3	OFTEN	102	21.9 %	-
9 (M)	MISSING	36	7.7 %	-

**STAOUT\_1**

**10a - who makes decision to staying out late**

Location: 69-69 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	92	19.8 %	-
2	PRNTS, POST DISCUSS	141	30.3 %	-
3	DECIDE TOGETHER	148	31.8 %	-
4	TN, POST DISCUSS	36	7.7 %	-
5	TEEN ALONE	13	2.8 %	-



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	35	7.5 %	-

**WHIFRD\_1      10b - who makes decision regarding your friends**

Location: 70-70 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	10	2.2 %	-
2	PRNTS, POST DISCUSS	25	5.4 %	-
3	DECIDE TOGETHER	22	4.7 %	-
4	TN, POST DISCUSS	38	8.2 %	-
5	TEEN ALONE	335	72.0 %	-
9 (M)	MISSING	35	7.5 %	-

**CLASSSS\_1      10c - who makes decision on your classes at school**

Location: 71-71 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	4	0.9 %	-
2	PRNTS, POST DISCUSS	19	4.1 %	-
3	DECIDE TOGETHER	111	23.9 %	-
4	TN, POST DISCUSS	188	40.4 %	-
5	TEEN ALONE	108	23.2 %	-
9 (M)	MISSING	35	7.5 %	-

**WORKS2\_1      10d - who makes decision whether you can have job**

Location: 72-72 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	20	4.3 %	-
2	PRNTS, POST DISCUSS	25	5.4 %	-
3	DECIDE TOGETHER	134	28.8 %	-
4	TN, POST DISCUSS	121	26.0 %	-
5	TEEN ALONE	115	24.7 %	-
9 (M)	MISSING	50	10.8 %	-

**MONEYA\_1      10e - who makes decision regarding money spent**

- Study 04549 -

Location: 73-73 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	4	0.9 %	-
2	PRNTS, POST DISCUSS	5	1.1 %	-
3	DECIDE TOGETHER	28	6.0 %	-
4	TN, POST DISCUSS	120	25.8 %	-
5	TEEN ALONE	275	59.1 %	-
9 (M)	MISSING	33	7.1 %	-

**DATING\_1**      **10f - who makes decision regarding dating**

Location: 74-74 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	26	5.6 %	-
2	PRNTS, POST DISCUSS	22	4.7 %	-
3	DECIDE TOGETHER	54	11.6 %	-
4	TN, POST DISCUSS	50	10.8 %	-
5	TEEN ALONE	273	58.7 %	-
9 (M)	MISSING	40	8.6 %	-

**GOCOLL\_1**      **10g - who makes decision if you go to college**

Location: 75-75 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	41	8.8 %	-
2	PRNTS, POST DISCUSS	22	4.7 %	-
3	DECIDE TOGETHER	112	24.1 %	-
4	TN, POST DISCUSS	94	20.2 %	-
5	TEEN ALONE	150	32.3 %	-
9 (M)	MISSING	46	9.9 %	-

**WRCOLL\_1**      **10h - who makes decision which college**

Location: 76-76 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	8	1.7 %	-
2	PRNTS, POST DISCUSS	10	2.2 %	-
3	DECIDE TOGETHER	108	23.2 %	-
4	TN, POST DISCUSS	178	38.3 %	-
5	TEEN ALONE	113	24.3 %	-
9 (M)	MISSING	48	10.3 %	-

**PURBOS\_1**      **10i - who makes decision on family purchases**

Location: 77-77 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRNTS ALONE	154	33.1 %	-
2	PRNTS, POST DISCUSS	190	40.9 %	-
3	DECIDE TOGETHER	80	17.2 %	-
4	TN, POST DISCUSS	2	0.4 %	-
5	TEEN ALONE	2	0.4 %	-
9 (M)	MISSING	37	8.0 %	-

**WKCURF\_1**      **11 - what is school night curfew**

Location: 78-79 (width: 2; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.2 %	-
1	NOT ALLOWED OUT	68	14.6 %	-
2	BEFORE 9:00	157	33.8 %	-
3	9:00 TO 9:59	103	22.2 %	-
4	10:00 TO 10:59	68	14.6 %	-
5	11:00 TO 11:59	21	4.5 %	-
6	12:00 TO 12:59	3	0.6 %	-
7	1:00 TO 1:59	0	0.0 %	-
8	AFTER 2:00	1	0.2 %	-
9	AS LATE AS TN WANTS	7	1.5 %	-
99 (M)	MISSING	36	7.7 %	-

**WKNDU\_1**      **11 - what is the weekend curfew**

Location: 80-81 (width: 2; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

- Study 04549 -

Range of Missing Values (M): 99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NOT ALLOWED OUT	2	0.4 %	-
2	BEFORE 9:00	20	4.3 %	-
3	9:00 TO 9:59	34	7.3 %	-
4	10:00 TO 10:59	77	16.6 %	-
5	11:00 TO 11:59	126	27.1 %	-
6	12:00 TO 12:59	74	15.9 %	-
7	1:00 TO 1:59	34	7.3 %	-
8	AFTER 2:00	15	3.2 %	-
9	AS LATE AS TN WANTS	41	8.8 %	-
99 (M)	MISSING	42	9.0 %	-

**TEENTV\_1**      **12a - discuss w/parents time watching tv**

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	179	38.5 %	-
1	ABOUT ONCE/MONTH	110	23.7 %	-
2	ABOUT TWICE/MONTH	52	11.2 %	-
3	ABOUT ONCE/WEEK	43	9.2 %	-
4	2-3 TIMES/WEEK	46	9.9 %	-
9 (M)	MISSING	35	7.5 %	-

**AFTRSC\_1**      **12b - discussing w/parents your location in afternoons**

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	88	18.9 %	-
1	ABOUT ONCE/MONTH	69	14.8 %	-
2	ABOUT TWICE/MONTH	46	9.9 %	-
3	ABOUT ONCE/WEEK	89	19.1 %	-
4	2-3 TIMES/WEEK	139	29.9 %	-
9 (M)	MISSING	34	7.3 %	-

**WHANIT\_1**      **12c - discuss w/parents where you are at nights**

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

- Study 04549 -

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	74	15.9 %	-
1	ABOUT ONCE/MONTH	51	11.0 %	-
2	ABOUT TWICE/MONTH	48	10.3 %	-
3	ABOUT ONCE/WEEK	106	22.8 %	-
4	2-3 TIMES/WEEK	149	32.0 %	-
9 (M)	MISSING	37	8.0 %	-

**TNFREE\_1**      **12d - discuss w/parents your free time**

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	63	13.5 %	-
1	ABOUT ONCE/MONTH	63	13.5 %	-
2	ABOUT TWICE/MONTH	68	14.6 %	-
3	ABOUT ONCE/WEEK	105	22.6 %	-
4	2-3 TIMES/WEEK	133	28.6 %	-
9 (M)	MISSING	33	7.1 %	-

**TNCORS\_1**      **12e - discuss w/parents which courses take at school**

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	55	11.8 %	-
1	ABOUT ONCE/MONTH	189	40.6 %	-
2	ABOUT TWICE/MONTH	93	20.0 %	-
3	ABOUT ONCE/WEEK	57	12.3 %	-
4	2-3 TIMES/WEEK	31	6.7 %	-
9 (M)	MISSING	40	8.6 %	-

**SCHEVN\_1**      **12f - discuss w/parents activities which interest you**

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	29	6.2 %	-
1	ABOUT ONCE/MONTH	86	18.5 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ABOUT TWICE/MONTH	103	22.2 %	-
3	ABOUT ONCE/WEEK	109	23.4 %	-
4	2-3 TIMES/WEEK	100	21.5 %	-
9 (M)	MISSING	38	8.2 %	-

**TNSTUD\_1**      **12g - discuss w/parents things studied in class**

Location: 88-88 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	21	4.5 %	-
1	ABOUT ONCE/MONTH	58	12.5 %	-
2	ABOUT TWICE/MONTH	49	10.5 %	-
3	ABOUT ONCE/WEEK	114	24.5 %	-
4	2-3 TIMES/WEEK	186	40.0 %	-
9 (M)	MISSING	37	8.0 %	-

**TNGRAD\_1**      **12h - discuss w/parents your grades**

Location: 89-89 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	13	2.8 %	-
1	ABOUT ONCE/MONTH	82	17.6 %	-
2	ABOUT TWICE/MONTH	103	22.2 %	-
3	ABOUT ONCE/WEEK	117	25.2 %	-
4	2-3 TIMES/WEEK	113	24.3 %	-
9 (M)	MISSING	37	8.0 %	-

**TNSATI\_1**      **12i - discuss w/parents regarding ACT, SAT**

Location: 90-90 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	203	43.7 %	-
1	ABOUT ONCE/MONTH	101	21.7 %	-
2	ABOUT TWICE/MONTH	55	11.8 %	-
3	ABOUT ONCE/WEEK	40	8.6 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	2-3 TIMES/WEEK	16	3.4 %	-
9 (M)	MISSING	50	10.8 %	-

**TNCOLL\_1**      **12j - discuss w/parents going to college**

Location: 91-91 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	86	18.5 %	-
1	ABOUT ONCE/MONTH	126	27.1 %	-
2	ABOUT TWICE/MONTH	82	17.6 %	-
3	ABOUT ONCE/WEEK	50	10.8 %	-
4	2-3 TIMES/WEEK	73	15.7 %	-
9 (M)	MISSING	48	10.3 %	-

**TNCARR\_1**      **12k - discuss w/parents career plans**

Location: 92-92 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	113	24.3 %	-
1	ABOUT ONCE/MONTH	146	31.4 %	-
2	ABOUT TWICE/MONTH	72	15.5 %	-
3	ABOUT ONCE/WEEK	51	11.0 %	-
4	2-3 TIMES/WEEK	36	7.7 %	-
9 (M)	MISSING	47	10.1 %	-

**HOWLAT\_1**      **12l - discuss w/parents how late you stay out**

Location: 93-93 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	77	16.6 %	-
1	ABOUT ONCE/MONTH	119	25.6 %	-
2	ABOUT TWICE/MONTH	74	15.9 %	-
3	ABOUT ONCE/WEEK	88	18.9 %	-
4	2-3 TIMES/WEEK	71	15.3 %	-
9 (M)	MISSING	36	7.7 %	-

- Study 04549 -

**BRKRUL\_1      12m - discuss w/parents you breaking rules**

Location: 94-94 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	135	29.0 %	-
1	ABOUT ONCE/MONTH	139	29.9 %	-
2	ABOUT TWICE/MONTH	66	14.2 %	-
3	ABOUT ONCE/WEEK	51	11.0 %	-
4	2-3 TIMES/WEEK	36	7.7 %	-
9 (M)	MISSING	38	8.2 %	-

**HOWSPE\_1      12n - discuss w/parents how spend money**

Location: 95-95 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	184	39.6 %	-
1	ABOUT ONCE/MONTH	110	23.7 %	-
2	ABOUT TWICE/MONTH	65	14.0 %	-
3	ABOUT ONCE/WEEK	45	9.7 %	-
4	2-3 TIMES/WEEK	24	5.2 %	-
9 (M)	MISSING	37	8.0 %	-

**WHOFRD\_1      12o - discuss w/parents who friends are**

Location: 96-96 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	143	30.8 %	-
1	ABOUT ONCE/MONTH	127	27.3 %	-
2	ABOUT TWICE/MONTH	59	12.7 %	-
3	ABOUT ONCE/WEEK	62	13.3 %	-
4	2-3 TIMES/WEEK	33	7.1 %	-
9 (M)	MISSING	41	8.8 %	-

**TNDATE\_1      12p - discuss w/parents dating scene**

Location: 97-97 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)



- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	189	40.6 %	-
1	ABOUT ONCE/MONTH	135	29.0 %	-
2	ABOUT TWICE/MONTH	45	9.7 %	-
3	ABOUT ONCE/WEEK	33	7.1 %	-
4	2-3 TIMES/WEEK	21	4.5 %	-
9 (M)	MISSING	42	9.0 %	-

**TNSEX\_1**      **12q - discuss w/parents sexual relations**

Location: 98-98 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	265	57.0 %	-
1	ABOUT ONCE/MONTH	114	24.5 %	-
2	ABOUT TWICE/MONTH	23	4.9 %	-
3	ABOUT ONCE/WEEK	12	2.6 %	-
4	2-3 TIMES/WEEK	9	1.9 %	-
9 (M)	MISSING	42	9.0 %	-

**TNALCH\_1**      **12r - discuss w/parents drinking alcohol**

Location: 99-99 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	169	36.3 %	-
1	ABOUT ONCE/MONTH	163	35.1 %	-
2	ABOUT TWICE/MONTH	50	10.8 %	-
3	ABOUT ONCE/WEEK	28	6.0 %	-
4	2-3 TIMES/WEEK	15	3.2 %	-
9 (M)	MISSING	40	8.6 %	-

**TNDRUG\_1**      **12s - discuss w/parents taking drugs**

Location: 100-100 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	188	40.4 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ABOUT ONCE/MONTH	163	35.1 %	-
2	ABOUT TWICE/MONTH	40	8.6 %	-
3	ABOUT ONCE/WEEK	23	4.9 %	-
4	2-3 TIMES/WEEK	11	2.4 %	-
9 (M)	MISSING	40	8.6 %	-

**TNRELG\_1**      **12t - discuss w/parents religion/faith/spirituality**

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	132	28.4 %	-
1	ABOUT ONCE/MONTH	99	21.3 %	-
2	ABOUT TWICE/MONTH	54	11.6 %	-
3	ABOUT ONCE/WEEK	83	17.8 %	-
4	2-3 TIMES/WEEK	55	11.8 %	-
9 (M)	MISSING	42	9.0 %	-

**TNLOVE\_1**      **12u - discuss w/parents loving people**

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	146	31.4 %	-
1	ABOUT ONCE/MONTH	120	25.8 %	-
2	ABOUT TWICE/MONTH	83	17.8 %	-
3	ABOUT ONCE/WEEK	39	8.4 %	-
4	2-3 TIMES/WEEK	35	7.5 %	-
9 (M)	MISSING	42	9.0 %	-

**TNSTAN\_1**      **12v - discuss w/parents standing up for oneself**

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	141	30.3 %	-
1	ABOUT ONCE/MONTH	125	26.9 %	-
2	ABOUT TWICE/MONTH	74	15.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	ABOUT ONCE/WEEK	47	10.1 %	-
4	2-3 TIMES/WEEK	36	7.7 %	-
9 (M)	MISSING	42	9.0 %	-

**TNINDP\_1**      **12w - discuss w/parents becoming independent**

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	119	25.6 %	-
1	ABOUT ONCE/MONTH	106	22.8 %	-
2	ABOUT TWICE/MONTH	92	19.8 %	-
3	ABOUT ONCE/WEEK	67	14.4 %	-
4	2-3 TIMES/WEEK	38	8.2 %	-
9 (M)	MISSING	43	9.2 %	-

**MAACPT\_1**      **13a - mother accepts you as you are**

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	5	1.1 %	-
2	RARELY TRUE	13	2.8 %	-
3	SOMETIMES TRUE	38	8.2 %	-
4	OFTEN TRUE	130	28.0 %	-
5	ALWAYS TRUE	253	54.4 %	-
9 (M)	MISSING	26	5.6 %	-

**MAHLPM\_1**      **13b - depend on mother for help with problems**

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	26	5.6 %	-
2	RARELY TRUE	71	15.3 %	-
3	SOMETIMES TRUE	143	30.8 %	-
4	OFTEN TRUE	110	23.7 %	-
5	ALWAYS TRUE	89	19.1 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	26	5.6 %	-

**MATCME\_1**      **13c - like to get mom point of view for concerns**

Location: 107-107 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	22	4.7 %	-
2	RARELY TRUE	74	15.9 %	-
3	SOMETIMES TRUE	133	28.6 %	-
4	OFTEN TRUE	129	27.7 %	-
5	ALWAYS TRUE	79	17.0 %	-
9 (M)	MISSING	28	6.0 %	-

**MAEMME\_1**      **13d - talk over problems with mom seems foolish**

Location: 108-108 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	114	24.5 %	-
2	RARELY TRUE	169	36.3 %	-
3	SOMETIMES TRUE	91	19.6 %	-
4	OFTEN TRUE	46	9.9 %	-
5	ALWAYS TRUE	17	3.7 %	-
9 (M)	MISSING	28	6.0 %	-

**MAEXME\_1**      **13e - mom expects too much**

Location: 109-109 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	85	18.3 %	-
2	RARELY TRUE	132	28.4 %	-
3	SOMETIMES TRUE	129	27.7 %	-
4	OFTEN TRUE	53	11.4 %	-
5	ALWAYS TRUE	32	6.9 %	-
9 (M)	MISSING	34	7.3 %	-

**MAMDME\_1**      **13f - get upset more than mom knows about**

- Study 04549 -

Location: 110-110 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	43	9.2 %	-
2	RARELY TRUE	107	23.0 %	-
3	SOMETIMES TRUE	115	24.7 %	-
4	OFTEN TRUE	109	23.4 %	-
5	ALWAYS TRUE	57	12.3 %	-
9 (M)	MISSING	34	7.3 %	-

**MALIME\_1** 13g - mom cares about your point of view

Location: 111-111 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	10	2.2 %	-
2	RARELY TRUE	29	6.2 %	-
3	SOMETIMES TRUE	67	14.4 %	-
4	OFTEN TRUE	160	34.4 %	-
5	ALWAYS TRUE	166	35.7 %	-
9 (M)	MISSING	33	7.1 %	-

**MASPRO\_1** 13h - mom has her own problems

Location: 112-112 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	110	23.7 %	-
2	RARELY TRUE	171	36.8 %	-
3	SOMETIMES TRUE	98	21.1 %	-
4	OFTEN TRUE	39	8.4 %	-
5	ALWAYS TRUE	15	3.2 %	-
9 (M)	MISSING	32	6.9 %	-

**MAKNME\_1** 13i - tell mom about problems

Location: 113-113 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	24	5.2 %	-
2	RARELY TRUE	88	18.9 %	-
3	SOMETIMES TRUE	148	31.8 %	-
4	OFTEN TRUE	133	28.6 %	-
5	ALWAYS TRUE	40	8.6 %	-
9 (M)	MISSING	32	6.9 %	-

**MADAMA\_1**      **13j - feel angry at mom**

Location: 114-114 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	43	9.2 %	-
2	RARELY TRUE	151	32.5 %	-
3	SOMETIMES TRUE	177	38.1 %	-
4	OFTEN TRUE	50	10.8 %	-
5	ALWAYS TRUE	12	2.6 %	-
9 (M)	MISSING	32	6.9 %	-

**MASEME\_1**      **13k - get lots of attention from mom**

Location: 115-115 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	8	1.7 %	-
2	RARELY TRUE	38	8.2 %	-
3	SOMETIMES TRUE	106	22.8 %	-
4	OFTEN TRUE	185	39.8 %	-
5	ALWAYS TRUE	93	20.0 %	-
9 (M)	MISSING	35	7.5 %	-

**TRUSMA\_1**      **13l - trust mom**

Location: 116-116 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	5	1.1 %	-
2	RARELY TRUE	20	4.3 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIMES TRUE	72	15.5 %	-
4	OFTEN TRUE	106	22.8 %	-
5	ALWAYS TRUE	229	49.2 %	-
9 (M)	MISSING	33	7.1 %	-

**MANONO\_1**      **13m - mom does not understand your problems**

Location: 117-117 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	39	8.4 %	-
2	RARELY TRUE	124	26.7 %	-
3	SOMETIMES TRUE	147	31.6 %	-
4	OFTEN TRUE	88	18.9 %	-
5	ALWAYS TRUE	35	7.5 %	-
9 (M)	MISSING	32	6.9 %	-

**MATKME\_1**      **13n - mom helps you talk about feelings**

Location: 118-118 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	55	11.8 %	-
2	RARELY TRUE	107	23.0 %	-
3	SOMETIMES TRUE	131	28.2 %	-
4	OFTEN TRUE	97	20.9 %	-
5	ALWAYS TRUE	41	8.8 %	-
9 (M)	MISSING	34	7.3 %	-

**MADEME\_1**      **13o - mom depends on you for help with problems**

Location: 119-119 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	116	24.9 %	-
2	RARELY TRUE	167	35.9 %	-
3	SOMETIMES TRUE	108	23.2 %	-
4	OFTEN TRUE	28	6.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	ALWAYS TRUE	10	2.2 %	-
9 (M)	MISSING	36	7.7 %	-

**MELIMA\_1**      **13p - spend time listening to plans and dreams of mom**

Location: 120-120 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	123	26.5 %	-
2	RARELY TRUE	176	37.8 %	-
3	SOMETIMES TRUE	94	20.2 %	-
4	OFTEN TRUE	28	6.0 %	-
5	ALWAYS TRUE	11	2.4 %	-
9 (M)	MISSING	33	7.1 %	-

**LIKEMA\_1**      **14 - want to be like mom when you grow up**

Location: 121-121 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT AT ALL	50	10.8 %	-
1	JUST A LITTLE	187	40.2 %	-
2	QUITE A BIT	153	32.9 %	-
3	A LOT	46	9.9 %	-
9 (M)	MISSING	29	6.2 %	-

**MASJOB\_1**      **15a - what kind of work does mom do**

Location: 122-124 (width: 3; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

<i>Value</i>	<i>Label</i>
2	teacher
3	legislators
4	chief executives
5	pub administrator
6	admin, protectv serv
7	financial managers
8	personnel and labor
13	mgrs, mktng, adver



- Study 04549 -

<i>Value</i>	<i>Label</i>
14	adminstrators, educ
15	mgrs, medicine & hlth
16	postmasters
17	mgrs, food & lodging
18	mgrs, real estate
19	funeral directors
21	mgrs, service org
22	mgrs & admin
23	accts & auditors
25	other finan officers
26	management analysis
27	trng & labor reltions
28	agents,farm prdcts
29	wholesale & retail
33	pchsng agents & buyers
34	bus & promo agents
36	inspec & compl offic
37	mgt & related occup
43	architects
44	engineers:aerospace
45	metal & materials
48	engineers:chemmical
49	enginers:nuclear
53	engineers:civil
55	electrical enginer
56	engineer:industrial
57	engineer:mechanical
58	marine,naval archtct
59	engineers: n.e.c.
63	survey scientist
64	system analyst
65	syst rsch analyst
66	actuaries
67	statisticians
68	statisticians
69	physicists & astron
73	chemists
74	space scientist
75	geologist
76	physical scientist
77	agric & food scient

- Study 04549 -

<i>Value</i>	<i>Label</i>
78	bio & life scient
79	forestry scientists
83	medical scientist
84	physican
85	dentist
86	veterinarian
87	optometrist
88	podatrist
89	practioner, n.e.c.
95	registered nurse
96	pharmicist
97	dietitians
98	respir therapist
99	occup therapists
103	physical therapists
104	speech therapists
105	therapists, NEC
106	physician asst
114	bio science teacher
115	chemistry teachers
116	sec teacher:physics
117	teachers,nat. science
118	teacher psychology
119	econ teacher
123	teacher history
125	teacher sociology
127	teacher engineering
128	teacher mathematical
129	teacher comp science
133	teacher med science
135	teacher bus ,mktg
136	teacher agric
137	teachers, art,drama,music
143	teacher english
144	teacher foreign lang
145	teacher law
147	theology teachers
149	home eco teacher
154	teacher no subject
155	pre & kinder teacher
156	teacher elementary

- Study 04549 -

<i>Value</i>	<i>Label</i>
157	teacher ex pst sec
158	teacher spec ed
159	teacher:n.e.c.
163	counselors
164	librarians
165	archivist & curator
166	urban plann:economist
167	urban plann:psychologist
169	soc scnsts nec
173	urban planner
174	social worker
175	recreation worker
176	clergy
177	religious worker
178	lawyer
179	judge
183	author
184	technical writer
185	designer
186	musician & composer
187	actors & directors
188	painter,sculptor
189	photographer
193	dancers
194	artist, performer
195	editor&reporter
197	public relations
198	announcer
199	athletes
203	clinical lab
204	dental hygienist
205	hlth record tecnoilst
206	radiologist
207	lpn
208	hlth tech:n.e.c.
213	technologis
216	engineering tech
217	technologist drafting
218	surveying&mapping
223	biological tech
224	chemical technician

- Study 04549 -

<i>Value</i>	<i>Label</i>
225	science tech n.e.c.
226	pilots, navigators
229	computer programmer
234	legal asst
235	technicians, n.e.c.
243	sales rep,finan,
253	insurance sales
254	real estate sales
255	sec &finan services
256	adv & related sales
257	sales, other than bus
259	sales rep.,mining
263	sales, motor vehicle
264	sales, apparel
265	sales, shoes
266	sales, home furnishing
267	sales, appliances
268	sales, hardware,bldg
269	sales, parts
274	sales, other commod
275	sales, counter clerks
276	cashiers
277	street & door sales
278	news vendor
283	sales, promoter,model
303	sup gen office
304	sup computer equip
305	sup finan records
306	assistant chief/telephone co.
307	admin support
308	computer operator
313	secretaries
314	stenographer
315	typist
316	interviewer
317	hotel clerk
318	trans & ticket agent
319	receptionist
323	info clerk, nec
327	order clerk
329	library clerk

- Study 04549 -

<i>Value</i>	<i>Label</i>
335	file clerk
336	records clerk
337	bookkeepers auditing
338	payroll & timekeeping
339	billing clerk
343	cost & rate clerk
347	office mach operator
348	telephone operators
353	comm equip operator
354	postal clerks
355	mail carr, postal ser
356	mail clerks
357	messengers
359	dispatchers
363	produc coordinator
364	shipping&rcvng clerks
365	inventory clerks
366	meter readers
368	weighers,measurers
373	expediters
374	material recording
375	insurance ajusters
376	invest &adjusters
377	clerks, social welfare
378	bill & account collec
379	general office clerk
383	bank tellers
384	proofreaders
385	data-entry-keyers
386	statistical clerk
387	teachers aide
389	admin sprot occu
405	housekeeper, butler
406	child care worker
407	pvt hshld servants
413	superv, fire
414	sup police, detectec
415	supervisor guards
417	firefighting
418	police & detectives
423	sheriffs, baliffs

- Study 04549 -

<i>Value</i>	<i>Label</i>
424	correc inst. officers
426	guards & police
427	protec service n.e.c.
433	superv, food prep
434	bartenders
435	waiters & waitresses
436	cooks
438	food counter, fount
439	kitc work, food prep
441	telecommunications
443	waiter person asst
444	misc food prep
445	dental assistant
446	hlth aides,exc nursng
447	nurs aides,orderlies
448	bldg service workers
449	maids & housemen
453	janitors & cleaners
455	pest control
456	sup personnel serv
457	barbers
458	beautician
459	attendant,recreation
461	guides
462	ushers
463	pub transport atten
465	welfare serv aide
466	family chld provid
467	early chldhd tch ast
468	child care, n.e.c.
469	personal service
473	farm excp horticul
474	horticultural
475	mangers, farms
476	mgrs horticul
479	farm workers
484	nursery worker
486	grounds & gardeners
487	animal caretaker
498	fishers
499	hunter,trapper

- Study 04549 -

<i>Value</i>	<i>Label</i>
503	mechanics & repair
505	automobile mechanic
507	engine mechanic
508	aircraft engine mechanic
509	small engine repair
514	auto body repairer
516	heavy equipment mechanics
517	farm equipment mechanic
518	industrial machine repairer
523	electronic repairer
525	data processing equipment repairer
526	household appliance repairer
527	phone line repairer
529	telephone installers
533	electrical repairer
534	cooling mechanic
535	camera repairer
536	locksmiths repairer
539	valve repairer
543	elevator installer
544	millwrights
547	repairers, n.e.c.
549	not specified mechanic
553	supervising brickmasons
555	supervising electrical installers
558	supervising construction
563	brick & stone mason
565	tile setter
566	carpet installers
567	carpenters
573	drywall installers
575	electricians
577	electrical power repairer
579	painters construction
585	plumber, pipefitter
588	concrete finishers
589	glaziers
594	paving, surfacing
595	roofers
596	sheet metal installer
597	structural metal

- Study 04549 -

<i>Value</i>	<i>Label</i>
598	drillers, earth
599	construc trade n.e.c.
613	super:extractive occ
628	super:preci metal occ
634	tool & die makers
636	preci assemble metal
637	machinists
643	boilermakers
647	preci stones & metal
657	cabinet & bench carp
659	misc. prec woodworkers
666	dressmakers
667	tailors
668	upholsterer
669	shoe repairer
674	apparel & fabric work
675	hand molders & shaper
678	dental & med appli tech
683	eletronic equip assemble
684	misc precision work
686	meat cutter
687	baker
689	inspectors, testers
693	assembly-line worker
694	water & sewage treat
695	power plant operators
696	stationary engineers
699	plant & system opera
704	lathe & turning machi
705	milling operator
706	press machine oper
709	grindng & polishng oper
715	metal,glass oper
717	fabricating mach oper
719	molding & casting
725	misc. metal & plastic
733	woodworking, machine op
734	printing press
736	typesetters
737	mics printing oper
738	winding & twist oper



- Study 04549 -

<i>Value</i>	<i>Label</i>
739	knitting,looping ope
744	textile sewing machine
747	pressing machine
748	launderng & dry cleang
749	misc textile oper
754	packaging & filling
755	extruding oper
756	mixing & blending
758	compressing operator
759	paint spraying
766	furnance, kiln & oven
769	slicing & cutting
774	photographic process
777	misc machine operators
779	machine oper not spec
783	welders & cutters
785	assemblers
789	hand painting
795	misc hand occupation
796	inspectors,checkers
797	production tester
799	graders & sorters
803	superv:motor vehicle
804	truck drivers
808	bus drivers
809	cab drivers & chaff
820	dental hygienist
823	railroad conductor
824	locomotive operating
826	rail vehicle, n.e.c.
828	ship captains & mates
829	sailor
834	bridge lghthse tender
844	operating engineers
849	crane & tower oper
856	truck& tractor equipment
859	misc. material moving equip
864	sup handlers,equip
866	helpers, construction
869	contruction laborers
875	garbage collectors

- Study 04549 -

<i>Value</i>	<i>Label</i>
877	stock handlers,bagg
878	machine feeders
883	frght, stck handlers
885	garage,service stato
887	auto & equip cleaners
888	hand packer & pckger
889	laborers, ex conxtuc
890	unemployed
891	crisis work; social welfare
892	freelance; self-employed
894	student
895	volunteer
903	commissioned officer
904	non-commissioned
905	rank not spficed
996	multiple response
997	refused
998	dont know
999	MISSING

\* Frequencies not available for this variable.

**MASLOC\_1**

**15b - where does mom work**

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

<i>Value</i>	<i>Label</i>
0	nowhere; unemployed; laid off
10	ag prod crops
11	ag prod, livstck
12	veterinary services
20	landscape & hortc
30	agricultural service
32	fishing,hunting
42	oil & gas extraction
50	mining:nonmetal
60	construction
100	meat products
101	dairy products
102	canned, frozen goods
110	grain mill prod
111	bakery

- Study 04549 -

<i>Value</i>	<i>Label</i>
112	sugar prod
120	beverage indus
121	misc food prep
122	not spec food indus
132	knitting mills
141	carpets &rugs
142	yard, thread,fabric
150	misc textile produc
151	apparel & acessories
152	misc textile product
160	pulp. paper and mill
161	misc paper,pulp
162	containers & boxes
171	newspaper,publishing
172	printing ex newspaper
180	plastics,synthetics
181	chemicals & allied
182	soaps & cosmetics
190	paints,varnishes
191	ag chemicals
192	indus & misc chemical
200	petroleum refining
210	rubber tires tubes
211	rubber & footwear
212	misc plastic product
222	leather products
231	mills & sawmills
241	misc wood products
242	furniture & fixtures
250	glass,glass products
251	cement, plaster
261	pottery & rel produc
262	misc nonmetal produc
270	furnaces, steelworks
271	iron & steel foundry
272	alumnium industry
281	cutlery,handtools
282	structural metal prod
290	screw machine prod
291	metal forg & stamp
292	ordance

- Study 04549 -

<i>Value</i>	<i>Label</i>
300	misc fabricated metal
310	engines & turbines
311	farm equipment
312	material handl mach
320	metalworking mach
321	office machines
322	computers equipment
331	machinery, not electr
332	not spec machinery
340	household appliances
341	communication equip
342	electrical machinery
350	not specified equip
351	motor vehicle & equip
352	aircraft & parts
360	ship & boat bldg repa
361	railroad equipment
362	missles, space vehic
370	misc transp. equipmt
371	scientific instrmnts
372	health instru & supp
380	photo equip & supp
381	clockwork devices
390	toys & sporting goods
391	misc manufctrng indus
392	not spec maufac indus
400	railroads
401	urban transit
402	taxicab service
410	trucking service
411	warehousing & storage
412	u.s. postal service
420	water transportation
421	air transporation
432	services to transport
440	broadcasting, cable
441	tele commuincations
442	misc communic serv
450	electr light & power
451	gas & steam suply sys
452	electric & gas

- Study 04549 -

<i>Value</i>	<i>Label</i>
470	water & irrigation
471	sanitary services
472	not spec utilities
500	motor vehicles & eq
501	home furnishings
502	lumber & construc
510	commercial equip
512	electrical goods
521	plumbing & heating
530	machinery, equip
531	scrap & waste mater
532	misc, durable goods
540	paper & paper prdcts
541	chemicals,drugs
542	apparel, fabrics
550	groceries & rel prdct
551	raw farm-product
552	petroluem products
560	alcoholic beverages
561	farm supplies
562	misc nondurable goods
571	not spec wholesale
580	lumber &bldg material
581	hardware stores
582	garden stores
590	mobile home dealers
591	department stores
592	variety stores
600	misc general store
601	grocery stores
602	dairy productsstores
610	retail bakeries
611	food stores, n.e.c.
612	retail:motor vehicles
620	auto & home stores
621	gasoline stations
622	misc vehicle dealers
623	apparel, excep shoes
630	shoe stores
631	home furnishings stores
632	household appliance

- Study 04549 -

<i>Value</i>	<i>Label</i>
633	radio, tv & computer
640	music store
641	eating & drinking
642	drug stores
650	liquor stores
651	sportng goods stores
652	book stores
660	jewelry stores
661	gift, novelty shop
662	sewing,needlework
670	vending machine oper
671	direct selling
672	fuel dealers
681	retail florists
682	misc. retail stores
691	not spec retail trd
700	banking
701	savings institutions
702	credit agencies
710	security investment
711	insurance
712	real estate
721	advertisng
722	services to dwellings
731	personnel services
732	computer services
740	detec & protec serv
741	business services
750	auto washes & parking
751	auto repair services
752	electrcl repair shops
760	misc repair services
761	services:pvt hshlds
762	services:hotels & motels
770	lodging places
771	services:laundry,clng
772	beauty shops
780	barber shops
781	funeral service
782	shoe repair shops
790	dressmaking shops

- Study 04549 -

<i>Value</i>	<i>Label</i>
791	misc. personal serv
800	theatres & pictures
801	video tape rental
810	misc recreation
812	services to physicans
820	services to dentists
821	services to chioprs
822	services to optrt
830	serv to hlth practi
831	hospitals
832	nrsng & personal
840	health services
841	legal services
842	elementary & secondry
850	colleges & universit
851	vocational schools
852	libraries
860	educational services
861	job trng & voca rehab
862	chld daycare service
863	fmly chldcare homes
870	residential care
871	social services
872	museums galleries zoo
873	labor unions
880	religious org
881	membshps org n.e.c.
882	engin, arctct & survy
890	actng,bookkeeping
891	rsch, developmt
892	mgt & pub rel serv
893	misc profes services
900	execut & legis offices
901	general government
910	public order, & safty
921	pub finan, tax policy
922	admin of humn res prg
930	admin of enviro qlty
931	admin of econ prgm
932	ntl sec & intl affrs
933	home; personal space

- Study 04549 -

<i>Value</i>	<i>Label</i>
934	office; not specified
935	studio, galleries
940	army
941	air force
996	multiple response
997	refused
998	dont know
999	missing

\* Frequencies not available for this variable.

**MEMAJB\_1      15c - interested in having job like mom in future**

Location: 128-128 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT INTERESTED	218	46.9 %	-
1	LITTLE INTERESTED	126	27.1 %	-
2	QUITE INTERESTED	29	6.2 %	-
3	VERY INTERESTED	14	3.0 %	-
4	NOT CONSIDERED	36	7.7 %	-
5	PRNT NOT WORKING	15	3.2 %	-
9 (M)	MISSING	27	5.8 %	-

**MAWKHM\_1      16a - how often mom brings home work**

Location: 129-129 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	104	22.4 %	-
1	RARELY	105	22.6 %	-
2	SOMETIMES	70	15.1 %	-
3	OFTEN	68	14.6 %	-
4	ALMOST EVERYDAY	73	15.7 %	-
9 (M)	MISSING	45	9.7 %	-

**MAWKLG\_1      16b - how often mom works longer than expected**

Location: 130-130 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	81	17.4 %	-
1	RARELY	145	31.2 %	-
2	SOMETIMES	113	24.3 %	-
3	OFTEN	54	11.6 %	-
4	ALMOST EVERYDAY	30	6.5 %	-
9 (M)	MISSING	42	9.0 %	-

**MAGOWK\_1      16c - how often mom goes to work unexpectedly**

Location: 131-131 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	236	50.8 %	-
1	RARELY	133	28.6 %	-
2	SOMETIMES	41	8.8 %	-
3	OFTEN	6	1.3 %	-
4	ALMOST EVERYDAY	2	0.4 %	-
9 (M)	MISSING	47	10.1 %	-

**WKNOFA\_1      16d - how often mom interferes with her family life**

Location: 132-132 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	160	34.4 %	-
1	RARELY	164	35.3 %	-
2	SOMETIMES	68	14.6 %	-
3	OFTEN	16	3.4 %	-
4	ALMOST EVERYDAY	12	2.6 %	-
9 (M)	MISSING	45	9.7 %	-

**WKNOEV\_1      16e - how often mom misses events due to work**

Location: 133-133 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	207	44.5 %	-
1	RARELY	149	32.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SOMETIMES	44	9.5 %	-
3	OFTEN	13	2.8 %	-
4	ALMOST EVERYDAY	10	2.2 %	-
9 (M)	MISSING	42	9.0 %	-

**MATKWR\_1**      **16f - how often mom talks to you about her work**

Location: 134-134 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	38	8.2 %	-
1	RARELY	93	20.0 %	-
2	SOMETIMES	126	27.1 %	-
3	OFTEN	113	24.3 %	-
4	ALMOST EVERYDAY	53	11.4 %	-
9 (M)	MISSING	42	9.0 %	-

**GOMALO\_1**      **16g - how often you visit your mom at work**

Location: 135-135 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	130	28.0 %	-
1	RARELY	156	33.5 %	-
2	SOMETIMES	51	11.0 %	-
3	OFTEN	24	5.2 %	-
4	ALMOST EVERYDAY	49	10.5 %	-
9 (M)	MISSING	55	11.8 %	-

**HPMAWR\_1**      **16h - how often you help mom with her work**

Location: 136-136 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	243	52.3 %	-
1	RARELY	113	24.3 %	-
2	SOMETIMES	47	10.1 %	-
3	OFTEN	13	2.8 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	ALMOST EVERYDAY	7	1.5 %	-
9 (M)	MISSING	42	9.0 %	-

**WVNOWK\_1**      **16i - how often mom arranges time off to be with you**

Location: 137-137 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	56	12.0 %	-
1	RARELY	99	21.3 %	-
2	SOMETIMES	127	27.3 %	-
3	OFTEN	95	20.4 %	-
4	ALMOST EVERYDAY	47	10.1 %	-
9 (M)	MISSING	41	8.8 %	-

**FAMWRK\_1**      **16j - does mom balance family and work life**

Location: 138-138 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	12	2.6 %	-
1	RARELY	6	1.3 %	-
2	SOMETIMES	44	9.5 %	-
3	OFTEN	93	20.0 %	-
4	ALMOST EVERYDAY	270	58.1 %	-
9 (M)	MISSING	40	8.6 %	-

**HWSOLM\_1**      **17a - when mom home expected to be alone**

Location: 139-139 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	35	7.5 %	-
1	RARELY	63	13.5 %	-
2	SOMETIMES	99	21.3 %	-
3	OFTEN	62	13.3 %	-
9 (M)	MISSING	71	15.3 %	-
. (M)	-	135	29.0 %	-

- Study 04549 -

**HMANST\_1      17b - when mom home you take all calls**

Location: 140-140 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	79	17.0 %	-
1	RARELY	74	15.9 %	-
2	SOMETIMES	70	15.1 %	-
3	OFTEN	36	7.7 %	-
9 (M)	MISSING	71	15.3 %	-
. (M)	-	135	29.0 %	-

**HWCHOM\_1      17c - when mom home you given specific tasks**

Location: 141-141 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	111	23.9 %	-
1	RARELY	87	18.7 %	-
2	SOMETIMES	45	9.7 %	-
3	OFTEN	14	3.0 %	-
9 (M)	MISSING	73	15.7 %	-
. (M)	-	135	29.0 %	-

**HWMYTM\_1      17d - when mom home you decide how to spend time**

Location: 142-142 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	5	1.1 %	-
1	RARELY	11	2.4 %	-
2	SOMETIMES	50	10.8 %	-
3	OFTEN	193	41.5 %	-
9 (M)	MISSING	71	15.3 %	-
. (M)	-	135	29.0 %	-

**HMALON\_1      17e - when mom home you feel ignored**

Location: 143-143 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	132	28.4 %	-
1	RARELY	84	18.1 %	-
2	SOMETIMES	36	7.7 %	-
3	OFTEN	7	1.5 %	-
9 (M)	MISSING	71	15.3 %	-
. (M)	-	135	29.0 %	-

**MANOWK\_1** 17f - when mom home want her to spend time w/you

Location: 144-144 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	99	21.3 %	-
1	RARELY	103	22.2 %	-
2	SOMETIMES	49	10.5 %	-
3	OFTEN	8	1.7 %	-
9 (M)	MISSING	70	15.1 %	-
. (M)	-	136	29.2 %	-

**TRAVLM\_1** 18a - does mom travel for her job

Location: 145-145 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	275	59.1 %	-
1	YES	143	30.8 %	-
9 (M)	MISSING	47	10.1 %	-

**NOMALN\_1** 18b1 - when mom travels do you feel lonely

Location: 146-146 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	10	2.2 %	-
2	LESS THAN PRNT HOME	13	2.8 %	-
3	SAME AS PRNT HOME	74	15.9 %	-
4	MORE THAN PRNT HOME	47	10.1 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	MUCH MORE THAN PRNT HOME	5	1.1 %	-
9 (M)	MISSING	6	1.3 %	-
. (M)	-	310	66.7 %	-

**NOMALF\_1**      **18b2 - when mom travels do you feel abandoned**

Location: 147-147 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	18	3.9 %	-
2	LESS THAN PRNT HOME	4	0.9 %	-
3	SAME AS PRNT HOME	107	23.0 %	-
4	MORE THAN PRNT HOME	12	2.6 %	-
5	MUCH MORE THAN PRNT HOME	2	0.4 %	-
9 (M)	MISSING	11	2.4 %	-
. (M)	-	311	66.9 %	-

**NOMAHP\_1**      **18b3 - when mom travels do you feel happy**

Location: 148-148 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	10	2.2 %	-
2	LESS THAN PRNT HOME	24	5.2 %	-
3	SAME AS PRNT HOME	83	17.8 %	-
4	MORE THAN PRNT HOME	26	5.6 %	-
5	MUCH MORE THAN PRNT HOME	6	1.3 %	-
9 (M)	MISSING	5	1.1 %	-
. (M)	-	311	66.9 %	-

**NOMAAX\_1**      **18b4 - when mom travels do you feel anxious**

Location: 149-149 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	8	1.7 %	-
2	LESS THAN PRNT HOME	13	2.8 %	-
3	SAME AS PRNT HOME	93	20.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	MORE THAN PRNT HOME	25	5.4 %	-
5	MUCH MORE THAN PRNT HOME	7	1.5 %	-
9 (M)	MISSING	8	1.7 %	-
. (M)	-	311	66.9 %	-

**NOMAIID\_1**      **18b5 - when mom travels do you feel independent**

Location: 150-150 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	11	2.4 %	-
2	LESS THAN PRNT HOME	5	1.1 %	-
3	SAME AS PRNT HOME	56	12.0 %	-
4	MORE THAN PRNT HOME	45	9.7 %	-
5	MUCH MORE THAN PRNT HOME	30	6.5 %	-
9 (M)	MISSING	7	1.5 %	-
. (M)	-	311	66.9 %	-

**PAACPT\_1**      **19a - dad accepts you**

Location: 151-151 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	12	2.6 %	-
2	RARELY TRUE	16	3.4 %	-
3	SOMETIMES TRUE	47	10.1 %	-
4	OFTEN TRUE	118	25.4 %	-
5	ALWAYS TRUE	219	47.1 %	-
9 (M)	MISSING	53	11.4 %	-

**PAHLPM\_1**      **19b - depend on dad for help with problems**

Location: 152-152 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	58	12.5 %	-
2	RARELY TRUE	112	24.1 %	-
3	SOMETIMES TRUE	137	29.5 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	OFTEN TRUE	79	17.0 %	-
5	ALWAYS TRUE	26	5.6 %	-
9 (M)	MISSING	53	11.4 %	-

**PATCME\_1**      **19c - want dad point of view on your concerns**

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	40	8.6 %	-
2	RARELY TRUE	77	16.6 %	-
3	SOMETIMES TRUE	153	32.9 %	-
4	OFTEN TRUE	102	21.9 %	-
5	ALWAYS TRUE	37	8.0 %	-
9 (M)	MISSING	56	12.0 %	-

**PAEMME\_1**      **19d - talking with dad about problems is foolish**

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	121	26.0 %	-
2	RARELY TRUE	142	30.5 %	-
3	SOMETIMES TRUE	86	18.5 %	-
4	OFTEN TRUE	39	8.4 %	-
5	ALWAYS TRUE	20	4.3 %	-
9 (M)	MISSING	57	12.3 %	-

**PAEXME\_1**      **19e - dad expects too much from me**

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	87	18.7 %	-
2	RARELY TRUE	128	27.5 %	-
3	SOMETIMES TRUE	110	23.7 %	-
4	OFTEN TRUE	50	10.8 %	-
5	ALWAYS TRUE	29	6.2 %	-



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	61	13.1 %	-

**PAMDME\_1**      **19f - get upset a lot more than dad knows about**

Location: 156-156 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	40	8.6 %	-
2	RARELY TRUE	79	17.0 %	-
3	SOMETIMES TRUE	111	23.9 %	-
4	OFTEN TRUE	118	25.4 %	-
5	ALWAYS TRUE	58	12.5 %	-
9 (M)	MISSING	59	12.7 %	-

**PALIME\_1**      **19g - dad cares about your point of view**

Location: 157-157 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	15	3.2 %	-
2	RARELY TRUE	30	6.5 %	-
3	SOMETIMES TRUE	80	17.2 %	-
4	OFTEN TRUE	129	27.7 %	-
5	ALWAYS TRUE	151	32.5 %	-
9 (M)	MISSING	60	12.9 %	-

**PASPRB\_1**      **19h - dad has his own problems**

Location: 158-158 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	85	18.3 %	-
2	RARELY TRUE	143	30.8 %	-
3	SOMETIMES TRUE	101	21.7 %	-
4	OFTEN TRUE	58	12.5 %	-
5	ALWAYS TRUE	17	3.7 %	-
9 (M)	MISSING	61	13.1 %	-

**PAKNME\_1**      **19i - tell dad problems and troubles**

- Study 04549 -

Location: 159-159 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	58	12.5 %	-
2	RARELY TRUE	125	26.9 %	-
3	SOMETIMES TRUE	149	32.0 %	-
4	OFTEN TRUE	61	13.1 %	-
5	ALWAYS TRUE	14	3.0 %	-
9 (M)	MISSING	58	12.5 %	-

**MADAPA\_1** **19j - feel angry with dad**

Location: 160-160 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	50	10.8 %	-
2	RARELY TRUE	148	31.8 %	-
3	SOMETIMES TRUE	138	29.7 %	-
4	OFTEN TRUE	55	11.8 %	-
5	ALWAYS TRUE	15	3.2 %	-
9 (M)	MISSING	59	12.7 %	-

**PASEME\_1** **19k - get lots of attention from dad**

Location: 161-161 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	19	4.1 %	-
2	RARELY TRUE	43	9.2 %	-
3	SOMETIMES TRUE	123	26.5 %	-
4	OFTEN TRUE	152	32.7 %	-
5	ALWAYS TRUE	67	14.4 %	-
9 (M)	MISSING	61	13.1 %	-

**TRUSPA\_1** **19l - trust dad**

Location: 162-162 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	10	2.2 %	-
2	RARELY TRUE	20	4.3 %	-
3	SOMETIMES TRUE	64	13.8 %	-
4	OFTEN TRUE	112	24.1 %	-
5	ALWAYS TRUE	199	42.8 %	-
9 (M)	MISSING	60	12.9 %	-

**PANONO\_1**      **19m - dad does not understand what your going through**

Location: 163-163 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	30	6.5 %	-
2	RARELY TRUE	101	21.7 %	-
3	SOMETIMES TRUE	130	28.0 %	-
4	OFTEN TRUE	98	21.1 %	-
5	ALWAYS TRUE	44	9.5 %	-
9 (M)	MISSING	62	13.3 %	-

**PATKME\_1**      **19n - dad helps you talk about feelings**

Location: 164-164 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	82	17.6 %	-
2	RARELY TRUE	162	34.8 %	-
3	SOMETIMES TRUE	95	20.4 %	-
4	OFTEN TRUE	54	11.6 %	-
5	ALWAYS TRUE	10	2.2 %	-
9 (M)	MISSING	62	13.3 %	-

**PADPME\_1**      **19o - dad depends on you for help**

Location: 165-165 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	205	44.1 %	-
2	RARELY TRUE	139	29.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	SOMETIMES TRUE	39	8.4 %	-
4	OFTEN TRUE	15	3.2 %	-
5	ALWAYS TRUE	5	1.1 %	-
9 (M)	MISSING	62	13.3 %	-

**MELIPA\_1**      **19p - spend lots of time listening to dreams of dad**

Location: 166-166 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	148	31.8 %	-
2	RARELY TRUE	130	28.0 %	-
3	SOMETIMES TRUE	86	18.5 %	-
4	OFTEN TRUE	26	5.6 %	-
5	ALWAYS TRUE	13	2.8 %	-
9 (M)	MISSING	62	13.3 %	-

**LIKEPA\_1**      **20 - want to be like dad when older**

Location: 167-167 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT AT ALL	70	15.1 %	-
1	JUST A LITTLE	167	35.9 %	-
2	QUITE A BIT	131	28.2 %	-
3	A LOT	46	9.9 %	-
9 (M)	MISSING	51	11.0 %	-

**PASJOB\_1**      **21a - what kind of work does dad do**

Location: 168-170 (width: 3; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 999

<i>Value</i>	<i>Label</i>
2	teacher
3	legislators
4	chief executives
5	pub administrator
6	admin, protectv serv

- Study 04549 -

<i>Value</i>	<i>Label</i>
7	financial managers
8	personnel and labor
13	mgrs, mktng, adver
14	adminstrators, educ
15	mgrs, medicine & hlth
16	postmasters
17	mgrs, food & lodging
18	mgrs, real estate
19	funeral directors
21	mgrs, service org
22	mgrs & admin
23	accts & auditors
24	insurance underwriter
25	other finan officers
26	management analysis
27	trng & labor reltions
28	agents,farm prdcts
29	wholesale & retail
33	pchsng agents & buyers
34	bus & promo agents
36	inspec & compl offic
37	mgt & related occup
43	architects
44	engineers:aerospace
45	metal & materials
48	engineers:chemmical
49	enginers:nuclear
53	engineers:civil
55	electrical engineer
56	engineer:industrial
57	engineer:mechanical
58	marine,naval archtct
59	engineers: n.e.c.
63	survey scientist
64	system analyst
65	syst rsch analyst
66	actuaries
67	statisticians
68	statisticians
69	physicists & astron
73	chemists

- Study 04549 -

<i>Value</i>	<i>Label</i>
74	space scientist
75	geologist
76	physical scientist
77	agric & food scient
78	bio & life scient
79	forestry scientists
83	medical scientist
84	physican
85	dentist
86	veterinarian
87	optometrist
88	podatrist
89	practioner, n.e.c.
95	registered nurse
96	pharmicist
97	dietitians
98	respir therapist
99	occup therapists
103	physical therapists
104	speech therapists
105	therapists, NEC
106	physician asst
113	teacher geophysics
114	bio science teacher
115	chemistry teachers
116	sec teacher:physics
117	teachers,nat. science
118	teacher psychology
119	econ teacher
123	teacher history
124	teacher political science
125	teacher sociology
127	teacher engineering
128	teacher mathematical
129	teacher comp science
133	teacher med science
135	teacher bus ,mktg
136	teacher agric
137	teachers, art,drama,music
143	teacher english
144	teacher foreign lang

- Study 04549 -

<i>Value</i>	<i>Label</i>
145	teacher law
147	theology teachers
149	home eco teacher
154	teacher no subject
155	pre & kinder teacher
156	teacher elementary
157	teacher ex pst sec
158	teacher spec ed
159	teacher:n.e.c.
163	counselors
164	librarians
165	archivist & curator
166	urban plann:economist
167	urban plann:psychologist
169	soc scnsts nec
173	urban planner
174	social worker
175	recreation worker
176	clergy
177	religious worker
178	lawyer
179	judge
183	author
184	technical writer
185	designer
186	musician & composer
187	actors & directors
188	painter,sculptor
189	photographer
193	dancers
194	artist, performer
195	editor&reporter
197	public relations
198	announcer
199	athletes
203	clinical lab
204	dental hygienist
205	hlth record tecnoilst
206	radiologist
207	lpn
208	hlth tech:n.e.c.

- Study 04549 -

<i>Value</i>	<i>Label</i>
213	technologis
216	engineering tech
217	technologist drafting
218	surveying&mapping
223	biological tech
224	chemical technician
225	science tech n.e.c.
226	pilots, navigators
229	computer programmer
234	legal asst
235	technicians, n.e.c.
243	sales rep,finan,
253	insurance sales
254	real estate sales
255	sec &finan services
256	adv & related sales
257	sales, other than bus
259	sales rep.,mining
263	sales, motor vehicle
264	sales, apparel
265	sales, shoes
266	sales, home furnishing
267	sales, appliances
268	sales, hardware,bldg
269	sales, parts
274	sales, other commod
275	sales, counter clerks
276	cashiers
277	street & door sales
278	news vendor
283	sales, promoter,model
303	sup gen office
304	sup computer equip
305	sup finan records
306	assistant chief/telephone co.
307	admin support
308	computer operator
313	secretaries
314	stenographer
315	typist
316	interviewer



- Study 04549 -

<i>Value</i>	<i>Label</i>
317	hotel clerk
318	trans & ticket agent
319	receptionist
323	info clerk, nec
327	order clerk
329	library clerk
335	file clerk
336	records clerk
337	bookkeepers auditing
338	payroll & timekeeping
339	billing clerk
343	cost & rate clerk
347	office mach operator
348	telephone operators
353	comm equip operator
354	postal clerks
355	mail carr, postal ser
356	mail clerks
357	messengers
359	dispatchers
363	produc coordinator
364	shipping&rcvng clerks
365	inventory clerks
366	meter readers
368	weighers,measurers
373	expediters
374	material recording
375	insurance ajusters
376	invest &adjusters
377	clerks, social welfare
378	bill & account collec
379	general office clerk
383	bank tellers
384	proofreaders
385	data-entry-keyers
386	statistical clerk
387	teachers aide
389	admin ssport occu
405	housekeeper, butler
406	child care worker
407	pvt hshld servants

- Study 04549 -

<i>Value</i>	<i>Label</i>
413	superv, fire
414	sup police, dectec
415	supervisor guards
417	firefighting
418	police & detectives
423	sheriffs, baliffs
424	correc inst. officers
426	guards & police
427	protec service n.e.c.
433	superv, food prep
434	bartenders
435	waiters & waitresses
436	cooks
438	food counter, fount
439	kitc work, food prep
443	waiter person asst
444	misc food prep
445	dental assistant
446	hlth aides,exc nursng
447	nurs aides,orderlies
448	bldg service workers
449	maids & housemen
453	janitors & cleaners
455	pest control
456	sup personnel serv
457	barbers
458	beautician
459	attendant,recreation
461	guides
462	ushers
463	pub transport atten
464	hotel services
465	welfare serv aide
466	family chld provid
467	early chldhd tch ast
468	child care, n.e.c.
469	personal service
473	farm excp horticul
474	horticultural
475	mangers, farms
476	mgrs horticul

- Study 04549 -

<i>Value</i>	<i>Label</i>
479	farm workers
484	nursery worker
486	grounds & gardeners
487	animal caretaker
498	fishers
499	hunter,trapper
503	mechanics & repair
505	automobile mechanic
507	engine mechanic
508	aircraft engin mechn
509	small engine repair
514	auto body repairer
516	heavy equip mechanics
517	farm equip mechanic
518	indus machine repairer
523	electronic repairer
525	data proces equip re
526	hshld appl repairer
527	phone line repairer
529	telephone installers
533	electr repairer
534	cooling mechanic
535	camera repairer
536	locksmiths repairer
539	valve repairer
543	elevator installer
544	millwrights
547	repairers, n.e.c.
549	not spec mechanic
553	superv brickmasons
555	superv:elect install
558	superv construction
563	brick & stone mason
565	tile setter
566	carpet installers
567	carpenters
573	drywall installers
575	electricians
577	elec power repairer
579	painters contruction
585	plumber,pipefitter

- Study 04549 -

<i>Value</i>	<i>Label</i>
588	concrete finishers
589	glaziers
594	paving, surfacing
595	roofers
596	sheetmetal installer
597	structural metal
598	drillers, earth
599	construc trade n.e.c.
613	super:extractive occ
628	super:preci metal occ
634	tool & die makers
636	preci assemble metal
637	machinists
643	boilermakers
647	preci stones & metal
657	cabinet & bench carp
659	misc. prec woodworkers
666	dressmakers
667	tailors
668	upholsterer
669	shoe repairer
674	apparel & fabric work
675	hand molders & shaper
678	dental & med appli tech
683	eletronic equip assemble
684	misc precision work
686	meat cutter
687	baker
689	inspectors, testers
693	assembly-line worker
694	water & sewage treat
695	power plant operators
696	stationary engineers
699	plant & system opera
704	lathe & turning machi
705	milling operator
706	press machine oper
709	grindng & polishng oper
715	metal,glass oper
717	fabricating mach oper
719	molding & casting

- Study 04549 -

<i>Value</i>	<i>Label</i>
725	misc. metal & plastic
733	woodworking, machine op
734	printing press
736	typesetters
737	mics printing oper
738	winding & twist oper
739	knitting,looping ope
744	textile sewing machine
747	pressing machine
748	launderng & dry cleang
749	misc textile oper
754	packaging & filling
755	extruding oper
756	mixing & blending
758	compressing operator
759	paint spraying
766	furnance, kiln & oven
769	slicing & cutting
774	photographic process
777	misc machine operators
779	machine oper not spec
783	welders & cutters
785	assemblers
789	hand painting
795	misc hand occupation
796	inspectors,checkers
797	production tester
799	graders & sorters
803	superv:motor vehicle
804	truck drivers
808	bus drivers
809	cab drivers & chaff
820	dental hygienist
823	railroad conductor
824	locomotive operating
826	rail vehicle, n.e.c.
828	ship captains & mates
829	sailor
834	bridge lghthse tender
842	school seminary
844	operating engineers

- Study 04549 -

<i>Value</i>	<i>Label</i>
849	crane & tower oper
856	truck& tractor equipment
859	misc. material moving equip
864	sup handlers,equip
866	helpers, construction
869	contruction laborers
875	garbage collectors
877	stock handlers,bagg
878	machine feeders
883	frght, stck handlers
885	garage,service stato
887	auto & equip cleaners
888	hand packer & pckger
889	laborers, ex conxtuc
903	commissioned officer
904	non-commissioned
905	rank not speficied
996	multiple response
997	refused
998	dont know
999 (M)	MISSING

\* Frequencies not available for this variable.

**PASLOC\_1**

**21b - where does dad work**

Location: 171-173 (width: 3; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 999

<i>Value</i>	<i>Label</i>
10	ag prod crops
11	ag prod, livstck
12	veterinary services
20	landscape & hortc
30	agricultural service
32	fishing,hunting
42	oil & gas extraction
50	mining:nonmetal
60	construction
100	meat products
101	dairy products
102	canned, frozen goods

- Study 04549 -

<i>Value</i>	<i>Label</i>
110	grain mill prod
111	bakery
112	sugar prod
120	beverage indus
121	misc food prep
122	not spec food indus
132	knitting mills
141	carpets &rugs
142	yard, thread,fabric
150	misc textile produc
151	apparel & accessories
152	misc textile product
160	pulp. paper and mill
161	misc paper,pulp
162	containers & boxes
171	newspaper,publishing
172	printing ex newspaper
180	plastics,synthetics
181	chemicals & allied
182	soaps & cosmetics
190	paints,varnishes
191	ag chemicals
192	indus & misc chemical
200	petroleum refining
210	rubber tires tubes
211	rubber & footwear
212	misc plastic product
222	leather products
231	mills & sawmills
241	misc wood products
242	furniture & fixtures
250	glass,glass products
251	cement, plaster
261	pottery & rel produc
262	misc nonmetal produc
270	furnaces, steelworks
271	iron & steel foundry
272	alumnium industry
281	cutlery,handtools
282	structural metal prod
290	screw machine prod

- Study 04549 -

<i>Value</i>	<i>Label</i>
291	metal forg & stamp
292	ordance
300	misc fabricated metal
310	engines & turbines
311	farm equiupment
312	material handl mach
320	metalworking mach
321	office machines
322	computers equipment
331	machinery, not electr
332	not spec machinery
340	household appliances
341	communication equip
342	electrical machinery
350	not specified equip
351	motor vehicle & equip
352	aircraft & parts
360	ship & boat bldg repa
361	railroad equipment
362	missles, space vehic
370	misc transp. equipmt
371	scientific instrmnts
372	health instru & supp
380	photo equip & supp
381	clockwork devices
390	toys & sporting goods
391	misc manufctrng indus
392	not spec maufac indus
400	railroads
401	urban transit
402	taxicab service
410	trucking service
411	warehousing & storage
412	u.s. postal service
420	water transportation
421	air transporation
432	services to transport
440	broadcasting, cable
441	tele commuincations
442	misc communic serv
450	electr light & power



- Study 04549 -

<i>Value</i>	<i>Label</i>
451	gas & steam suply sys
452	electric & gas
470	water & irrigation
471	sanitary services
472	not spec utilities
500	motor vehicles & eq
501	home furnishings
502	lumber & construc
510	commercial equip
512	electrical goods
521	plumbing & heating
530	machinery, equip
531	scrap & waste mater
532	misc, durable goods
540	paper & paper prdcts
541	chemicals,drugs
542	apparel, fabrics
550	groceries & rel prdct
551	raw farm-product
552	petroluem products
560	alcoholic beverages
561	farm supplies
562	misc nondurable goods
571	not spec wholesale
580	lumber &bldg material
581	hardware stores
582	garden stores
590	mobile home dealers
591	department stores
592	variety stores
600	misc general store
601	grocery stores
602	dairy productsstores
610	retail bakeries
611	food stores, n.e.c.
612	retail:motor vehicles
620	auto & home stores
621	gasoline stations
622	misc vehicle dealers
623	apparel, excep shoes
630	shoe stores

- Study 04549 -

<i>Value</i>	<i>Label</i>
631	home furnishings stores
632	household appliance
633	radio, tv & computer
640	music store
641	eating & drinking
642	drug stores
650	liquor stores
651	sportng goods stores
652	book stores
660	jewelry stores
661	gift, novelty shop
662	sewing,needlework
670	vending machine oper
671	direct selling
672	fuel dealers
681	retail florists
682	misc. retail stores
691	not spec retail trd
700	banking
701	savings institutions
702	credit agencies
710	security investment
711	insurance
712	real estate
721	advertisng
722	services to dwellings
731	personnel services
732	computer services
740	detec & protec serv
741	business services
750	auto washes & parking
751	auto repair services
752	electrcl repair shops
760	misc repair services
761	services:pvt hshlds
762	services:hotels & motels
770	lodging places
771	services:laundry,clng
772	beayty shops
780	barber shops
781	funeral service

- Study 04549 -

<i>Value</i>	<i>Label</i>
782	shoe repair shops
790	dressmaking shops
791	misc. personal serv
800	theatres & pictures
801	video tape rental
810	misc recreation
812	services to physicans
820	services to dentists
821	services to chioprs
822	services to optrt
830	serv to hlth practi
831	hospitals
832	nrsng & personal
840	health services
841	legal services
842	elementary & secondry
850	colleges & universit
851	vocational schools
852	libraries
860	educational services
861	job trng & voca rehab
862	chld daycare service
863	fmly chldcare homes
870	residential care
871	social services
872	museums galleries zoo
873	labor unions
880	religious org
881	membshps org n.e.c.
882	engin, arctct & survy
890	actng,bookkeeping
891	rsch, developept
892	mgt & pub rel serv
893	misc profes services
900	execut & legis offices
901	general government
910	public order, & safty
921	pub finan, tax policy
922	admin of humn res prg
930	admin of enviro qlty
931	admin of econ prgm

- Study 04549 -

<i>Value</i>	<i>Label</i>
932	ntl sec & intl affrs
940	army
941	air force
942	retired
996	multiple response
997	refused
998	dont know
999 (M)	missing

\* Frequencies not available for this variable.

**MEPAJB\_1      22 - interested in having dad job in future**

Location: 174-174 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT INTERESTED	169	36.3 %	-
1	LITTLE INTERESTED	137	29.5 %	-
2	QUITE INTERESTED	46	9.9 %	-
3	VERY INTERESTED	26	5.6 %	-
4	NOT CONSIDERED	34	7.3 %	-
5	PRNT NOT WORKING	4	0.9 %	-
9 (M)	MISSING	49	10.5 %	-

**PARKWM\_1      23a - how often dad brings work home from job**

Location: 175-175 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	92	19.8 %	-
1	RARELY	83	17.8 %	-
2	SOMETIMES	77	16.6 %	-
3	OFTEN	68	14.6 %	-
4	ALMOST EVERYDAY	74	15.9 %	-
9 (M)	MISSING	71	15.3 %	-

**PAWKLG\_1      23b - how often dad works longer than expected**

Location: 176-176 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	55	11.8 %	-
1	RARELY	109	23.4 %	-
2	SOMETIMES	110	23.7 %	-
3	OFTEN	79	17.0 %	-
4	ALMOST EVERYDAY	41	8.8 %	-
9 (M)	MISSING	71	15.3 %	-

**PAGOWK\_1**      **23c - how often dad called into work unexpectedly**

Location: 177-177 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	182	39.1 %	-
1	RARELY	130	28.0 %	-
2	SOMETIMES	46	9.9 %	-
3	OFTEN	23	4.9 %	-
4	ALMOST EVERYDAY	10	2.2 %	-
9 (M)	MISSING	74	15.9 %	-

**WRKNOF\_1**      **23d - how often dad job interferes with family**

Location: 178-178 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	116	24.9 %	-
1	RARELY	145	31.2 %	-
2	SOMETIMES	78	16.8 %	-
3	OFTEN	37	8.0 %	-
4	ALMOST EVERYDAY	18	3.9 %	-
9 (M)	MISSING	71	15.3 %	-

**WRKNOW\_1**      **23e - how often dad misses events due to work**

Location: 179-179 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	126	27.1 %	-
1	RARELY	140	30.1 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SOMETIMES	85	18.3 %	-
3	OFTEN	29	6.2 %	-
4	ALMOST EVERYDAY	14	3.0 %	-
9 (M)	MISSING	71	15.3 %	-

**PATKWK\_1**      **23f - how often dad talks to you about work**

Location: 180-180 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	49	10.5 %	-
1	RARELY	104	22.4 %	-
2	SOMETIMES	121	26.0 %	-
3	OFTEN	86	18.5 %	-
4	ALMOST EVERYDAY	33	7.1 %	-
9 (M)	MISSING	72	15.5 %	-

**GOPALO\_1**      **23g - how often you visit dad at work**

Location: 181-181 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	126	27.1 %	-
1	RARELY	181	38.9 %	-
2	SOMETIMES	36	7.7 %	-
3	OFTEN	17	3.7 %	-
4	ALMOST EVERYDAY	31	6.7 %	-
9 (M)	MISSING	74	15.9 %	-

**HPPAWR\_1**      **23h - how often help dad with work**

Location: 182-182 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	257	55.3 %	-
1	RARELY	97	20.9 %	-
2	SOMETIMES	23	4.9 %	-
3	OFTEN	11	2.4 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	ALMOST EVERYDAY	3	0.6 %	-
9 (M)	MISSING	74	15.9 %	-

**EVENOW\_1**      **23i - how often dad changes schedule for events**

Location: 183-183 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	47	10.1 %	-
1	RARELY	105	22.6 %	-
2	SOMETIMES	127	27.3 %	-
3	OFTEN	81	17.4 %	-
4	ALMOST EVERYDAY	34	7.3 %	-
9 (M)	MISSING	71	15.3 %	-

**PAFMWK\_1**      **23j - how often dad balances family and work life**

Location: 184-184 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	13	2.8 %	-
1	RARELY	25	5.4 %	-
2	SOMETIMES	77	16.6 %	-
3	OFTEN	103	22.2 %	-
4	ALMOST EVERYDAY	177	38.1 %	-
9 (M)	MISSING	70	15.1 %	-

**HWSOLO\_1**      **24a - when dad home you leave him alone**

Location: 185-185 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	32	6.9 %	-
1	RARELY	73	15.7 %	-
2	SOMETIMES	100	21.5 %	-
3	OFTEN	66	14.2 %	-
9 (M)	MISSING	46	9.9 %	-
. (M)	-	148	31.8 %	-

- Study 04549 -

**HDANST\_1      24b - when dad home you take all calls**

Location: 186-186 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	102	21.9 %	-
1	RARELY	84	18.1 %	-
2	SOMETIMES	53	11.4 %	-
3	OFTEN	29	6.2 %	-
9 (M)	MISSING	48	10.3 %	-
. (M)	-	149	32.0 %	-

**HWCHOD\_1      24c - when dad home you given specific tasks**

Location: 187-187 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	160	34.4 %	-
1	RARELY	73	15.7 %	-
2	SOMETIMES	23	4.9 %	-
3	OFTEN	13	2.8 %	-
9 (M)	MISSING	47	10.1 %	-
. (M)	-	149	32.0 %	-

**HWMYT\_1      24d - when dad home you decide how to spend time**

Location: 188-188 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	10	2.2 %	-
1	RARELY	11	2.4 %	-
2	SOMETIMES	41	8.8 %	-
3	OFTEN	208	44.7 %	-
9 (M)	MISSING	46	9.9 %	-
. (M)	-	149	32.0 %	-

**HWALON\_1      24e - when dad home you feel ignored**

Location: 189-189 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)



- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	135	29.0 %	-
1	RARELY	86	18.5 %	-
2	SOMETIMES	42	9.0 %	-
3	OFTEN	7	1.5 %	-
9 (M)	MISSING	46	9.9 %	-
. (M)	-	149	32.0 %	-

**PATMME\_1**      **24f - when dad home want him spend more time w/you**

Location: 190-190 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	84	18.1 %	-
1	RARELY	109	23.4 %	-
2	SOMETIMES	65	14.0 %	-
3	OFTEN	12	2.6 %	-
9 (M)	MISSING	46	9.9 %	-
. (M)	-	149	32.0 %	-

**TRAVLP\_1**      **25a - does dad travel for job**

Location: 191-191 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	178	38.3 %	-
1	YES	211	45.4 %	-
9 (M)	MISSING	76	16.3 %	-

**NOPALN\_1**      **25b1 - when dad travels do you feel lonely**

Location: 192-192 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	15	3.2 %	-
2	LESS THAN PRNT HOME	12	2.6 %	-
3	SAME AS PRNT HOME	123	26.5 %	-
4	MORE THAN PRNT HOME	50	10.8 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	MUCH MORE THAN PRNT HOME	7	1.5 %	-
9 (M)	MISSING	12	2.6 %	-
. (M)	-	246	52.9 %	-

**NOPALF\_1      25b2 - when dad travels do you feel abandoned**

Location: 193-193 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	18	3.9 %	-
2	LESS THAN PRNT HOME	8	1.7 %	-
3	SAME AS PRNT HOME	151	32.5 %	-
4	MORE THAN PRNT HOME	19	4.1 %	-
5	MUCH MORE THAN PRNT HOME	4	0.9 %	-
9 (M)	MISSING	19	4.1 %	-
. (M)	-	246	52.9 %	-

**NOPAHP\_1      25b3 - when dad travels do you feel happy**

Location: 194-194 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	11	2.4 %	-
2	LESS THAN PRNT HOME	37	8.0 %	-
3	SAME AS PRNT HOME	119	25.6 %	-
4	MORE THAN PRNT HOME	21	4.5 %	-
5	MUCH MORE THAN PRNT HOME	14	3.0 %	-
9 (M)	MISSING	17	3.7 %	-
. (M)	-	246	52.9 %	-

**NOPAAX\_1      25b4 - when dad travels do you feel anxious**

Location: 195-195 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	5	1.1 %	-
2	LESS THAN PRNT HOME	11	2.4 %	-
3	SAME AS PRNT HOME	145	31.2 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	MORE THAN PRNT HOME	35	7.5 %	-
5	MUCH MORE THAN PRNT HOME	8	1.7 %	-
9 (M)	MISSING	15	3.2 %	-
. (M)	-	246	52.9 %	-

**NOPAIN\_1**      **25b5 - when dad travels do you feel independent**

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH LESS THAN PRNT HOME	9	1.9 %	-
2	LESS THAN PRNT HOME	6	1.3 %	-
3	SAME AS PRNT HOME	106	22.8 %	-
4	MORE THAN PRNT HOME	60	12.9 %	-
5	MUCH MORE THAN PRNT HOME	25	5.4 %	-
9 (M)	MISSING	13	2.8 %	-
. (M)	-	246	52.9 %	-

**CONWMA\_1**      **26a - when mom at work how often in contact**

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALMOST NEVER	72	15.5 %	-
2	ONCE/TWICE PER MONTH	47	10.1 %	-
3	ONCE A WEEK	57	12.3 %	-
4	2-3 TIMES WEEK	77	16.6 %	-
5	DAILY	170	36.6 %	-
9 (M)	MISSING	42	9.0 %	-

**CONWPA\_1**      **26b - when dad at work how often in contact**

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALMOST NEVER	110	23.7 %	-
2	ONCE/TWICE PER MONTH	62	13.3 %	-
3	ONCE A WEEK	51	11.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	2-3 TIMES WEEK	80	17.2 %	-
5	DAILY	105	22.6 %	-
9 (M)	MISSING	57	12.3 %	-

**EMERCN\_1**      **27 - in case of emergency who do you call**

Location: 199-199 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	USUALLY MA	265	57.0 %	-
2	USUALLY PA	57	12.3 %	-
3	MA/PA EQUALLY	94	20.2 %	-
4	OTHER PERSON	13	2.8 %	-
9 (M)	MISSING	36	7.7 %	-

**TALKTO\_1**      **28a - any adults in house who you can trust**

Location: 200-200 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	88	18.9 %	-
1	YES	339	72.9 %	-
9 (M)	MISSING	38	8.2 %	-

**TALKMA\_1**      **28b1 - yes, can trust mom**

Location: 201-201 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	54	11.6 %	-
1	YES	278	59.8 %	-
9 (M)	MISSING	133	28.6 %	-

**TALKPA\_1**      **28b2 - yes, can trust dad**

Location: 202-202 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	76	16.3 %	-
1	YES	212	45.6 %	-
9 (M)	MISSING	177	38.1 %	-

**TALKBR\_1      28b3 - yes, can trust brother**

Location: 203-203 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	108	23.2 %	-
1	YES	113	24.3 %	-
9 (M)	MISSING	244	52.5 %	-

**TALKSI\_1      28b4 - yes, can trust sister**

Location: 204-204 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	155	33.3 %	-
1	YES	119	25.6 %	-
9 (M)	MISSING	191	41.1 %	-

**TALKAT\_1      28b5 - yes, can trust aunt**

Location: 205-205 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	200	43.0 %	-
1	YES	56	12.0 %	-
9 (M)	MISSING	209	44.9 %	-

**TALKUN\_1      28b6 - yes, can trust uncle**

Location: 206-206 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	209	44.9 %	-
1	YES	32	6.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	224	48.2 %	-

**TALKGM\_1                      28b7 - yes, can trust grandmother**

Location: 207-207 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	212	45.6 %	-
1	YES	53	11.4 %	-
9 (M)	MISSING	200	43.0 %	-

**TALKGP\_1                      28b8 - yes, can trust grandfather**

Location: 208-208 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	226	48.6 %	-
1	YES	29	6.2 %	-
9 (M)	MISSING	210	45.2 %	-

**TALKSP\_1                      28b9 - yes, can trust stepfather/moms beau**

Location: 209-209 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	236	50.8 %	-
1	YES	8	1.7 %	-
9 (M)	MISSING	221	47.5 %	-

**TALKSM\_1                      28b10 - yes, can trust stepmom/dad girlfriend**

Location: 210-210 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	237	51.0 %	-
1	YES	5	1.1 %	-
9 (M)	MISSING	223	48.0 %	-

- Study 04549 -

**TALKOM\_1                      28b11 - yes, other male relative**

Location: 211-211 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	239	51.4 %	-
1	YES	5	1.1 %	-
9 (M)	MISSING	221	47.5 %	-

**TALKOF\_1                      28b12 - yes, other female relative**

Location: 212-212 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	242	52.0 %	-
1	YES	5	1.1 %	-
9 (M)	MISSING	218	46.9 %	-

**TALKOT\_1                      28b13 - yes, other (please specify)**

Location: 213-213 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	243	52.3 %	-
1	YES	11	2.4 %	-
9 (M)	MISSING	211	45.4 %	-

**NORELX\_1                      29a - it is difficult to be myself**

Location: 214-214 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	150	32.3 %	-
1	RARELY	132	28.4 %	-
2	SOMETIMES	106	22.8 %	-
3	OFTEN	37	8.0 %	-
9 (M)	MISSING	40	8.6 %	-

**FAMCRE\_1                      29b - others notice when I am down**

- Study 04549 -

Location: 215-215 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	13	2.8 %	-
1	RARELY	70	15.1 %	-
2	SOMETIMES	173	37.2 %	-
3	OFTEN	169	36.3 %	-
9 (M)	MISSING	40	8.6 %	-

**FLGOOD\_1** **29c - I feel appreciated for who I am**

Location: 216-216 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	13	2.8 %	-
1	RARELY	35	7.5 %	-
2	SOMETIMES	131	28.2 %	-
3	OFTEN	246	52.9 %	-
9 (M)	MISSING	40	8.6 %	-

**SPECHP\_1** **29d - if I have a problem, I get help**

Location: 217-217 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	28	6.0 %	-
1	RARELY	73	15.7 %	-
2	SOMETIMES	182	39.1 %	-
3	OFTEN	141	30.3 %	-
9 (M)	MISSING	41	8.8 %	-

**NOEMBR\_1** **29e - I do things I like to do, w/o embarrassment**

Location: 218-218 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	7	1.5 %	-
1	RARELY	31	6.7 %	-



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	SOMETIMES	136	29.2 %	-
3	OFTEN	249	53.5 %	-
9 (M)	MISSING	42	9.0 %	-

**PROBAT\_1**      **29f - I am only notice when theres a problem**

Location: 219-219 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	183	39.4 %	-
1	RARELY	150	32.3 %	-
2	SOMETIMES	66	14.2 %	-
3	OFTEN	22	4.7 %	-
9 (M)	MISSING	44	9.5 %	-

**HAPBIR\_1**      **29g - I am made to feel special on b-days**

Location: 220-220 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	6	1.3 %	-
1	RARELY	20	4.3 %	-
2	SOMETIMES	90	19.4 %	-
3	OFTEN	306	65.8 %	-
9 (M)	MISSING	43	9.2 %	-

**ALWLUV\_1**      **29h - no matter what, I know I will be loved**

Location: 221-221 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	5	1.1 %	-
1	RARELY	11	2.4 %	-
2	SOMETIMES	61	13.1 %	-
3	OFTEN	345	74.2 %	-
9 (M)	MISSING	43	9.2 %	-

**FMCONV\_1**      **30a - we like having dinner together and talking**

Location: 222-222 (width: 1; decimal: 0)

- Study 04549 -

Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	10	2.2 %	-
1	RARELY	44	9.5 %	-
2	SOMETIMES	134	28.8 %	-
3	OFTEN	229	49.2 %	-
9 (M)	MISSING	48	10.3 %	-

**FMCHAO\_1**      **30b - day-to-day life is disorganized**

Location: 223-223 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	52	11.2 %	-
1	RARELY	175	37.6 %	-
2	SOMETIMES	132	28.4 %	-
3	OFTEN	56	12.0 %	-
9 (M)	MISSING	50	10.8 %	-

**FMCOMP\_1**      **30c - we compromise when schedules conflict**

Location: 224-224 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	10	2.2 %	-
1	RARELY	47	10.1 %	-
2	SOMETIMES	189	40.6 %	-
3	OFTEN	164	35.3 %	-
9 (M)	MISSING	55	11.8 %	-

**FMHELP\_1**      **30d - we are willing to help out when needed**

Location: 225-225 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	8	1.7 %	-
1	RARELY	32	6.9 %	-
2	SOMETIMES	165	35.5 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	OFTEN	209	44.9 %	-
9 (M)	MISSING	51	11.0 %	-

**FMFITE\_1**      **30e - there are many fights**

Location: 226-226 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	37	8.0 %	-
1	RARELY	171	36.8 %	-
2	SOMETIMES	139	29.9 %	-
3	OFTEN	67	14.4 %	-
9 (M)	MISSING	51	11.0 %	-

**FMDIST\_1**      **30f - family members are not reliable**

Location: 227-227 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	134	28.8 %	-
1	RARELY	185	39.8 %	-
2	SOMETIMES	70	15.1 %	-
3	OFTEN	23	4.9 %	-
9 (M)	MISSING	53	11.4 %	-

**FMLOVE\_1**      **30g - we try not to offend one another**

Location: 228-228 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	16	3.4 %	-
1	RARELY	52	11.2 %	-
2	SOMETIMES	136	29.2 %	-
3	OFTEN	206	44.3 %	-
9 (M)	MISSING	55	11.8 %	-

**FMGOOD\_1**      **30h - our home is full of things with memories**

Location: 229-229 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	11	2.4 %	-
1	RARELY	40	8.6 %	-
2	SOMETIMES	115	24.7 %	-
3	OFTEN	244	52.5 %	-
9 (M)	MISSING	55	11.8 %	-

**FMCHES\_1**      **31a - we enjoy playing competitive games**

Location: 230-230 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	57	12.3 %	-
1	RARELY	114	24.5 %	-
2	SOMETIMES	159	34.2 %	-
3	OFTEN	85	18.3 %	-
9 (M)	MISSING	50	10.8 %	-

**FMBORE\_1**      **31b - we have few interests out of the home**

Location: 231-231 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	134	28.8 %	-
1	RARELY	157	33.8 %	-
2	SOMETIMES	82	17.6 %	-
3	OFTEN	37	8.0 %	-
9 (M)	MISSING	55	11.8 %	-

**FMOPEN\_1**      **31c - we discuss current events, no matter what**

Location: 232-232 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	21	4.5 %	-
1	RARELY	52	11.2 %	-
2	SOMETIMES	142	30.5 %	-
3	OFTEN	198	42.6 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	52	11.2 %	-

**FMINQU\_1**      **31d - we all talk before making decisions**

Location: 233-233 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	18	3.9 %	-
1	RARELY	55	11.8 %	-
2	SOMETIMES	173	37.2 %	-
3	OFTEN	168	36.1 %	-
9 (M)	MISSING	51	11.0 %	-

**FMBUMS\_1**      **31e - family members lack ambition**

Location: 234-234 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	149	32.0 %	-
1	RARELY	171	36.8 %	-
2	SOMETIMES	76	16.3 %	-
3	OFTEN	16	3.4 %	-
9 (M)	MISSING	53	11.4 %	-

**FMRESP\_1**      **31f - self confidence/independence earn respect**

Location: 235-235 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	20	4.3 %	-
1	RARELY	61	13.1 %	-
2	SOMETIMES	159	34.2 %	-
3	OFTEN	168	36.1 %	-
9 (M)	MISSING	57	12.3 %	-

**FMWIND\_1**      **31g - family members expect to excel in fields**

Location: 236-236 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete

- Study 04549 -

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	11	2.4 %	-
1	RARELY	29	6.2 %	-
2	SOMETIMES	183	39.4 %	-
3	OFTEN	186	40.0 %	-
9 (M)	MISSING	56	12.0 %	-

**FMCREC\_1**      **31h - indiv. accomplishments are noticed**

Location: 237-237 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	3	0.6 %	-
1	RARELY	21	4.5 %	-
2	SOMETIMES	85	18.3 %	-
3	OFTEN	300	64.5 %	-
9 (M)	MISSING	56	12.0 %	-

**FMNOIS\_1**      **32a - it is hard to find privacy when I need to work**

Location: 238-238 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	100	21.5 %	-
1	RARELY	142	30.5 %	-
2	SOMETIMES	121	26.0 %	-
3	OFTEN	52	11.2 %	-
9 (M)	MISSING	50	10.8 %	-

**FMGROW\_1**      **32b - I am given responsibility for decisions**

Location: 239-239 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	9	1.9 %	-
1	RARELY	41	8.8 %	-
2	SOMETIMES	200	43.0 %	-
3	OFTEN	163	35.1 %	-
9 (M)	MISSING	52	11.2 %	-

- Study 04549 -

**FMSUCC\_1                      32c - I am expected to do my best**

Location: 240-240 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	2	0.4 %	-
1	RARELY	2	0.4 %	-
2	SOMETIMES	46	9.9 %	-
3	OFTEN	363	78.1 %	-
9 (M)	MISSING	52	11.2 %	-

**FMPRID\_1                      32d - I try to make family proud**

Location: 241-241 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	8	1.7 %	-
1	RARELY	27	5.8 %	-
2	SOMETIMES	141	30.3 %	-
3	OFTEN	235	50.5 %	-
9 (M)	MISSING	54	11.6 %	-

**FMPART\_1                      32e - I am encouraged to do extra-curriculars**

Location: 242-242 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	8	1.7 %	-
1	RARELY	33	7.1 %	-
2	SOMETIMES	116	24.9 %	-
3	OFTEN	256	55.1 %	-
9 (M)	MISSING	52	11.2 %	-

**FMINDI\_1                      32f - I do not care if family member call me soft**

Location: 243-243 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	72	15.5 %	-
1	RARELY	126	27.1 %	-
2	SOMETIMES	141	30.3 %	-
3	OFTEN	73	15.7 %	-
9 (M)	MISSING	53	11.4 %	-

**FMWORK\_1**      **32g - I am respected for being a hard worker**

Location: 244-244 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	14	3.0 %	-
1	RARELY	48	10.3 %	-
2	SOMETIMES	157	33.8 %	-
3	OFTEN	195	41.9 %	-
9 (M)	MISSING	51	11.0 %	-

**FMSCHE\_1**      **32h - I am expected to use time wisely**

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	2	0.4 %	-
1	RARELY	17	3.7 %	-
2	SOMETIMES	135	29.0 %	-
3	OFTEN	258	55.5 %	-
9 (M)	MISSING	53	11.4 %	-

**TKEVEN\_1**      **33a - discuss everyday events in lives**

Location: 246-246 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	23	4.9 %	-
2	SEVERAL TIMES/YEAR	50	10.8 %	-
3	ONCE/TWICE A WEEK	103	22.2 %	-
4	EVERYDAY/ALMOST EVERYDAY	241	51.8 %	-
9 (M)	MISSING	48	10.3 %	-



- Study 04549 -

**TKISSU\_1                      33b - discuss important life issues**

Location: 247-247 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	30	6.5 %	-
2	SEVERAL TIMES/YEAR	109	23.4 %	-
3	ONCE/TWICE A WEEK	183	39.4 %	-
4	EVERYDAY/ALMOST EVERYDAY	94	20.2 %	-
9 (M)	MISSING	49	10.5 %	-

**TKNEWS\_1                      33c - talk about news**

Location: 248-248 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	61	13.1 %	-
2	SEVERAL TIMES/YEAR	104	22.4 %	-
3	ONCE/TWICE A WEEK	155	33.3 %	-
4	EVERYDAY/ALMOST EVERYDAY	94	20.2 %	-
9 (M)	MISSING	51	11.0 %	-

**COOKTG\_1                      33d - prepare meals today**

Location: 249-249 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	87	18.7 %	-
2	SEVERAL TIMES/YEAR	125	26.9 %	-
3	ONCE/TWICE A WEEK	136	29.2 %	-
4	EVERYDAY/ALMOST EVERYDAY	67	14.4 %	-
9 (M)	MISSING	50	10.8 %	-

**HMWKTG\_1                      33e - work in household chore together**

Location: 250-250 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	71	15.3 %	-
2	SEVERAL TIMES/YEAR	124	26.7 %	-
3	ONCE/TWICE A WEEK	165	35.5 %	-
4	EVERYDAY/ALMOST EVERYDAY	57	12.3 %	-
9 (M)	MISSING	48	10.3 %	-

**EATMTG\_1**

**33f - eat meals together**

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	18	3.9 %	-
2	SEVERAL TIMES/YEAR	34	7.3 %	-
3	ONCE/TWICE A WEEK	99	21.3 %	-
4	EVERYDAY/ALMOST EVERYDAY	265	57.0 %	-
9 (M)	MISSING	49	10.5 %	-

**WATVTG\_1**

**33g - watch TV and videos together**

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	49	10.5 %	-
2	SEVERAL TIMES/YEAR	107	23.0 %	-
3	ONCE/TWICE A WEEK	181	38.9 %	-
4	EVERYDAY/ALMOST EVERYDAY	79	17.0 %	-
9 (M)	MISSING	49	10.5 %	-

**SHOPTG\_1**

**33h - listen/play music together**

Location: 253-253 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	100	21.5 %	-
2	SEVERAL TIMES/YEAR	194	41.7 %	-
3	ONCE/TWICE A WEEK	98	21.1 %	-
4	EVERYDAY/ALMOST EVERYDAY	19	4.1 %	-
9 (M)	MISSING	54	11.6 %	-

- Study 04549 -

**SHOPME\_1                      33i - shop together for me or parent**

Location: 254-254 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	101	21.7 %	-
2	SEVERAL TIMES/YEAR	202	43.4 %	-
3	ONCE/TWICE A WEEK	89	19.1 %	-
4	EVERYDAY/ALMOST EVERYDAY	20	4.3 %	-
9 (M)	MISSING	53	11.4 %	-

**SPRTTG\_1                      33j - do sports together**

Location: 255-255 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	189	40.6 %	-
2	SEVERAL TIMES/YEAR	132	28.4 %	-
3	ONCE/TWICE A WEEK	75	16.1 %	-
4	EVERYDAY/ALMOST EVERYDAY	18	3.9 %	-
9 (M)	MISSING	51	11.0 %	-

**MUSCTG\_1                      33k - listen/play music together**

Location: 256-256 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	152	32.7 %	-
2	SEVERAL TIMES/YEAR	127	27.3 %	-
3	ONCE/TWICE A WEEK	96	20.6 %	-
4	EVERYDAY/ALMOST EVERYDAY	39	8.4 %	-
9 (M)	MISSING	51	11.0 %	-

**ARTCTG\_1                      33l - do arts and crafts together**

Location: 257-257 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	275	59.1 %	-
2	SEVERAL TIMES/YEAR	103	22.2 %	-
3	ONCE/TWICE A WEEK	30	6.5 %	-
4	EVERYDAY/ALMOST EVERYDAY	6	1.3 %	-
9 (M)	MISSING	51	11.0 %	-

**VOLUTG\_1**      **33m - do volunteer work together**

Location: 258-258 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	275	59.1 %	-
2	SEVERAL TIMES/YEAR	100	21.5 %	-
3	ONCE/TWICE A WEEK	29	6.2 %	-
4	EVERYDAY/ALMOST EVERYDAY	9	1.9 %	-
9 (M)	MISSING	52	11.2 %	-

**RELGTG\_1**      **33n - attend religious services together**

Location: 259-259 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	155	33.3 %	-
2	SEVERAL TIMES/YEAR	100	21.5 %	-
3	ONCE/TWICE A WEEK	140	30.1 %	-
4	EVERYDAY/ALMOST EVERYDAY	16	3.4 %	-
9 (M)	MISSING	54	11.6 %	-

**HOBYTG\_1**      **33o - do other hobbies together, specify**

Location: 260-260 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	150	32.3 %	-
2	SEVERAL TIMES/YEAR	44	9.5 %	-
3	ONCE/TWICE A WEEK	47	10.1 %	-
4	EVERYDAY/ALMOST EVERYDAY	18	3.9 %	-
9 (M)	MISSING	206	44.3 %	-

- Study 04549 -

**CULTUR\_1                      34a - go to cultural events**

Location: 261-261 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	92	19.8 %	-
1	ONCE/YEAR	114	24.5 %	-
2	SEVERAL TIMES/YEAR	174	37.4 %	-
3	ONCE/MONTH+	34	7.3 %	-
9 (M)	MISSING	51	11.0 %	-

**MOVIES\_1                      34b - go to movies**

Location: 262-262 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	36	7.7 %	-
1	ONCE/YEAR	98	21.1 %	-
2	SEVERAL TIMES/YEAR	190	40.9 %	-
3	ONCE/MONTH+	91	19.6 %	-
9 (M)	MISSING	50	10.8 %	-

**MUSEUM\_1                      34c - go to museums**

Location: 263-263 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	93	20.0 %	-
1	ONCE/YEAR	134	28.8 %	-
2	SEVERAL TIMES/YEAR	171	36.8 %	-
3	ONCE/MONTH+	14	3.0 %	-
9 (M)	MISSING	53	11.4 %	-

**SPORTS\_1                      34d - go to sporting events**

Location: 264-264 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	93	20.0 %	-
1	ONCE/YEAR	121	26.0 %	-
2	SEVERAL TIMES/YEAR	146	31.4 %	-
3	ONCE/MONTH+	55	11.8 %	-
9 (M)	MISSING	50	10.8 %	-

**OUTDIN\_1**      **34e - go out to sit-down dinner**

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	18	3.9 %	-
1	ONCE/YEAR	13	2.8 %	-
2	SEVERAL TIMES/YEAR	144	31.0 %	-
3	ONCE/MONTH+	237	51.0 %	-
9 (M)	MISSING	53	11.4 %	-

**VISTFR\_1**      **34f - visit far-away relatives**

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	47	10.1 %	-
1	ONCE/YEAR	138	29.7 %	-
2	SEVERAL TIMES/YEAR	189	40.6 %	-
3	ONCE/MONTH+	40	8.6 %	-
9 (M)	MISSING	51	11.0 %	-

**TRAVFN\_1**      **34g - travel for fun**

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	LESS THAN ONCE/YEAR	69	14.8 %	-
1	ONCE/YEAR	158	34.0 %	-
2	SEVERAL TIMES/YEAR	160	34.4 %	-
3	ONCE/MONTH+	26	5.6 %	-
9 (M)	MISSING	52	11.2 %	-

- Study 04549 -

**VACATI\_1                      35 - how much vacation time do you spend/year**

Location: 268-270 (width: 3; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 999

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No vacation time	26	5.6 %	-
1	1 Week	36	7.7 %	-
2	2 Weeks	98	21.1 %	-
3	3 Weeks	84	18.1 %	-
4	4 Weeks	65	14.0 %	-
5	5 Weeks	40	8.6 %	-
6	6 Weeks	19	4.1 %	-
7	7 Weeks	12	2.6 %	-
8	8 Weeks	14	3.0 %	-
9	9 Weeks	1	0.2 %	-
999 (M)	-	70	15.1 %	-

**CSHPHS\_1                      36a - time for household shopping**

Location: 271-271 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	234	50.3 %	-
1	1-2 HOURS	182	39.1 %	-
2	3-5 HOURS	35	7.5 %	-
3	6 TO 10 HOURS	7	1.5 %	-
4	11-15 HOURS	0	0.0 %	-
5	16-20 HOURS	0	0.0 %	-
6	21+ HOURS	3	0.6 %	-
9 (M)	MISSING	4	0.9 %	-

**CBYSIT\_1                      36b - time for babysitting**

Location: 272-272 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	280	60.2 %	-
1	1-2 HOURS	66	14.2 %	-
2	3-5 HOURS	64	13.8 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	6 TO 10 HOURS	27	5.8 %	-
4	11-15 HOURS	6	1.3 %	-
5	16-20 HOURS	2	0.4 %	-
6	21+ HOURS	7	1.5 %	-
9 (M)	MISSING	13	2.8 %	-

**CHACTI\_1**      **36c - time for taking siblings to and fro**

Location: 273-273 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	317	68.2 %	-
1	1-2 HOURS	95	20.4 %	-
2	3-5 HOURS	28	6.0 %	-
3	6 TO 10 HOURS	10	2.2 %	-
4	11-15 HOURS	1	0.2 %	-
5	16-20 HOURS	1	0.2 %	-
6	21+ HOURS	0	0.0 %	-
9 (M)	MISSING	13	2.8 %	-

**CCOOKG\_1**      **36d - time for cooking**

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	141	30.3 %	-
1	1-2 HOURS	201	43.2 %	-
2	3-5 HOURS	77	16.6 %	-
3	6 TO 10 HOURS	34	7.3 %	-
4	11-15 HOURS	2	0.4 %	-
5	16-20 HOURS	1	0.2 %	-
6	21+ HOURS	2	0.4 %	-
9 (M)	MISSING	7	1.5 %	-

**CDISHS\_1**      **36e - time for dishes**

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	118	25.4 %	-
1	1-2 HOURS	185	39.8 %	-
2	3-5 HOURS	101	21.7 %	-
3	6 TO 10 HOURS	35	7.5 %	-
4	11-15 HOURS	13	2.8 %	-
5	16-20 HOURS	1	0.2 %	-
6	21+ HOURS	6	1.3 %	-
9 (M)	MISSING	6	1.3 %	-

**CCLNRM\_1**      **36f - time to clean room**

Location: 276-276 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	47	10.1 %	-
1	1-2 HOURS	279	60.0 %	-
2	3-5 HOURS	87	18.7 %	-
3	6 TO 10 HOURS	29	6.2 %	-
4	11-15 HOURS	6	1.3 %	-
5	16-20 HOURS	4	0.9 %	-
6	21+ HOURS	5	1.1 %	-
9 (M)	MISSING	8	1.7 %	-

**CCLEAN\_1**      **36g - time to clean house**

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	91	19.6 %	-
1	1-2 HOURS	237	51.0 %	-
2	3-5 HOURS	78	16.8 %	-
3	6 TO 10 HOURS	30	6.5 %	-
4	11-15 HOURS	15	3.2 %	-
5	16-20 HOURS	0	0.0 %	-
6	21+ HOURS	4	0.9 %	-
9 (M)	MISSING	10	2.2 %	-

**CLAUND\_1**      **36h - time to do laundry**

Location: 278-278 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	159	34.2 %	-
1	1-2 HOURS	182	39.1 %	-
2	3-5 HOURS	87	18.7 %	-
3	6 TO 10 HOURS	16	3.4 %	-
4	11-15 HOURS	8	1.7 %	-
5	16-20 HOURS	5	1.1 %	-
6	21+ HOURS	3	0.6 %	-
9 (M)	MISSING	5	1.1 %	-

**CYARDM\_1** **36i - time for yard work**

Location: 279-279 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	190	40.9 %	-
1	1-2 HOURS	162	34.8 %	-
2	3-5 HOURS	77	16.6 %	-
3	6 TO 10 HOURS	14	3.0 %	-
4	11-15 HOURS	9	1.9 %	-
5	16-20 HOURS	4	0.9 %	-
6	21+ HOURS	4	0.9 %	-
9 (M)	MISSING	5	1.1 %	-

**MSHPHS\_1** **36j - mom time for household shopping**

Location: 280-280 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	18	3.9 %	-
1	1-2 HOURS	153	32.9 %	-
2	3-5 HOURS	185	39.8 %	-
3	6 TO 10 HOURS	42	9.0 %	-
4	11-15 HOURS	9	1.9 %	-
5	16-20 HOURS	4	0.9 %	-
6	21+ HOURS	7	1.5 %	-
9 (M)	MISSING	47	10.1 %	-

**MCHACT\_1** **36k - mom time taking siblings to and fro**

- Study 04549 -

Location: 281-281 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	34	7.3 %	-
1	1-2 HOURS	122	26.2 %	-
2	3-5 HOURS	150	32.3 %	-
3	6 TO 10 HOURS	68	14.6 %	-
4	11-15 HOURS	29	6.2 %	-
5	16-20 HOURS	7	1.5 %	-
6	21+ HOURS	9	1.9 %	-
9 (M)	MISSING	46	9.9 %	-

**MCOOKG\_1** **36l - mom time for cooking**

Location: 282-282 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	15	3.2 %	-
1	1-2 HOURS	66	14.2 %	-
2	3-5 HOURS	130	28.0 %	-
3	6 TO 10 HOURS	132	28.4 %	-
4	11-15 HOURS	49	10.5 %	-
5	16-20 HOURS	13	2.8 %	-
6	21+ HOURS	12	2.6 %	-
9 (M)	MISSING	48	10.3 %	-

**MDISHS\_1** **36m - mom time for dishes**

Location: 283-283 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	58	12.5 %	-
1	1-2 HOURS	165	35.5 %	-
2	3-5 HOURS	116	24.9 %	-
3	6 TO 10 HOURS	58	12.5 %	-
4	11-15 HOURS	10	2.2 %	-
5	16-20 HOURS	3	0.6 %	-
6	21+ HOURS	6	1.3 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	49	10.5 %	-

**MCLEAN\_1** **36n - mom time for cleaning house**

Location: 284-284 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	31	6.7 %	-
1	1-2 HOURS	96	20.6 %	-
2	3-5 HOURS	153	32.9 %	-
3	6 TO 10 HOURS	90	19.4 %	-
4	11-15 HOURS	29	6.2 %	-
5	16-20 HOURS	9	1.9 %	-
6	21+ HOURS	8	1.7 %	-
9 (M)	MISSING	49	10.5 %	-

**MLAUND\_1** **36o - mom time for laundry**

Location: 285-285 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	25	5.4 %	-
1	1-2 HOURS	111	23.9 %	-
2	3-5 HOURS	166	35.7 %	-
3	6 TO 10 HOURS	66	14.2 %	-
4	11-15 HOURS	30	6.5 %	-
5	16-20 HOURS	9	1.9 %	-
6	21+ HOURS	10	2.2 %	-
9 (M)	MISSING	48	10.3 %	-

**MYARDM\_1** **36p - mom time for yard work**

Location: 286-286 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	118	25.4 %	-
1	1-2 HOURS	145	31.2 %	-
2	3-5 HOURS	88	18.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	6 TO 10 HOURS	40	8.6 %	-
4	11-15 HOURS	19	4.1 %	-
5	16-20 HOURS	5	1.1 %	-
6	21+ HOURS	4	0.9 %	-
9 (M)	MISSING	46	9.9 %	-

**PSHPHS\_1**      **36q - dad time for household shopping**

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	122	26.2 %	-
1	1-2 HOURS	178	38.3 %	-
2	3-5 HOURS	67	14.4 %	-
3	6 TO 10 HOURS	10	2.2 %	-
4	11-15 HOURS	2	0.4 %	-
5	16-20 HOURS	2	0.4 %	-
6	21+ HOURS	3	0.6 %	-
9 (M)	MISSING	81	17.4 %	-

**PCHACT\_1**      **36r - dad time taking siblings to and fro**

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	87	18.7 %	-
1	1-2 HOURS	182	39.1 %	-
2	3-5 HOURS	73	15.7 %	-
3	6 TO 10 HOURS	22	4.7 %	-
4	11-15 HOURS	12	2.6 %	-
5	16-20 HOURS	6	1.3 %	-
6	21+ HOURS	2	0.4 %	-
9 (M)	MISSING	81	17.4 %	-

**PCOOKG\_1**      **36s - dad time cooking**

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	126	27.1 %	-
1	1-2 HOURS	126	27.1 %	-
2	3-5 HOURS	81	17.4 %	-
3	6 TO 10 HOURS	32	6.9 %	-
4	11-15 HOURS	10	2.2 %	-
5	16-20 HOURS	4	0.9 %	-
6	21+ HOURS	4	0.9 %	-
9 (M)	MISSING	82	17.6 %	-

**PDISHS\_1**      **36t - dad time for dishes**

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	100	21.5 %	-
1	1-2 HOURS	153	32.9 %	-
2	3-5 HOURS	79	17.0 %	-
3	6 TO 10 HOURS	39	8.4 %	-
4	11-15 HOURS	6	1.3 %	-
5	16-20 HOURS	2	0.4 %	-
6	21+ HOURS	3	0.6 %	-
9 (M)	MISSING	83	17.8 %	-

**PCLEAN\_1**      **36u - dad time for cleaning house**

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	116	24.9 %	-
1	1-2 HOURS	150	32.3 %	-
2	3-5 HOURS	77	16.6 %	-
3	6 TO 10 HOURS	30	6.5 %	-
4	11-15 HOURS	7	1.5 %	-
5	16-20 HOURS	0	0.0 %	-
6	21+ HOURS	2	0.4 %	-
9 (M)	MISSING	83	17.8 %	-

**PLAUND\_1**      **36v - dad time for laundry**

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	174	37.4 %	-
1	1-2 HOURS	114	24.5 %	-
2	3-5 HOURS	65	14.0 %	-
3	6 TO 10 HOURS	17	3.7 %	-
4	11-15 HOURS	10	2.2 %	-
5	16-20 HOURS	2	0.4 %	-
6	21+ HOURS	1	0.2 %	-
9 (M)	MISSING	82	17.6 %	-

**PYARDM\_1**      **36w - dad time for yard work**

Location: 293-293 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	0 HOURS	61	13.1 %	-
1	1-2 HOURS	120	25.8 %	-
2	3-5 HOURS	114	24.5 %	-
3	6 TO 10 HOURS	46	9.9 %	-
4	11-15 HOURS	26	5.6 %	-
5	16-20 HOURS	11	2.4 %	-
6	21+ HOURS	5	1.1 %	-
9 (M)	MISSING	82	17.6 %	-

**WFAWAY\_1**      **37a - husband does not mind if wife is on work trip**

Location: 294-294 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRONG DISAGREE	21	4.5 %	-
2	DISAGREE	36	7.7 %	-
3	NEUTRAL	93	20.0 %	-
4	AGREE	152	32.7 %	-
5	STRONG AGREE	109	23.4 %	-
9 (M)	MISSING	54	11.6 %	-

**SPCHOR\_1**      **37b - full time mom, husband does chores**

Location: 295-295 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRONG DISAGREE	3	0.6 %	-
2	DISAGREE	9	1.9 %	-
3	NEUTRAL	33	7.1 %	-
4	AGREE	162	34.8 %	-
5	STRONG AGREE	204	43.9 %	-
9 (M)	MISSING	54	11.6 %	-

**HUSBWK\_1**      **37c - husband work more important than mom work**

Location: 296-296 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRONG DISAGREE	202	43.4 %	-
2	DISAGREE	157	33.8 %	-
3	NEUTRAL	37	8.0 %	-
4	AGREE	8	1.7 %	-
5	STRONG AGREE	5	1.1 %	-
9 (M)	MISSING	56	12.0 %	-

**CHEQUA\_1**      **37d - parents should encourage independence**

Location: 297-297 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRONG DISAGREE	4	0.9 %	-
2	DISAGREE	11	2.4 %	-
3	NEUTRAL	23	4.9 %	-
4	AGREE	113	24.3 %	-
5	STRONG AGREE	258	55.5 %	-
9 (M)	MISSING	56	12.0 %	-

**BOYBTR\_1**      **37e - boys more encouraged in school**

Location: 298-298 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRONG DISAGREE	139	29.9 %	-



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DISAGREE	114	24.5 %	-
3	NEUTRAL	106	22.8 %	-
4	AGREE	38	8.2 %	-
5	STRONG AGREE	13	2.8 %	-
9 (M)	MISSING	55	11.8 %	-

**TCHEXP\_1**      **37f - teachers do not expect girls to know math**

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	STRONG DISAGREE	179	38.5 %	-
2	DISAGREE	106	22.8 %	-
3	NEUTRAL	74	15.9 %	-
4	AGREE	38	8.2 %	-
5	STRONG AGREE	11	2.4 %	-
9 (M)	MISSING	57	12.3 %	-

**GENMAT\_1**      **38a - how much general math**

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	207	44.5 %	-
1	1/2 YEAR	5	1.1 %	-
2	1 YEAR	33	7.1 %	-
3	2 YEAR	11	2.4 %	-
4	3 YEAR	6	1.3 %	-
5	4 YEAR	23	4.9 %	-
9 (M)	MISSING	84	18.1 %	-
. (M)	-	96	20.6 %	-

**PREALG\_1**      **38b - how much pre-algebra**

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	214	46.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1/2 YEAR	17	3.7 %	-
2	1 YEAR	42	9.0 %	-
3	2 YEAR	3	0.6 %	-
4	3 YEAR	7	1.5 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	84	18.1 %	-
. (M)	-	96	20.6 %	-

**ALGIBR\_1**

**38c - how much algebra**

Location: 302-302 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	104	22.4 %	-
1	1/2 YEAR	30	6.5 %	-
2	1 YEAR	151	32.5 %	-
3	2 YEAR	7	1.5 %	-
4	3 YEAR	8	1.7 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	67	14.4 %	-
. (M)	-	95	20.4 %	-

**GEOMET\_1**

**38d - how much geometry**

Location: 303-303 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	100	21.5 %	-
1	1/2 YEAR	18	3.9 %	-
2	1 YEAR	178	38.3 %	-
3	2 YEAR	6	1.3 %	-
4	3 YEAR	4	0.9 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	61	13.1 %	-
. (M)	-	95	20.4 %	-

**ALGIBI\_1**

**38e - how much algebra II**

Location: 304-304 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete

- Study 04549 -

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	110	23.7 %	-
1	1/2 YEAR	30	6.5 %	-
2	1 YEAR	154	33.1 %	-
3	2 YEAR	5	1.1 %	-
4	3 YEAR	3	0.6 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	66	14.2 %	-
. (M)	-	94	20.2 %	-

**PRECAL\_1** **38f - how much pre-calculus**

Location: 305-305 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	199	42.8 %	-
1	1/2 YEAR	9	1.9 %	-
2	1 YEAR	69	14.8 %	-
3	2 YEAR	1	0.2 %	-
4	3 YEAR	3	0.6 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	86	18.5 %	-
. (M)	-	96	20.6 %	-

**CALCUL\_1** **38g - how much calculus**

Location: 306-306 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	232	49.9 %	-
1	1/2 YEAR	11	2.4 %	-
2	1 YEAR	34	7.3 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	3	0.6 %	-
5	4 YEAR	0	0.0 %	-
9 (M)	MISSING	86	18.5 %	-
. (M)	-	97	20.9 %	-

**BUSMAT\_1** **38h - how much business math**

Location: 307-307 (width: 1; decimal: 0)

- Study 04549 -

Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	235	50.5 %	-
1	1/2 YEAR	19	4.1 %	-
2	1 YEAR	18	3.9 %	-
3	2 YEAR	4	0.9 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	91	19.6 %	-
. (M)	-	95	20.4 %	-

**OTMATH\_1**      **38i - how much other math**

Location: 308-308 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	204	43.9 %	-
1	1/2 YEAR	18	3.9 %	-
2	1 YEAR	46	9.9 %	-
3	2 YEAR	6	1.3 %	-
4	3 YEAR	4	0.9 %	-
5	4 YEAR	5	1.1 %	-
9 (M)	MISSING	85	18.3 %	-
. (M)	-	97	20.9 %	-

**GENSCI\_1**      **39a - how much general science**

Location: 309-309 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	207	44.5 %	-
1	1/2 YEAR	13	2.8 %	-
2	1 YEAR	31	6.7 %	-
3	2 YEAR	12	2.6 %	-
4	3 YEAR	12	2.6 %	-
5	4 YEAR	11	2.4 %	-
9 (M)	MISSING	83	17.8 %	-
. (M)	-	96	20.6 %	-

- Study 04549 -

**GENPHY\_1      39b - how much general physical science**

Location: 310-310 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	219	47.1 %	-
1	1/2 YEAR	15	3.2 %	-
2	1 YEAR	35	7.5 %	-
3	2 YEAR	4	0.9 %	-
4	3 YEAR	6	1.3 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	87	18.7 %	-
. (M)	-	97	20.9 %	-

**BIOLOG\_1      39c - how much biology**

Location: 311-311 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	47	10.1 %	-
1	1/2 YEAR	17	3.7 %	-
2	1 YEAR	233	50.1 %	-
3	2 YEAR	18	3.9 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	53	11.4 %	-
. (M)	-	93	20.0 %	-

**EARSCI\_1      39d - how much earth science**

Location: 312-312 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	211	45.4 %	-
1	1/2 YEAR	14	3.0 %	-
2	1 YEAR	57	12.3 %	-
3	2 YEAR	3	0.6 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	1	0.2 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	82	17.6 %	-
. (M)	-	97	20.9 %	-

**CHEMIS\_1**      **39e - how much chemistry**

Location: 313-313 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	142	30.5 %	-
1	1/2 YEAR	19	4.1 %	-
2	1 YEAR	127	27.3 %	-
3	2 YEAR	7	1.5 %	-
4	3 YEAR	4	0.9 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	67	14.4 %	-
. (M)	-	97	20.9 %	-

**TECHNO\_1**      **39f - how much principles of technology**

Location: 314-314 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	245	52.7 %	-
1	1/2 YEAR	12	2.6 %	-
2	1 YEAR	11	2.4 %	-
3	2 YEAR	4	0.9 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	92	19.8 %	-
. (M)	-	98	21.1 %	-

**PHYSIC\_1**      **39g - how much physics**

Location: 315-315 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	155	33.3 %	-
1	1/2 YEAR	15	3.2 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1 YEAR	111	23.9 %	-
3	2 YEAR	7	1.5 %	-
4	3 YEAR	5	1.1 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	73	15.7 %	-
. (M)	-	98	21.1 %	-

**OTHSCI\_1**      **39h - how much other science**

Location: 316-316 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	224	48.2 %	-
1	1/2 YEAR	11	2.4 %	-
2	1 YEAR	30	6.5 %	-
3	2 YEAR	5	1.1 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	91	19.6 %	-
. (M)	-	99	21.3 %	-

**ENGLIS\_1**      **40a - how much english**

Location: 317-317 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	4	0.9 %	-
1	1/2 YEAR	5	1.1 %	-
2	1 YEAR	135	29.0 %	-
3	2 YEAR	51	11.0 %	-
4	3 YEAR	43	9.2 %	-
5	4 YEAR	85	18.3 %	-
9 (M)	MISSING	49	10.5 %	-
. (M)	-	93	20.0 %	-

**WLDHIS\_1**      **40b - how much world history**

Location: 318-318 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	61	13.1 %	-
1	1/2 YEAR	16	3.4 %	-
2	1 YEAR	161	34.6 %	-
3	2 YEAR	74	15.9 %	-
4	3 YEAR	8	1.7 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	47	10.1 %	-
. (M)	-	96	20.6 %	-

**USHIST\_1**      **40c - how much U.S. history**

Location: 319-319 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	151	32.5 %	-
1	1/2 YEAR	8	1.7 %	-
2	1 YEAR	139	29.9 %	-
3	2 YEAR	9	1.9 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	57	12.3 %	-
. (M)	-	98	21.1 %	-

**GEOGRA\_1**      **40d - how much geography**

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	253	54.4 %	-
1	1/2 YEAR	20	4.3 %	-
2	1 YEAR	20	4.3 %	-
3	2 YEAR	4	0.9 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	68	14.6 %	-
. (M)	-	98	21.1 %	-

**GOVMNT\_1**      **40e - how much government**

Location: 321-321 (width: 1; decimal: 0)

Variable Type: numeric (ISO)



- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	236	50.8 %	-
1	1/2 YEAR	28	6.0 %	-
2	1 YEAR	30	6.5 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	70	15.1 %	-
. (M)	-	98	21.1 %	-

**ECONOM\_1**      **40f - how much economics**

Location: 322-322 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	240	51.6 %	-
1	1/2 YEAR	37	8.0 %	-
2	1 YEAR	19	4.1 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	66	14.2 %	-
. (M)	-	98	21.1 %	-

**FORLNG\_1**      **40g - how much foreign language**

Location: 323-323 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	31	6.7 %	-
1	1/2 YEAR	10	2.2 %	-
2	1 YEAR	106	22.8 %	-
3	2 YEAR	73	15.7 %	-
4	3 YEAR	50	10.8 %	-
5	4 YEAR	47	10.1 %	-
9 (M)	MISSING	54	11.6 %	-
. (M)	-	94	20.2 %	-

**ART\_\_\_\_1**      **40h - how much art**

- Study 04549 -

Location: 324-324 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	109	23.4 %	-
1	1/2 YEAR	55	11.8 %	-
2	1 YEAR	83	17.8 %	-
3	2 YEAR	42	9.0 %	-
4	3 YEAR	9	1.9 %	-
5	4 YEAR	13	2.8 %	-
9 (M)	MISSING	57	12.3 %	-
. (M)	-	97	20.9 %	-

**MUSIC\_\_1**      **40i - how much music**

Location: 325-325 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	179	38.5 %	-
1	1/2 YEAR	20	4.3 %	-
2	1 YEAR	56	12.0 %	-
3	2 YEAR	21	4.5 %	-
4	3 YEAR	12	2.6 %	-
5	4 YEAR	18	3.9 %	-
9 (M)	MISSING	62	13.3 %	-
. (M)	-	97	20.9 %	-

**DRAMA\_\_1**      **40j - how much drama**

Location: 326-326 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	231	49.7 %	-
1	1/2 YEAR	21	4.5 %	-
2	1 YEAR	32	6.9 %	-
3	2 YEAR	15	3.2 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	65	14.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
. (M)	-	98	21.1 %	-

**GYM\_\_\_1**

**40k - how much P.E.**

Location: 327-327 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	32	6.9 %	-
1	1/2 YEAR	32	6.9 %	-
2	1 YEAR	111	23.9 %	-
3	2 YEAR	53	11.4 %	-
4	3 YEAR	48	10.3 %	-
5	4 YEAR	43	9.2 %	-
9 (M)	MISSING	51	11.0 %	-
. (M)	-	95	20.4 %	-

**SEXEDU\_1**

**40l - how much sex. Ed.**

Location: 328-328 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	111	23.9 %	-
1	1/2 YEAR	151	32.5 %	-
2	1 YEAR	35	7.5 %	-
3	2 YEAR	6	1.3 %	-
4	3 YEAR	1	0.2 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	63	13.5 %	-
. (M)	-	97	20.9 %	-

**PSYCHO\_1**

**40m - how much psychology**

Location: 329-329 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	255	54.8 %	-
1	1/2 YEAR	26	5.6 %	-
2	1 YEAR	14	3.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	2 YEAR	4	0.9 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	0	0.0 %	-
9 (M)	MISSING	66	14.2 %	-
. (M)	-	98	21.1 %	-

**COMSCI\_1      40n - how much computer science**

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	217	46.7 %	-
1	1/2 YEAR	37	8.0 %	-
2	1 YEAR	28	6.0 %	-
3	2 YEAR	12	2.6 %	-
4	3 YEAR	4	0.9 %	-
5	4 YEAR	4	0.9 %	-
9 (M)	MISSING	65	14.0 %	-
. (M)	-	98	21.1 %	-

**COMEDU\_1      41a - how much computer ed.**

Location: 331-331 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	192	41.3 %	-
1	1/2 YEAR	54	11.6 %	-
2	1 YEAR	40	8.6 %	-
3	2 YEAR	15	3.2 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	4	0.9 %	-
9 (M)	MISSING	61	13.1 %	-
. (M)	-	97	20.9 %	-

**BUYRED\_1      41b - how much consumer ed.**

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	225	48.4 %	-
1	1/2 YEAR	64	13.8 %	-
2	1 YEAR	11	2.4 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	1	0.2 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	65	14.0 %	-
. (M)	-	96	20.6 %	-

**HMEECO\_1**      **41c - how much home economics**

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	260	55.9 %	-
1	1/2 YEAR	29	6.2 %	-
2	1 YEAR	13	2.8 %	-
3	2 YEAR	3	0.6 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	3	0.6 %	-
9 (M)	MISSING	60	12.9 %	-
. (M)	-	97	20.9 %	-

**SHOP\_\_1**      **41d - how much shop**

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	253	54.4 %	-
1	1/2 YEAR	29	6.2 %	-
2	1 YEAR	19	4.1 %	-
3	2 YEAR	3	0.6 %	-
4	3 YEAR	2	0.4 %	-
5	4 YEAR	0	0.0 %	-
9 (M)	MISSING	62	13.3 %	-
. (M)	-	97	20.9 %	-

**TYPING\_1**      **41e - how much typing**

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	210	45.2 %	-
1	1/2 YEAR	70	15.1 %	-
2	1 YEAR	26	5.6 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	1	0.2 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	58	12.5 %	-
. (M)	-	96	20.6 %	-

**FARM\_\_1**

**41f - how much agriculture**

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	296	63.7 %	-
1	1/2 YEAR	0	0.0 %	-
2	1 YEAR	3	0.6 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	0	0.0 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	66	14.2 %	-
. (M)	-	97	20.9 %	-

**CAPS\_\_1**

**41g - how much career exploration**

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	258	55.5 %	-
1	1/2 YEAR	31	6.7 %	-
2	1 YEAR	11	2.4 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	1	0.2 %	-
5	4 YEAR	1	0.2 %	-
9 (M)	MISSING	64	13.8 %	-
. (M)	-	97	20.9 %	-

**COMLIT\_1**

**41h - how much computer literacy**

- Study 04549 -

Location: 338-338 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	273	58.7 %	-
1	1/2 YEAR	11	2.4 %	-
2	1 YEAR	13	2.8 %	-
3	2 YEAR	2	0.4 %	-
4	3 YEAR	1	0.2 %	-
5	4 YEAR	2	0.4 %	-
9 (M)	MISSING	66	14.2 %	-
. (M)	-	97	20.9 %	-

**MATHN\_\_1**      **42a - challenged in math**

Location: 339-339 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	15	3.2 %	-
1	LESS THAN ONCE/WEEK	42	9.0 %	-
2	ABOUT ONCE/WEEK	45	9.7 %	-
3	FEW TIMES/WEEK	86	18.5 %	-
4	ALMOST EVERY DAY	207	44.5 %	-
5	NOT TAKING	10	2.2 %	-
9 (M)	MISSING	60	12.9 %	-

**ENN\_\_1**      **42b - challenged in english**

Location: 340-340 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	22	4.7 %	-
1	LESS THAN ONCE/WEEK	60	12.9 %	-
2	ABOUT ONCE/WEEK	76	16.3 %	-
3	FEW TIMES/WEEK	130	28.0 %	-
4	ALMOST EVERY DAY	113	24.3 %	-
5	NOT TAKING	5	1.1 %	-
9 (M)	MISSING	59	12.7 %	-

**HISN\_\_1**      **42c - challenged in history**

- Study 04549 -

Location: 341-341 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	41	8.8 %	-
1	LESS THAN ONCE/WEEK	45	9.7 %	-
2	ABOUT ONCE/WEEK	50	10.8 %	-
3	FEW TIMES/WEEK	76	16.3 %	-
4	ALMOST EVERY DAY	137	29.5 %	-
5	NOT TAKING	51	11.0 %	-
9 (M)	MISSING	65	14.0 %	-

**SCIN\_\_1**      **42d - challenged in science**

Location: 342-342 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	23	4.9 %	-
1	LESS THAN ONCE/WEEK	26	5.6 %	-
2	ABOUT ONCE/WEEK	50	10.8 %	-
3	FEW TIMES/WEEK	112	24.1 %	-
4	ALMOST EVERY DAY	162	34.8 %	-
5	NOT TAKING	29	6.2 %	-
9 (M)	MISSING	63	13.5 %	-

**ABSENT\_1**      **43 - how much are you absent**

Location: 343-343 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	31	6.7 %	-
1	1 OR 2	94	20.2 %	-
2	3 OR 4	123	26.5 %	-
3	5 TO 10	107	23.0 %	-
4	11 TO 15	32	6.9 %	-
5	16 TO 20	16	3.4 %	-
6	21+	8	1.7 %	-
9 (M)	MISSING	54	11.6 %	-

**GRADES\_1**      **44 - grades on most recent report card**



- Study 04549 -

Location: 344-345 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 99

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOST A	164	35.3 %	-
2	HALF A HALF B	110	23.7 %	-
3	MOST B	74	15.9 %	-
4	HALF B HALF C	37	8.0 %	-
5	MOST C	16	3.4 %	-
6	HALF C HALF D	9	1.9 %	-
7	MOST D	3	0.6 %	-
8	MOST BELOW D	2	0.4 %	-
9	NO GRADES	1	0.2 %	-
99 (M)	MISSING	49	10.5 %	-

**ACAAWD\_1**      **45a - academic award**

Location: 346-346 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	216	46.5 %	-
1	YES	186	40.0 %	-
9 (M)	MISSING	63	13.5 %	-

**ATHAWD\_1**      **45b - athletic award**

Location: 347-347 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	275	59.1 %	-
1	YES	128	27.5 %	-
9 (M)	MISSING	62	13.3 %	-

**STUDO\_1**      **45c - elected to student council**

Location: 348-348 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	363	78.1 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	34	7.3 %	-
9 (M)	MISSING	68	14.6 %	-

**COMSER\_1      45d - award for community service**

Location: 349-349 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	331	71.2 %	-
1	YES	67	14.4 %	-
9 (M)	MISSING	67	14.4 %	-

**HMWPAR\_1      46a - spend time with parent**

Location: 350-350 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One hour/day	40	8.6 %	-
2	Two hours/day	49	10.5 %	-
3	Three hours/day	79	17.0 %	-
4	Four hours/day	104	22.4 %	-
5	Five hours/day	58	12.5 %	-
6	Six hours/day	34	7.3 %	-
7	Seven hours/day	11	2.4 %	-
8	Eight hours/day	35	7.5 %	-
9 (M)	-	55	11.8 %	-

**HNOPAR\_1      46b - spend time w/o parent**

Location: 351-351 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One hour/day	166	35.7 %	-
2	Two hours/day	96	20.6 %	-
3	Three hours/day	74	15.9 %	-
4	Four hours/day	28	6.0 %	-
5	Five hours/day	17	3.7 %	-
6	Six hours/day	5	1.1 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
7	Seven hours/day	3	0.6 %	-
8	Eight hours/day	5	1.1 %	-
9 (M)	-	71	15.3 %	-

**NOHPAR\_1      46c - away from home with adult**

Location: 352-352 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One hour/day	149	32.0 %	-
2	Two hours/day	79	17.0 %	-
3	Three hours/day	56	12.0 %	-
4	Four hours/day	29	6.2 %	-
5	Five hours/day	8	1.7 %	-
6	Six hours/day	14	3.0 %	-
7	Seven hours/day	10	2.2 %	-
8	Eight hours/day	21	4.5 %	-
9 (M)	-	99	21.3 %	-

**NOHNOP\_1      46d - away form home w/o adult**

Location: 353-353 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One hour/day	177	38.1 %	-
2	Two hours/day	78	16.8 %	-
3	Three hours/day	45	9.7 %	-
4	Four hours/day	19	4.1 %	-
5	Five hours/day	17	3.7 %	-
6	Six hours/day	10	2.2 %	-
7	Seven hours/day	4	0.9 %	-
8	Eight hours/day	8	1.7 %	-
9 (M)	-	107	23.0 %	-

**DRIVEL\_1      47 - do you have drivers license**

Location: 354-354 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	305	65.6 %	-
1	YES	105	22.6 %	-
9 (M)	MISSING	55	11.8 %	-

**CAR\_\_1      48 - do you have access to a car**

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	never	7	1.5 %	-
1	rarely	10	2.2 %	-
2	sometimes	18	3.9 %	-
3	often	81	17.4 %	-
9 (M)	-	1	0.2 %	-
. (M)	-	348	74.8 %	-

**USECAR\_1      49 - how often do you use car**

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	27	5.8 %	-
1	RARELY	35	7.5 %	-
2	SOMETIMES	28	6.0 %	-
3	OFTEN	26	5.6 %	-
9 (M)	MISSING	1	0.2 %	-
. (M)	-	348	74.8 %	-

**TEAM\_\_1      50a - participate in school sport**

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	144	31.0 %	-
1	PART. IN ONE	122	26.2 %	-
2	PART. IN ONE+	144	31.0 %	-
3	SCHOOL NO HAVE	6	1.3 %	-
9 (M)	MISSING	49	10.5 %	-

- Study 04549 -

**BAND\_\_1      50b - participate in band**

Location: 358-358 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	252	54.2 %	-
1	PART. IN ONE	91	19.6 %	-
2	PART. IN ONE+	72	15.5 %	-
3	SCHOOL NO HAVE	1	0.2 %	-
9 (M)	MISSING	49	10.5 %	-

**THEATR\_1      50c - participate in theater**

Location: 359-359 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	290	62.4 %	-
1	PART. IN ONE	74	15.9 %	-
2	PART. IN ONE+	46	9.9 %	-
3	SCHOOL NO HAVE	5	1.1 %	-
9 (M)	MISSING	50	10.8 %	-

**STUGOV\_1      50d - participate in student government**

Location: 360-360 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	348	74.8 %	-
1	PART. IN ONE	40	8.6 %	-
2	PART. IN ONE+	15	3.2 %	-
3	SCHOOL NO HAVE	13	2.8 %	-
9 (M)	MISSING	49	10.5 %	-

**NHS\_\_1      50e - participate in academic honor society**

Location: 361-361 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	299	64.3 %	-
1	PART. IN ONE	68	14.6 %	-
2	PART. IN ONE+	20	4.3 %	-
3	SCHOOL NO HAVE	27	5.8 %	-
9 (M)	MISSING	51	11.0 %	-

**HOBBYC\_1**      **50f - participate in hobby club**

Location: 362-362 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	295	63.4 %	-
1	PART. IN ONE	75	16.1 %	-
2	PART. IN ONE+	31	6.7 %	-
3	SCHOOL NO HAVE	11	2.4 %	-
9 (M)	MISSING	53	11.4 %	-

**YEARBK\_1**      **50g - participate in year book**

Location: 363-363 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	333	71.6 %	-
1	PART. IN ONE	63	13.5 %	-
2	PART. IN ONE+	13	2.8 %	-
3	SCHOOL NO HAVE	7	1.5 %	-
9 (M)	MISSING	49	10.5 %	-

**SERVIC\_1**      **50h - participate in service club**

Location: 364-364 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	301	64.7 %	-
1	PART. IN ONE	77	16.6 %	-
2	PART. IN ONE+	26	5.6 %	-
3	SCHOOL NO HAVE	12	2.6 %	-
9 (M)	MISSING	49	10.5 %	-

- Study 04549 -

**SMRTCL\_1      50i - participate in academic clubs**

Location: 365-365 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	300	64.5 %	-
1	PART. IN ONE	75	16.1 %	-
2	PART. IN ONE+	32	6.9 %	-
3	SCHOOL NO HAVE	9	1.9 %	-
9 (M)	MISSING	49	10.5 %	-

**EDUCLB\_1      50j - participate in educational clubs**

Location: 366-366 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DID NOT PART.	368	79.1 %	-
1	PART. IN ONE	4	0.9 %	-
2	PART. IN ONE+	3	0.6 %	-
3	SCHOOL NO HAVE	34	7.3 %	-
9 (M)	MISSING	56	12.0 %	-

**FRIEND\_1      51a - time visiting with friends**

Location: 367-367 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	49	10.5 %	-
2	LESS THAN ONCE A WEEK	111	23.9 %	-
3	ONCE/TWICE A WEEK	179	38.5 %	-
4	ALMOST EVERYDAY	74	15.9 %	-
9 (M)	MISSING	52	11.2 %	-

**TV\_\_\_\_1      51b - time watching TV**

Location: 368-368 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	24	5.2 %	-
2	LESS THAN ONCE A WEEK	50	10.8 %	-
3	ONCE/TWICE A WEEK	143	30.8 %	-
4	ALMOST EVERYDAY	200	43.0 %	-
9 (M)	MISSING	48	10.3 %	-

**GAMES\_\_1**      **51c - time for playing computer/video games**

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	139	29.9 %	-
2	LESS THAN ONCE A WEEK	80	17.2 %	-
3	ONCE/TWICE A WEEK	114	24.5 %	-
4	ALMOST EVERYDAY	85	18.3 %	-
9 (M)	MISSING	47	10.1 %	-

**READIN\_1**      **51d - longest relationship youve had**

Location: 370-370 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	130	28.0 %	-
2	LESS THAN ONCE A WEEK	95	20.4 %	-
3	ONCE/TWICE A WEEK	93	20.0 %	-
4	ALMOST EVERYDAY	99	21.3 %	-
9 (M)	MISSING	48	10.3 %	-

**HOB\_\_\_1**      **51e - time for working on hobbies**

Location: 371-371 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	156	33.5 %	-
2	LESS THAN ONCE A WEEK	121	26.0 %	-
3	ONCE/TWICE A WEEK	92	19.8 %	-
4	ALMOST EVERYDAY	43	9.2 %	-
9 (M)	MISSING	53	11.4 %	-



- Study 04549 -

**YUTGRP\_1**      **51f - time attending youth groups**

Location: 372-372 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	216	46.5 %	-
2	LESS THAN ONCE A WEEK	75	16.1 %	-
3	ONCE/TWICE A WEEK	116	24.9 %	-
4	ALMOST EVERYDAY	10	2.2 %	-
9 (M)	MISSING	48	10.3 %	-

**SPORTF\_1**      **51g - time playing sports with friends**

Location: 373-373 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	130	28.0 %	-
2	LESS THAN ONCE A WEEK	86	18.5 %	-
3	ONCE/TWICE A WEEK	116	24.9 %	-
4	ALMOST EVERYDAY	85	18.3 %	-
9 (M)	MISSING	48	10.3 %	-

**POOL\_\_1**      **51h - time going to park, pool, gym**

Location: 374-374 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	125	26.9 %	-
2	LESS THAN ONCE A WEEK	142	30.5 %	-
3	ONCE/TWICE A WEEK	104	22.4 %	-
4	ALMOST EVERYDAY	41	8.8 %	-
9 (M)	MISSING	53	11.4 %	-

**VOLWRK\_1**      **51i - time volunteering**

Location: 375-375 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	241	51.8 %	-
2	LESS THAN ONCE A WEEK	114	24.5 %	-
3	ONCE/TWICE A WEEK	48	10.3 %	-
4	ALMOST EVERYDAY	9	1.9 %	-
9 (M)	MISSING	53	11.4 %	-

**DRIVIN\_1**      **51j - time driving around**

Location: 376-376 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	192	41.3 %	-
2	LESS THAN ONCE A WEEK	69	14.8 %	-
3	ONCE/TWICE A WEEK	92	19.8 %	-
4	ALMOST EVERYDAY	58	12.5 %	-
9 (M)	MISSING	54	11.6 %	-

**TELEPH\_1**      **51k - time talking on phone**

Location: 377-377 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	32	6.9 %	-
2	LESS THAN ONCE A WEEK	61	13.1 %	-
3	ONCE/TWICE A WEEK	112	24.1 %	-
4	ALMOST EVERYDAY	206	44.3 %	-
9 (M)	MISSING	54	11.6 %	-

**TLKWAD\_1**      **51l - time doing things w/ adults**

Location: 378-378 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	76	16.3 %	-
2	LESS THAN ONCE A WEEK	136	29.2 %	-
3	ONCE/TWICE A WEEK	123	26.5 %	-
4	ALMOST EVERYDAY	73	15.7 %	-
9 (M)	MISSING	57	12.3 %	-

- Study 04549 -

**ARTNCL\_1                      51m - time at art, music, drama classes**

Location: 379-379 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	243	52.3 %	-
2	LESS THAN ONCE A WEEK	25	5.4 %	-
3	ONCE/TWICE A WEEK	104	22.4 %	-
4	ALMOST EVERYDAY	39	8.4 %	-
9 (M)	MISSING	54	11.6 %	-

**ARTOCL\_1                      51n - time performing art, music, drama**

Location: 380-380 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	235	50.5 %	-
2	LESS THAN ONCE A WEEK	59	12.7 %	-
3	ONCE/TWICE A WEEK	68	14.6 %	-
4	ALMOST EVERYDAY	45	9.7 %	-
9 (M)	MISSING	58	12.5 %	-

**RELCLS\_1                      51o - time at religious classes**

Location: 381-381 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	266	57.2 %	-
2	LESS THAN ONCE A WEEK	38	8.2 %	-
3	ONCE/TWICE A WEEK	94	20.2 %	-
4	ALMOST EVERYDAY	8	1.7 %	-
9 (M)	MISSING	59	12.7 %	-

**LESSON\_1                      51p - time at sports lessons**

Location: 382-382 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	288	61.9 %	-
2	LESS THAN ONCE A WEEK	29	6.2 %	-
3	ONCE/TWICE A WEEK	52	11.2 %	-
4	ALMOST EVERYDAY	39	8.4 %	-
9 (M)	MISSING	57	12.3 %	-

**ATHLET\_1**

**51q - time at sports teams**

Location: 383-383 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY OR NEVER	177	38.1 %	-
2	LESS THAN ONCE A WEEK	24	5.2 %	-
3	ONCE/TWICE A WEEK	63	13.5 %	-
4	ALMOST EVERYDAY	145	31.2 %	-
9 (M)	MISSING	56	12.0 %	-

**RLGION\_1**

**52 - what is your religious background**

Location: 384-385 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	BAPTIST	11	2.4 %	-
2	METHODIST	12	2.6 %	-
3	LUTHERAN	21	4.5 %	-
4	PRSBYTERIAN	33	7.1 %	-
5	EPISCOPALIAN	14	3.0 %	-
6	PENTECOSTAL	4	0.9 %	-
7	OTHER PROTESTANT	19	4.1 %	-
8	ROMAN CATHOLIC	85	18.3 %	-
9 (M)	EASTERN ORTHODOX	58	12.5 %	-
10	MORMON	5	1.1 %	-
11	OTHER CHRISTIAN	43	9.2 %	-
12	JEWISH	72	15.5 %	-
13	MUSLIM	1	0.2 %	-
14	EASTERN RELIGION(BUDDHIST, HINDU, TAO)	5	1.1 %	-
15	OTHER RELIGION	25	5.4 %	-
16	NONE	57	12.3 %	-
99	MISSING	0	0.0 %	-

- Study 04549 -

**RSERV\_\_1                      53 - how often do you attend services**

Location: 386-386 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT AT ALL	80	17.2 %	-
1	SEVERAL TIME A YEAR <	109	23.4 %	-
2	ABOUT ONCE/MONTH	38	8.2 %	-
3	TWO/THREE TIMES A MONTH	38	8.2 %	-
4	ONCE A WEEK	131	28.2 %	-
5	>ONCE A WEEK	23	4.9 %	-
9 (M)	MISSING	46	9.9 %	-

**RPERSO\_\_1                      54 - do you think you are religious**

Location: 387-387 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO, NOT AT ALL	138	29.7 %	-
1	YES, SOMEWHAT	217	46.7 %	-
2	YES, VERY	59	12.7 %	-
9 (M)	MISSING	51	11.0 %	-

**EMPLOY\_\_1                      55 - what is your job situation**

Location: 388-388 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER EMPLOYEEED	179	38.5 %	-
2	NOT NOW, BUT THIS SCHOOL YEAR	33	7.1 %	-
3	NOT SCHOOL, BUT LAST SUMMER	61	13.1 %	-
4	PRIOR TO LAST SUMMER	10	2.2 %	-
5	CURRENT 1 JOB	102	21.9 %	-
6	CURRENT >1 JOB	13	2.8 %	-
9 (M)	MISSING	67	14.4 %	-

**WRKHRS\_\_1                      56 - how many hours do you work**

Location: 389-389 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1-5 HRS/WEEK	71	15.3 %	-
2	6-10 HRS/WEEK	37	8.0 %	-
3	11-15 HRS/WEEK	40	8.6 %	-
4	16-20 HRS/WEEK	28	6.0 %	-
5	21-30 HRS/WEEK	19	4.1 %	-
6	31-40 HRS/WEEK	19	4.1 %	-
7	>40 HRS/WEEK	3	0.6 %	-
9 (M)	MISSING	5	1.1 %	-
. (M)	-	243	52.3 %	-

**WKNDHR\_1**      **57 - how many weekend hours do you work**

Location: 390-390 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0-5 HRS/WKND	147	31.6 %	-
2	6-10 HRS/WKND	50	10.8 %	-
3	11-15 HRS/WKND	11	2.4 %	-
4	16-20 HRS/WKND	4	0.9 %	-
5	20+ HRS/WKND	1	0.2 %	-
9 (M)	-	9	1.9 %	-
. (M)	-	243	52.3 %	-

**TPOFWK\_1**      **58 - what type of work do you do**

Location: 391-392 (width: 2; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 99 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LAWN WORK/ODD JOBS	13	2.8 %	-
2	FAST FOOD	9	1.9 %	-
3	WAITER/WAITRESS	7	1.5 %	-
4	NEWSPAPER ROUTE	5	1.1 %	-
5	BABYSITTER/CHILDCARE	55	11.8 %	-
6	CAMP COUNS/LIFE GUARD	11	2.4 %	-
7	FARM WORKER	0	0.0 %	-
8	FACTORY WORKER	1	0.2 %	-
9	MANUAL LABORER	6	1.3 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
10	STORE CLERK/SALES PERSON	22	4.7 %	-
11	HOUSE CLEANING	1	0.2 %	-
12	CONSTRUCTION WORK	3	0.6 %	-
13	OFFICE OR CLERICAL WORK	14	3.0 %	-
14	HOSPITAL/HEALTH WORK	1	0.2 %	-
15	OTHER	71	15.3 %	-
99 (M)	MISSING	8	1.7 %	-
. (M)	-	238	51.2 %	-

**WAGE\_\_1**

**59 - how much do you earn**

Location: 393-393 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	LESS THAN \$5.15	32	6.9 %	-
2	\$5.15-\$5.75	53	11.4 %	-
3	\$5.76-\$7.00	67	14.4 %	-
4	\$7.01-\$8.00	23	4.9 %	-
5	\$8.01-10.00	18	3.9 %	-
6	>\$10.01	18	3.9 %	-
9 (M)	MISSING	11	2.4 %	-
. (M)	-	243	52.3 %	-

**ROBBED\_1**

**60a - have you been robbed**

Location: 394-394 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	130	28.0 %	-
1	YES	278	59.8 %	-
9 (M)	MISSING	57	12.3 %	-

**THREAT\_1**

**60b - have you been physically threatened**

Location: 395-395 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	259	55.7 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	148	31.8 %	-
9 (M)	MISSING	58	12.5 %	-

**FIGHT\_\_1**      **60c - have you been in a physical fight**

Location: 396-396 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	310	66.7 %	-
1	YES	96	20.6 %	-
9 (M)	MISSING	59	12.7 %	-

**KO\_\_\_\_1**      **60d - have you been beaten up**

Location: 397-397 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	387	83.2 %	-
1	YES	19	4.1 %	-
9 (M)	MISSING	59	12.7 %	-

**ATTACK\_1**      **60e - have you been attacked w/ weapon**

Location: 398-398 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	399	85.8 %	-
1	YES	7	1.5 %	-
9 (M)	MISSING	59	12.7 %	-

**OFFDRG\_1**      **60f - have you been offered drugs**

Location: 399-399 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	260	55.9 %	-
1	YES	146	31.4 %	-
9 (M)	MISSING	59	12.7 %	-



**SAWCRM\_1 60g - have you witnessed a crime**

Location: 400-400 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	371	79.8 %	-
1	YES	36	7.7 %	-
9 (M)	MISSING	58	12.5 %	-

**RAPED\_\_1 60h - have you been sexually assaulted**

Location: 401-401 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	394	84.7 %	-
1	YES	13	2.8 %	-
9 (M)	MISSING	58	12.5 %	-

**MANY\_\_1 61a - I have lots of friends**

Location: 402-402 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	5	1.1 %	-
2	RARELY TRUE	19	4.1 %	-
3	SOMETIMES TRUE	62	13.3 %	-
4	OFTEN TRUE	131	28.2 %	-
5	ALWAYS TRUE	191	41.1 %	-
9 (M)	MISSING	57	12.3 %	-

**POPULR\_1 61b - I am popular**

Location: 403-403 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	38	8.2 %	-
2	RARELY TRUE	90	19.4 %	-
3	SOMETIMES TRUE	125	26.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	OFTEN TRUE	88	18.9 %	-
5	ALWAYS TRUE	59	12.7 %	-
9 (M)	MISSING	65	14.0 %	-

**NEW\_\_1**

**61c - I want new friends**

Location: 404-404 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	131	28.2 %	-
2	RARELY TRUE	140	30.1 %	-
3	SOMETIMES TRUE	104	22.4 %	-
4	OFTEN TRUE	22	4.7 %	-
5	ALWAYS TRUE	8	1.7 %	-
9 (M)	MISSING	60	12.9 %	-

**ESTRAN\_1**

**61d - my friends do not understand me these days**

Location: 405-405 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	99	21.3 %	-
2	RARELY TRUE	154	33.1 %	-
3	SOMETIMES TRUE	106	22.8 %	-
4	OFTEN TRUE	26	5.6 %	-
5	ALWAYS TRUE	20	4.3 %	-
9 (M)	MISSING	60	12.9 %	-

**DOCARE\_1**

**61e - my friend care about how I am**

Location: 406-406 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	8	1.7 %	-
2	RARELY TRUE	17	3.7 %	-
3	SOMETIMES TRUE	63	13.5 %	-
4	OFTEN TRUE	167	35.9 %	-
5	ALWAYS TRUE	151	32.5 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	59	12.7 %	-

**DOTRST\_1**

**61f - trust my friends**

Location: 407-407 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	5	1.1 %	-
2	RARELY TRUE	14	3.0 %	-
3	SOMETIMES TRUE	69	14.8 %	-
4	OFTEN TRUE	174	37.4 %	-
5	ALWAYS TRUE	145	31.2 %	-
9 (M)	MISSING	58	12.5 %	-

**DOTALK\_1**

**61g - I can tell friends about problems**

Location: 408-408 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	9	1.9 %	-
2	RARELY TRUE	24	5.2 %	-
3	SOMETIMES TRUE	79	17.0 %	-
4	OFTEN TRUE	142	30.5 %	-
5	ALWAYS TRUE	152	32.7 %	-
9 (M)	MISSING	59	12.7 %	-

**DOCOUN\_1**

**61h - I can count on my friends**

Location: 409-409 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	5	1.1 %	-
2	RARELY TRUE	8	1.7 %	-
3	SOMETIMES TRUE	57	12.3 %	-
4	OFTEN TRUE	127	27.3 %	-
5	ALWAYS TRUE	208	44.7 %	-
9 (M)	MISSING	60	12.9 %	-

**DOLIKE\_1**

**61i - my parents like my friends**

- Study 04549 -

Location: 410-410 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER TRUE	1	0.2 %	-
2	RARELY TRUE	6	1.3 %	-
3	SOMETIMES TRUE	44	9.5 %	-
4	OFTEN TRUE	146	31.4 %	-
5	ALWAYS TRUE	204	43.9 %	-
9 (M)	MISSING	64	13.8 %	-

**STEADY\_1** **62a - have a steady (girlfriend/boyfriend)**

Location: 411-411 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	311	66.9 %	-
1	YES	97	20.9 %	-
9 (M)	MISSING	57	12.3 %	-

**TMSTEA\_1** **62b - how long have you been dating this person (in weeks)**

Location: 412-413 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 99 , .

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	2	0.4 %	-
1	24	5.2 %	-
2	15	3.2 %	-
3	11	2.4 %	-
4	7	1.5 %	-
5	8	1.7 %	-
6	1	0.2 %	-
7	2	0.4 %	-
8	3	0.6 %	-
9	3	0.6 %	-
10	4	0.9 %	-
11	3	0.6 %	-
12	1	0.2 %	-
13	3	0.6 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
14	1	0.2 %	-
15	3	0.6 %	-
18	2	0.4 %	-
21	1	0.2 %	-
25	1	0.2 %	-
27	1	0.2 %	-
42	1	0.2 %	-
99 (M)	2	0.4 %	-
. (M)	366	78.7 %	-

**PAST\_\_1                      62c - have you ever had a steady**

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	153	32.9 %	-
1	YES	191	41.1 %	-
9 (M)	MISSING	121	26.0 %	-

**LONGES\_1                      62d - longest relationship youve had (in weeks)**

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 99 , .

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	6	1.3 %	-
1	35	7.5 %	-
2	39	8.4 %	-
3	35	7.5 %	-
4	25	5.4 %	-
5	22	4.7 %	-
6	15	3.2 %	-
7	6	1.3 %	-
8	9	1.9 %	-
9	11	2.4 %	-
10	4	0.9 %	-
11	8	1.7 %	-
12	8	1.7 %	-
13	5	1.1 %	-
14	3	0.6 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
15	3	0.6 %	-
17	2	0.4 %	-
18	4	0.9 %	-
20	1	0.2 %	-
21	3	0.6 %	-
22	1	0.2 %	-
24	2	0.4 %	-
25	1	0.2 %	-
27	1	0.2 %	-
36	1	0.2 %	-
42	1	0.2 %	-
99 (M)	12	2.6 %	-
. (M)	202	43.4 %	-

**PREGNT\_1**      **63a - how many friends have been pregnant**

Location: 417-417 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	360	77.4 %	-
1	SOME	47	10.1 %	-
2	ABOUT HALF	3	0.6 %	-
3	MOST	2	0.4 %	-
4	ALL	0	0.0 %	-
9 (M)	MISSING	53	11.4 %	-

**DROPOU\_1**      **63b - how many friends dropped out of school**

Location: 418-418 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	347	74.6 %	-
1	SOME	61	13.1 %	-
2	ABOUT HALF	2	0.4 %	-
3	MOST	3	0.6 %	-
4	ALL	0	0.0 %	-
9 (M)	MISSING	52	11.2 %	-

**USED RU\_1**      **63c - how many friends use drugs**

Location: 419-419 (width: 1; decimal: 0)

- Study 04549 -

Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	158	34.0 %	-
1	SOME	166	35.7 %	-
2	ABOUT HALF	53	11.4 %	-
3	MOST	33	7.1 %	-
4	ALL	2	0.4 %	-
5	-	1	0.2 %	-
9 (M)	MISSING	52	11.2 %	-

**GANGME\_1**      **63d - how many friends in gangs**

Location: 420-420 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	363	78.1 %	-
1	SOME	37	8.0 %	-
2	ABOUT HALF	4	0.9 %	-
3	MOST	1	0.2 %	-
4	ALL	1	0.2 %	-
9 (M)	MISSING	59	12.7 %	-

**SCHSMA\_1**      **63e - how many friends do well in school**

Location: 421-421 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	1	0.2 %	-
1	SOME	26	5.6 %	-
2	ABOUT HALF	72	15.5 %	-
3	MOST	244	52.5 %	-
4	ALL	69	14.8 %	-
9 (M)	MISSING	53	11.4 %	-

**COLLST\_1**      **63f - how many friends will go to college**

Location: 422-422 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	4	0.9 %	-
1	SOME	10	2.2 %	-
2	ABOUT HALF	33	7.1 %	-
3	MOST	205	44.1 %	-
4	ALL	156	33.5 %	-
9 (M)	MISSING	57	12.3 %	-

**WEALTH\_1**      **63g - how many friends will have good jobs**

Location: 423-423 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	1	0.2 %	-
1	SOME	20	4.3 %	-
2	ABOUT HALF	37	8.0 %	-
3	MOST	235	50.5 %	-
4	ALL	110	23.7 %	-
9 (M)	MISSING	62	13.3 %	-

**DIVORC\_1**      **63h - how many friends live with one parent**

Location: 424-424 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	49	10.5 %	-
1	SOME	259	55.7 %	-
2	ABOUT HALF	71	15.3 %	-
3	MOST	23	4.9 %	-
4	ALL	7	1.5 %	-
9 (M)	MISSING	56	12.0 %	-

**WRKMA\_\_1**      **63i - how many friends have working mom**

Location: 425-425 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	10	2.2 %	-
1	SOME	55	11.8 %	-



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
2	ABOUT HALF	76	16.3 %	-
3	MOST	186	40.0 %	-
4	ALL	82	17.6 %	-
9 (M)	MISSING	56	12.0 %	-

**FEELGD\_1**      **64a - I feel good about myself**

Location: 426-426 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	2	0.4 %	-
1	RARELY	13	2.8 %	-
2	SOMETIMES	91	19.6 %	-
3	OFTEN	169	36.3 %	-
4	VERY OFTEN	136	29.2 %	-
9 (M)	MISSING	54	11.6 %	-

**IGOODU\_1**      **64b - I am at least as able as others**

Location: 427-427 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	1	0.2 %	-
1	RARELY	12	2.6 %	-
2	SOMETIMES	69	14.8 %	-
3	OFTEN	176	37.8 %	-
4	VERY OFTEN	152	32.7 %	-
9 (M)	MISSING	55	11.8 %	-

**NOPROU\_1**      **64c - feel I do not have much to be proud of**

Location: 428-428 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	85	18.3 %	-
1	RARELY	198	42.6 %	-
2	SOMETIMES	86	18.5 %	-
3	OFTEN	25	5.4 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	VERY OFTEN	17	3.7 %	-
9 (M)	MISSING	54	11.6 %	-

**LOSER\_\_1**      **64d - at times, I feel like a failure**

Location: 429-429 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	75	16.1 %	-
1	RARELY	183	39.4 %	-
2	SOMETIMES	113	24.3 %	-
3	OFTEN	35	7.5 %	-
4	VERY OFTEN	5	1.1 %	-
9 (M)	MISSING	54	11.6 %	-

**CALM\_\_1**      **64e - I am a calm person**

Location: 430-430 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	7	1.5 %	-
1	RARELY	40	8.6 %	-
2	SOMETIMES	150	32.3 %	-
3	OFTEN	139	29.9 %	-
4	VERY OFTEN	72	15.5 %	-
9 (M)	MISSING	57	12.3 %	-

**EDGE\_\_1**      **64f - I feel on edge**

Location: 431-431 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	81	17.4 %	-
1	RARELY	197	42.4 %	-
2	SOMETIMES	93	20.0 %	-
3	OFTEN	32	6.9 %	-
4	VERY OFTEN	6	1.3 %	-
9 (M)	MISSING	56	12.0 %	-

- Study 04549 -

**WORRY\_\_1                      64g - I feel worried**

Location: 432-432 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	28	6.0 %	-
1	RARELY	145	31.2 %	-
2	SOMETIMES	151	32.5 %	-
3	OFTEN	63	13.5 %	-
4	VERY OFTEN	18	3.9 %	-
9 (M)	MISSING	60	12.9 %	-

**FORGET\_1                      64h - I forget things readily**

Location: 433-433 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	50	10.8 %	-
1	RARELY	158	34.0 %	-
2	SOMETIMES	129	27.7 %	-
3	OFTEN	45	9.7 %	-
4	VERY OFTEN	26	5.6 %	-
9 (M)	MISSING	57	12.3 %	-

**CONTRO\_1                      64i - I feel control in my life**

Location: 434-434 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	6	1.3 %	-
1	RARELY	23	4.9 %	-
2	SOMETIMES	95	20.4 %	-
3	OFTEN	193	41.5 %	-
4	VERY OFTEN	93	20.0 %	-
9 (M)	MISSING	55	11.8 %	-

**NERVOU\_1                      64j - I feel nervous for unknown reasons**

Location: 435-435 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	98	21.1 %	-
1	RARELY	139	29.9 %	-
2	SOMETIMES	108	23.2 %	-
3	OFTEN	47	10.1 %	-
4	VERY OFTEN	16	3.4 %	-
9 (M)	MISSING	57	12.3 %	-

**CONCEN\_1**      **64k - I have trouble concentrating**

Location: 436-436 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	43	9.2 %	-
1	RARELY	154	33.1 %	-
2	SOMETIMES	135	29.0 %	-
3	OFTEN	56	12.0 %	-
4	VERY OFTEN	20	4.3 %	-
9 (M)	MISSING	57	12.3 %	-

**UNPRED\_1**      **64l - my anger is unpredictable**

Location: 437-437 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	120	25.8 %	-
1	RARELY	152	32.7 %	-
2	SOMETIMES	83	17.8 %	-
3	OFTEN	36	7.7 %	-
4	VERY OFTEN	15	3.2 %	-
9 (M)	MISSING	59	12.7 %	-

**MOANGR\_1**      **64m - I get more angry than I should**

Location: 438-438 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	99	21.3 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RARELY	131	28.2 %	-
2	SOMETIMES	111	23.9 %	-
3	OFTEN	42	9.0 %	-
4	VERY OFTEN	22	4.7 %	-
9 (M)	MISSING	60	12.9 %	-

**EXANGR\_1**      **64n - I express my anger easily**

Location: 439-439 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	33	7.1 %	-
1	RARELY	95	20.4 %	-
2	SOMETIMES	153	32.9 %	-
3	OFTEN	87	18.7 %	-
4	VERY OFTEN	36	7.7 %	-
9 (M)	MISSING	61	13.1 %	-

**ONTOPO\_1**      **64o - I feel on top of things**

Location: 440-440 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	10	2.2 %	-
1	RARELY	33	7.1 %	-
2	SOMETIMES	137	29.5 %	-
3	OFTEN	165	35.5 %	-
4	VERY OFTEN	61	13.1 %	-
9 (M)	MISSING	59	12.7 %	-

**STRESS\_1**      **64p - I feel stressed**

Location: 441-441 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	17	3.7 %	-
1	RARELY	84	18.1 %	-
2	SOMETIMES	158	34.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	OFTEN	91	19.6 %	-
4	VERY OFTEN	58	12.5 %	-
9 (M)	MISSING	57	12.3 %	-

**NOCOPE\_1**      **64q - I feel I cannot cope with everything**

Location: 442-442 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	35	7.5 %	-
1	RARELY	129	27.7 %	-
2	SOMETIMES	147	31.6 %	-
3	OFTEN	71	15.3 %	-
4	VERY OFTEN	23	4.9 %	-
9 (M)	MISSING	60	12.9 %	-

**CONSEL\_1**      **65 - have you gone to a doctor/counselor**

Location: 443-443 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	304	65.4 %	-
1	YES	106	22.8 %	-
9 (M)	MISSING	55	11.8 %	-

**BOTHRD\_1**      **66a - I was bothered by things that are usu. Ok**

Location: 444-444 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	216	46.5 %	-
1	SOMETIMES (1-2 DAYS)	130	28.0 %	-
2	MODERATE (3-4 DAYS)	46	9.9 %	-
3	MOST (5-7 DAYS)	10	2.2 %	-
9 (M)	MISSING	63	13.5 %	-

**APPETI\_1**      **66b - My appetite was poor**

Location: 445-445 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	252	54.2 %	-
1	SOMETIMES (1-2 DAYS)	108	23.2 %	-
2	MODERATE (3-4 DAYS)	41	8.8 %	-
3	MOST (5-7 DAYS)	7	1.5 %	-
9 (M)	MISSING	57	12.3 %	-

**HOPEFU\_1** **66c - I felt hopeful about the future**

Location: 446-446 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	47	10.1 %	-
1	SOMETIMES (1-2 DAYS)	95	20.4 %	-
2	MODERATE (3-4 DAYS)	151	32.5 %	-
3	MOST (5-7 DAYS)	108	23.2 %	-
9 (M)	MISSING	64	13.8 %	-

**BLUESH\_1** **66d - I could not shake the blues**

Location: 447-447 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	226	48.6 %	-
1	SOMETIMES (1-2 DAYS)	114	24.5 %	-
2	MODERATE (3-4 DAYS)	53	11.4 %	-
3	MOST (5-7 DAYS)	12	2.6 %	-
9 (M)	MISSING	60	12.9 %	-

**KEEPMN\_1** **66e - I had trouble keeping my mind on things**

Location: 448-448 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	109	23.4 %	-
1	SOMETIMES (1-2 DAYS)	173	37.2 %	-
2	MODERATE (3-4 DAYS)	96	20.6 %	-
3	MOST (5-7 DAYS)	28	6.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	59	12.7 %	-

**HAPPYA\_1**      **66f - I was happy**

Location: 449-449 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	15	3.2 %	-
1	SOMETIMES (1-2 DAYS)	64	13.8 %	-
2	MODERATE (3-4 DAYS)	140	30.1 %	-
3	MOST (5-7 DAYS)	186	40.0 %	-
9 (M)	MISSING	60	12.9 %	-

**DEPRES\_1**      **66g - I felt depressed**

Location: 450-450 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	196	42.2 %	-
1	SOMETIMES (1-2 DAYS)	141	30.3 %	-
2	MODERATE (3-4 DAYS)	48	10.3 %	-
3	MOST (5-7 DAYS)	23	4.9 %	-
9 (M)	MISSING	57	12.3 %	-

**SPELLS\_1**      **66h - I had crying spells**

Location: 451-451 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	312	67.1 %	-
1	SOMETIMES (1-2 DAYS)	66	14.2 %	-
2	MODERATE (3-4 DAYS)	21	4.5 %	-
3	MOST (5-7 DAYS)	6	1.3 %	-
9 (M)	MISSING	60	12.9 %	-

**FEARFL\_1**      **66i - I felt fearful**

Location: 452-452 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete



- Study 04549 -

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	285	61.3 %	-
1	SOMETIMES (1-2 DAYS)	83	17.8 %	-
2	MODERATE (3-4 DAYS)	32	6.9 %	-
3	MOST (5-7 DAYS)	8	1.7 %	-
9 (M)	MISSING	57	12.3 %	-

**DISLIK\_1**      **66j - I felt that people disliked me**

Location: 453-453 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	198	42.6 %	-
1	SOMETIMES (1-2 DAYS)	137	29.5 %	-
2	MODERATE (3-4 DAYS)	50	10.8 %	-
3	MOST (5-7 DAYS)	21	4.5 %	-
9 (M)	MISSING	59	12.7 %	-

**RESTLS\_1**      **66k - my sleep was restless**

Location: 454-454 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	205	44.1 %	-
1	SOMETIMES (1-2 DAYS)	121	26.0 %	-
2	MODERATE (3-4 DAYS)	57	12.3 %	-
3	MOST (5-7 DAYS)	22	4.7 %	-
9 (M)	MISSING	60	12.9 %	-

**TKLESS\_1**      **66l - I talked less than usual**

Location: 455-455 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	205	44.1 %	-
1	SOMETIMES (1-2 DAYS)	148	31.8 %	-
2	MODERATE (3-4 DAYS)	41	8.8 %	-
3	MOST (5-7 DAYS)	14	3.0 %	-
9 (M)	MISSING	57	12.3 %	-

- Study 04549 -

**LONELY\_1                      66m - I felt lonely**

Location: 456-456 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	214	46.0 %	-
1	SOMETIMES (1-2 DAYS)	127	27.3 %	-
2	MODERATE (3-4 DAYS)	47	10.1 %	-
3	MOST (5-7 DAYS)	19	4.1 %	-
9 (M)	MISSING	58	12.5 %	-

**JOYLIF\_1                      66n - I enjoyed life**

Location: 457-457 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	17	3.7 %	-
1	SOMETIMES (1-2 DAYS)	67	14.4 %	-
2	MODERATE (3-4 DAYS)	144	31.0 %	-
3	MOST (5-7 DAYS)	179	38.5 %	-
9 (M)	MISSING	58	12.5 %	-

**FELTSD\_1                      66o - I felt sad**

Location: 458-458 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	162	34.8 %	-
1	SOMETIMES (1-2 DAYS)	172	37.0 %	-
2	MODERATE (3-4 DAYS)	54	11.6 %	-
3	MOST (5-7 DAYS)	17	3.7 %	-
9 (M)	MISSING	60	12.9 %	-

**NOTGOO\_1                      66p - I could not get going**

Location: 459-459 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	178	38.3 %	-
1	SOMETIMES (1-2 DAYS)	156	33.5 %	-
2	MODERATE (3-4 DAYS)	53	11.4 %	-
3	MOST (5-7 DAYS)	15	3.2 %	-
9 (M)	MISSING	63	13.5 %	-

**GOOD\_\_1**

**66q - I felt that I was just as good as others**

Location: 460-460 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	32	6.9 %	-
1	SOMETIMES (1-2 DAYS)	61	13.1 %	-
2	MODERATE (3-4 DAYS)	125	26.9 %	-
3	MOST (5-7 DAYS)	184	39.6 %	-
9 (M)	MISSING	63	13.5 %	-

**FAILUR\_1**

**66r - I thought my life had been a failure**

Location: 461-461 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	328	70.5 %	-
1	SOMETIMES (1-2 DAYS)	43	9.2 %	-
2	MODERATE (3-4 DAYS)	21	4.5 %	-
3	MOST (5-7 DAYS)	9	1.9 %	-
9 (M)	MISSING	64	13.8 %	-

**UNFRDL\_1**

**66s - people were unfriendly**

Location: 462-462 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	185	39.8 %	-
1	SOMETIMES (1-2 DAYS)	161	34.6 %	-
2	MODERATE (3-4 DAYS)	45	9.7 %	-
3	MOST (5-7 DAYS)	15	3.2 %	-
9 (M)	MISSING	59	12.7 %	-

- Study 04549 -

**EFFORT\_1      66t - I felt that everything was an effort**

Location: 463-463 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	RARELY ON NONE/TIME	104	22.4 %	-
1	SOMETIMES (1-2 DAYS)	131	28.2 %	-
2	MODERATE (3-4 DAYS)	102	21.9 %	-
3	MOST (5-7 DAYS)	62	13.3 %	-
9 (M)	MISSING	66	14.2 %	-

**DECISI\_1      67a - do you have trouble making up your mind**

Location: 464-464 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER	32	6.9 %	-
2	RARELY	121	26.0 %	-
3	SOMETIMES	176	37.8 %	-
4	OFTEN	59	12.7 %	-
5	VERY OFTEN	25	5.4 %	-
9 (M)	MISSING	52	11.2 %	-

**NOTASG\_1      67b - do others seem to do things easier that you**

Location: 465-465 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER	30	6.5 %	-
2	RARELY	141	30.3 %	-
3	SOMETIMES	164	35.3 %	-
4	OFTEN	59	12.7 %	-
5	VERY OFTEN	19	4.1 %	-
9 (M)	MISSING	52	11.2 %	-

**NOFOCU\_1      67c - do you find it hard to keep your mind on work**

Location: 466-466 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete

- Study 04549 -

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER	36	7.7 %	-
2	RARELY	114	24.5 %	-
3	SOMETIMES	146	31.4 %	-
4	OFTEN	77	16.6 %	-
5	VERY OFTEN	38	8.2 %	-
9 (M)	MISSING	54	11.6 %	-

**MEMORY\_1**      **67d - do you have trouble remembering things**

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER	64	13.8 %	-
2	RARELY	162	34.8 %	-
3	SOMETIMES	128	27.5 %	-
4	OFTEN	40	8.6 %	-
5	VERY OFTEN	19	4.1 %	-
9 (M)	MISSING	52	11.2 %	-

**COPYHW\_1**      **68a - did you copy homework**

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	92	19.8 %	-
1	ONCE OR TWICE	158	34.0 %	-
2	SEVERAL TIMES	116	24.9 %	-
3	OFTEN	39	8.4 %	-
9 (M)	MISSING	60	12.9 %	-

**CHEATS\_1**      **68b - did you cheat on a test**

Location: 469-469 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	243	52.3 %	-
1	ONCE OR TWICE	126	27.1 %	-
2	SEVERAL TIMES	28	6.0 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	OFTEN	7	1.5 %	-
9 (M)	MISSING	61	13.1 %	-

**TARDY\_\_1**

**68c - did you go to class late**

Location: 470-470 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	76	16.3 %	-
1	ONCE OR TWICE	163	35.1 %	-
2	SEVERAL TIMES	124	26.7 %	-
3	OFTEN	42	9.0 %	-
9 (M)	MISSING	60	12.9 %	-

**FAKEID\_1**

**68d - did you use a fake ID**

Location: 471-471 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	374	80.4 %	-
1	ONCE OR TWICE	22	4.7 %	-
2	SEVERAL TIMES	7	1.5 %	-
3	OFTEN	3	0.6 %	-
9 (M)	MISSING	59	12.7 %	-

**GUN\_\_\_1**

**68e - did you carry a weapon**

Location: 472-472 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	387	83.2 %	-
1	ONCE OR TWICE	11	2.4 %	-
2	SEVERAL TIMES	4	0.9 %	-
3	OFTEN	4	0.9 %	-
9 (M)	MISSING	59	12.7 %	-

**DRUNK\_\_1**

**68f - did you get drunk**

Location: 473-473 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	293	63.0 %	-
1	ONCE OR TWICE	41	8.8 %	-
2	SEVERAL TIMES	47	10.1 %	-
3	OFTEN	24	5.2 %	-
9 (M)	MISSING	60	12.9 %	-

**RUNAWA\_1**      **68g - did you run away form home**

Location: 474-474 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	389	83.7 %	-
1	ONCE OR TWICE	11	2.4 %	-
2	SEVERAL TIMES	5	1.1 %	-
3	OFTEN	1	0.2 %	-
9 (M)	MISSING	59	12.7 %	-

**SUICID\_1**      **68h - did you try to hurt/kill yourself**

Location: 475-475 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	379	81.5 %	-
1	ONCE OR TWICE	15	3.2 %	-
2	SEVERAL TIMES	11	2.4 %	-
3	OFTEN	0	0.0 %	-
9 (M)	MISSING	60	12.9 %	-

**TNAWOL\_1**      **68i - did you skip a day of school or work**

Location: 476-476 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	345	74.2 %	-
1	ONCE OR TWICE	46	9.9 %	-
2	SEVERAL TIMES	12	2.6 %	-
3	OFTEN	3	0.6 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
9 (M)	MISSING	59	12.7 %	-

**DRINKS\_1**      **68j - did you drink w/o parents consent**

Location: 477-477 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	262	56.3 %	-
1	ONCE OR TWICE	64	13.8 %	-
2	SEVERAL TIMES	48	10.3 %	-
3	OFTEN	32	6.9 %	-
9 (M)	MISSING	59	12.7 %	-

**PRESEX\_1**      **68k - did you have sexual relations**

Location: 478-478 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	320	68.8 %	-
1	ONCE OR TWICE	30	6.5 %	-
2	SEVERAL TIMES	27	5.8 %	-
3	OFTEN	21	4.5 %	-
9 (M)	MISSING	67	14.4 %	-

**VANDAL\_1**      **68l - did you purposely damage property**

Location: 479-479 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	323	69.5 %	-
1	ONCE OR TWICE	69	14.8 %	-
2	SEVERAL TIMES	12	2.6 %	-
3	OFTEN	2	0.4 %	-
9 (M)	MISSING	59	12.7 %	-

**FIGHTS\_1**      **68m - did you get into a physical fight**

Location: 480-480 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete



- Study 04549 -

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	354	76.1 %	-
1	ONCE OR TWICE	43	9.2 %	-
2	SEVERAL TIMES	6	1.3 %	-
3	OFTEN	1	0.2 %	-
9 (M)	MISSING	61	13.1 %	-

**STEALS\_1**      **68n - did you take something from a store**

Location: 481-481 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	344	74.0 %	-
1	ONCE OR TWICE	46	9.9 %	-
2	SEVERAL TIMES	14	3.0 %	-
3	OFTEN	2	0.4 %	-
9 (M)	MISSING	59	12.7 %	-

**STL50D\_1**      **68o - did you steal something less than \$50**

Location: 482-482 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	337	72.5 %	-
1	ONCE OR TWICE	57	12.3 %	-
2	SEVERAL TIMES	10	2.2 %	-
3	OFTEN	2	0.4 %	-
9 (M)	MISSING	59	12.7 %	-

**STL50U\_1**      **68p - did you steal something more than \$50**

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	394	84.7 %	-
1	ONCE OR TWICE	8	1.7 %	-
2	SEVERAL TIMES	3	0.6 %	-
3	OFTEN	1	0.2 %	-
9 (M)	MISSING	59	12.7 %	-

- Study 04549 -

**MUG\_\_\_1                      68q - did you use force to get something**

Location: 484-484 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	385	82.8 %	-
1	ONCE OR TWICE	18	3.9 %	-
2	SEVERAL TIMES	2	0.4 %	-
3	OFTEN	0	0.0 %	-
9 (M)	MISSING	60	12.9 %	-

**HIT\_\_\_1                      68r - did you hit or threaten to hit someone**

Location: 485-485 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	327	70.3 %	-
1	ONCE OR TWICE	56	12.0 %	-
2	SEVERAL TIMES	20	4.3 %	-
3	OFTEN	3	0.6 %	-
9 (M)	MISSING	59	12.7 %	-

**VIOLEN\_1                      68s - did you attack someone to seriously hurt**

Location: 486-486 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	395	84.9 %	-
1	ONCE OR TWICE	4	0.9 %	-
2	SEVERAL TIMES	4	0.9 %	-
3	OFTEN	2	0.4 %	-
9 (M)	MISSING	60	12.9 %	-

**MARJUA\_1                      68t - did you smoke pot**

Location: 487-487 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	328	70.5 %	-
1	ONCE OR TWICE	33	7.1 %	-
2	SEVERAL TIMES	28	6.0 %	-
3	OFTEN	17	3.7 %	-
9 (M)	MISSING	59	12.7 %	-

**ADDICT\_1**      **68u - did you use other non-pot drugs**

Location: 488-488 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	384	82.6 %	-
1	ONCE OR TWICE	9	1.9 %	-
2	SEVERAL TIMES	13	2.8 %	-
3	OFTEN	0	0.0 %	-
9 (M)	MISSING	59	12.7 %	-

**DEALER\_1**      **68v - have you sold pot or other drugs**

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	392	84.3 %	-
1	ONCE OR TWICE	7	1.5 %	-
2	SEVERAL TIMES	4	0.9 %	-
3	OFTEN	1	0.2 %	-
9 (M)	MISSING	61	13.1 %	-

**JOYRID\_1**      **68w - have you stolen a car for a joy-ride**

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	388	83.4 %	-
1	ONCE OR TWICE	14	3.0 %	-
2	SEVERAL TIMES	3	0.6 %	-
3	OFTEN	1	0.2 %	-
9 (M)	MISSING	59	12.7 %	-

- Study 04549 -

**THEFT\_\_1                      68x - have you broken and entered anywhere**

Location: 491-491 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	390	83.9 %	-
1	ONCE OR TWICE	13	2.8 %	-
2	SEVERAL TIMES	3	0.6 %	-
3	OFTEN	0	0.0 %	-
9 (M)	MISSING	59	12.7 %	-

**PROFIT\_1                      68y - have you knowingly held or sold stolen goods**

Location: 492-492 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER	380	81.7 %	-
1	ONCE OR TWICE	22	4.7 %	-
2	SEVERAL TIMES	2	0.4 %	-
3	OFTEN	2	0.4 %	-
9 (M)	MISSING	59	12.7 %	-

**PAEDUC\_1                      69 - father applies in future education**

Location: 493-494 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DNA	9	1.9 %	-
1	<H.S.	1	0.2 %	-
2	H.S., NO FURTHER	4	0.9 %	-
3	VOCATIONAL, TRADE, BUS. SCHOOL	2	0.4 %	-
4	TWO-YEAR COLLEGE	5	1.1 %	-
5	FOUR-YEAR COLLEGE, NO GRADUATE	4	0.9 %	-
6	GRADUATE FROM FOUR YEAR COLLEGE	185	39.8 %	-
7	>COLLEGE	169	36.3 %	-
8	DONT KNOW	22	4.7 %	-
9 (M)	PARENT DOESNT CARE	64	13.8 %	-
99	MISSING	0	0.0 %	-

**MAEDUC\_1                      69 - mother applies in future education**

- Study 04549 -

Location: 495-496 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	DNA	2	0.4 %	-
1	<H.S.	0	0.0 %	-
2	H.S., NO FURTHER	1	0.2 %	-
3	VOCATIONAL, TRADE, BUS. SCHOOL	3	0.6 %	-
4	TWO-YEAR COLLEGE	6	1.3 %	-
5	FOUR-YEAR COLLEGE, NO GRADUATE	7	1.5 %	-
6	GRADUATE FROM FOUR YEAR COLLEGE	181	38.9 %	-
7	>COLLEGE	190	40.9 %	-
8	DONT KNOW	20	4.3 %	-
9 (M)	PARENT DOESNT CARE	55	11.8 %	-
99	MISSING	0	0.0 %	-

**CEDUC\_1**      **70 - how far do you think you will go in school**

Location: 497-497 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	<H.S.	2	0.4 %	-
1	H.S., NO FURTHER	5	1.1 %	-
2	VOCATIONAL, TRADE, BUS. SCHOOL	4	0.9 %	-
3	TWO-YEAR COLLEGE	5	1.1 %	-
4	FOUR-YEAR COLLEGE, NO GRADUATE	5	1.1 %	-
5	GRADUATE FROM FOUR YEAR COLLEGE	196	42.2 %	-
6	>COLLEGE	215	46.2 %	-
7	DONT KNOW	30	6.5 %	-
9 (M)	MISSING	3	0.6 %	-

**THIRTY\_1**      **71 - what will your job be at 30 yrs**

Location: 498-500 (width: 3; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Label</i>
2	teacher
3	legislators
4	chief executives
5	pub administrator

- Study 04549 -

<i>Value</i>	<i>Label</i>
6	admin, protectv serv
7	financial managers
8	personnel and labor
13	mgrs, mktng, adver
14	adminstrators, educ
15	mgrs, medicine & hlth
16	postmasters
17	mgrs, food & lodging
18	mgrs, real estate
19	funeral directors
21	mgrs, service org
22	mgrs & admin
23	accts & auditors
25	other finan officers
26	management analysis
27	trng & labor reltions
28	agents,farm prdcts
29	wholesale & retail
33	pchsng agents & buyers
34	bus & promo agents
36	inspec & compl offic
37	mgt & related occup
43	architects
44	engineers:aerospace
45	metal & materials
48	engineers:chemmical
49	enginers:nuclear
53	engineers:civil
55	electrical engineer
56	engineer:industrial
57	engineer:mechanical
58	marine,naval archtct
59	engineers: n.e.c.
63	survey scientist
64	system analyst
65	syst rsch analyst
66	actuaries
67	statisticians
68	statisticians
69	physicists & astron
73	chemists

- Study 04549 -

<i>Value</i>	<i>Label</i>
74	space scientist
75	geologist
76	physical scientist
77	agric & food scient
78	bio & life scient
79	forestry scientists
83	medical scientist
84	physican
85	dentist
86	veterinarian
87	optometrist
88	podatrist
89	practioner, n.e.c.
95	registered nurse
96	pharmicist
97	dietitians
98	respir therapist
99	occup therapists
103	physical therapists
104	speech therapists
105	therapists, NEC
106	physician asst
114	bio science teacher
115	chemistry teachers
116	sec teacher:physics
117	teachers,nat. science
118	teacher psychology
119	econ teacher
123	teacher history
125	teacher sociology
127	teacher engineering
128	teacher mathematical
129	teacher comp science
133	teacher med science
135	teacher bus ,mktg
136	teacher agric
137	teachers, art,drama,music
143	teacher english
144	teacher foreign lang
145	teacher law
147	theology teachers

- Study 04549 -

<i>Value</i>	<i>Label</i>
149	home eco teacher
154	teacher no subject
155	pre & kinder teacher
156	teacher elementary
157	teacher ex pst sec
158	teacher spec ed
159	teacher:n.e.c.
163	counselors
164	librarians
165	archivist & curator
166	urban plann:economist
167	urban plann:psychologist
168	sociologist
169	soc scnsts nec
173	urban planner
174	social worker
175	recreation worker
176	clergy
177	religious worker
178	lawyer
179	judge
183	author
184	technical writer
185	designer
186	musician & composer
187	actors & directors
188	painter,sculptor
189	photographer
193	dancers
194	artist, performer
195	editor&reporter
197	public relations
198	announcer
199	athletes
203	clinical lab
204	dental hygienist
205	hlth record tecnolst
206	radiologist
207	lpn
208	hlth tech:n.e.c.
213	technologis



- Study 04549 -

<i>Value</i>	<i>Label</i>
216	engineering tech
217	technologist drafting
218	surveying&mapping
223	biological tech
224	chemical technician
225	science tech n.e.c.
226	pilots, navigators
227	airport ground control
229	computer programmer
234	legal asst
235	technicians, n.e.c.
243	sales rep,finan,
253	insurance sales
254	real estate sales
255	sec &finan services
256	adv & related sales
257	sales, other than bus
259	sales rep.,mining
263	sales, motor vehicle
264	sales, apparel
265	sales, shoes
266	sales, home furnishing
267	sales, appliances
268	sales, hardware,bldg
269	sales, parts
274	sales, other commod
275	sales, counter clerks
276	cashiers
277	street & door sales
278	news vendor
283	sales, promoter,model
303	sup gen office
304	sup computer equip
305	sup finan records
306	assistant chief/telephone co.
307	admin support
308	computer operator
313	secretaries
314	stenographer
315	typist
316	interviewer

- Study 04549 -

<i>Value</i>	<i>Label</i>
317	hotel clerk
318	trans & ticket agent
319	receptionist
323	info clerk, nec
327	order clerk
329	library clerk
335	file clerk
336	records clerk
337	bookkeepers auditing
338	payroll & timekeeping
339	billing clerk
343	cost & rate clerk
347	office mach operator
348	telephone operators
353	comm equip operator
354	postal clerks
355	mail carr, postal ser
356	mail clerks
357	messengers
359	dispatchers
363	produc coordinator
364	shipping&rcvng clerks
365	inventory clerks
366	meter readers
368	weighers,measurers
373	expeditors
374	material recording
375	insurance ajusters
376	invest &adjusters
377	clerks, social welfare
378	bill & account collec
379	general office clerk
383	bank tellers
384	proofreaders
385	data-entry-keyers
386	statistical clerk
387	teachers aide
389	admin sprot occu
405	housekeeper, butler
406	child care worker
407	pvt hshld servants

- Study 04549 -

<i>Value</i>	<i>Label</i>
413	superv, fire
414	sup police, dectec
415	supervisor guards
417	firefighting
418	police & detectives
423	sheriffs, baliffs
424	correc inst. officers
426	guards & police
427	protec service n.e.c.
433	superv, food prep
434	bartenders
435	waiters & waitresses
436	cooks
438	food counter, fount
439	kitc work, food prep
443	waiter person asst
444	misc food prep
445	dental assistant
446	hlth aides,exc nursng
447	nurs aides,orderlies
448	bldg service workers
449	maids & housemen
453	janitors & cleaners
455	pest control
456	sup personnel serv
457	barbers
458	beautician
459	attendant,recreation
461	guides
462	ushers
463	pub transport atten
465	welfare serv aide
466	family chld provid
467	early chldhd tch ast
468	child care, n.e.c.
469	personal service
473	farm excp horticul
474	horticultural
475	mangers, farms
476	mgrs horticul
479	farm workers

- Study 04549 -

<i>Value</i>	<i>Label</i>
484	nursery worker
486	grounds & gardeners
487	animal caretaker
498	fishers
499	hunter,trapper
503	mechanics & repair
505	automobile mechanic
507	engine mechanic
508	aircraft engin mechn
509	small engine repair
514	auto body repairer
516	heavy equip mechanics
517	farm equip mechanic
518	indus machine repairer
523	electronic repairer
525	data proces equip re
526	hshld appl repairer
527	phone line repairer
529	telephone installers
533	electr repairer
534	cooling mechanic
535	camera repairer
536	locksmiths repairer
539	valve repairer
543	elevator installer
544	millwrights
547	repairers, n.e.c.
549	not spec mechanic
553	superv brickmasons
555	superv:elect install
558	superv construction
563	brick & stone mason
565	tile setter
566	carpet installers
567	carpenters
573	drywall installers
575	electricians
577	elec power repairer
579	painters contruction
585	plumber,pipefitter
588	concrete finishers

- Study 04549 -

<i>Value</i>	<i>Label</i>
589	glaziers
594	paving, surfacing
595	roofers
596	sheetmetal installer
597	structural metal
598	drillers, earth
599	construc trade n.e.c.
613	super:extractive occ
628	super:preci metal occ
634	tool & die makers
636	preci assemble metal
637	machinists
643	boilermakers
647	preci stones & metal
657	cabinet & bench carp
659	misc. prec woodworkers
666	dressmakers
667	tailors
668	upholsterer
669	shoe repairer
674	apparel & fabric work
675	hand molders & shaper
678	dental & med appli tech
683	eletronic equip assemble
684	misc precision work
686	meat cutter
687	baker
689	inspectors, testers
693	assembly-line worker
694	water & sewage treat
695	power plant operators
696	stationary engineers
699	plant & system opera
704	lathe & turning machi
705	milling operator
706	press machine oper
709	grindng & polishng oper
715	metal,glass oper
717	fabricating mach oper
719	molding & casting
725	misc. metal & plastic

- Study 04549 -

<i>Value</i>	<i>Label</i>
733	woodworking, machine op
734	printing press
736	typesetters
737	mics printing oper
738	winding & twist oper
739	knitting,looping ope
744	textile sewing machine
747	pressing machine
748	launderng & dry cleang
749	misc textile oper
754	packaging & filling
755	extruding oper
756	mixing & blending
758	compressing operator
759	paint spraying
766	furnance, kiln & oven
769	slicing & cutting
774	photographic process
777	misc machine operators
779	machine oper not spec
783	welders & cutters
785	assemblers
789	hand painting
795	misc hand occupation
796	inspectors,checkers
797	production tester
799	graders & sorters
803	superv:motor vehicle
804	truck drivers
808	bus drivers
809	cab drivers & chaff
820	dental hygienist
823	railroad conductor
824	locomotive operating
826	rail vehicle, n.e.c.
828	ship captains & mates
829	sailor
834	bridge lghthse tender
844	operating engineers
849	crane & tower oper
856	truck& tractor equipment

- Study 04549 -

<i>Value</i>	<i>Label</i>
859	misc. material moving equip
864	sup handlers,equip
866	helpers, construction
869	contruction laborers
875	garbage collectors
877	stock handlers,bagg
878	machine feeders
883	frght, stck handlers
885	garage,service stato
887	auto & equip cleaners
888	hand packer & pckger
889	laborers, ex conxtuc
903	commissioned officer
904	non-commissioned
905	rank not speficied
996	multiple response
997	refused
998	dont know
999	MISSING

\* Frequencies not available for this variable.

**MARRIA\_1      72 - do you expect to get married**

Location: 501-501 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	20	4.3 %	-
1	YES	394	84.7 %	-
9 (M)	MISSING	51	11.0 %	-

**CHORES\_1      73a - who will do chores**

Location: 502-502 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOSTLY YOU	19	4.1 %	-
2	YOU SLIGHT MORE THAN SPOUSE	53	11.4 %	-
3	YOU/SPOUSE EQUAL	273	58.7 %	-
4	SPOUSE SLIGHT MORE THAN YOU	43	9.2 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	MOSTLY SPOUSE	7	1.5 %	-
9 (M)	MISSING	8	1.7 %	-
. (M)	-	62	13.3 %	-

**CHILD\_\_1      73b - who will take care of children**

Location: 503-503 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOSTLY YOU	9	1.9 %	-
2	YOU SLIGHT MORE THAN SPOUSE	56	12.0 %	-
3	YOU/SPOUSE EQUAL	286	61.5 %	-
4	SPOUSE SLIGHT MORE THAN YOU	40	8.6 %	-
5	MOSTLY SPOUSE	4	0.9 %	-
9 (M)	MISSING	9	1.9 %	-
. (M)	-	61	13.1 %	-

**COOK\_\_1      73c - who will cook**

Location: 504-504 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOSTLY YOU	24	5.2 %	-
2	YOU SLIGHT MORE THAN SPOUSE	79	17.0 %	-
3	YOU/SPOUSE EQUAL	197	42.4 %	-
4	SPOUSE SLIGHT MORE THAN YOU	78	16.8 %	-
5	MOSTLY SPOUSE	16	3.4 %	-
9 (M)	MISSING	9	1.9 %	-
. (M)	-	62	13.3 %	-

**EARN\_\_1      73d - who will financially support the family**

Location: 505-505 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MOSTLY YOU	22	4.7 %	-
2	YOU SLIGHT MORE THAN SPOUSE	76	16.3 %	-
3	YOU/SPOUSE EQUAL	240	51.6 %	-



- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
4	SPOUSE SLIGHT MORE THAN YOU	50	10.8 %	-
5	MOSTLY SPOUSE	6	1.3 %	-
9 (M)	MISSING	10	2.2 %	-
. (M)	-	61	13.1 %	-

**KIDS\_\_1**

**74a - do you expect to have kids in the future**

Location: 506-506 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	34	7.3 %	-
1	YES	378	81.3 %	-
9 (M)	MISSING	53	11.4 %	-

**MEWK1D\_1**

**74b1 - do you expect to work: child< 1 year**

Location: 507-507 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	130	28.0 %	-
1	YES, PART-TIME	99	21.3 %	-
2	YES, FULL-TIME	141	30.3 %	-
9 (M)	MISSING	14	3.0 %	-
. (M)	-	81	17.4 %	-

**MEWK4D\_1**

**74b2 - do you expect to work: 1<child<4 years**

Location: 508-508 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	38	8.2 %	-
1	YES, PART-TIME	136	29.2 %	-
2	YES, FULL-TIME	199	42.8 %	-
9 (M)	MISSING	11	2.4 %	-
. (M)	-	81	17.4 %	-

**MEWKGD\_1**

**74b3 - do you expect to work: child=grade school**

Location: 509-509 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)

- Study 04549 -

Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	7	1.5 %	-
1	YES, PART-TIME	65	14.0 %	-
2	YES, FULL-TIME	296	63.7 %	-
9 (M)	MISSING	16	3.4 %	-
. (M)	-	81	17.4 %	-

**MEWKHR\_1**      **74b4 - do you expect to work: child= high school**

Location: 510-510 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	2	0.4 %	-
1	YES, PART-TIME	35	7.5 %	-
2	YES, FULL-TIME	330	71.0 %	-
9 (M)	MISSING	17	3.7 %	-
. (M)	-	81	17.4 %	-

**WK2DN\_\_1**      **74c1 - partner works when child<1 year**

Location: 511-511 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	100	21.5 %	-
1	YES, PART-TIME	103	22.2 %	-
2	YES, FULL-TIME	158	34.0 %	-
3	NA	14	3.0 %	-
9 (M)	MISSING	9	1.9 %	-
. (M)	-	81	17.4 %	-

**WK4DN\_\_1**      **74c2 - partner works when child b/w 1-4 years**

Location: 512-512 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	52	11.2 %	-
1	YES, PART-TIME	92	19.8 %	-
2	YES, FULL-TIME	202	43.4 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	NA	18	3.9 %	-
9 (M)	MISSING	19	4.1 %	-
. (M)	-	82	17.6 %	-

**WKGRD\_\_1**

**74c3 - partner works when child = grade school**

Location: 513-513 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	23	4.9 %	-
1	YES, PART-TIME	58	12.5 %	-
2	YES, FULL-TIME	261	56.1 %	-
3	NA	21	4.5 %	-
9 (M)	MISSING	20	4.3 %	-
. (M)	-	82	17.6 %	-

**WKHRS\_\_1**

**74c4 - partner works when child = high school**

Location: 514-514 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9 , .

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO	18	3.9 %	-
1	YES, PART-TIME	42	9.0 %	-
2	YES, FULL-TIME	280	60.2 %	-
3	NA	24	5.2 %	-
9 (M)	MISSING	19	4.1 %	-
. (M)	-	82	17.6 %	-

**NUMKID\_\_1**

**75 - how many kids do you expect to have**

Location: 515-516 (width: 2; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 99 , .

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0	1	0.2 %	-
1	21	4.5 %	-
2	155	33.3 %	-
3	126	27.1 %	-
4	32	6.9 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	7	1.5 %	-
6	2	0.4 %	-
7	2	0.4 %	-
10	1	0.2 %	-
16	1	0.2 %	-
19	1	0.2 %	-
40	1	0.2 %	-
99 (M)	31	6.7 %	-
. (M)	84	18.1 %	-

**CHOPPU\_1**      **76 - your opportunities compared to parents**

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MUCH BETTER	65	14.0 %	-
2	BETTER	226	48.6 %	-
3	SAME	99	21.3 %	-
4	NOT AS GOOD	14	3.0 %	-
5	NOT COMPARABLE	11	2.4 %	-
9 (M)	MISSING	50	10.8 %	-

**GOODJB\_1**      **77a - you will have a job that pays well**

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	2	0.4 %	-
2	LOW	8	1.7 %	-
3	50-50	83	17.8 %	-
4	HIGH	198	42.6 %	-
5	VERY HIGH	124	26.7 %	-
9 (M)	MISSING	50	10.8 %	-

**TNOWN\_1**      **77b - you will able to own your own home**

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric (ISO)

Interval: discrete

Range of Missing Values (M): 9

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	1	0.2 %	-
2	LOW	6	1.3 %	-
3	50-50	60	12.9 %	-
4	HIGH	185	39.8 %	-
5	VERY HIGH	162	34.8 %	-
9 (M)	MISSING	51	11.0 %	-

**FUNJOB\_1**      **77c - you will have a job that you enjoy doing**

Location: 520-520 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	2	0.4 %	-
2	LOW	6	1.3 %	-
3	50-50	61	13.1 %	-
4	HIGH	187	40.2 %	-
5	VERY HIGH	155	33.3 %	-
9 (M)	MISSING	54	11.6 %	-

**LVWFAM\_1**      **77d - you will live close to relatives**

Location: 521-521 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	17	3.7 %	-
2	LOW	63	13.5 %	-
3	50-50	207	44.5 %	-
4	HIGH	96	20.6 %	-
5	VERY HIGH	28	6.0 %	-
9 (M)	MISSING	54	11.6 %	-

**MARRIE\_1**      **77e - you will get married**

Location: 522-522 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	12	2.6 %	-
2	LOW	7	1.5 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
3	50-50	49	10.5 %	-
4	HIGH	155	33.3 %	-
5	VERY HIGH	187	40.2 %	-
9 (M)	MISSING	55	11.8 %	-

**CHILDR\_1**      **77f - you will have children**

Location: 523-523 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	18	3.9 %	-
2	LOW	16	3.4 %	-
3	50-50	63	13.5 %	-
4	HIGH	140	30.1 %	-
5	VERY HIGH	174	37.4 %	-
9 (M)	MISSING	54	11.6 %	-

**HAPFAM\_1**      **77g - you will have a happy family life**

Location: 524-524 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	5	1.1 %	-
2	LOW	3	0.6 %	-
3	50-50	48	10.3 %	-
4	HIGH	206	44.3 %	-
5	VERY HIGH	149	32.0 %	-
9 (M)	MISSING	54	11.6 %	-

**HEALTH\_1**      **77h - you will stay in good health most of the time**

Location: 525-525 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	3	0.6 %	-
2	LOW	4	0.9 %	-
3	50-50	63	13.5 %	-
4	HIGH	209	44.9 %	-

- Study 04549 -

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
5	VERY HIGH	132	28.4 %	-
9 (M)	MISSING	54	11.6 %	-

**FREEDO\_1**      **77i - you will be able to live wherever you want**

Location: 526-526 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	4	0.9 %	-
2	LOW	15	3.2 %	-
3	50-50	110	23.7 %	-
4	HIGH	156	33.5 %	-
5	VERY HIGH	127	27.3 %	-
9 (M)	MISSING	53	11.4 %	-

**RESPEC\_1**      **77j - you will be respected in your community**

Location: 527-527 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	3	0.6 %	-
2	LOW	7	1.5 %	-
3	50-50	76	16.3 %	-
4	HIGH	211	45.4 %	-
5	VERY HIGH	115	24.7 %	-
9 (M)	MISSING	53	11.4 %	-

**FRIEGO\_1**      **77k - you will have good friends you can count on**

Location: 528-528 (width: 1; decimal: 0)  
Variable Type: numeric (ISO)  
Interval: discrete  
Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	3	0.6 %	-
2	LOW	4	0.9 %	-
3	50-50	35	7.5 %	-
4	HIGH	203	43.7 %	-
5	VERY HIGH	167	35.9 %	-
9 (M)	MISSING	53	11.4 %	-

- Study 04549 -

**BETTER\_1**      **77I - life will be better for you than parents**

Location: 529-529 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	2	0.4 %	-
2	LOW	16	3.4 %	-
3	50-50	218	46.9 %	-
4	HIGH	111	23.9 %	-
5	VERY HIGH	59	12.7 %	-
9 (M)	MISSING	59	12.7 %	-

**BEST\_\_1**      **77m - your children will have a better life than you**

Location: 530-530 (width: 1; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete  
 Range of Missing Values (M): 9

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	VERY LOW	12	2.6 %	-
2	LOW	31	6.7 %	-
3	50-50	197	42.4 %	-
4	HIGH	95	20.4 %	-
5	VERY HIGH	66	14.2 %	-
9 (M)	MISSING	64	13.8 %	-

**ADMMO**      **Month of Survey Administration**

Location: 531-538 (width: 8; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	43	9.2 %	-
2	40	8.6 %	-
3	72	15.5 %	-
4	85	18.3 %	-
5	78	16.8 %	-
6	70	15.1 %	-
7	26	5.6 %	-
8	25	5.4 %	-
9	2	0.4 %	-
10	2	0.4 %	-
11	5	1.1 %	-



- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
12	9	1.9 %	-
. (M)	8	1.7 %	-

**ADMYR** **Year of Survey Administration**

Location: 539-546 (width: 8; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1999	76	16.3 %	-
2000	381	81.9 %	-
. (M)	8	1.7 %	-

**SITENUM** **Community Identifier for Family**

Location: 547-554 (width: 8; decimal: 0)  
 Variable Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Label</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Forest Bluff	58	12.5 %	-
2	Maple	157	33.8 %	-
3	Kingston	84	18.1 %	-
4	Metawa	5	1.1 %	-
5	Del Mar	53	11.4 %	-
6	Feldnor	3	0.6 %	-
7	Middle Brook	84	18.1 %	-
8	Cedar	21	4.5 %	-

**AVGDEPI** **Average depression score for a depression item (those missing no more than 2 questions)**

Location: 555-562 (width: 8; decimal: 2)  
 Variable Type: numeric (ISO)  
 Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0.05	5	1.1 %	-
0.10	7	1.5 %	-
0.15	5	1.1 %	-
0.16	2	0.4 %	-
0.20	9	1.9 %	-
0.25	16	3.4 %	-
0.26	4	0.9 %	-
0.28	1	0.2 %	-
0.30	20	4.3 %	-
0.32	1	0.2 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
0.35	16	3.4 %	-
0.40	26	5.6 %	-
0.42	1	0.2 %	-
0.44	2	0.4 %	-
0.45	15	3.2 %	-
0.47	1	0.2 %	-
0.50	22	4.7 %	-
0.53	3	0.6 %	-
0.55	21	4.5 %	-
0.58	3	0.6 %	-
0.60	18	3.9 %	-
0.63	1	0.2 %	-
0.65	14	3.0 %	-
0.70	14	3.0 %	-
0.74	1	0.2 %	-
0.75	13	2.8 %	-
0.80	15	3.2 %	-
0.84	4	0.9 %	-
0.85	11	2.4 %	-
0.90	9	1.9 %	-
0.95	14	3.0 %	-
1.00	16	3.4 %	-
1.05	9	1.9 %	-
1.10	7	1.5 %	-
1.11	2	0.4 %	-
1.15	8	1.7 %	-
1.16	1	0.2 %	-
1.20	4	0.9 %	-
1.21	1	0.2 %	-
1.25	6	1.3 %	-
1.28	1	0.2 %	-
1.30	3	0.6 %	-
1.32	1	0.2 %	-
1.35	3	0.6 %	-
1.37	1	0.2 %	-
1.40	1	0.2 %	-
1.45	4	0.9 %	-
1.50	7	1.5 %	-
1.55	1	0.2 %	-
1.60	1	0.2 %	-
1.65	3	0.6 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1.70	4	0.9 %	-
1.74	1	0.2 %	-
1.75	1	0.2 %	-
1.80	2	0.4 %	-
1.84	1	0.2 %	-
1.85	3	0.6 %	-
1.90	2	0.4 %	-
1.95	3	0.6 %	-
2.00	1	0.2 %	-
2.05	2	0.4 %	-
2.21	1	0.2 %	-
2.25	1	0.2 %	-
2.75	1	0.2 %	-
. (M)	68	14.6 %	-

<b>DEPSCOREAD</b>	<b>CESD Depression Score (imputed depression scores for individuals who missed 3 or fewer items)</b>
-------------------	--

Location: 563-570 (width: 8; decimal: 2)

Variable Type: numeric (ISO)

Interval: discrete

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
1.00	5	1.1 %	-
2.00	7	1.5 %	-
3.00	5	1.1 %	-
3.16	2	0.4 %	-
4.00	9	1.9 %	-
5.00	16	3.4 %	-
5.26	4	0.9 %	-
5.56	1	0.2 %	-
6.00	20	4.3 %	-
6.32	1	0.2 %	-
7.00	16	3.4 %	-
8.00	26	5.6 %	-
8.42	1	0.2 %	-
8.89	2	0.4 %	-
9.00	15	3.2 %	-
9.47	1	0.2 %	-
10.00	22	4.7 %	-
10.53	3	0.6 %	-
11.00	21	4.5 %	-
11.58	3	0.6 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
12.00	18	3.9 %	-
12.63	1	0.2 %	-
13.00	14	3.0 %	-
14.00	14	3.0 %	-
14.74	1	0.2 %	-
15.00	13	2.8 %	-
16.00	15	3.2 %	-
16.84	4	0.9 %	-
17.00	11	2.4 %	-
18.00	9	1.9 %	-
18.95	2	0.4 %	-
19.00	12	2.6 %	-
20.00	16	3.4 %	-
21.00	9	1.9 %	-
22.00	7	1.5 %	-
22.11	2	0.4 %	-
23.00	8	1.7 %	-
23.16	1	0.2 %	-
24.00	4	0.9 %	-
24.21	1	0.2 %	-
25.00	6	1.3 %	-
25.56	1	0.2 %	-
26.00	3	0.6 %	-
26.32	1	0.2 %	-
27.00	3	0.6 %	-
27.37	1	0.2 %	-
28.00	1	0.2 %	-
29.00	4	0.9 %	-
30.00	7	1.5 %	-
31.00	1	0.2 %	-
32.00	1	0.2 %	-
33.00	3	0.6 %	-
34.00	4	0.9 %	-
34.74	1	0.2 %	-
35.00	1	0.2 %	-
36.00	2	0.4 %	-
36.84	1	0.2 %	-
37.00	3	0.6 %	-
38.00	2	0.4 %	-
39.00	3	0.6 %	-
40.00	1	0.2 %	-

- Study 04549 -

<i>Value</i>	<i>Frequency</i>	<i>%</i>	<i>Valid %</i>
41.00	2	0.4 %	-
44.21	1	0.2 %	-
45.00	1	0.2 %	-
55.00	1	0.2 %	-
. (M)	68	14.6 %	-