

Medical Emergency Guide for Pakistan

Emergency Recognition, First Aid, and Hospital Referral Guide

A structured emergency medical response document for common emergencies in Pakistan.

Generated for Retrieval-Augmented Generation (RAG) Dataset
Preparation

May 12, 2026

Contents

1	Introduction	3
2	Heart Attack Emergency	4
2.1	Warning Signs	4
2.2	Immediate Steps	4
2.3	Hospital to Go To	4
3	Stroke Emergency	4
3.1	Warning Signs (FAST)	4
3.2	Immediate Steps	5
3.3	Hospital to Go To	5
4	Diabetic Emergency	5
4.1	Warning Signs	5
4.2	Immediate Steps	6
4.3	Hospital to Go To	6
5	Asthma Attack	6
5.1	Warning Signs	6
5.2	Immediate Steps	6
5.3	Hospital to Go To	7
6	High Fever	7
6.1	Warning Signs	7
6.2	Immediate Steps	7
6.3	Hospital to Go To	7
7	Allergic Reaction	7
7.1	Warning Signs	7
7.2	Immediate Steps	8
7.3	Hospital to Go To	8
8	Fracture First Aid	8
8.1	Warning Signs	8
8.2	Immediate Steps	8
8.3	Hospital to Go To	9
9	Emergency Contact Numbers in Pakistan	9
10	General Emergency Advice	9

1 Introduction

This emergency guide provides quick-response information for common medical emergencies in Pakistan. It includes:

- Warning signs
- Immediate first aid steps
- Recommended hospitals
- National emergency contact numbers

This document is intended for educational and emergency preparedness purposes only.

2 Heart Attack Emergency

2.1 Warning Signs

- Chest pain or pressure
- Pain radiating to left arm, jaw, shoulder, or back
- Sweating
- Shortness of breath
- Nausea or vomiting
- Dizziness

2.2 Immediate Steps

1. Call emergency services immediately.
2. Help patient sit down and remain calm.
3. Loosen tight clothing.
4. Give aspirin (300 mg) if patient is conscious and not allergic.
5. If unconscious and not breathing, begin CPR.

2.3 Hospital to Go To

- Punjab Institute of Cardiology (Lahore)
- National Institute of Cardiovascular Diseases (Karachi)
- Armed Forces Institute of Cardiology (Rawalpindi)

3 Stroke Emergency

3.1 Warning Signs (FAST)

- **F**ace drooping
- **A**rm weakness
- **S**peech difficulty
- **T**ime to call emergency

Additional symptoms:

- Sudden confusion
- Severe headache
- Loss of balance
- Vision loss

3.2 Immediate Steps

1. Call emergency services immediately.
2. Note symptom onset time.
3. Lay patient on side if vomiting.
4. Do not give food or water.

3.3 Hospital to Go To

- Aga Khan University Hospital (Karachi)
- Shifa International Hospital (Islamabad)
- Lahore General Hospital Stroke Unit

4 Diabetic Emergency

4.1 Warning Signs

- Extreme thirst
- Frequent urination
- Confusion
- Sweating
- Shaking
- Loss of consciousness

4.2 Immediate Steps

Low Blood Sugar

1. Give juice, glucose tablets, or sugary drink.
2. Recheck after 15 minutes.

High Blood Sugar

1. Encourage hydration if conscious.
2. Seek urgent hospital care.

4.3 Hospital to Go To

- BIDE (Baqai Institute of Diabetology and Endocrinology)
- Jinnah Hospital
- Services Hospital

5 Asthma Attack

5.1 Warning Signs

- Wheezing
- Shortness of breath
- Chest tightness
- Rapid breathing
- Difficulty speaking

5.2 Immediate Steps

1. Help patient sit upright.
2. Give rescue inhaler (salbutamol).
3. Repeat inhaler as prescribed.
4. Seek emergency help if no improvement.

5.3 Hospital to Go To

- Mayo Hospital
- Civil Hospital Karachi
- PIMS Islamabad

6 High Fever

6.1 Warning Signs

- Temperature above 39.5°C
- Seizures
- Confusion
- Persistent vomiting
- Rash

6.2 Immediate Steps

1. Give paracetamol.
2. Encourage fluids.
3. Light clothing and cooling measures.
4. Seek medical attention if persistent.

6.3 Hospital to Go To

- Children Hospital Lahore
- DHQ Hospitals
- CMH hospitals

7 Allergic Reaction

7.1 Warning Signs

- Swelling of lips or throat
- Difficulty breathing

- Rash or hives
- Dizziness
- Collapse

7.2 Immediate Steps

1. Remove allergen source.
2. Give antihistamine if mild.
3. Use epinephrine auto-injector if available.
4. Call emergency immediately for breathing difficulty.

7.3 Hospital to Go To

- Aga Khan University Hospital
- Shaukat Khanum Hospital
- Combined Military Hospitals

8 Fracture First Aid

8.1 Warning Signs

- Severe pain
- Swelling
- Deformity
- Inability to move limb
- Bone protrusion

8.2 Immediate Steps

1. Immobilize injured area.
2. Apply ice pack.
3. Control bleeding.
4. Do not attempt to straighten bone.
5. Transport carefully.

8.3 Hospital to Go To

- Orthopedic departments in tertiary hospitals
- CMH hospitals
- Jinnah Hospital

9 Emergency Contact Numbers in Pakistan

Service	Number
Rescue Ambulance	1122
Police	15
Fire Brigade	16
Edhi Ambulance	115
Chhipa Ambulance	1020
Pakistan Railways Helpline	117

10 General Emergency Advice

- Stay calm.
- Call emergency services early.
- Do not crowd the patient.
- Keep medical history and medications accessible.
- Transport only when safe.

11 Conclusion

Prompt recognition of emergency warning signs and immediate first aid can save lives. Always prioritize professional medical care and rapid transport to an equipped hospital.

End of Document