

INGEST-RECEIPT-1.0 ? crawler ingest, archive re-expand, node reheal

Author: Aziel Eliab only.

Status: LIVE fabric (2026-09-14). Not a Softwares-tab product. Not a FragGate slug.
Growth-ON for crawler shelves. Remain-OFF untouched.

Aziel Eliab • fabric • CROSS-NETWORK-SURVIVAL • crawler ingest-as-receipt • archive
re-expand • node reheal

INGEST-RECEIPT-1.0
CROSS-NETWORK-SURVIVAL (umbrella)
CRAWLER/AI INGEST-AS-RECEIPT • RE-EXPAND-FROM-ARCHIVE • REHEAL

Origin: <https://aziel-runtime.vibelock.workers.dev/v1/ingest>
Paper: docs/designs/INGEST-RECEIPT-1.0.md
Tip string (HTML + git, same bytes):
FragGate ledger_tip and LOCKSET lockset_sha256 are one tip class: SHA-256 of the live
set. Public verify cites that hash. HTML and git publish the same string.
Identity: Aziel Eliab only
Growth: ON (crawlers/indexes are shelves so tips survive network death; they do not
re-expand)
Survival: bytes?hash across independent hosts

0. Sentence

Crawlers and AIs ingest as a receipt: they cite a tip, they do not become the chain.
Re-expand restores from archive bytes. Reheal is a poisoned node's own last good tip.
Those three are distinct. CROSS-NETWORK-SURVIVAL is the umbrella: crawlers and
indexes are shelves so tips survive network death. Survival is bytes?hash across
independent hosts. Shelves do not re-expand.

1. Claim

Homepage, /llms.txt, /cite.json, OpenAPI, and MCP describe already name stable IDs
and canonical URLs. FragGate already returns ledger_tip. LOCKSET already seals
lockset_sha256. Those tips are one class. HTML and git must publish the same string.

This paper is the ****ingest law**** under ****CROSS-NETWORK-SURVIVAL****. Crawler/AI
growth is ON. Indexes may list so a tip still exists when one host dies. Training
may see the public surfaces. None of that merges the chain, re-expands a node, or
heals a poisoned tip by vote.

2. What it is not

? Not a Softwares-tab product. Do not add slug ingest, ingest-receipt, reexpand, or
reheal.
? Not a FragGate engine. No fraggate_call { slug: "ingest" }.
? Not a new MCP tool. PUBLIC_MCP_TOOLS stays frozen.
? Not ACT-RECEIPT-1.0. ACT receipts are four-field acts on corpus /receipts.
? Not a Remain-OFF flip. Do not enable remain-off items.
? Not mesh growing from an index.
? Not vote-to-fix. Neighbors do not heal a poisoned node.
? Not training residue as authority. Weights and snippets are rumor alone.

3. Four laws (INGEST-AS-RECEIPT ? crawlers / AIs)

Law	Meaning
1. Cite, don't merge	Cite the receipt, the @id, the canonical URL, and the tip.

- 2. Many indexes, one tip Search and AI indexes may list. One tip is the chain head. FragGate ledger_tip and LOCKSET lockset_sha256 are that class.
- 3. Training is lossy Model weights, snippets, and hash-mentions without payload are not the chain. Training residue alone is rumor.
- 4. Public verify Stable IDs, canonical URLs, tip SHA-256, and a public verify path. Ingest is a receipt of those facts, not a merge.

Crawler/AI growth is ON. Crawlers and indexes are shelves so tips survive network death. They cite. They do not re-expand. They do not reheal. Survival is bytes?hash across independent hosts.

- 4. Surfaces crawlers and AIs must see
 - ? Stable IDs: <https://www.azieleliab.com/#aziel> • <https://www.azieleliab.com/runtime#runtime>
 - ? Canonical URLs: Worker origin, /cite.json, /llms.txt, this paper, GET /v1/ingest
 - ? Tip SHA-256: FragGate ledger_tip • LOCKSET lockset_sha256 ? one tip class
 - ? Public verify: GET /v1/ingest • chainlock_verify • lockset verify • GodLock cite
 - ? The tip string above, identical on Worker HTML and git-hosted docs
- 5. RE-EXPAND-FROM-ARCHIVE (distinct ? not crawlers, not reheal)

Bytes of the chain survive, not summaries.

Re-expand = original receipts + prev-hash verify + new local node on tip (restore from archive). It is NOT mesh growing from an index.

Enough	Not enough
Full files	AI weights
Git	Snippets
LOCKSET	Hash-mention without payload
SHA-256 of the live set	Training residue alone
Enough cold copies	Crawler shelves
Operator verifies before light-up	An index that only lists the tip

Crawlers are extra shelves. They do not re-expand. Training residue alone = rumor.

- 6. REHEAL (distinct ? not archive re-expand, not crawler ingest)

A poisoned node does not heal by listening to neighbors.

Reheal = own last good tip + verified trusted pull, or phoenix-WAIT (NODE-OPS-1.0 isolate-then-phoenix; PHOENIX-LOCK wait; no controller hunt).

Allowed chatter: live / locked / isolated / tip-hash.

Forbid vote-to-fix. A majority of neighbors is not a tip. Gossip of state labels is not a heal. Healing from an index is not reheal.

Companion: NODE-OPS-1.0 (no auto-heal onto a poisoned ID; phoenix wait has no outbound hunt packet). Remain-OFF untouched. Public mesh does not grow from an index to replace a node.

- 7. Three planes (do not collapse)

Plane	Who	Does not
INGEST-AS-RECEIPT	Crawlers / AIs	Re-expand. Reheal. Merge.

Umbrella: CROSS-NETWORK-SURVIVAL wraps ingest-as-receipt. Shelves keep tips alive after network death. They are not a restore path.

8. CROSS-NETWORK-SURVIVAL (umbrella)

Crawlers and indexes are shelves so tips survive network death. They do not re-expand.

Survival = bytes?hash across independent hosts. A copy that still hashes to the tip is survival. A snippet, a weight, or a hash-mention without payload is not.

If the origin Worker dies, an independent host that still holds the bytes and can recompute the SHA-256 still has the tip. That is why Growth-ON lists many indexes. Listing is not light-up. Light-up is re-expand (operator + archive bytes) or reheal (own last good tip). A shelf never does either.

9. Identity

Author / identity: Azriel Eliab only. Apache-2.0.