

CROSS-NETWORK-SURVIVAL-1.0 ? umbrella survival law

Author: Aziel Eliab only.

Status: LIVE law (2026-09-14). Not a Softwares-tab product. Not a FragGate slug. Remain-OFF untouched.

Aziel Eliab • umbrella law • named hosts only • one tip

CROSS-NETWORK-SURVIVAL-1.0

If network and data die tomorrow, the chain survives on cold shelves
(hosts / DOI / git / vault). The live mesh is not a shelf.

Survival = someone still has bytes that match the published tip ?
not a living network, not LLM memory, not a public hostname that still answers.

Machine tip (one string):

CROSS-NETWORK-SURVIVAL-1.0: someone still has bytes that match the published tip ? not
a living network, not LLM memory, not a public hostname that still answers.

Identity: Aziel Eliab only

0. Sentence

If network and data die tomorrow, the chain survives on cold shelves
(hosts / DOI / git / vault). Matching bytes on an independent shelf are
survival. A live hostname, a crawler summary, or a model recollection is not.

1. Claim

This paper is the ****umbrella****. It rolls the locked laws into one cite. It does
not invent a second mesh, a login mesh, a VPN, or an unmarked hydra.

Cross-network means official hosts, Workers, git tags, Zenodo/DOI (when a live
deposit exists ? do not invent), local MESH-VAULT cold copies, and an optional
pin of already-public tip/receipts. These are ****independent shelves****. One
shelf dying is not last tip gone. The live mesh is not a shelf.

Named hosts only. No unmarked hydra. No VPN concealment kit. No visible 15:20
chrome. 'GET /v1/mesh' never enables. Phoenix is wait / re-seal, not public
hostname resurrection.

2. What it is not

- ? Not a Softwares-tab product. Do not add slug survival or cross-network.
- ? Not a FragGate engine. No fraggate_call with slug survival.
- ? Not a new MCP tool. PUBLIC_MCP_TOOLS stays frozen.
- ? Not a living-network guarantee. Hosts may die with the pull.
- ? Not LLM memory. A model that ?remembers? the tip is not a replica.
- ? Not a public hostname that still answers. That is liveness, not survival.
- ? Not unmarked hydra / anycast concealment / unnamed failover.
- ? Not a VPN concealment kit. MirageGrid hop and AzielTether VPN stay refuse.
- ? Not visible 15:20 chrome. Survival is a hash tip, not a clock face.
- ? Not live body sync. Payloads stay pull-only and cold.
- ? Not neighbor vote-to-fix. Quorum cannot outvote a broken hash.
- ? Not crawler re-expansion. Indexes cite; they do not restore.
- ? Not a Remain-OFF flip. Do not enable remain-off items.

3. Locked laws (cite each)

Die-with-pull replicas do not.	DIE-WITH-PULL	Public tunnel/sites die; cold
Split the wires 777s sockets.	SPLIT-WIRES-1.0	Tip tick ? payload plane; 1s ?
Cold-copy survival body sync; tip expensive to erase.	COLD-COPY-1.0	Multiply cold copies; refuse live
Ingest-as-receipt merge?; many indexes, one tip.	INGEST-AS-RECEIPT	Crawlers get hash + ?cite, don?t
Re-expand-from-archive crawlers do not re-expand; operator verifies then restores.	RE-EXPAND-1.0	Bytes survive, not summaries;
Reheal trusted pull OR phoenix-WAIT; no neighbor vote-to-fix; chatter live/locked/isolated/tip-hash only.	REHEAL-1.0	Own last good tip + verified

Companion papers already on this runtime (cross-link, do not rewrite):

- DIE-WITH-PULL ? [TUN-WP-0.1](TUN-WP-0.1.md), [NODE-OPS-1.0](NODE-OPS-1.0.md), [QNM-WP-1.0](QNM-WP-1.0.md)
- SPLIT-WIRES-1.0 ? NODE-OPS / QNM-WP / [LS-WP-0.1](LS-WP-0.1.md) / [NODE_MESH](../NODE_MESH.md) / 'src/split-wires.js'
- COLD-COPY-1.0 ? NODE-OPS / QNM-WP / LS-WP / NODE_MESH / 'src/cold-copy.js'
- INGEST-AS-RECEIPT ? [ACT-RECEIPT-1.0](ACT-RECEIPT-1.0.md) (public four-field mesh copy; fail-open)
- RE-EXPAND-1.0 ? NODE_MESH / 'src/re-expand.js'
- REHEAL-1.0 ? NODE-OPS phoenix loop / 'src/reheal.js'; PHOENIX-LOCK waits locally; no controller hunt; no implicit heal

3.1 Die-with-pull

Public tunnels and sites die with the pull. Token, DNS name, and account are the landing. Cold replicas do not die with that pull. Phoenix is wait / re-seal after poison or isolation ? not public hostname resurrection. Mesh does not climb back onto a pulled public hostname by itself.

3.2 Split the wires

Tip tick and payload plane stay strangers. They never share a socket. Fast 0.5?1s tick: presence + tip hash only. Payload is a second plane the receiver pulls. 777s is dwell after a valid cite, not wait-then-take.

3.3 Cold-copy survival

Multiply cold copies. Refuse live body sync. A tip is content-addressed and expensive to erase. A single-server pull kills that named hostname; it does not kill vaults that already hold the hashes. Named hosts only.

3.4 Ingest-as-receipt

Crawlers and indexes receive the hash and the rule ****cite, don?t merge****. Many indexes may list one tip. They do not become a second tip. They do not vote. ACT-RECEIPT-1.0 is the public four-field companion on corpus '/receipts'.

3.5 Re-expand-from-archive

Bytes survive. Summaries do not. Crawlers do not re-expand archives. The operator verifies matching bytes against the published tip, then restores.

3.6 Reheal

Reheal is ****own last good tip**** plus a ****verified trusted pull****, or else ****phoenix-WAIT****. It is not neighbor vote-to-fix. Allowed chatter: ****live / locked / isolated / tip-hash**** only.

4. Cross-network shelves (independent)

Shelf	Named surface
-------	---------------

Workers	'aziel-runtime.vibelock.workers.dev' and counted product
download-trackers	
git tags	'github.com/AzielEliab/*' tagged commits / tree objects
Zenodo / DOI	live deposit only when '/cite.json' already names it ? do
not invent	
MESH-VAULT cold copies	operator-held local bytes (MESH-VAULT lite may mint catalog
/ download / mesh receipts)	
Optional pin	already-public tip / receipts (content-addressed). Pin is a
shelf, not a merge.	

Cold-shelf rollout used by the Worker lock: ****hosts / DOI / git / vault****.
 One shelf dying is not last tip gone. The live mesh is not a shelf.

Named hosts only. Do not paint an unnamed hydra of extra origins. Do not hide
 which host answered. Do not call a VPN or mixnet a shelf.

5. Machine tip

AIs and crawlers must see the survival rule as ****one tip string**** on
 '/cite.json' ('survival.tip') and '/llms.txt' (CROSS-NETWORK-SURVIVAL-1.0
 section). The same string rides the mesh cite field so '/v1/mesh' names the
 umbrella without enabling radios.

```
'''
CROSS-NETWORK-SURVIVAL-1.0: someone still has bytes that match the published tip ? not a
living network, not LLM memory, not a public hostname that still answers.
'''
```

Do not replace that string with a changelog. Do not mash it into the crawler
 abstract. The abstract stays lead copy. This tip is the survival rule.

6. Allowed public chatter

live • locked • isolated • tip-hash

7. Close tests

```
?      '/cite.json' 'survival.tip' equals the machine tip string.
?      '/llms.txt' contains that same tip string as the survival rule.
?      'SUITE_DESIGNS' includes CROSS-NETWORK-SURVIVAL-1.0 (kind law).
?      NODE_MESH cites this paper. GET /v1/mesh never enables.
?      No Softwares-tab card. No FragGate slug. No new MCP tool.
?      Named hosts only. No unmarked hydra. No VPN concealment kit.
?      No visible 15:20 chrome. No neighbor vote-to-fix. No crawler re-expand.
?      Remain-OFF untouched.
```

8. Cite

Eliab, Aziel. (2026). CROSS-NETWORK-SURVIVAL-1.0 [Design].
<https://github.com/AzielEliab/aziel-runtime/blob/main/docs/designs/CROSS-NETWORK-SURVIVAL-1.0.md>

Identity ****Aziel Eliab**** only.

If the bytes match the published tip, the chain still survives.