

AZL-VOL-1.0

Author: Aziel Eliab only.

AZL-VOL-1.0

Aziel Eliab • public work identity only

Software Catalog and Lattice Ledger

AZL-VOL-1.0 • runtime 1.6.13 • registry 3de5ed2e23ae9a76 • 2026-09-06 • Aziel Eliab

Volume of each named software on the public FragGate door, plus the hash-chained temporal question × act record an agent is allowed to read. Not a kit. Not a new FragGate slug. Clock is not Lock. Mesh default OFF.

AI reads the lattice by citing record hashes. It does not remember answers. Encryption, when used, is a local envelope whose hash enters the chain. The chain itself is not a ciphertext.

1. How an AI reads this lattice

Attach at POST /mcp or POST /v1/fraggate/call. Pipeline: fraggate_list ? fraggate_describe ? fraggate_call. Every call that matters writes an AZL-LEDGER record whose payload is the question or act bytes, slug, op, and engine digest. The model sentence is render only.

- ? Cite record.hash + kind + question + payload_sha256. That is recollection.
- ? If ZionPattern is missing, cite triad and say solver not run. Do not invent a blended percent.
- ? If the door refuses, cite the refuse record. Do not retry under a new name.
- ? Do not put passwords, token bodies, cookies, or model sentences in payload.
- ? To verify: python3 azl-ledger/reader.py verify acts.jsonl then export-ai.
- ? Catalog file for agents: azl-ledger/catalog.json (live slugs, ops, stubs as of 1.6.13).

2. Hash chain versus encryption

Two different machines. People collapse them into one sentence.

Layer	What it does
What it does not do	
Hash chain (this ledger + Does not hide bytes. Public records are readable. TemporalLock)	Proves order and integrity of questions and acts. Anyone can verify SHA-256 over canonical JSON.
Local envelope (ARK / OS stores Hosted Workers do not unlock keychain) stubs unlock / encrypt / scorch.	Encrypts secrets on the operator disk. Ledger vaults. Public door envelope_sha256 only.
EmbryoLock Not a FragGate engine. Not a hosted Worker.	Local-not-hosted destructive vault. Name on the software tab.
Publish gate Not encryption. Not browser login.	Official API token in env/keychain + AZBOT_PUBLISH=1.

3. Exec pipe
open ? DecisionGATE ? fraggate_call(slug, op, payload) ? timeslate(question|act) ?
render
(disposable) ? close

Call URL: <https://aziel-runtime.vibelock.workers.dev/v1/fraggate/call> • MCP:
<https://aziel-runtime.vibelock.workers.dev/mcp> • OpenAPI:
<https://aziel-runtime.vibelock.workers.dev/openapi.json> • Kernel:
<https://github.com/AzielEliab/fraggate> (FG-0.1)

4. Counts (2026-09-06, runtime 1.6.13)		
Measure	N	Note
Software-tab entries	34	plain ? gate ? lock.
EmbryoLock is the stub product.		

Software catalog + Q×act ledger • runtime 1.6.13 • 2026-09-06
page 1

AZL-VOL-1.0
Aziel Eliab • public work identity only

Measure	N	Note
Live software-tab	33	Hosted card exists.
FragGate live slugs	33	Allowlist on the door.
FragGate stub ops 404.	124	Named refuse. Not silent
Local-only count local.	1	Full node / vault stays
FG product_count must still sum.	35	live + local_only + stub

Separate software / sibling software under one FragGate door. Never separate FragGate
engines. Clock is not Lock. Sort law:
plain A?Z ? gate A?Z ? lock A?Z (Clock ? Lock).

5. How to call any live slug
POST /v1/fraggate/call with header User-Agent: Mozilla/5.0
and JSON
{"slug":"temporallock","op":"verify","payload":{...}}. Unknown slug ? FG-HALLUC-TOOL. Stub
op ? named refuse
receipt. Mesh enable is operator bearer only; GET /v1/mesh never enables.

Live ops

plain score, classify, gate, health, skill	azclce	0.3.0	yes
plain status, health, skill	azos	0.3.0	yes
plain lamb-check, lamb_check, health, skill	azai	0.3.1	yes
plain route, health, skill	azbot	0.2.0	yes
plain ethical_search, lamb_lens_search, navigate, airlock_ingest, tab_open, tab_list, receipt_list, verify, receipt_verify, health, skill, airlock, home	azbrowser	0.1.0	yes
plain health, skill, region_list, place_module, remove_module, tether_declare, tether_cut, tether_list, blank_key_status, list_modules, place	azhub	0.1.0	yes
plain search, example, skill, health	aziel-corpus	2.6.2	yes
plain verify, health, skill	azieltether	0.1.0	yes
plain health, skill, genesis_status, site_state_get, site_state_set, integrity_check, witness_list, page_cycle_status, genesis_boot, hold	azinterface	0.1.0	yes
plain airlock_classify, scrub, trust_score, mesh_post, mesh_poll, mesh_listen, mesh_enable, mesh_disable, keyword_alert_set, keyword_alert_list, keyword_alert_check, health, skill, classify	azmail	0.1.0	yes
plain health, pair_status, garden_list, stamp, verify_hash, memorial_list, memorial_append, receipt_verify, skill, doctor, pair	aznet	0.1.0	yes
plain receipt, health, skill	forgereceipts	0.3.0	yes
plain render, health, skill	glossafilter	0.1.0	yes

plain new, move, status,	posting health, skill	0.1.0	yes
-----------------------------	--------------------------	-------	-----

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 2

AZL-VOL-1.0
Aziel Eliab • public work identity only

Bucket	Slug	Ver	Door	Live ops
plain skill	staticclock	0.2.0	yes	advise, health,
plain health, skill	ark	0.1.0	yes	sweep, levels,
plain session, health, skill	zsolver	0.2.0	yes	patterns, score,
gate health, skill	decisiongate	0.1.0	yes	check, evaluate,
lock anchors, health, skill	chronoclock	0.1.0	yes	advisory,
lock skill	codelock	0.1.0	yes	render, health,
lock	embryoclock	?	tab-only	?
lock verify-canonical, health, skill	employeeeclock	0.1.0	yes	append-preview,
lock unfold-preview, health, skill	foldlock	0.8.0	yes	fold-preview,
lock health, skill	godlock	0.1.0	yes	score, submit,
lock search-options, queries, doe-match, coverage,	mialock	0.1.1	yes	map, health, skill
lock break, show, verify, stamp, upload_envelope, health,	peacelock	0.1.0	yes	open, seal, skill, doctor
lock skill	shadowlock	0.2.0	yes	observe, health,
lock health, skill	spectrallock	0.3.0	yes	modes, overlay,

verify, health, skill

lock	trajectorylock	0.1.0	yes	example,
analyze, health, skill				
lock	veillock	0.2.0	tab-only	?
lock	vibelock	0.3.0	yes	analyze, health,
skill				
lock	whistlelock	0.1.0	yes	hash-preview,
canon-preview, health, skill				
kernel	mesh	QNM-BUILD-1.0	yes	status, enable,
disable, join, heartbeat, leave, nodes, broadcast,				health, skill,
mesh_status, mesh_enable, mesh_disable,				mesh_join,
mesh_heartbeat, mesh_leave, mesh_nodes,				mesh_broadcast

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 3

AZL-VOL-1.0
Aziel Eliab • public work identity only

7. Individual software ? how each one works

Each card is the public door truth as of runtime 1.6.13. How = official one-line + live ops + what is stub-refused + the Qxact note. GitHub and counted Worker URLs are listed so an agent can pull, not so a human has to hunt.

AZ-CLCE • azclce • 0.3.0 • live
Jaccard triple / pairwise / CLCE+. Detects inconsistency, not intent.

How. Jaccard / CLCE+ inconsistency detection. Detects inconsistency, not intent.
Live ops. score, classify, gate, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/az-clce>

AZ-OS • azos • 0.3.0 • live
Read-only status / principles. Does not grant remote shell.

How. Read-only principles and status. exec is stub. Does not grant remote shell.
Live ops. status, health, skill
Stub-refused ops. exec, shell, lattice
GitHub. <https://github.com/AzielEliab/azos>

AZAI • azai • 0.3.1 • live
Local OpenAI-compatible runtime. Not a new foundation model. Jeeves is not sovereign.

public door.
Live ops. lamb-check, lamb_check, health, skill
Stub-refused ops. blend, complete, chat
GitHub. <https://github.com/AzielEliab/azai>

AZBot • azbot • 0.2.0 • live
Skill, not a foundation model. Hosted /v1/skill returns markdown.

How. Harness / skill. Hosted /v1/skill is markdown. Local 1.1 adds profiles, act ledger, publish gate. Does not ship model weights. route is the public op.
Live ops. route, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/azbot>

AZBrowser • azbrowser • 0.1.0 • live
AZBrowser (AZB-1.0): Lamb Lens ethical research browser. Cite; refuse harvest; no invented visits. FragGate only. AZNet is a separate software (order/token pairing only).

How. Lamb Lens ethical research browser. Cite. Refuse harvest. No invented visits.
Pair-order with AZNet only.
airlock_ingest is ingest-to-receipt, not login.
Live ops. ethical_search, lamb_lens_search, navigate, airlock_ingest, tab_open, tab_list, receipt_list, verify, receipt_verify, health, skill, airlock, home
Stub-refused ops. tor_exit, tor, onion, phoenix_wipe, wipe, scorch, chromium, chromium_exec, chrome, exec, playwright, puppeteer, proxy, unrestricted_proxy, socks, vpn, keylog, keylogger, clipboard, harvest, spy, surveillance, wiretap, intercept, inject, track
GitHub. <https://github.com/AzielEliab/azbrowser>

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 4

AZL-VOL-1.0
Aziel Eliab • public work identity only

AZHub • azhub • 0.1.0 • live
AZHub (AIH-WP-1.0): Blank Key / neutral spatial container. Does not interpret. FragGate only. AZInterface is sibling software under the same FragGate door.

How. Blank Key spatial container. Places modules. Does not interpret them. Sibling of AZInterface under the same door.
Live ops. health, skill, region_list, place_module, remove_module, tether_declare, tether_cut, tether_list, blank_key_status, list_modules, place
Stub-refused ops. scorch_remote, auto_unlock, ranking, completeness_detect, unlock, complete, completeness, rank, scorch
GitHub. <https://github.com/AzielEliab/azhub>

Aziel Digital Library • aziel-corpus • 2.6.2 • live

How. Content-addressed library. search / example are lookups. The object is the record hash, not a gloss. ZionPattern may be empty; then return triad + solver-not-run.
Live ops. search, example, skill, health
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/aziel-corpus>

AzielTether • azieltether • 0.1.0 • live
AzielTether 0.1.0: central × decentral survival mesh for downloaded Aziel software.
Prefer-central; peer sync when down;
public HTTPS stays mesh-free. Not a VPN. Author Aziel Eliab.

How. Survival mesh for downloaded copies. Prefer-central; peer sync when down. Public HTTPS stays mesh-free. vpn / arm
/ mesh-join stub.
Live ops. verify, health, skill
Stub-refused ops. mesh-join, vpn, arm
GitHub. <https://github.com/AzielEliab/azieltether>

AZInterface • azinterface • 0.1.0 • live
AZInterface (AIH-WP-1.0): custodial operating environment. Pre-locked page cycles
OFF/integrity/ON/FULL
SHUTDOWN/MEMORIAL. FragGate only. AZHub is sibling software under the same FragGate door.

How. Custodial operating environment. Page cycles OFF / integrity / ON / FULL SHUTDOWN / MEMORIAL. Does not
exec catalog engines itself.
Live ops. health, skill, genesis_status, site_state_get, site_state_set, integrity_check, witness_list, page_cycle_status, genesis_boot, hold
Stub-refused ops. scorch_remote, auto_unlock, ranking, completeness_detect, unlock, complete, completeness, rank, scorch, skip_cycle, invent_cycle
GitHub. <https://github.com/AzielEliab/azinterface>

AZMail • azmail • 0.1.0 • live
AZMail (APP 1.0): anonymous MCP mesh + advisory airlock. Not a full internet MTA. Mesh default off. FragGate only.

How. Advisory airlock + optional anonymous ring. Not an MTA. smtp / send / login / harvest are stub-refused. Mesh default
off.
Live ops. airlock_classify, scrub, trust_score, mesh_post, mesh_poll, mesh_listen, mesh_enable, mesh_disable, keyword_alert_set, keyword_alert_list, keyword_alert_check, health, skill, classify
Stub-refused ops. smtp, smtp_send, send, mail, deliver, imap, pop3, mx, identify, deanonymize, unmask, whois, harvest, credential_capture, login
GitHub. <https://github.com/AzielEliab/azmail>

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 5

AZL-VOL-1.0
Aziel Eliab • public work identity only

AZNet • aznet • 0.1.0 • live

AZNet (AZN-WP-0.1): silent verification side-net. Hash continuity without hosting. Separate software; functional-order pair with AZBrowser.

How. Silent verification side-net. Hash continuity without hosting payloads. Memorial list/append are verification objects, not a social feed.

Live ops. health, pair_status, garden_list, stamp, verify_hash, memorial_list, memorial_append, receipt_verify, skill, doctor, pair

Stub-refused ops. payload_host, serve_content_for_peer, analytics, ranking, repair_integrity_bypass, interface, lumen, hub, interface_hook, lumen_hook, hub_hook

GitHub. <https://github.com/AzielEliab/aznet>

ForgeReceipts • forgereceipts • 0.3.0 • live

ForgeReceipts 0.3.0: Local receipt / checklist helper with jurisdiction-aware state picker (all 50 states + federal baseline) customizing UI/legal framing. Not legal advice. Does not contact courts. Author Aziel Eliab.

How. Local checklist / receipt helper. Jurisdiction picker changes framing, not a court filing. Does not contact courts. An act

here is ?issued a local receipt?, not a submission.

Live ops. receipt, health, skill

Stub-refused ops. ?

GitHub. <https://github.com/AzielEliab/forgereceipts>

Glossa Filter • glossafilter • 0.1.0 • live

Render an intent across bundled peer ids. Human opinion remains human.

How. Render an intent across bundled peer ids. Human opinion remains human.

Live ops. render, health, skill

Stub-refused ops. ?

GitHub. <https://github.com/AzielEliab/glossafilter>

MirageGrid • miragegrid • 0.2.0 • live

Ephemeral session node assignment. Not a VPN and not an anonymity network.

How. Ephemeral session node assignment. Not a VPN. vpn-hop / hop / tunnel / mesh stub.

Live ops. assign, health, skill

Stub-refused ops. vpn-hop, hop, tunnel, mesh

GitHub. <https://github.com/AzielEliab/miragegrid>

Post-King Chess • postking • 0.1.0 • live

Continuity chess. The goal is not to win. The goal is to remain.

How. Continuity chess. The goal is not to win. The goal is to remain.

Live ops. new, move, status, health, skill

Stub-refused ops. ?

GitHub. <https://github.com/AzielEliab/postking-chess>

StaticClock • staticclock • 0.2.0 • live

Five advisory fields for a geo. Not a scheduler.

How. Five advisory fields for a geo. Not a scheduler. Clock ? Lock.

Live ops. advise, health, skill

AZL-VOL-1.0
Aziel Eliab • public work identity only

The ARK • ark • 0.1.0 • live
Mode E heuristics sweep. Not a kernel. Hosted never unlocks or stores vaults.

How. Mode E heuristics sweep and levels. Hosted never unlocks or stores vaults. scorch /
wipe / unlock / encrypt are stub on
the public door.
Live ops. sweep, levels, health, skill
Stub-refused ops. scorch, wipe, unlock, encrypt
GitHub. <https://github.com/AzielEliab/ark>

ZionPattern Solver • zsolver • 0.2.0 • live
Nine ontology nodes (Zioncheck seed). Hard 75% cap. Does not solve cases.

How. Nine ontology nodes. Hard 75% cap. Does not solve cases. Missing run must not be
averaged into trust.
Live ops. patterns, score, session, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/zion-pattern-solver>

DecisionGATE • decisiongate • 0.1.0 • live
Five sequential gates on a proposal. Freedom without clarity is chaos.

How. Five sequential gates on a proposal: Definition, Evidence, Impact, Integrity,
Responsibility. Pre-exec only. PASS /
REVISE / BLOCK. BLOCK is a hashed refuse.
Live ops. check, evaluate, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/decisiongate>

ChronoLock • chronolock • 0.1.0 • live
Advisory temporal window 08:30?10:30 local. Distinct from TemporalLock.

How. Advisory temporal window 08:30?10:30 local. Distinct from TemporalLock (receipts).
Live ops. advisory, anchors, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/chronolock>

CodeLock • codelock • 0.1.0 • live
Canonical or Rosetta HTML view of source. Alters perception, not meaning.

How. Canonical or Rosetta HTML view of source. Alters perception, not meaning.
Live ops. render, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/codelock>

EmbryoLock • embryo-lock • 1.1.0 • live-with-local-destructive-boundary
True in-process engine. Health / skill / doctor / verify-hash / policy / limitation cite on the public FragGate door. Wipe / scorch / unlock-after-fail stay local-only ? Never execute on the public mesh. Software's worker_home
<https://embryo-lock-download-tracker.vibelock.workers.dev/>. Author: Aziel Eliab.

How. Cite the Stealth+ v1.1 local-vault contract (Argon2id + AES-GCM as declared in Open Source Code). This isolate does not run the KDF or AEAD. Forgotten password = permanent loss.
Destructive-by-design local vault stays local.
Live ops. health, skill, doctor, verify_hash, policy, limitation
Stub-refused ops. wipe, scorch, unlock, unlock-after-fail, encrypt, decrypt, initialize, login
GitHub. <https://github.com/AzielEliab/EmbryoLock>

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 7

AZL-VOL-1.0
Azriel Eliab • public work identity only

EmployeeLock • employeelock • 0.1.0 • live
Hash-chained accountability workbook. Not a court, not UL, not a truth score.

How. Hash-chained accountability workbook. Not a court, not Unowned Lattice, not a truth score.
Live ops. append-preview, verify-canonical, health, skill
Stub-refused ops. court, judge
GitHub. <https://github.com/AzielEliab/employeelock>

FoldLock • foldlock • 0.8.0 • live
Algorithmic tether-word suppression on UTF-8 text. Not zip.

How. Algorithmic tether-word suppression on UTF-8 text. Preview fold/unfold. Not zip. Not encryption of a file format.
Live ops. fold-preview, unfold-preview, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/foldlock>

GodLock • godlock • 0.1.0 • live
Offline ABAD / hardening score. Not a VPN and not an anonymity network.

How. Offline ABAD / hardening score and public stress-test node. score and submit are catalog ops. Not a VPN.
Hash-chained public ledger on godlock.uk.
Live ops. score, submit, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/godlock>

M.I.A.Lock • mialock • 0.1.1 • live
M.I.A.Lock 0.1.1: event map + Doe matching + uncertainty ellipses + coverage heat. Doe

How. Event map + Doe matching + uncertainty ellipses + coverage heat. Doe leads are not an ID. Heat is not presence.
Live ops. map, search-options, queries, doe-match, coverage, example, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/mialock>

PeaceLock • peacelock • 0.1.0 • live
Chosen silence / chosen inaction as a first-class receipt (PL-WP-0.1).

How. Chosen silence or chosen inaction as a first-class receipt. No transcript of the unspoken. No counterfactual act.
Live ops. open, seal, break, show, verify, stamp, upload_envelope, health, skill, doctor
Stub-refused ops. transcript, transcribe, motive, counterfactual, invent, waive-duty, bypass-duty
GitHub. <https://github.com/AzielEliab/peacelock>

ShadowLock • shadowlock • 0.2.0 • live
Zero-retention observation of a job list you already have. No OS hook.

How. Zero-retention observation of a job list the operator already has. No OS hook.
Live ops. observe, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/shadowlock>

Software catalog + Q×act ledger • runtime 1.6.13 • 2026-09-06
page 8

AZL-VOL-1.0
Aziel Eliab • public work identity only

SpectralLock • spectrallock • 0.3.0 • live
Overlay preview modes. 256px hosted preview, not a spectrometer.

How. Overlay preview modes. 256px hosted preview, not a spectrometer.
Live ops. modes, overlay, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/spectrallock>

TemporalLock • temporallock • 0.2.0 • live
Hash-chained receipts anyone can verify. Explicit genesis, append, verify.

How. Genesis writes prev=0×64. Append takes prior tip + new record bytes. Verify recomputes SHA-256 over canonical JSON. This is the receipt primitive the Q×act ledger specializes. Hosted ops do not store operator vaults.
Live ops. genesis, append, verify, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/temporallock>

How. Auditable geometric test. Research prototype, not a certified forensic instrument.
Live ops. example, analyze, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/trajectorylock>

VeilLock • veillock • 0.2.0 • live
Local camera/screen steps for YOUR device only. Not a call interceptor.

How. Local camera/screen steps for the operator device only. Not a call interceptor. inject
/ intercept / facetime stub. Listed
on the software tab; ops are local-first.
Live ops. (none on public door)
Stub-refused ops. inject, intercept, facetime
GitHub. <https://github.com/AzielEliab/veillock>

VibeLock • vibelock • 0.3.0 • live
Physical-consistency evaluation of speech audio. Risk assessment, not a liveness proof.

How. Physical-consistency evaluation of speech audio. Risk assessment, not a liveness proof.
Live ops. analyze, health, skill
Stub-refused ops. ?
GitHub. <https://github.com/AzielEliab/vibelock>

WhistleLock • whistlelock • 0.1.0 • live
Local drop ledger + dead-man copy. Not a mailer.

How. Local drop ledger + dead-man copy. hash-preview / canon-preview only on the door. send
/ mail / release stub. Not a
mailer.
Live ops. hash-preview, canon-preview, health, skill
Stub-refused ops. send, mail, release
GitHub. <https://github.com/AzielEliab/whistlelock>

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 9

AZL-VOL-1.0
Aziel Eliab • public work identity only

Quantum Node Mesh • mesh • QNM-BUILD-1.0 • live-default-off
Suite rollup. Default OFF. Not a Softwares-tab product. Full node is local qnm-node/.

How. QNM suite rollup. GET /v1/mesh never enables. Operator bearer enable only. Default
radios off.
Views/MCP/downloads do not enter QNM-S. Full node is local qnm-node/. Phoenix is wait /
re-seal, not
public hostname resurrection. Sites pulled die with the pull. Mesh does not climb back onto
the public
hostname by itself. CROSS-NETWORK-SURVIVAL-1.0: if network and data die tomorrow, the chain
survives

Live ops. status, enable, disable, join, heartbeat, leave, nodes, broadcast, health, skill, mesh_status, mesh_enable, mesh_disable, mesh_join, mesh_heartbeat, mesh_leave, mesh_nodes, mesh_broadcast
 Stub-refused ops. arm, wipe, vpn, hop, tunnel, scorch, login, recover, recovery, resurrection, resurrect, account, gate, ip-panel, ippanel, publish, phoenix-hunt, phoenix_hunt, heal, controller
 GitHub. ?

8. AZL-LEDGER-1.0 record

Canonical JSON, sort_keys true, separators comma-colon. hash = SHA-256 of {prev, kind, profile, question, payload, utc}.

Genesis prev is 64 zeros. File format is JSONL, one record per line. Schema:

azl-ledger/schema.json. Reader:

azl-ledger/reader.py. Example chain: azl-ledger/acts.example.jsonl.

Field	Rule
prev / hash fails.	64 hex. hash covers prev + body. Break either and verify
kind refuse verify seal	genesis question act ask call queue hold
profile slug	operator shelf runtime publisher coder or local
question	The typed question or the act verb. Never the model reply.
payload envelope_sha256, engine_digest,	slug, op, input, verdict, why, http, text_sha256, token_present. No password, no token body, no cookie, no model_sentence.
utc	YYYY-MM-DDTHH:MM:SSZ

TemporalLock remains the catalog engine (genesis / append / verify). AZL-LEDGER is the question × act specialization
 written beside it so a model has a single cite rule. It is not a 36th software-tab product.

9. Surfaces an agent may use

Surface	URL / path
Runtime / MCP / OpenAPI https://aziel-runtime.vibelock.workers.dev/	
Library front door https://www.azielcorpuslibrary.net/runtime	
Library MASTER	https://www.azielcorpuslibrary.net/
GodLock node	https://godlock.uk
Host (not login-recovery)	https://azieleliab.com
This volume's machine pack	/home/workdir/artifacts/azl-ledger/

- ? Invent a slug that is not on the FragGate allowlist.
- ? Call a stub op and pretend it executed.
- ? Put secrets in the ledger.
- ? Enable mesh from a GET or from a public UI switch.
- ? Treat Phoenix as restoring godlock.uk or auto-reattaching a public hostname.
- ? Claim a pulled site (token revoked, Worker dropped, DNS killed) still has a legal cloudflared landing.

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 10

AZL-VOL-1.0
Aziel Eliab • public work identity only

- ? Claim this volume ships model weights.
- ? Place a legal name or home location on a public copy of this file.
- ? Average a missing ZionPattern into a trust percent.

11. Restraint

Live one-lines and ops are copied from aziel-runtime 1.6.13 on 2026-09-06. Internal unpublished code is not claimed. Hash chains and content-addressed stores pre-exist. The cut is the cite rule: next agent points at the record hash.

Public identity on this file is Aziel Eliab only. Provisional. Dated 2026-09-06.

If the files hold, the name was never the point.

Software catalog + Qxact ledger • runtime 1.6.13 • 2026-09-06
page 11