AZBot Design for Node-Based Collaborative Forensic System

Zero-Trust AI × Human × Human Auditing Layer

Author: Aziel Eliab
Version: Design 1.0 · October 2026
License: Apache-2.0

1. Purpose

AZBot is the local skill runner and AI interface that lets humans and AI collaborate inside the Aziel node mesh while preserving the existing zero-trust contract. It routes every request through FragGate, emits receipts into the shared lattice, and never becomes a second door or an unrestricted execution path.

It extends the current AZBot (v0.2.0) — a local skill catalog and OpenAPI/MCP client for aziel-runtime — so that it can participate in multi-party sessions on nodes without enabling public mesh radios or changing vault logic.

2. Position in the Platform

Component	Role
AZ-OS	Ethics-gated session shell and closed-verb VFS on the node.
Aziel Runtime / FragGate	Single public door. Discovery, routing, refuse.
AZ Interface	Local control surface and pre-locked page cycles.
AZBot (this design)	Local AI handoff and skill runner that stays behind the gates.

3. Node Role

On each node, AZBot runs locally (127.0.0.1). It does not open public ports. When a human or another node requests AI assistance inside a session:

• The request is presented to the local AZ-OS session.

• AZ-OS re-gates it (five ethics gates, ARC token if required, closed verb list).

• If the gate passes, AZBot packages the request as a FragGate call (slug + op + payload).

• The call returns a structured result + receipt.

• The receipt is appended to the session’s TemporalLock / ChainLock lattice.

• Other parties in the multi-party session can read the tip; they cannot rewrite it.

4. Constraints Preserved

This design adds node participation and multi-party receipt sharing. It does not rewrite the public contract.

Remain-OFF item	Status
Mesh auto-enable / GET /v1/mesh	Still never enables
AZ-OS public exec / shell / lattice	Still refused
Vault destructive ops (ARK / EmbryoLock wipe, scorch, unlock)	Still local-only / FG-STUB
Deanonymize, invent_mark, backdate, public rollback	Still refused
FragGate single door	Unchanged
Local-first sessions	Unchanged

5. Minimal Additions (No Feature Loss)

• Operator-gated mesh presence using existing MESH-NEED-BEARER and local qnm-node.
• Multi-party session object that shares receipt tips only.
• AZBot handoff that still travels through FragGate and produces a receipt.
• Existing tethers (AZRT-AZOS-TETHER, AzielTether under bearer, external anchors) used as specified.
• All currently live advisory Softwares remain live and unchanged.

6. Collaborative Flow

Human A (on Node 1) opens a session in AZ Interface → AZ-OS gates the request → AZBot (local) packages a FragGate call → Runtime routes to the appropriate Softwares engine → result + receipt returned → lattice updated → Human B (on Node 2) and the AI can read the verified tip. No node executes a refused verb. No public radio is auto-enabled.

Integrity precedes execution. The public identity is the work.
© 2026 Aziel Eliab · Apache-2.0