

ACT-RECEIPT-1.0 ? public four-field action receipts

Author: Aziel Eliab only.

Status: LIVE fabric (2026-09-13). Not a Softwares-tab product. Not a FragGate slug.
Operator-approved runtime plugin.

Aziel Eliab • fabric • public mesh copy • corpus /receipts

ACT-RECEIPT-1.0

Four-field action receipts for FragGate / MCP / significant POST /v1/*

Origin: <https://www.azielcorpuslibrary.net/receipts>

Append: POST <https://www.azielcorpuslibrary.net/v1/receipts/append>

Header: x-aziel-receipt when RECEIPT_APPEND_TOKEN is set

Fail-open: missing token or corpus dark must not break engines

Identity: Aziel Eliab only

0. Sentence

An ACT receipt is a hash-chained public mesh copy of one act: what was asked, what came back, and event metadata. The public chain lives on the Digital Library. This runtime appends. It does not host the chain.

1. Claim

FragGate already lists and calls. POST /mcp already speaks JSON-RPC. Session and mesh already mint local receipts. Those stay local truth.

This paper is the ****public mesh copy****. After FragGate list/call, POST /mcp, and significant POST /v1/*, the runtime may POST a four-field receipt to corpus '/v1/receipts/append' when 'RECEIPT_APPEND_TOKEN' is set. Header 'x-aziel-receipt' carries the token. MESH-VAULT lite may mint catalog / download / mesh events.

2. What it is not

? Not a Softwares-tab product. Do not add slug act-receipt or receipts.
? Not a FragGate engine. No fraggate_call { slug: "act-receipt" }.
? Not a new MCP tool. PUBLIC_MCP_TOOLS stays frozen.
? Not user, IP, or geo logging. Those fields are absent.
? Not a Remain-OFF flip. Do not enable remain-off items.
? Not hub UI chrome. This paper is runtime-only.
? Not a substitute for session receipts, FragGate ledger, or ForgeReceipts.
? Not public hostname resurrection. A pulled site dies with the pull. Die with the pull.

Receipts do not bring godlock.uk or any public hostname back. Phoenix is wait / re-seal only.

3. Four fields

Field	Law
hash	SHA-256 of canonical { previous_hash, request, output, event }. previous_hash is the prior tip, or 64 zero hex at genesis.
request	One sentence. What was asked. No bodies, tokens, or PII.
output	One sentence. What came back (status class). No response body.
event	Metadata only: surface, path, method, status, tool, spec,

4. Fail-open

If the token is missing, skip append. If corpus is dark or times out, skip append. Engines still return. GET /v1/receipts still cites the public chain.

5. Optional read

GET /v1/receipts cites this paper and names the corpus origin.

GET /v1/receipts/tip and GET /v1/receipts/proxy are best-effort tip proxies.

They document that the public chain lives on corpus /receipts.

6. MESH-VAULT lite

Catalog GET /v1/software, pull / download, and POST /v1/mesh/* may mint an ACT receipt when the token is set. This is not a Software's vault product.

Software pull / download is a catalog event. It is not site resurrection.

A site pull (revoke token, drop Worker, kill DNS) ends the public mesh copy on that hostname. cloudflared has nowhere legal to land. Local node may keep verifying and appending. Mesh does not climb back onto the public hostname by itself. Receipts do not restore godlock.uk. Phoenix is wait / re-seal after poison or isolation ? not ?bring the .uk node back.?

7. Identity

Author / identity: Azriel Eliab only. Apache-2.0.