

Software Catalog and Lattice Ledger

AZL-VOL-1.0 · runtime 1.6.13 · registry 3de5ed2e23ae9a76 · 2026-09-06 · Aziel Eliab

Volume of each named software on the public FragGate door, plus the hash-chained temporal question × act record an agent is allowed to read. Not a kit. Not a new FragGate slug. Clock is not Lock. Mesh default OFF.

AI reads the lattice by citing record hashes. It does not remember answers. Encryption, when used, is a local envelope whose hash enters the chain. The chain itself is not a ciphertext.

1. How an AI reads this lattice

Attach at POST /mcp or POST /v1/fraggate/call. Pipeline: fraggate_list → fraggate_describe → fraggate_call. Every call that matters writes an AZL-LEDGER record whose payload is the question or act bytes, slug, op, and engine digest. The model sentence is render only.

- Cite record.hash + kind + question + payload_sha256. That is recollection.
- If ZionPattern is missing, cite triad and say solver not run. Do not invent a blended percent.
- If the door refuses, cite the refuse record. Do not retry under a new name.
- Do not put passwords, token bodies, cookies, or model sentences in payload.
- To verify: python3 azl-ledger/reader.py verify acts.jsonl then export-ai.
- Catalog file for agents: azl-ledger/catalog.json (live slugs, ops, stubs as of 1.6.13).

2. Hash chain versus encryption

Two different machines. People collapse them into one sentence.

Layer	What it does	What it does not do
Hash chain (this ledger + TemporalLock)	Proves order and integrity of questions and acts. Anyone can verify SHA-256 over canonical JSON.	Does not hide bytes. Public records are readable.
Local envelope (ARK / OS keychain)	Encrypts secrets on the operator disk. Ledger stores envelope_sha256 only.	Hosted Workers do not unlock vaults. Public door stubs unlock / encrypt / scorch.
EmbryoLock	Local-not-hosted destructive vault. Name on the software tab.	Not a FragGate engine. Not a hosted Worker.
Publish gate	Official API token in env/keychain + AZBOT_PUBLISH=1.	Not encryption. Not browser login.

3. Exec pipe

open → DecisionGATE → fraggate_call(slug, op, payload) → timeslate(question|act) → render (disposable) → close

Call URL: <https://aziel-runtime.vibelock.workers.dev/v1/fraggate/call> · MCP: <https://aziel-runtime.vibelock.workers.dev/mcp> · OpenAPI: <https://aziel-runtime.vibelock.workers.dev/openapi.json> · Kernel: <https://github.com/AzielEliab/fraggate> (FG-0.1)

4. Counts (2026-09-06, runtime 1.6.13)

Measure	N	Note
Software-tab entries	34	plain → gate → lock. EmbryoLock is the stub product.

Measure	N	Note
Live software-tab	33	Hosted card exists.
FragGate live slugs	33	Allowlist on the door.
FragGate stub ops	124	Named refuse. Not silent 404.
Local-only count	1	Full node / vault stays local.
FG product_count	35	live + local_only + stub must still sum.

Separate software / sibling software under one FragGate door. Never separate FragGate engines. Clock is not Lock. Sort law: plain A–Z → gate A–Z → lock A–Z (Clock ≠ Lock).

5. How to call any live slug

POST /v1/fraggate/call with header User-Agent: Mozilla/5.0 and JSON {"slug":"temporallock","op":"verify","payload":{...}}. Unknown slug → FG-HALLUC-TOOL. Stub op → named refuse receipt. Mesh enable is operator bearer only; GET /v1/mesh never enables.

6. Index of software

Bucket	Slug	Ver	Door	Live ops
plain	azclce	0.3.0	yes	score, classify, gate, health, skill
plain	azos	0.3.0	yes	status, health, skill
plain	azai	0.3.1	yes	lamb-check, lamb_check, health, skill
plain	azbot	0.2.0	yes	route, health, skill
plain	azbrowser	0.1.0	yes	ethical_search, lamb_lens_search, navigate, airlock_ingest, tab_open, tab_list, receipt_list, verify, receipt_verify, health, skill, airlock, home
plain	azhub	0.1.0	yes	health, skill, region_list, place_module, remove_module, tether_declare, tether_cut, tether_list, blank_key_status, list_modules, place
plain	aziel-corpus	2.6.2	yes	search, example, skill, health
plain	azieltether	0.1.0	yes	verify, health, skill
plain	azinterface	0.1.0	yes	health, skill, genesis_status, site_state_get, site_state_set, integrity_check, witness_list, page_cycle_status, genesis_boot, hold
plain	azmail	0.1.0	yes	airlock_classify, scrub, trust_score, mesh_post, mesh_poll, mesh_listen, mesh_enable, mesh_disable, keyword_alert_set, keyword_alert_list, keyword_alert_check, health, skill, classify
plain	aznet	0.1.0	yes	health, pair_status, garden_list, stamp, verify_hash, memorial_list, memorial_append, receipt_verify, skill, doctor, pair
plain	forgereceipts	0.3.0	yes	receipt, health, skill
plain	glossafilter	0.1.0	yes	render, health, skill
plain	miragegrid	0.2.0	yes	assign, health, skill
plain	postking	0.1.0	yes	new, move, status, health, skill

Bucket	Slug	Ver	Door	Live ops
plain	staticclock	0.2.0	yes	advise, health, skill
plain	ark	0.1.0	yes	sweep, levels, health, skill
plain	zsolver	0.2.0	yes	patterns, score, session, health, skill
gate	decisiongate	0.1.0	yes	check, evaluate, health, skill
lock	chronolock	0.1.0	yes	advisory, anchors, health, skill
lock	codelock	0.1.0	yes	render, health, skill
lock	embryolock	—	tab-only	—
lock	employeelock	0.1.0	yes	append-preview, verify-canonical, health, skill
lock	foldlock	0.8.0	yes	fold-preview, unfold-preview, health, skill
lock	godlock	0.1.0	yes	score, submit, health, skill
lock	mialock	0.1.1	yes	map, search-options, queries, doe-match, coverage, example, health, skill
lock	peacelock	0.1.0	yes	open, seal, break, show, verify, stamp, upload_envelope, health, skill, doctor
lock	shadowlock	0.2.0	yes	observe, health, skill
lock	spectrallock	0.3.0	yes	modes, overlay, health, skill
lock	temporallock	0.2.0	yes	genesis, append, verify, health, skill
lock	trajectorylock	0.1.0	yes	example, analyze, health, skill
lock	veillock	0.2.0	tab-only	—
lock	vibelock	0.3.0	yes	analyze, health, skill
lock	whistlelock	0.1.0	yes	hash-preview, canon-preview, health, skill
kernel	mesh	QNM-BUILD-1.0	yes	status, enable, disable, join, heartbeat, leave, nodes, broadcast, health, skill, mesh_status, mesh_enable, mesh_disable, mesh_join, mesh_heartbeat, mesh_leave, mesh_nodes, mesh_broadcast

7. Individual software — how each one works

Each card is the public door truth as of runtime 1.6.13. How = official one-line + live ops + what is stub-refused + the Q×act note. GitHub and counted Worker URLs are listed so an agent can pull, not so a human has to hunt.

AZ-CLCE · azclce · 0.3.0 · live

Jaccard triple / pairwise / CLCE+. Detects inconsistency, not intent.

How. Jaccard / CLCE+ inconsistency detection. Detects inconsistency, not intent.

Live ops. score, classify, gate, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzrielEliab/az-clce>

AZ-OS · azos · 0.3.0 · live

Read-only status / principles. Does not grant remote shell.

How. Read-only principles and status. exec is stub. Does not grant remote shell.

Live ops. status, health, skill

Stub-refused ops. exec, shell, lattice

GitHub. <https://github.com/AzrielEliab/azos>

AZAI · azai · 0.3.1 · live

Local OpenAI-compatible runtime. Not a new foundation model. Jeeves is not sovereign.

How. Local OpenAI-compatible runtime. Not a new foundation model. Jeeves is not sovereign. lamb-check only on the public door.

Live ops. lamb-check, lamb_check, health, skill

Stub-refused ops. blend, complete, chat

GitHub. <https://github.com/AzrielEliab/azai>

AZBot · azbot · 0.2.0 · live

Skill, not a foundation model. Hosted /v1/skill returns markdown.

How. Harness / skill. Hosted /v1/skill is markdown. Local 1.1 adds profiles, act ledger, publish gate. Does not ship model weights. route is the public op.

Live ops. route, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzrielEliab/azbot>

AZBrowser · azbrowser · 0.1.0 · live

AZBrowser (AZB-1.0): Lamb Lens ethical research browser. Cite; refuse harvest; no invented visits. FragGate only. AZNet is a separate software (order/token pairing only).

How. Lamb Lens ethical research browser. Cite. Refuse harvest. No invented visits. Pair-order with AZNet only. airlock_ingest is ingest-to-receipt, not login.

Live ops. ethical_search, lamb_lens_search, navigate, airlock_ingest, tab_open, tab_list, receipt_list, verify, receipt_verify, health, skill, airlock, home

Stub-refused ops. tor_exit, tor, onion, phoenix_wipe, wipe, scorch, chromium, chromium_exec, chrome, exec, playwright, puppeteer, proxy,

unrestricted_proxy, socks, vpn, keylog, keylogger, clipboard, harvest, spy, surveillance, wiretap, intercept, inject, track

GitHub. <https://github.com/AzrielEliab/azbrowser>

AZHub · azhub · 0.1.0 · live

AZHub (AIH-WP-1.0): Blank Key / neutral spatial container. Does not interpret. FragGate only. AZInterface is sibling software under the same FragGate door.

How. Blank Key spatial container. Places modules. Does not interpret them. Sibling of AZInterface under the same door.

Live ops. health, skill, region_list, place_module, remove_module, tether_declare, tether_cut, tether_list, blank_key_status, list_modules, place

Stub-refused ops. scorch_remote, auto_unlock, ranking, completeness_detect, unlock, complete, completeness, rank, scorch

GitHub. <https://github.com/AzielEliab/azhub>

Aziel Digital Library · aziel-corpus · 2.6.2 · live

Self-contained immutable digital library. Public MASTER. Not a 26-card index.

How. Content-addressed library. search / example are lookups. The object is the record hash, not a gloss. ZionPattern may be empty; then return triad + solver-not-run.

Live ops. search, example, skill, health

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/aziel-corpus>

AzielTether · azieltether · 0.1.0 · live

AzielTether 0.1.0: central × decentral survival mesh for downloaded Aziel software. Prefer-central; peer sync when down; public HTTPS stays mesh-free. Not a VPN. Author Aziel Eliab.

How. Survival mesh for downloaded copies. Prefer-central; peer sync when down. Public HTTPS stays mesh-free. vpn / arm / mesh-join stub.

Live ops. verify, health, skill

Stub-refused ops. mesh-join, vpn, arm

GitHub. <https://github.com/AzielEliab/azieltether>

AZInterface · azinterface · 0.1.0 · live

AZInterface (AIH-WP-1.0): custodial operating environment. Pre-locked page cycles OFF/integrity/ON/FULL SHUTDOWN/MEMORIAL. FragGate only. AZHub is sibling software under the same FragGate door.

How. Custodial operating environment. Page cycles OFF / integrity / ON / FULL SHUTDOWN / MEMORIAL. Does not exec catalog engines itself.

Live ops. health, skill, genesis_status, site_state_get, site_state_set, integrity_check, witness_list, page_cycle_status, genesis_boot, hold

Stub-refused ops. scorch_remote, auto_unlock, ranking, completeness_detect, unlock, complete, completeness, rank, scorch, skip_cycle, invent_cycle

GitHub. <https://github.com/AzielEliab/azinterface>

AZMail · azmail · 0.1.0 · live

AZMail (APP 1.0): anonymous MCP mesh + advisory airlock. Not a full internet MTA. Mesh default off. FragGate only.

How. Advisory airlock + optional anonymous ring. Not an MTA. smtp / send / login / harvest are stub-refused. Mesh default off.

Live ops. airlock_classify, scrub, trust_score, mesh_post, mesh_poll, mesh_listen, mesh_enable, mesh_disable, keyword_alert_set, keyword_alert_list, keyword_alert_check, health, skill, classify

Stub-refused ops. smtp, smtp_send, send, mail, deliver, imap, pop3, mx, identify, deanonymize, unmask, whois, harvest, credential_capture, login

GitHub. <https://github.com/AzielEliab/azmail>

AZNet · aznet · 0.1.0 · live

AZNet (AZN-WP-0.1): silent verification side-net. Hash continuity without hosting. Separate software; functional-order pair with AZBrowser.

How. Silent verification side-net. Hash continuity without hosting payloads. Memorial list/append are verification objects, not a social feed.

Live ops. health, pair_status, garden_list, stamp, verify_hash, memorial_list, memorial_append, receipt_verify, skill, doctor, pair

Stub-refused ops. payload_host, serve_content_for_peer, analytics, ranking, repair_integrity_bypass, interface, lumen, hub, interface_hook, lumen_hook, hub_hook

GitHub. <https://github.com/AzielEliab/aznet>

ForgeReceipts · forgereceipts · 0.3.0 · live

ForgeReceipts 0.3.0: Local receipt / checklist helper with jurisdiction-aware state picker (all 50 states + federal baseline) customizing UI/legal framing. Not legal advice. Does not contact courts. Author Aziel Eliab.

How. Local checklist / receipt helper. Jurisdiction picker changes framing, not a court filing. Does not contact courts. An act here is ‘issued a local receipt’, not a submission.

Live ops. receipt, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/forgereceipts>

Glossa Filter · glossafilter · 0.1.0 · live

Render an intent across bundled peer ids. Human opinion remains human.

How. Render an intent across bundled peer ids. Human opinion remains human.

Live ops. render, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/glossafilter>

MirageGrid · miragegrid · 0.2.0 · live

Ephemeral session node assignment. Not a VPN and not an anonymity network.

How. Ephemeral session node assignment. Not a VPN. vpn-hop / hop / tunnel / mesh stub.

Live ops. assign, health, skill

Stub-refused ops. vpn-hop, hop, tunnel, mesh

GitHub. <https://github.com/AzielEliab/miragegrid>

Post-King Chess · postking · 0.1.0 · live

Continuity chess. The goal is not to win. The goal is to remain.

How. Continuity chess. The goal is not to win. The goal is to remain.

Live ops. new, move, status, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/postking-chess>

StaticClock · staticclock · 0.2.0 · live

Five advisory fields for a geo. Not a scheduler.

How. Five advisory fields for a geo. Not a scheduler. Clock ≠ Lock.

Live ops. advise, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/staticclock>

The ARK · ark · 0.1.0 · live

Mode E heuristics sweep. Not a kernel. Hosted never unlocks or stores vaults.

How. Mode E heuristics sweep and levels. Hosted never unlocks or stores vaults. scorch / wipe / unlock / encrypt are stub on the public door.

Live ops. sweep, levels, health, skill

Stub-refused ops. scorch, wipe, unlock, encrypt

GitHub. <https://github.com/AzielEliab/ark>

ZionPattern Solver · zsolver · 0.2.0 · live

Nine ontology nodes (Zioncheck seed). Hard 75% cap. Does not solve cases.

How. Nine ontology nodes. Hard 75% cap. Does not solve cases. Missing run must not be averaged into trust.

Live ops. patterns, score, session, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/zion-pattern-solver>

DecisionGATE · decisiongate · 0.1.0 · live

Five sequential gates on a proposal. Freedom without clarity is chaos.

How. Five sequential gates on a proposal: Definition, Evidence, Impact, Integrity, Responsibility. Pre-exec only. PASS / REVISE / BLOCK. BLOCK is a hashed refuse.

Live ops. check, evaluate, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/decisiongate>

ChronoLock · chronolock · 0.1.0 · live

Advisory temporal window 08:30–10:30 local. Distinct from TemporalLock.

How. Advisory temporal window 08:30–10:30 local. Distinct from TemporalLock (receipts).

Live ops. advisory, anchors, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/chronolock>

CodeLock · codelock · 0.1.0 · live

Canonical or Rosetta HTML view of source. Alters perception, not meaning.

How. Canonical or Rosetta HTML view of source. Alters perception, not meaning.

Live ops. render, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/codelock>

EmbryoLock · embryolock · — · stub

EmbryoLock is stub / local-not-hosted. Name only. Not a hosted Worker. Not a FragGate engine. Author: Aziel Eliab.

How. Stub / local-not-hosted. Name only on the software tab. Not a hosted Worker. Not a FragGate engine. Destructive-by-design local vault stays local.

Live ops. (none on public door)

Stub-refused ops. —

GitHub. —

EmployeeLock · employelock · 0.1.0 · live

Hash-chained accountability workbook. Not a court, not UL, not a truth score.

How. Hash-chained accountability workbook. Not a court, not Unowned Lattice, not a truth score.

Live ops. append-preview, verify-canonical, health, skill

Stub-refused ops. court, judge

GitHub. <https://github.com/AzielEliab/employelock>

FoldLock · foldlock · 0.8.0 · live

Algorithmic tether-word suppression on UTF-8 text. Not zip.

How. Algorithmic tether-word suppression on UTF-8 text. Preview fold/unfold. Not zip. Not encryption of a file format.

Live ops. fold-preview, unfold-preview, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/foldlock>

GodLock · godlock · 0.1.0 · live

Offline ABAD / hardening score. Not a VPN and not an anonymity network.

How. Offline ABAD / hardening score and public stress-test node. score and submit are catalog ops. Not a VPN. Hash-chained public ledger on godlock.uk.

Live ops. score, submit, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/godlock>

M.I.A.Lock · mialock · 0.1.1 · live

M.I.A.Lock 0.1.1: event map + Doe matching + uncertainty ellipses + coverage heat. Doe leads $\neq$ ID. Heat $\neq$ presence. Author Aziel Eliab.

How. Event map + Doe matching + uncertainty ellipses + coverage heat. Doe leads are not an ID. Heat is not presence.

Live ops. map, search-options, queries, doe-match, coverage, example, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/mialock>

PeaceLock · peacelock · 0.1.0 · live

Chosen silence / chosen inaction as a first-class receipt (PL-WP-0.1).

How. Chosen silence or chosen inaction as a first-class receipt. No transcript of the unspoken. No counterfactual act.

Live ops. open, seal, break, show, verify, stamp, upload_envelope, health, skill, doctor

Stub-refused ops. transcript, transcribe, motive, counterfactual, invent, waive-duty, bypass-duty

GitHub. <https://github.com/AzielEliab/peacelock>

ShadowLock · shadowlock · 0.2.0 · live

Zero-retention observation of a job list you already have. No OS hook.

How. Zero-retention observation of a job list the operator already has. No OS hook.

Live ops. observe, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzielEliab/shadowlock>

SpectralLock · spectrallock · 0.3.0 · live

Overlay preview modes. 256px hosted preview, not a spectrometer.

How. Overlay preview modes. 256px hosted preview, not a spectrometer.

Live ops. modes, overlay, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzrielEliab/spectrallock>

TemporalLock · temporallock · 0.2.0 · live

Hash-chained receipts anyone can verify. Explicit genesis, append, verify.

How. Genesis writes prev=0×64. Append takes prior tip + new record bytes. Verify recomputes SHA-256 over canonical JSON. This is the receipt primitive the Q×act ledger specializes. Hosted ops do not store operator vaults.

Live ops. genesis, append, verify, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzrielEliab/temporallock>

TrajectoryLock · trajectorylock · 0.1.0 · live

Auditable geometric test. Research prototype, not a certified forensic instrument.

How. Auditable geometric test. Research prototype, not a certified forensic instrument.

Live ops. example, analyze, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzrielEliab/trajectorylock>

VeilLock · veillock · 0.2.0 · live

Local camera/screen steps for YOUR device only. Not a call interceptor.

How. Local camera/screen steps for the operator device only. Not a call interceptor. inject / intercept / facetime stub. Listed on the software tab; ops are local-first.

Live ops. (none on public door)

Stub-refused ops. inject, intercept, facetime

GitHub. <https://github.com/AzrielEliab/veillock>

VibeLock · vibelock · 0.3.0 · live

Physical-consistency evaluation of speech audio. Risk assessment, not a liveness proof.

How. Physical-consistency evaluation of speech audio. Risk assessment, not a liveness proof.

Live ops. analyze, health, skill

Stub-refused ops. —

GitHub. <https://github.com/AzrielEliab/vibelock>

WhistleLock · whistlelock · 0.1.0 · live

Local drop ledger + dead-man copy. Not a mailer.

How. Local drop ledger + dead-man copy. hash-preview / canon-preview only on the door. send / mail / release stub. Not a mailer.

Live ops. hash-preview, canon-preview, health, skill

Stub-refused ops. send, mail, release

GitHub. <https://github.com/AzrielEliab/whistlelock>

Quantum Node Mesh · mesh · QNM-BUILD-1.0 · live-default-off

Suite rollup. Default OFF. Not a Softwares-tab product. Full node is local qnm-node/.

How. QNM suite rollup. GET /v1/mesh never enables. Operator bearer enable only. Default radios off. Views/MCP/downloads do not enter QNM-S. Full node is local qnm-node/.

Live ops. status, enable, disable, join, heartbeat, leave, nodes, broadcast, health, skill, mesh_status, mesh_enable, mesh_disable, mesh_join, mesh_heartbeat, mesh_leave, mesh_nodes, mesh_broadcast

Stub-refused ops. arm, wipe, vpn, hop, tunnel, scorch, login, recover, recovery, resurrection, resurrect, account, gate, ip-panel, ippanel, publish, phoenix-hunt, phoenix_hunt, heal, controller

GitHub. —

8. AZL-LEDGER-1.0 record

Canonical JSON, sort_keys true, separators comma-colon. hash = SHA-256 of {prev, kind, profile, question, payload, utc}. Genesis prev is 64 zeros. File format is JSONL, one record per line. Schema: azl-ledger/schema.json. Reader: azl-ledger/reader.py. Example chain: azl-ledger/acts.example.jsonl.

Field	Rule
prev / hash	64 hex. hash covers prev + body. Break either and verify fails.
kind	genesis question act ask call queue hold refuse verify seal
profile	operator shelf runtime publisher coder or local slug
question	The typed question or the act verb. Never the model reply.
payload	slug, op, input, verdict, why, http, text_sha256, envelope_sha256, engine_digest, token_present. No password, no token body, no cookie, no model_sentence.
utc	YYYY-MM-DDTHH:MM:SSZ

TemporalLock remains the catalog engine (genesis / append / verify). AZL-LEDGER is the question × act specialization written beside it so a model has a single cite rule. It is not a 36th software-tab product.

9. Surfaces an agent may use

Surface	URL / path
Runtime / MCP / OpenAPI	https://aziel-runtime.vibelock.workers.dev/
Library front door	https://www.azielcorpuslibrary.net/runtime
Library MASTER	https://www.azielcorpuslibrary.net/
GodLock node	https://godlock.uk
Host (not login-recovery)	https://azieleliab.com
This volume's machine pack	/home/workdir/artifacts/azl-ledger/

10. Never

- Treat a generated sentence as a chained object.
- Invent a slug that is not on the FragGate allowlist.
- Call a stub op and pretend it executed.
- Put secrets in the ledger.
- Enable mesh from a GET or from a public UI switch.

- Claim this volume ships model weights.
- Place a legal name or home location on a public copy of this file.
- Average a missing ZionPattern into a trust percent.

11. Restraint

Live one-lines and ops are copied from aziel-runtime 1.6.13 on 2026-09-06. Internal unpublished code is not claimed. Hash chains and content-addressed stores pre-exist. The cut is the cite rule: next agent points at the record hash.

Public identity on this file is Aziel Eliab only. Provisional. Dated 2026-09-06.

If the files hold, the name was never the point.