

The Aziel Lattice

AZL-WP-1.1 · master concept at 100% · 2026-09-06 · Aziel Eliab · supersedes 1.0 doctrine

This file is 100% of the concept. It is not 100% of the hosted fleet. GAP-1.0 scores stay until close tests pass on running doors.

A local-first, node-meshed, hash-chained lattice for recollection across a sealed digital history book and operator acts, with temporal receipts, supplied to humans and models through one FragGate door as an auditing investigation engine. Hash questions and acts. Do not chain answers.

1. Classification

- Not a model. Does not ship Grok weights.
- Not a login mesh. No accounts on the public node.
- Not a password store. Credentials never enter the UI or the ledger.
- Not a new product name over existing FragGate slugs.
- Not a public 25-node congregation on the Worker.
- Public identity: Aziel Eliab only. No legal name. No residential or county location. Not a court filing.

2. Ten laws

1. **One door.** Humans use a front-end. Models use MCP / OpenAPI. Both hit FragGate → aziel-runtime. Proxy is not exec.
2. **Hash the question and the act.** Payload = input bytes + profile + slug + op + engine_digest + time. Sentence is render. Next agent cites record.hash.
3. **Refuse is an act.** FG-HALLUC-TOOL, stub, DecisionGATE BLOCK, publish-hold, APG quarantine each write a receipt.
4. **Two mesh planes.** Local qnm-node process default ON. Public Worker is rollout / status. GET /v1/mesh never enables. No Node Gate.
5. **Unkillable is isolate + rotate.** Zero radios: process ON, ledger appends, bearers empty. Poison isolates, spends ID, rotates bridges, phoenix-waits. QNM-WP-1.0.
6. **Airlock credentials.** Official tokens in env / keychain. AZBOT_PUBLISH=1 before network post. No browser login. Ledger stores token_present only.
7. **Score without theater.** Triad may sit while ZionPattern is empty. Cap 75%. Return solver-not-run. Never blend.
8. **Identity lock.** Exported surfaces: Aziel Eliab only. Slingshot Prep is local sanitation plus a receipt. Not an upload proxy.
9. **Clock is not Lock.** StaticClock / ChronoLock advise time. TemporalLock is the receipt primitive.
10. **Recognition is not a kit.** GAP and UL/BAL name a structure and stop. This paper does not mint a 36th software-tab slug named Lattice.

3. Objects

Object	Role	Not
Book	Library + corpus. Content-addressed MASTER.	Gloss, chatbot memory
Door	FragGate FG-0.1. Hashed registry. Thin MCP list.	A second engine per product
Runtime	aziel-runtime 1.6.x catalog + engines.	Human homepage
Hub	Blank Key container. Places modules.	An interpreter

Object	Role	Not
Interface	Page cycles OFF / integrity / ON / SHUTDOWN / MEMORIAL.	An exec plane
Local fabric	qnm-node. Process ON. Cells of 25. Two bridges.	The public Worker
Public rollup	GET /v1/mesh counts.	Enable switch, Node Gate
Receipt	TemporalLock + AZL-LEDGER. Q×act bytes.	Model sentence, hosted vault
Envelope	ARK / keychain. Hash enters chain.	A chain object; hosted unlock
Harness	AZBOT-1.1 profiles, queue, gate.	Grok weights
Control	Coder profile + Cursor rules.	A second lattice
Publish	Official APIs + env gate.	Browser login
Faces	azieleliab.com · corpus · godlock.uk	Login-recovery, IP UI

4. Exec pipe

open → *DecisionGATE (Definition, Evidence, Impact, Integrity, Responsibility)* → *fraggate_call(slug, op, payload)* → *AZL-LEDGER record* → *render (disposable)* → *close*

Unknown slug → FG-HALLUC-TOOL. Stub op → named refuse. Publish without AZBOT_PUBLISH=1 → hold. User-Agent Mozilla/5.0. Pipeline: list → describe → call.

5. Ledger

Canonical JSON. hash = SHA-256({prev, kind, profile, question, payload, utc}). Genesis prev = 64 zeros. JSONL. Kinds: genesis, question, act, ask, call, queue, hold, refuse, verify, seal, isolate, rotate, phoenix, assign.

Payload may: slug, op, input, verdict, why, http, text_sha256, envelope_sha256, engine_digest, token_present, mesh_id, cell_id, bridge_ids. Payload must not: model_sentence, password, token_body, cookie, answer_as_object.

AI cite rule: record.hash + kind + question + payload_sha256. Chain is not ciphertext. Encryption is a local envelope.

6. UI and MCP are the same object

- Loopback first. Worker stays API / MCP / OpenAPI.
- Executing control = FragGate op or queued official API act.
- Public mesh panel reads status. It does not enable.
- No password field. Queue is default publish.
- Profiles: operator, shelf, runtime, publisher, coder. Cross-talk is a logged act.
- ZABot = keychain helper. Not a headless browser. AZControl = coder profile + rules.

7. Public vs local

Plane	Default	Forbidden
Local qnm-node	Process ON. Bearers attempt.	Accounts, password store
Public Worker / faces	Rollup OFF. GET never enables.	Node Gate, IP UI, fake cell of 25

8. APG

Inbound classes: reanswer-without-cite; flood/interval; unknown slug or stub-as-live; credential/login/cookie; poison/tamper. Last class isolates the member if the inbound rode a tether.

9. Scoring

Triad SPRE $\times$ CLCE $\times$ PhysLing. ZionPattern cap 75%. Missing solver $\rightarrow$ triad + solver_not_run. Doe lead is not an ID. Heat is not presence.

10. Never

- Claim the harness is Grok or ships weights.
- Fake a 25-node fabric on the Worker.
- Password collection or browser login.
- Silent live posts or chained model sentences.
- Average missing ZionPattern into a trust percent.
- New slugs that skip FragGate. Treat GAP/UL as kits. Untraceable upload path.

11. Concept close tests

- Ten laws cover door, ledger, two mesh planes, credentials, scores, identity.
- Exec pipe has no unnamed side door. Ledger forbidden keys are enumerated.
- UI and MCP are the same object. QNM-WP-1.0 holds cell mechanics.
- Fleet scores are not inflated by this file existing.

12. Fleet scores (GAP-1.0, unchanged)

Vision of running end-state $\sim 52\%$. Toolkit / doors $\sim 75\%$. Recollection-under-attack $\sim 40\%$. Hash-Q $\times$ act principle 10/10; mechanical default $\sim 35\%$. This paper does not raise those numbers.

Hash chains and MCP pre-exist. Firstness is not a historical absolute. Public identity: Aziel Eliab only. 2026-09-06.

If the files hold, the name was never the point.