

```
import React, { useState, useEffect } from
'react';
import { Upload, Plus, Search, MapPin,
DollarSign, Calendar, Trash2, Eye, EyeOff }
from 'lucide-react';

const BikeMarketplace = () => {
  const [bikes, setBikes] = useState([]);
  const [showUploadForm, setShowUploadForm]
= useState(false);
  const [searchTerm, setSearchTerm] =
useState('');
  const [formData, setFormData] =
useState({
    brand: '',
    model: '',
    year: '',
    condition: 'good',
    price: '',
    location: '',
    description: '',
    image: null,
    imagePreview: null
  });

  // SEO Meta Tags
  useEffect(() => {
    // Title
    document.title = 'Amazing Bike Bazaar -
Buy Second Hand Bikes Online | Used
```

```

Motorcycles';

    // Meta Description
    const meta =
document.querySelector('meta[name="description"]');
    if (meta) {
        meta.setAttribute('content', 'Amazing
Bike Bazaar - Buy and sell second-hand
bikes online. Find affordable used
motorcycles in your area. Browse quality
pre-owned bikes with verified sellers.');
```

```

    } else {
        const newMeta =
document.createElement('meta');
        newMeta.name = 'description';
        newMeta.content = 'Amazing Bike
Bazaar - Buy and sell second-hand bikes
online. Find affordable used motorcycles in
your area. Browse quality pre-owned bikes
with verified sellers.';
        document.head.appendChild(newMeta);
    }

    // Keywords
    const keywordMeta =
document.querySelector('meta[name="keywords"]');
    if (keywordMeta) {
        keywordMeta.setAttribute('content',
'second hand bikes, used motorcycles, bike
marketplace, buy used bikes, sell bikes,
affordable bikes, pre-owned motorcycles');
```

```

    } else {

```

```
        const newKeywordMeta =
document.createElement('meta');
        newKeywordMeta.name = 'keywords';
        newKeywordMeta.content = 'second hand
bikes, used motorcycles, bike marketplace,
buy used bikes, sell bikes, affordable
bikes, pre-owned motorcycles';

document.head.appendChild(newKeywordMeta);
    }

    // Open Graph Tags
    const ogTags = [
        { property: 'og:title', content:
'Amazing Bike Bazaar - Second Hand Bikes'
    },
        { property: 'og:description',
content: 'Buy and sell second-hand bikes
online. Find affordable used motorcycles
with verified sellers.' },
        { property: 'og:type', content:
'website' },
        { property: 'og:site_name', content:
'Amazing Bike Bazaar' }
    ];

    ogTags.forEach(tag => {
        const existing =
document.querySelector(`meta[property="${tag
property}"]`);
        if (existing) {
            existing.setAttribute('content',
tag.content);
        } else {
```

```

        const newTag =
document.createElement('meta');
        newTag.setAttribute('property',
tag.property);
        newTag.setAttribute('content',
tag.content);
        document.head.appendChild(newTag);
    }
});

}, []);

const handleImageChange = (e) => {
    const file = e.target.files[0];
    if (file) {
        const reader = new FileReader();
        reader.onloadend = () => {
            setFormData(prev => ({
                ...prev,
                image: file,
                imagePreview: reader.result
            }));
        };
        reader.readAsDataURL(file);
    }
};

const handleInputChange = (e) => {
    const { name, value } = e.target;
    setFormData(prev => ({ ...prev, [name]:
value }));
};

const handleSubmit = (e) => {

```

```
e.preventDefault();

    if (!formData.brand || !formData.model
    || !formData.price ||
    !formData.imagePreview) {
        alert('Please fill in all required
fields');
        return;
    }

    const newBike = {
        id: Date.now(),
        ...formData,
        featured: bikes.length < 3
    };

    setBikes([newBike, ...bikes]);
    setFormData({
        brand: '',
        model: '',
        year: '',
        condition: 'good',
        price: '',
        location: '',
        description: '',
        image: null,
        imagePreview: null
    });
    setShowUploadForm(false);
};

const deleteBike = (id) => {
    setBikes(bikes.filter(bike => bike.id
    !== id));
};
```

```

    };

    const filteredBikes = bikes.filter(bike
=>

bike.brand.toLowerCase().includes(searchTerm.toLowerCase()) ||

bike.model.toLowerCase().includes(searchTerm.toLowerCase()) ||

bike.location.toLowerCase().includes(searchTerm.toLowerCase())
    );

    return (
      <div className="min-h-screen bg-gradient-to-b from-slate-50 to-slate-100">
        { /* Header */ }
        <header className="sticky top-0 z-50 bg-white border-b border-slate-200 shadow-sm">
          <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-4">
            <div className="flex items-center justify-between">
              <div className="flex items-center gap-3">
                <div className="w-10 h-10 bg-gradient-to-br from-amber-400 to-orange-500 rounded-lg flex items-center justify-center">
                  <span className="text-white font-bold text-lg">🔍</span>

```

```

    </div>
    <div>
      <h1 className="text-2xl font-bold text-slate-900">Amazing Bike Bazaar</h1>
      <p className="text-xs text-slate-500">Find Your Perfect Second-Hand Bike</p>
    </div>
  </div>

  <button
    onClick={() =>
      setShowUploadForm(!showUploadForm)}
    className="inline-flex items-center gap-2 bg-gradient-to-r from-amber-400 to-orange-500 hover:from-amber-500 hover:to-orange-600 text-white px-6 py-2.5 rounded-lg font-semibold transition-all duration-200 shadow-md hover:shadow-lg"
  >
    <Plus size={20} />
    Sell Your Bike
  </button>
</div>
</div>
</header>

{/* Upload Form Modal */}
{showUploadForm && (
  <div className="fixed inset-0 bg-black bg-opacity-50 z-40 flex items-center justify-center p-4">
    <div className="bg-white rounded-

```

```

xl shadow-xl max-w-2xl w-full max-h-[90vh]
overflow-y-auto">
    <div className="sticky top-0
bg-gradient-to-r from-amber-50 to-orange-50
border-b border-slate-200 px-6 py-4 flex
items-center justify-between">
        <h2 className="text-2xl font-
bold text-slate-900">Sell Your Bike</h2>
        <button
            onClick={() =>
setShowUploadForm(false)}
            className="text-slate-500
hover:text-slate-700 text-2xl"
        >
            x
        </button>
    </div>

    <form onSubmit={handleSubmit}
className="p-6 space-y-5">
        <div className="grid grid-
cols-2 gap-4">
            <div>
                <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">
                    Bike Brand <span
className="text-red-500">*</span>
                </label>
                <input
                    type="text"
                    name="brand"
                    value={formData.brand}
                    onChange=

```



```

{handleInputChange}
                placeholder="e.g.,
Hero, Bajaj, TVS, Honda"
                className="w-full px-4
py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition"
            />
        </div>
        <div>
            <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">
                Model <span
className="text-red-500">*</span>
            </label>
            <input
                type="text"
                name="model"
                value={formData.model}
                onChange=
{handleInputChange}
                placeholder="e.g.,
Splendor, Pulsar, Activa"
                className="w-full px-4
py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition"
            />
        </div>
    </div>

```

```

        <div className="grid grid-
cols-3 gap-4">
            <div>
                <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">Year</label>
                <input
                    type="number"
                    name="year"
                    value={formData.year}
                    onChange=
{handleInputChange}
                    placeholder="2020"
                    className="w-full px-4
py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition"
                />
            </div>
            <div>
                <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">Condition</label>
                <select
                    name="condition"
                    value=
{formData.condition}
                    onChange=
{handleInputChange}
                    className="w-full px-4
py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none

```

```

transition"
        >
        <option
value="excellent">Excellent</option>
        <option
value="good">Good</option>
        <option
value="fair">Fair</option>
        </select>
    </div>
    <div>
        <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">
            Price <span
className="text-red-500">*</span>
        </label>
        <input
            type="number"
            name="price"
            value={formData.price}
            onChange=
{handleInputChange}
            placeholder="₹25,000"
            className="w-full px-4
py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition"
        />
    </div>
</div>

<div>

```

```
        <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">City/Location</label>
        <input
            type="text"
            name="location"
            value={formData.location}
            onChange=
{handleInputChange}
            placeholder="e.g., Delhi,
Mumbai, Bangalore"
            className="w-full px-4
py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition"
        />
    </div>

    <div>
        <label className="block
text-sm font-semibold text-slate-700 mb-
1.5">Description</label>
        <textarea
            name="description"
            value=
{formData.description}
            onChange=
{handleInputChange}
            placeholder="Describe the
condition, mileage, service history, any
damage..."
            rows="3"
            className="w-full px-4
```

```

py-2 border border-slate-300 rounded-lg
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition resize-none"
      />
    </div>

    <div>
      <label className="block
text-sm font-semibold text-slate-700 mb-
2.5">
        Bike Photo <span
className="text-red-500">*</span>
      </label>
      <div className="border-2
border-dashed border-slate-300 rounded-lg
p-6 text-center cursor-pointer
hover:border-amber-400 hover:bg-amber-50
transition">
        <input
          type="file"
          onChange=
{handleImageChange}
          accept="image/*"
          className="hidden"
          id="image-input"
        />
        <label htmlFor="image-
input" className="cursor-pointer block">
          {formData.imagePreview
? (
            <div
className="space-y-2">
              <img src=

```

```

{formData.imagePreview} alt="Bike preview"
className="w-32 h-32 object-cover mx-auto
rounded-lg" />

        <p className="text-
sm text-slate-600">Click to change
image</p>

        </div>
    ) : (
        <div
className="space-y-2">
            <Upload
className="mx-auto text-slate-400" size=
{32} />
            <p className="text-
sm text-slate-600">Click to upload bike
photo</p>
            <p className="text-
xs text-slate-500">PNG, JPG up to 10MB</p>
        </div>
    )}
</label>
</div>
</div>

<div className="flex gap-3
pt-2">
    <button
        type="submit"
        className="flex-1 bg-
gradient-to-r from-amber-400 to-orange-500
hover:from-amber-500 hover:to-orange-600
text-white font-semibold py-3 rounded-lg
transition-all duration-200 shadow-md
hover:shadow-lg"

```

```

        >
        List Your Bike
      </button>
      <button
        type="button"
        onClick={() =>
setShowUploadForm(false)}
        className="flex-1 border-
2 border-slate-300 text-slate-700 font-
semibold py-3 rounded-lg hover:bg-slate-50
transition"
        >
        Cancel
      </button>
    </div>
  </form>
</div>
</div>
)}

  { /* Main Content */ }
  <main className="max-w-7xl mx-auto
px-4 sm:px-6 lg:px-8 py-8">
    { /* Search Bar */ }
    <div className="mb-8">
      <div className="relative">
        <Search className="absolute
left-4 top-1/2 transform -translate-y-1/2
text-slate-400" size={20} />
        <input
          type="text"
          placeholder="Search second-
hand bikes by brand, model, or location..."
          value={searchTerm}

```

```

        onChange={(e) =>
setSearchTerm(e.target.value)}
        className="w-full pl-12 pr-4
py-3 border border-slate-300 rounded-xl
focus:ring-2 focus:ring-amber-400
focus:border-transparent outline-none
transition bg-white shadow-sm"
      />
    </div>
  </div>

  { /* Hero Section */}
  {filteredBikes.length === 0 &&
bikes.length === 0 && (
    <div className="text-center py-
16">
      <div className="w-20 h-20 bg-
slate-100 rounded-full mx-auto mb-4 flex
items-center justify-center">
        <span className="text-4xl">🏍️
      </span>
    </div>
    <h2 className="text-2xl font-
bold text-slate-900 mb-2">Find Your Perfect
Second-Hand Bike</h2>
    <p className="text-slate-600
mb-6">Buy affordable used motorcycles from
trusted sellers or list your bike for
sale</p>
    <button
      onClick={() =>
setShowUploadForm(true)}
      className="inline-flex items-
center gap-2 bg-gradient-to-r from-amber-

```



```

400 to-orange-500 hover:from-amber-500
hover:to-orange-600 text-white px-6 py-3
rounded-lg font-semibold transition-all"
    >
        <Plus size={20} />
        Add Your First Bike
    </button>
</div>
)}

{/* No Results */}
{filteredBikes.length === 0 &&
bikes.length > 0 && (
    <div className="text-center py-
12">
        <p className="text-slate-600
mb-4">No bikes found matching your
search</p>
        <button
            onClick={() =>
setSearchTerm('')}
            className="text-amber-600
hover:text-amber-700 font-semibold"
        >
            Clear search
        </button>
    </div>
)}

{/* Bikes Grid */}
{filteredBikes.length > 0 && (
    <div className="grid grid-cols-1
md:grid-cols-2 lg:grid-cols-3 gap-6">
        {filteredBikes.map(bike => (

```

```

<article key={bike.id}
  className="bg-white rounded-xl shadow-md
  hover:shadow-xl transition-all duration-300
  overflow-hidden group">
  {/* Image Container */}
  <div className="relative h-
56 bg-slate-100 overflow-hidden">
    <img
      src={bike.imagePreview}
      alt={` ${bike.brand}
${bike.model} ${bike.year ? 'from ' +
bike.year : ''}`}
      className="w-full h-
full object-cover group-hover:scale-105
transition-transform duration-300"
    />
    {bike.featured && (
      <div
        className="absolute top-3 left-3 bg-
        gradient-to-r from-amber-400 to-orange-500
        text-white text-xs font-bold px-3 py-1
        rounded-full">
          Featured
        </div>
      )}
    </div>

    {/* Content */}
    <div className="p-4 space-
y-3">
      <div>
        <h3 className="text-lg
font-bold text-slate-900">
          {bike.brand}

```

```

{bike.model}
        </h3>
        <p className="text-sm
text-slate-500">{bike.year || 'Year not
specified'}</p>
        </div>

        <div className="space-y-2
text-sm">
                {bike.location && (
                        <div className="flex
items-center gap-2 text-slate-600">
                                <MapPin size={16}
className="text-slate-400" />
                                <span>
{bike.location}</span>
                        </div>
                )}
                <div className="flex
items-center justify-between">
                        <div className="flex
items-center gap-2 text-slate-600">
                                <span
className="inline-block px-2.5 py-1 bg-
slate-100 rounded text-xs font-semibold
text-slate-700 capitalize">
                                        {bike.condition}
                                </span>
                        </div>
                        <div className="flex
items-center gap-1 text-orange-600 font-
bold text-lg">
                                ₹{bike.price}
                        </div>

```

```

        </div>
      </div>

      {bike.description && (
        <p className="text-sm
text-slate-600 line-clamp-2">
{bike.description}</p>
      )}

      <button
        onClick={() =>
deleteBike(bike.id)}
        className="w-full mt-3
flex items-center justify-center gap-2 px-4
py-2 text-red-600 border border-red-200
rounded-lg hover:bg-red-50 transition font-
medium text-sm"
      >
        <Trash2 size={16} />
        Remove Listing
      </button>
    </div>
  </article>
)}}
```

```

</div>

{/* Stats Footer */}
{filteredBikes.length > 0 && (
  <div className="mt-12 text-center
text-slate-600">
    <p className="text-sm">Showing
{filteredBikes.length} second-hand
bike{filteredBikes.length !== 1 ? 's' : ''}

```

```
available for sale</p>
    </div>
  })
</main>

  { /* Footer */ }
  <footer className="bg-slate-900 text-
slate-300 mt-16 py-8">
    <div className="max-w-7xl mx-auto
px-4 text-center">
      <p className="text-sm">© 2024
Amazing Bike Bazaar. Buy and sell second-
hand motorcycles online.</p>
    </div>
  </footer>
</div>
);
};

export default BikeMarketplace;
```