MongoDB Crashcourse

Starting MongoDB

- Commands to run are in blue
- Start server
 - Open terminal window
 - -mkdir DB
 - mongod --dbpath DB

- Start client
 - mongo

Create a Collection

- Create a database entry
 - var customer = {name: "bob", balance: 100}
 - db.customers.insert(customer)

- We now have one collection of customers
 - show collections
- In the collection, we have one customer
 - db.customers.find()

Pretty Printing

- Print things nicely
 - db.customers.find().pretty()

 Note that each document within a collection has a unique ID that is created automatically

Filtering

- Create another customer
 - var customer2 = {name: "sara", balance: 200}
 - db.customers.insert(customer2)
- Again, list all customers:
 - db.customers.find().pretty()
- List customers called Sara

```
db.customers.find({name: "sara"}).pretty()
```

List customers with balance greater than 150

```
db.customers.find( { balance: { $gt: 150} } ).pretty()
```

Updating Documents

- Give bob a surname
- Add 50 to Bob's account
- Check outcome
 - db.customers.find().pretty()

Copying a Document

- Create a copy of Bob
 - var cust = db.customers.findOne({name : "bob"})
- Print the surname of the copy
 - cust["surname"]
- Change the surname of the copy
 - cust["surname"] = "Marley"

Saving a Copy to the Database

- Try to save the copy in the database (won't work)
 - db.customers.insert(cust)
- Generate a new object ID
 - var o = ObjectId()
- Assign the new ID to the copy
 - $-\operatorname{cust}["_id"] = o$
- Now try to insert again
 - db.customers.insert(cust)

Aggregation

Find sum of all account balances

```
db.customers.aggregate([ { $group: {
_id: null, total: { $sum: "$balance" } } } ] )
```

Summary

- When to use MongoDB?
- You need a flexible data model
- Non-interacting entities
 - No sharing (e.g. bank account)
 - No exchanging (e.g. money transfers)
- Commutative operations on data
- You do not need advanced analytics