



## PSCRB (Proficiency in Survival Craft and Rescue Boats)

### 101 Practice Questions and Answers for STCW Exams

Updated for DG Shipping India Exams | Source: [brightmariner.com](https://brightmariner.com)

#### Practice Set 1

**Q1. You are picking up a person who has fallen overboard. A rescue boat should be maneuvered to normally approach the victim with the**

- A) victim to leeward
- B) victim to windward
- C) wind on your port side
- D) wind on your starboard side

**Correct Answer: A (victim to leeward)**

**Q2. Which will be the worst of emergencies that you would face, if that happens?**

- A) Flooding
- B) Collision
- C) Grounding
- D) Foundering

**Correct Answer: D (Foundering)**

**Q3. What is the biggest danger to life when your vessel has collided with another ship?**

- A) Oil Pollution
- B) Breaching of Compartments
- C) Damage to the ship
- D) Possibility of Capsizing

**Correct Answer: D (Possibility of Capsizing)**

**Q4. If the hydrostatic release mechanism for an inflatable life raft is not periodically serviced and becomes inoperative, it will NOT**

- A) set the water lights on immersion
- B) release the dye-maker for the life raft
- C) free the life raft from a sinking vessel
- D) break the seal on the carbon dioxide cylinder

**Correct Answer: C (free the life raft from a sinking vessel)**



- A) drag the raft ashore and lash it down for shelter
- B) find some wood for a fire
- C) get the provisions out of the raft
- D) set the raft back out to sea so someone may spot it

**Correct Answer: A (drag the raft ashore and lash it down for shelter)**

**Q6. When a person who has fallen overboard is being picked up by a rescue boat, the boat should normally approach with the wind**

- A) astern and the victim just off the bow
- B) ahead and the victim just off the bow
- C) just off the bow and the victim to windward
- D) just off the bow and the victim to leeward

**Correct Answer: D (just off the bow and the victim to leeward)**

**Q7. A person has fallen overboard and is being picked up with a rescue boat. If the person appears in danger of drowning, the rescue boat should be maneuvered to make**

- A) An approach from leeward
- B) an approach from windward
- C) the most direct approach
- D) an approach across the wind

**Correct Answer: C (the most direct approach)**

**Q8. If the hydrostatic release mechanism for an inflatable life raft is not periodically serviced and becomes inoperable, it will fail to**

- A) set the water lights on immersion
- B) release the dye marker from the life raft
- C) free the life raft from the vessel
- D) break the seal on the carbon dioxide cylinder

**Correct Answer: C (free the life raft from the vessel)**

**Q9. If you are forced to abandon ship in a lifeboat, you should**

- A) remain in the immediate vicinity
- B) head for the nearest land
- C) head for the closest sea-lanes
- D) vote on what to do, so all hands will have a part in the decision

**Correct Answer: A (remain in the immediate vicinity)**

**Q10. When making a permanent repair to an inflatable life raft using a repair kit, how long after the repair is made should you hold off 'topping up' the lost air?**

- A) You do not have to hold off
- B) 12 hours
- C) 24 hours
- D) 2 hours



**Q11. What prevents an inflated liferaft from being pulled under by a vessel which sinks in water over 100 feet in depth?**

- A) The hydrostatic release
- B) Nothing
- C) A Rottmer release
- D) The weak link in the painter line

**Correct Answer: D (The weak link in the painter line)**

**Q12. What is placed on the underside of an inflatable liferaft to help prevent it from being skidded by the wind or overturned?**

- A) Ballast bags
- B) A keel
- C) Strikes
- D) Sea anchor

**Correct Answer: A (Ballast bags)**

**Q13. The purpose for the bag or box on top of some survival craft is to**

- A) right the craft in case of capsizing
- B) increase area for radar detection
- C) act as a sail in case of a power loss
- D) steady the craft in heavy seas

**Correct Answer: A (right the craft in case of capsizing)**

**Q14. If your vessel is equipped with inflatable life rafts, how should they be maintained?**

- A) Have your crew check them annually
- B) They do not need any maintenance
- C) Have them sent ashore to an approved maintenance facility annually
- D) Have them serviced by the shipyard annually

**Correct Answer: C (Have them sent ashore to an approved maintenance facility annually)**

**Q15. On most makes of inflatable life rafts, the batteries to operate the light on the inside of rafts can be made to last longer by**

- A) unscrewing the bulb during daylight
- B) operating the switch for the light
- C) taking no action as there is no way of preserving power
- D) taking no action as they shut off automatically in daylight

**Correct Answer: B (operating the switch for the light)**



- A) on the port side
- B) on the starboard side
- C) aft of the forward lifeboat on the port side
- D) aft of the forward lifeboat on the starboard side

**Correct Answer: B (on the starboard side)**

**Q17. If your vessel is equipped with inflatable life rafts, how should they be maintained?**

- A) Have your crew check them annually.
- B) They do not need any maintenance.
- C) Have them sent ashore to an approved maintenance facility. =D) Have them serviced by the shipyard.

**Correct Answer: C (Have them sent ashore to an approved maintenance facility. =D) Have them serviced by the shipyard.**

**Q18. The marine evacuation system shall be capable of transfer of persons from ship within**

- A) 5 min in the case of a passenger ship
- B) 10 min in the case of a passenger ship
- C) 20 min in the case of a passenger ship
- D) 30 min in the case of a passenger ship

**Correct Answer: D (30 min in the case of a passenger ship)**

**Q19. The marine evacuation system shall be capable of deployment**

- A) by one person
- B) by two persons
- C) by three persons
- D) by four persons

**Correct Answer: A (by one person)**

**Q20. If you must abandon a ship in VERY HEAVY SEAS, in a survival craft, when should you remove the safety pin and pull the hook release?**

- A) Immediately upon launching
- B) One to three feet before first wave contact
- C) Upon first wave contact
- D) Only when waterborne

**Correct Answer: B (One to three feet before first wave contact)**

**Q21. Provided every effort is used to produce, as well as preserve body moisture content by avoiding perspiration, how long is it normally possible to survive without stored quantities of water?**

- A) Up to 3 days
- B) 8 to 14 days
- C) 15 to 20 days
- D) 25 to 30 days

**Correct Answer: B (8 to 14 days)**



- A) when there is no load on the cable
- B) when there is a load on the cable
- C) only when the doors are closed
- D) when the engine is started

**Correct Answer: A (when there is no load on the cable)**

**Q23. A life line must be connected to the life raft**

- A) at the bow
- B) at the stern
- C) in the middle
- D) all around

**Correct Answer: D (all around)**

**Q24. Your ship is sinking rapidly. A container containing an inflatable life raft has bobbed to the surface upon functioning of the hydrostatic release. Which action should you take?**

- A) Cut the painter so it will not pull the life raft container down.
- B) Swim away from the container so you will not be in danger as it goes down.
- C) Take no action because the painter will cause the life raft to inflate and open the container.
- D) Manually open the container and inflate the life raft with the hand pump.

**Correct Answer: C (Take no action because the painter will cause the life raft to inflate and open the container.)**

**Q25. Limit switches on gravity davits should be tested by**

- A) the engineers, from a panel in the engine room
- B) shutting off the current to the winch
- C) pushing the switch lever arm while the winch is running

**Correct Answer: C (pushing the switch lever arm while the winch is running)**

**Q26. The hand brake of a lifeboat winch is**

- A) manually disengaged when hoisting a boat
- B) applied by dropping the counterweighted lever
- C) controlled by the centrifugal brake mechanism
- D) automatically engaged if lowering speed is excessive

**Correct Answer: B (applied by dropping the counterweighted lever)**

**Q27. The sea painter of an inflatable life raft should be**

- A) free running on deck
- B) faked out next to the case
- C) secured to a permanent object on deck via a weak link
- D) stowed near the raft

**Correct Answer: C (secured to a permanent object on deck via a weak link)**



- A) To cut off the power when the davits hit the track safety stops
- B) To stop the davits from going too fast
- C) To cut off the power when the davits are about 12 inches or more from the track safety stops

**Correct Answer: C (To cut off the power when the davits are about 12 inches or more from the track safety stops)**

**Q29. To turn over an inflatable life raft that is upside down, you should pull on the**

- A) canopy
- B) manropes
- C) sea painter
- D) righting strap

**Correct Answer: D (righting strap)**

**Q30. The purpose of the tripping line on a sea anchor is to**

- A) aid in casting off
- B) direct the drift of the vessel
- C) aid in its recovery
- D) maintain maximum resistance to broaching

**Correct Answer: C (aid in its recovery)**

## Practice Set 2

---

**Q1. In normal conditions, in exterior spaces the minimum sound pressure levels for broadcasting emergency announcements shall be**

- A) 50 DB
- B) 100 DB
- C) 75 DB
- D) 80 DB

**Correct Answer: D (80 DB)**

**Q2. Sea sickness is caused by rolling or rocking motions which affect the fluids in the**

- A) Stomach
- B) Lower intestine
- C) Inner ear
- D) Bladder

**Correct Answer: C (Inner ear)**



- A) 15000 CD
- B) 20000 CD
- C) 25000 CD
- D) None of the above

**Correct Answer: A (15000 CD)**

**Q4. The marine evacuation system shall be capable of transfer of persons from ship within**

- A) 5 min in the case of a passenger ship
- B) 10 min in the case of a passenger ship
- C) 20 min in the case of a passenger ship
- D) 30 min in the case of a passenger ship

**Correct Answer: D (30 min in the case of a passenger ship)**

**Q5. The maximum length of a rescue boat**

- A) 8.5 meter
- B) 7.3 meter
- C) 3.8 meter
- D) None of the above

**Correct Answer: A (8.5 meter)**

**Q6. The duration of life jacket self-igniting light is**

- A) 4 hours
- B) 5 hours
- C) 6 hours
- D) 8 hours

**Correct Answer: D (8 hours)**

**Q7. The luminous intensity of a life jacket light**

- A) 0.25 CD
- B) 0.50 CD
- C) 0.75 CD
- D) 0.85 CD

**Correct Answer: C (0.75 CD)**

**Q8. How many buoyant smoke signals are available in life raft?**

- A) 2
- B) 4
- C) 6
- D) 8

**Correct Answer: A (2)**



- A) 1 liter
- B) 2 liters
- C) 1.5 liter
- D) 3 liters

**Correct Answer: C (1.5 liter)**

**Q10. What is the range of SART for detecting aircraft?**

- A) 10 nm
- B) 20 nm
- C) 30 nm
- D) None of the above

**Correct Answer: C (30 nm)**

**Q11. SART lithium battery voltage**

- A) 2 V
- B) 4 V
- C) 5 V
- D) None of the above

**Correct Answer: C (5 V)**

**Q12. The immersion suit does not allow the body temperature to drop by more than when immersed for a period of when the water temperature is between 0 and 2 degrees**

- A) 2 degrees, 4 hours
- B) 2 degrees, 6 hours
- C) 1 degree, 4 hours
- D) 1 degree, 6 hours

**Correct Answer: A (2 degrees, 4 hours)**

**Q13. Your small vessel is broken down and rolling in heavy seas. You can reduce the possibility of capsizing by**

- A) Rigging a sea anchor
- B) Constantly shifting the rudder
- C) Moving all personnel forward and low
- D) Moving all personnel aft

**Correct Answer: A (Rigging a sea anchor)**

**Q14. Which statement concerning homing signals in the GMDSS is false?**

- A) A homing signal provides a bearing for rescue personnel to follow to the signal's source
- B) A homing signal is detected by the COSPAS-SARSAT satellites
- C) A homing signal cannot be detected by a GPS receiver
- D) A homing signal may be transmitted by equipment attached to the survival craft

**Correct Answer: B (A homing signal is detected by the COSPAS-SARSAT satellites)**





- A) Hand-held red flare
- B) Self-contained rocket-propelled parachute red flare
- C) Hand-held orange smoke distress flare
- D) Red aerial pyrotechnic flare

**Correct Answer: C (Hand-held orange smoke distress flare)**

Q16. How can a SART's effective range be mixed?

- A) The SART should be placed in water immediately upon activation
- B) The SART should be held as high as possible
- C) Switch the SART into the "high" power position
- D) If possible, the SART should be mounted horizontally so that its signal matches that of the searching radar signal

**Correct Answer: B (The SART should be held as high as possible)**

Q17. Your vessel has 3 lifeboats on each side. The after most boat on the star board side is designated as boat number

- A) 6
- B) 5
- C) 3
- D) 3 STARBOARD

**Correct Answer: B (5)**

Q18. What is the first action in case of man overboard?

- A) Throw a life buoy
- B) Inform bridge
- C) Raise alarm
- D) None of the above

**Correct Answer: A (Throw a life buoy)**

Q19. All pyrotechnics have a shelf life of

- A) 48 months
- B) 3 years
- C) 5 years
- D) None of the above

**Correct Answer: A (48 months)**

Q20. VHF EPIRB is designed to be used in which areas?

- A) Area A1
- B) Area A1-A2
- C) Area A4
- D) None of the above

**Correct Answer: A (Area A1)**



- A) Drink a gallon of water
- B) Take anti sea sickness tablet
- C) Use fishing tackle and fish
- D) All of the above

**Correct Answer: B (Take anti sea sickness tablet)**

**Q22. As per the regulation life savings appliances need NOT to have?**

- A) Bright color with reflective tape
- B) Resistant to sunlight
- C) Ready accessible and easy to launch
- D) None of the above

**Correct Answer: B (Resistant to sunlight)**

**Q23. Davit of rescue boats due to limit switch how much before the end ?**

- A) 10 inches
- B) 2 inches
- C) 1 inch
- D) 15 inches

**Correct Answer: C (1 inch)**

**Q24. How much is the maximum capacity of the life boat?**

- A) 20 persons
- B) 100 persons
- C) 150 persons
- D) 60 persons

**Correct Answer: C (150 persons)**

**Q25. Frequency at which the SART operates**

- A) 5 Ghz, 3 cm X band
- B) 9 Ghz, 9 cm X band
- C) 9 Ghz, 3 cm X band
- D) 5 Ghz, 9 cm X band

**Correct Answer: C (9 Ghz, 3 cm X band)**

**Q26. How much is the duration of the hand flare for the time it works?**

- A) 60 seconds
- B) 90 seconds
- C) 5 seconds
- D) 30 seconds

**Correct Answer: A (60 seconds)**



- A) Can be launched in calm weather only
- B) 5-degree list
- C) 10-degree list
- D) Up to 20 degrees

**Correct Answer: D (Up to 20 degrees)**

Q28. At what maximum trim of a vessel, the lifeboats are designed to be launched

- A) 15 degrees
- B) Calm weather
- C) 10 degrees
- D) 30 degrees

**Correct Answer: C (10 degrees)**

Q29. Safety training on board to the personnel is provided as per the?

- A) SOLAS
- B) MLC
- C) ISM
- D) STCW

**Correct Answer: D (STCW)**

Q30. Hatches on the life boat are designed such that?

- A) Watertight and can be opened and closed from both sides
- B) Watertight and can be opened and closed from only inside
- C) Self-closing type
- D) Bolted type with watertight capabilities

**Correct Answer: A (Watertight and can be opened and closed from both sides)**

## Practice Set 3

Q1. Good housekeeping is considered necessary for preventing accidents at sea, what is true regarding same?

- A) Securing tools after work is not needed as we need them next day also
- B) Engine room should be locked, when no one is inside
- C) Wearing dirty clothes in a galley or mess room should be avoided
- D) None of the above

**Correct Answer: C (Wearing dirty clothes in a galley or mess room should be avoided)**

Q2. How can you indicate that your vessel is distress?

- A) Sounding five or more short and rapid blasts on the whistle
- B) Continuously sounding the fog whistle
- C) Displaying a large red flag
- D) Displaying three black balls in a vertical line

**Correct Answer: B (Continuously sounding the fog whistle)**



- A) Removing the rubber packing strip
- B) Pulling a cord
- C) Throwing the center container overboard
- D) Cutting the wire restraining bands

**Correct Answer: C (Throwing the center container overboard)**

**Q4. "Thermal protective aids" are required for what percentage of the persons a survival craft is equipped to carry?**

- A) 10%
- B) 50%
- C) 75%
- D) 100%

**Correct Answer: A (10%)**

**Q5. Which gas is mostly used in filling the cylinder of inflatable life raft**

- A) Oxygen
- B) CO2
- C) Nitrogen
- D) Carbon mono oxide

**Correct Answer: B (CO2)**

**Q6. Regulations regarding lifeboats on board is best described by?**

- A) Two life boats on each side, with each having a carrying capacity of 125%
- B) Lifeboat color can be any as available
- C) Engine fitted on lifeboats should be air started
- D) Lifeboats cannot be used as rescue boats

**Correct Answer: A (Two life boats on each side, with each having a carrying capacity of 125%)**

**Q7. SART works on which radar**

- A) S band
- B) X band
- C) Y Band

**Correct Answer: B (X band)**

**Q8. Which item in the life boat is a study material?**

- A) Instruction on how to survive
- B) Sea sickness kit
- C) Bailer
- D) Heliograph

**Correct Answer: A (Instruction on how to survive)**



- A) SOLAS under chapter II (2) and (3)
- B) COSWP
- C) Local regulation
- D) ISPS code

**Correct Answer: A (SOLAS under chapter II (2) and (3))**

**Q10. How long SART operate in standby mode**

- A) 8 hrs.
- B) 24 hrs.
- C) 96 hrs.
- D) None of the above

**Correct Answer: C (96 hrs.)**

**Q11. Which of the following is consumable**

- A) Food ration
- B) Drinking water
- C) Anti-sea sickness tablets
- D) All of the above

**Correct Answer: D (All of the above)**

**Q12. Life jacket light shall have a source of energy capable of providing luminous intensity of for a period of**

- A) .75 cd/8 hrs
- B) .50 cd/8 hrs
- C) .75 cd/6 hrs
- D) .50 cd/ 6 hrs.

**Correct Answer: A (.75 cd/8 hrs)**

**Q13. Which one of the listed requirements regarding the buoyant smoke signal doesn't respond to present regulation? The buoyant smoke signal shall**

- A) Emit smoke for at least 3 min when floating in calm water
- B) Continue to EMIT smoke when submerged in water image
- C) Not be swamped in a seaway
- D) Give a bright red during the inter emission time

**Correct Answer: D (Give a bright red during the inter emission time)**

**Q14. The working duration of man overboard smoke signal is**

- A) 3 minutes
- B) 5 minutes
- C) 15 minutes
- D) 10 minutes

**Correct Answer: C (15 minutes)**



- A) To secure bow of the lifeboat to the main deck bollards
- B) To hold the lifeboat close to the embarkation deck
- C) A stretcher for safe embarkation of injured persons
- D) To hold the life boat alongside the ship after launching

**Correct Answer: B (To hold the lifeboat close to the embarkation deck)**

**Q16. Before lifting a life boat from the water, it must be ensured that**

- A) Sea anchor is steamed
- B) Engine id going astern
- C) Bottom plug is shipped tight
- D) Fall wires are clear and hooked securely

**Correct Answer: D (Fall wires are clear and hooked securely)**

**Q17. Which of the listed requirements do not correspond to the present regulation regarding weak link? weak link shall**

- A) Be of sufficient strength to permit inflation of the life raft
- B) Release the life raft at a depth of not more than 4 meters
- C) Not break by force required to pull the painter from the life raft container
- D) Break under a strain of approximately 2.2 KN

**Correct Answer: B (Release the life raft at a depth of not more than 4 meters)**

**Q18. What is the minimum number of crew required in rescue boats?**

- A) Two persons
- B) Three persons
- C) Five persons
- D) Four persons

**Correct Answer: C (Five persons)**

**Q19. Which of the listed requirements do not correspond to present regulations? The life raft shall have**

- A) A manually controlled lamp visible of at least two miles fitted at the top of the canopy
- B) All entrances fitted with rigid boarding ramps for boarding the life raft at sea
- C) Floor preventing the ingress of water
- D) Manually controlled lamp fitted inside the life raft

**Correct Answer: D (Manually controlled lamp fitted inside the life raft)**

**Q20. SART is the search and rescue radar transponder. How is this device activated?**

- A) It has to be switched on by the master when the order to abandon ship is given
- B) It has to be thrown into the sea where it will self-activate
- C) It will be activated by the nearest coast station
- D) It is carried into the survival craft and switched on by the occupants

**Correct Answer: D (It is carried into the survival craft and switched on by the occupants)**



- A) 7.3 meters
- B) 8.5 meters
- C) 3.8 meters
- D) None of the above

**Correct Answer: A (7.3 meters)**

**Q22. The shelf life of EPIRB battery is**

- A) 1 year
- B) 3 to 5 years
- C) 5 years
- D) 10 years

**Correct Answer: B (3 to 5 years)**

**Q23. How long will a parachute flare burn after it has been fired into the air?**

- A) Minimum of five minutes
- B) Minimum of two minutes
- C) Minimum of 30 seconds
- D) Minimum of 40 seconds

**Correct Answer: D (Minimum of 40 seconds)**

**Q24. VHF EPIRB is designed to be used in which area?**

- A) Area A1
- B) Area A1-A2
- C) Area A4
- D) None of the above

**Correct Answer: A (Area A1)**

**Q25. When floating, a life raft must be able to withstand repeated jumps onto it, both with and without the canopy erected, from a height above its floor of at least**

- A) 18 meters
- B) 10 meters
- C) 4.5 meters
- D) 20 meters

**Correct Answer: C (4.5 meters)**

**Q26. Which equipment of the following SOLAS PACK B life raft does not have?**

- A) Fishing tackle + food + drinking water
- B) Fishing tackle + drinking water + bailer
- C) Fishing tackle + sea sick bags + drinking water
- D) None of the above

**Correct Answer: A (Fishing tackle + food + drinking water)**

Q27. As for regulations, a cargo ship of length less than 100 meters should have life buoys

RCRB (Prohibiting in Survival Craft and Rescue Boats) Unit Exam Prep

brightmariner.com



- A) 8
- B) 10
- C) 12
- D) 14

**Correct Answer: A (8)**

Q28. In cargo vessel what is the requirement of child life jacket?

- A) 10%
- B) 15%
- C) 20%
- D) 25%

**Correct Answer: A (10%)**

Q29. Life raft equipment should have

- A) 2 buoyant rescue quoits attached not less than 30 m buoyant line
- B) 2 buoyant rescue quoits attached not less than 15 m buoyant line
- C) 1 buoyant rescue quoits attached not less than 30 m buoyant line
- D) 1 buoyant rescue quoits attached not less than 15 m buoyant line

**Correct Answer: A (2 buoyant rescue quoits attached not less than 30 m buoyant line)**

Q30. How many hand flares should each life raft normally carry?

- A) 2
- B) 4
- C) 6
- D) 10

**Correct Answer: C (6)**

## Practice Set 4

---

Q1. Which of the following regarding immersion suit is true?

- A) It's zip to be greased using manufacture recommended lubricants
- B) It's fireproof
- C) Both a and b
- D) None of the above

**Correct Answer: A (It's zip to be greased using manufacture recommended lubricants)**

Q2. The lamp on the top of a life raft canopy must operate continuously or flash at the specified rate for at least

- A) 8 hours
- B) 2 hours
- C) 12 hours
- D) 4 hours

**Correct Answer: C (12 hours)**





- A) Distilled water and pure ethyl alcohol
- B) Distilled water and isopropyl alcohol
- C) Distilled water and methyl alcohol
- D) None of the above

**Correct Answer: A (Distilled water and pure ethyl alcohol)**

**Q4. The number of lifebuoys on a cargo ship of length less than 100 meters is**

- A) 4
- B) 6
- C) 8
- D) 10

**Correct Answer: C (8)**

**Q5. The duration of the buoyant smoke marker is**

- A) 1 min
- B) 10 min
- C) 15 min
- D) 3 min

**Correct Answer: D (3 min)**

**Q6. Which of the following is/are the SOLAS requirements for rocket parachute flare?**

- A) The rocket shall, when fired vertically, reach an altitude of not less than 300m
- B) Burn uniformly with an average luminous intensity of not less than 30000 cd
- C) Having a burning period of not less than 40s
- D) All of the above

**Correct Answer: D (All of the above)**

**Q7. The breaking strength of line throwing appliances should not be less than**

- A) 2 KN
- B) 4 KN
- C) 6 KN
- D) 8 KN

**Correct Answer: A (2 KN)**

**Q8. Which of the following statements is true concerning life jackets?**

- A) Buoyant vests may be substituted for life jackets
- B) Life jackets are designed to turn an unconscious person's face clear of water
- C) Lifejackets must always be worn with the same side facing outwards to float
- D) Lightly stained or faded life jackets will fall in the water and should not be used

**Correct Answer: B (Life jackets are designed to turn an unconscious person's face clear of water)**

**Q9. HELP position stands for**

RESRB (Proficiency in Survival Craft and Rescue Boats) Exit Exam Prep

brightmariner.com



- A) Heat exchange lessening posture
- B) Heat exchange lessening period
- C) Heat exchange lessening point
- D) None of the above

**Correct Answer: A (Heat exchange lessening posture)**

**Q10. Passenger vessels 240 meters and over in length should have**

- A) 8 life buoys
- B) 12 life buoys
- C) 20 life buoys
- D) 30 life buoys

**Correct Answer: D (30 life buoys)**

**Q11. Sea anchor is used to reduce the of survival craft**

- A) Fuel consumption
- B) ETA
- C) Drift rate

**Correct Answer: C (Drift rate)**