



General Ship Knowledge (GSK)

424 Practice Questions and Answers for STCW Exams

Updated for DG Shipping India Exams | Source: brightmariner.com

Practice Set 1

Q1. K-S-A-V stands for

- A) Knowledge, Style, Attitude, Values
- B) Knowledge, Seamanship, Altitude, Values
- C) Knowledge, Skills, Aptitude, Values
- D) Knowledge, Skills, Attitude, Values

Correct Answer: D (Knowledge, Skills, Attitude, Values)

Explanation: K-S-A-V stands for Knowledge, Skills, Attitude, and Values. These are fundamental components for professional development and effective performance in any role, particularly in the maritime industry.

Q2. Match the term "MODE OF COMMUNICATION" with the most suitable answer given below

- A) Computer
- B) Receiver
- C) Noise
- D) Speaker

Correct Answer: A (Computer)

Explanation: In the context of communication, a computer can act as a medium or channel through which information is sent and received, making it a mode of communication.

Q3. Being ethical is important for

- A) Avoiding conflict
- B) Personal life
- C) Office life
- D) Both office and personal life

Correct Answer: D (Both office and personal life)

Explanation: Ethical conduct is crucial in both personal and professional life. It fosters trust, integrity, and positive relationships, contributing to a harmonious environment and professional reputation.

Q4. Select which is not the chapters of a Personal Computer

- A) Monitor
- B) Central Processing unit (CPU)
- C) Mouse
- D) Steering wheel

Correct Answer: D (Steering wheel)

Explanation: A steering wheel is a component of a vehicle's control system and is not part of a personal computer's hardware. The



Q5. Which is the duties of a Deck rating

- A) Monitor engine, machinery and equipment indicators and report abnormalities to ship engineer officer on watch
- B) Lubricate moving chapters of engines, machinery and equipments
- C) Steer ship under the direction of the officer on watch
- D) painting the engine room

Correct Answer: C (Steer ship under the direction of the officer on watch)

Explanation: A key duty of a deck rating includes steering the ship under the direction of the officer on watch, as per the helm orders. Monitoring machinery and lubricating are typically engine department duties.

Q6. We communicate to

- A) Send information
- B) Please others
- C) Receive information
- D) Send and receive information

Correct Answer: D (Send and receive information)

Explanation: Communication is a two-way process. We communicate to both send information to others and to receive information from them, ensuring understanding and interaction.

Q7. When you use a computer, What do you mean by the term "MOUSE" ?

- A) The brain of the computer
- B) Data can be written and rewritten on the CD
- C) Used to point objects on the monitor
- D) Getting Music

Correct Answer: C (Used to point objects on the monitor)

Explanation: The mouse is a computer input device used to control the cursor on the monitor, allowing users to point, select, and interact with graphical user interface elements.

Q8. Telephone is an example of

- A) Barrier in communication
- B) Receiver
- C) Sender
- D) Channel of communication

Correct Answer: D (Channel of communication)

Explanation: A telephone is a device that facilitates spoken communication over a distance, acting as a channel through which the message travels between the sender and receiver.

Q9. Match the term "VERBAL COMMUNICATION" with the most suitable answer given below

- A) Speaking
- B) Noise
- C) Computer
- D) Facial Expression

Correct Answer: A (Speaking)

Explanation: Verbal communication primarily involves the use of spoken words. Therefore, speaking is the most direct and suitable answer representing this mode of communication.



- A) Purpose and Goal
- B) Lots of money
- C) Politics
- D) Personal gain

Correct Answer: A (Purpose and Goal)

Explanation: A clear purpose and well-defined goals are essential for the success of any project. While resources like money are important, they are secondary to having a clear objective.

Q11. Skill is an ability gained by

- A) Responding well
- B) Dominating others
- C) Practicing or learning
- D) Cooperating with others

Correct Answer: C (Practicing or learning)

Explanation: Skills are abilities that are developed and refined through consistent practice, training, and learning. They are not innate but acquired over time with effort.

Q12. Which of the following is NOT a communication skill?

- A) Teaming
- B) Writing
- C) Speaking
- D) Reading

Correct Answer: A (Teaming)

Explanation: Teaming, or teamwork, is a collaborative skill related to working with others. Speaking, writing, and reading are fundamental components of communication.

Q13. When you use a word file in a computer What do you mean by the term "SPELL GRAMMER" ?

- A) Opens an existing file
- B) Writes numbered bullets
- C) Changes the color of the text
- D) Spelling and grammer check

Correct Answer: D (Spelling and grammer check)

Explanation: In word processing software, 'Spell Grammar' refers to the function that checks the document for errors in spelling and grammatical construction.

Q14. When you use a computer, What do you mean by the term "KEYBOARD" ?

- A) Used to point objects on the monitor
- B) Data can be written and rewritten on the CD
- C) Peripheral to the computer
- D) Like a type-writer ;communicates with computer

Correct Answer: D (Like a type-writer ;communicates with computer)

Explanation: The keyboard is a peripheral device that allows a user to input text and commands into a computer, functioning similarly to a typewriter.



- A) Zoom in and Zoom out
- B) Opens a new word document
- C) Cuts files into the clip-board
- D) Writes numbered bullets

Correct Answer: A (Zoom in and Zoom out)

Explanation: The 'Zoom' function in computer applications allows users to enlarge or reduce the view of a document or image, making it appear closer or farther away.

Q16. Which of the following is a NOT a quality of a good leader:

- A) Inspiring
- B) Dedication
- C) Forward looking
- D) Demanding

Correct Answer: D (Demanding)

Explanation: A 'demanding' leader might be perceived as overly strict or authoritarian, which is generally not considered a positive leadership quality. Inspiring, dedication, and forward-looking are key leadership attributes.

Q17. Learning becomes permanent only by

- A) Reading
- B) Use of Senses
- C) Practice
- D) Asking questions

Correct Answer: C (Practice)

Explanation: Learning is most effectively retained and becomes permanent when it is reinforced through practical application and repetition. While reading and senses help, practice solidifies knowledge.

Q18. Showing anger through facial expressions is an example of

- A) Receiving communication
- B) Non - Verbal Communication
- C) Verbal Communication
- D) Mode of communication

Correct Answer: B (Non - Verbal Communication)

Explanation: Expressing emotions like anger through facial expressions is a form of non-verbal communication, as it conveys a message without using spoken or written words.

Q19. When you use a computer, What do you mean by the term "UNDO"?

- A) Opens a new word document
- B) Redoes previous actions
- C) Undoes previous actions
- D) Shows a preview of files before they print

Correct Answer: C (Undoes previous actions)

Explanation: The 'Undo' function in software allows users to reverse the last action performed, effectively cancelling changes made.



- A) 5 minutes
- B) 1 hour
- C) 30 minutes
- D) 15 minutes

Correct Answer: C (30 minutes)

Explanation: It is advisable to arrive at the examination center at least 30 minutes prior to the scheduled start time. This allows ample time for registration, finding the venue, and settling in without unnecessary stress.

Q21. When you use a word file in a computer What do you mean by the term "NEW" ?

- A) Open a new word document
- B) Writes numbered bullets
- C) Opens an existing file
- D) Spelling and grammar check

Correct Answer: A (Open a new word document)

Explanation: In word processing, selecting 'New' typically initiates the creation of a blank document, ready for new content to be entered.

Q22. Printer is a

- A) Peripheral
- B) Memory
- C) Monitor
- D) CD-ROM Drive

Correct Answer: A (Peripheral)

Explanation: A printer is an external device that connects to a computer to produce hard copies of digital information; it is classified as a peripheral.

Q23. When you use a computer, What do you mean by the term "CPU"?

- A) Used to point objects on the monitor
- B) Data can be written and rewritten on the CD
- C) The brain of the computer
- D) Peripheral to the computer

Correct Answer: C (The brain of the computer)

Explanation: The Central Processing Unit (CPU) is often referred to as the 'brain' of the computer because it performs most of the processing and calculations required for the computer to operate.

Q24. While doing work, priority should be to

- A) Most important work
- B) Most important and urgent work
- C) Needs of others
- D) Most urgent work

Correct Answer: B (Most important and urgent work)

Explanation: When undertaking tasks, the highest priority should be given to work that is both important and urgent, as these require immediate attention to avoid negative consequences.



- A) Noise
- B) Time
- C) Ego
- D) Distraction

Correct Answer: C (Ego)

Explanation: Ego can be a significant internal barrier to effective communication, as it may prevent individuals from listening openly or considering others' perspectives.

Q26. While studying for examination, one should

- A) Memorize everything
- B) Highlight the main points in the book
- C) Try to understand the matter
- D) Read very carefully

Correct Answer: B (Highlight the main points in the book)

Explanation: While memorizing, highlighting, and reading carefully are useful study techniques, truly understanding the material is key for long-term retention and application, which is more effective than mere memorization.

Q27. CPU stands for

- A) Computer processing unit
- B) Central process unit
- C) Computer program unit
- D) Central processing unit

Correct Answer: D (Central processing unit)

Explanation: CPU is an acronym that stands for Central Processing Unit, the primary component of a computer responsible for executing instructions.

Q28. Verbal communication means speaking

- A) False
- B) True

Correct Answer: B (True)

Explanation: Verbal communication is defined as the use of spoken words to convey a message, so the statement is true.

Q29. When you use a computer, What do you mean by the term "NUMBERING"?

- A) Undoes previous actions
- B) Zoom in and Zoom out
- C) Writes numbered bullets
- D) Opens a new word document

Correct Answer: C (Writes numbered bullets)

Explanation: The 'Numbering' function in word processing software is used to automatically create ordered lists with numerical or bulleted points.



- A) Encoding message
- B) Action
- C) Receiving information
- D) Transmitting information

Correct Answer: C (Receiving information)

Explanation: Sending information is the direct opposite of receiving information, representing the two fundamental directions of data flow in communication.

Practice Set 2

Q1. When you use a word file in a computer What do you mean by the term "PASTE" ?

- A) Spelling and grammar check
- B) Paste copied or cut files into the document
- C) Opens an existing file
- D) Shows a preview of files before they print

Correct Answer: B (Paste copied or cut files into the document)

Explanation: In word processing, 'Paste' is the command used to insert text or objects that have been previously 'Copied' or 'Cut' from a location into the current document.

Q2. When you use a computer, What do you mean by the term "MONITOR" ?

- A) Like a type-writer; communicates with computer
- B) Like a T.V
- C) The brain of the computer
- D) Peripheral to the computer

Correct Answer: B (Like a T.V)

Explanation: A monitor functions like a television screen, displaying visual output from the computer, such as text, images, and videos.

Q3. When you use a computer, What do you mean by the term "SAVE"?

- A) Undoes previous actions
- B) Zoom in and Zoom out
- C) Quick save files
- D) Opens a new word document

Correct Answer: C (Quick save files)

Explanation: 'Save' is the command used to store the current work or document onto a storage device, preventing data loss and allowing access later.

Q4. When you use a word file in a computer What do you mean by the term "BOLD" ?

- A) Opens an existing file
- B) Changes the color of the text
- C) Writes numbered bullets
- D) Changes the Type into

Correct Answer: D (Changes the Type into)



Q5. Stress is a _____ strain

- A) Mental
- B) Social
- C) Physical
- D) Emotional

Correct Answer: D (Emotional)

Explanation: Stress is primarily an emotional strain or reaction that can manifest physically and mentally. It's a response to demands that are perceived as overwhelming or threatening.

Q6. Keyboard is like a TV

- A) True
- B) False

Correct Answer: B (False)

Explanation: This statement is false. A keyboard is an input device used for typing characters and commands, while a monitor is an output device that displays information visually.

Q7. What is important for studying?

- A) Reading speed
- B) Self - Discipline
- C) Good teacher
- D) Proper techniques for studying

Correct Answer: B (Self - Discipline)

Explanation: Self-discipline is a crucial trait for effective studying, enabling individuals to stay focused, manage their time, and consistently engage with learning materials.

Q8. Match the term "NON-VERBAL COMMUNICATION" with the most suitable answer given below

- A) Facial Expression
- B) Lack of confidence
- C) Computer
- D) Noise

Correct Answer: A (Facial Expression)

Explanation: Non-verbal communication includes elements like facial expressions, body language, and gestures, which convey messages without the use of spoken or written words.

Q9. One of the most important practice while talking to a person is to

- A) Hold hands
- B) Maintain eye contact
- C) Speak politely
- D) Stand very close to the person

Correct Answer: B (Maintain eye contact)

Explanation: Maintaining eye contact while talking to someone is a key practice in effective communication, showing engagement, respect, and attentiveness.



Q10. The ability to learn by practice is called

- A) Skill
- B) Knowledge
- C) Values
- D) Attitude

Correct Answer: A (Skill)

Explanation: The ability to learn and improve performance through repeated performance or experience is the definition of skill.

Q11. When you use a computer, What do you mean by the term "CD-ROM DRIVE"?

- A) Used to point objects on the monitor
- B) Data can be written and rewritten on the CD
- C) Sending Messages
- D) Peripheral to the computer

Correct Answer: B (Data can be written and rewritten on the CD)

Explanation: A CD-ROM drive is a peripheral device used to read data from Compact Discs. The term "CD-ROM" itself implies read-only memory, meaning data is typically written once.

Q12. Lack of confidence is an Internal barrier to communication.

- A) False
- B) True

Correct Answer: B (True)

Explanation: This statement is true. A lack of confidence is an internal psychological barrier that can significantly hinder effective communication by causing hesitancy or fear.

Q13. Who is more important in communication process?

- A) Self
- B) Receiver
- C) People
- D) Sender

Correct Answer: B (Receiver)

Explanation: While both sender and receiver are vital, the 'Receiver' is equally, if not more, important in the communication process as they are responsible for interpreting and understanding the message sent.

Q14. Non- Verbal modes of communication are

- A) Words
- B) Symbols
- C) Channel
- D) Speech

Correct Answer: B (Symbols)

Explanation: Non-verbal modes of communication include elements such as symbols, gestures, and facial expressions, which convey meaning without words.



- A) False
- B) True

Correct Answer: A (False)

Explanation: This statement is false. Self-expression is a fundamental need for communication, allowing individuals to share thoughts, feelings, and ideas.

Q16. When you use a word file in a computer What do you mean by the term "OPEN" ?

- A) Opens an existing file
- B) Spelling and grammar check
- C) Writes numbered bullets
- D) Changes the color of the text

Correct Answer: A (Opens an existing file)

Explanation: The term "OPEN" in the context of a computer file means to access and load an existing document, making its content visible and editable on the screen. It does not involve checking grammar, formatting, or changing visual properties.

Q17. If stressed with some work, one should

- A) Leave it for some time
- B) Give up
- C) Keep doing it till it is complete
- D) Tell someone else to do it

Correct Answer: A (Leave it for some time)

Explanation: When stressed with work, taking a short break to reassess and approach the task with a clear mind is often the most effective strategy. This allows for better problem-solving and stress management, rather than immediate completion or avoidance.

Q18. Match the term "NEED FOR COMMUNICATION" with the most suitable answer given below

- A) Noise
- B) Facial Expression
- C) Feedback
- D) Self-Expression

Correct Answer: D (Self-Expression)

Explanation: Self-expression is fundamental to communication as it represents the speaker's internal thoughts and feelings being conveyed. While facial expressions and feedback are communication elements, and noise is a barrier, the core need is to express oneself.

Q19. Match the term "INTERNAL BARRIER" with the most suitable answer given below

- A) Facial Expression
- B) Self-Expression
- C) Noise
- D) Lack of confidence

Correct Answer: D (Lack of confidence)

Explanation: Lack of confidence is an internal psychological barrier that can hinder effective communication. It originates within the individual, unlike external factors like noise, or communication elements such as facial expressions and self-expression.



- A) Arrogant
- B) Honest
- C) Cooperative
- D) Punctual

Correct Answer: A (Arrogant)

Explanation: Being arrogant is unethical as it displays a lack of respect and consideration for others, contradicting principles of teamwork and professional conduct. Honesty, cooperation, and punctuality are positive and ethical attributes in any environment.

Q21. When you use a computer, What do you mean by the term "PRINTER" ?

- A) Getting Music
- B) Like a T.V.
- C) Peripheral to the computer
- D) Like a type-writer ;communicates with computer

Correct Answer: C (Peripheral to the computer)

Explanation: A printer is considered a peripheral device because it connects to the computer to provide an output function, allowing digital information to be rendered in a physical, printed format. It is an external component that enhances the computer's capabilities.

Q22. Communication can be done

- A) Non Verbally
- B) Verbally
- C) By self - expression
- D) Both verbally and non- verbally

Correct Answer: D (Both verbally and non- verbally)

Explanation: Communication encompasses both the spoken word (verbally) and non-verbal cues such as body language and tone. Effective communication often involves a combination of both verbal and non-verbal elements to convey a complete message.

Q23. To manage means to deal with

- A) Situations properly
- B) All situations happily
- C) Bad situations
- D) Situations

Correct Answer: A (Situations properly)

Explanation: Effective management involves skillfully handling and controlling situations to achieve desired outcomes. It's about proper application of resources and strategies to navigate various circumstances, not just limited to negative ones.

Q24. Which of the following works like a brain of a computer:

- A) Monitor
- B) Optical Mouse
- C) CPU
- D) Key Board

Correct Answer: C (CPU)

Explanation: The Central Processing Unit (CPU) is often referred to as the 'brain' of the computer because it executes instructions and performs calculations, controlling all the major functions of the system. Other components like monitors and keyboards are input/output devices.



- A) Write the name and roll no. in answer sheet
- B) Ask question to invigilator
- C) Read the instructions properly
- D) Just start writing

Correct Answer: C (Read the instructions properly)

Explanation: Before commencing any examination, it is crucial to thoroughly read and understand all instructions. This ensures that the exam is approached correctly, all requirements are met, and potential misunderstandings are avoided.

Q26. When you use a word file in a computer What do you mean by the term "PRINT PREVIEW" ?

- A) Open a new word document
- B) Paste copied or cut files into the document
- C) Changes the color of the text
- D) Shows a preview of files before they print

Correct Answer: D (Shows a preview of files before they print)

Explanation: The 'Print Preview' function allows a user to see exactly how a document will appear on paper before actually printing it. This helps in making necessary adjustments to layout, margins, and formatting, saving time and resources.

Q27. In a team, to achieve a goal is the responsibility of

- A) Management
- B) All team members
- C) An individual
- D) The leader

Correct Answer: B (All team members)

Explanation: Achieving a common goal in a team is a collective responsibility shared by all its members. While leadership is important, every individual contributes to the overall success or failure of the team's objectives.

Q28. When you use a computer, What do you mean by the term "CUT"?

- A) Opens a new word document
- B) Quick save files
- C) Undoes previous actions
- D) Cuts files into the clip-board

Correct Answer: D (Cuts files into the clip-board)

Explanation: The 'CUT' command in computing removes selected data from its current location and places it onto the clipboard, ready to be pasted elsewhere. This is a fundamental operation for moving or reorganizing information within or between documents.

Q29. Non Verbal communication is speaking out aloud

- A) False
- B) True

Correct Answer: A (False)

Explanation: Non-verbal communication refers to conveying messages without using spoken words, such as through body language, gestures, and facial expressions. Speaking aloud is a form of verbal communication, making the statement false.



- A) The two most important words: Thank you
- B) The least important word: We
- C) The best words are: You are wrong
- D) The one most important word: You

Correct Answer: A (The two most important words: Thank you)

Explanation: Expressing gratitude with 'Thank you' is one of the most significant phrases for fostering positive relationships. It acknowledges others' contributions and efforts, building goodwill and strengthening interpersonal connections.

Q31. The PHYSICAL symptom of stress is

- A) Inability to concentrate
- B) Sweating hands
- C) Tension
- D) Trouble sleeping

Correct Answer: B (Sweating hands)

Explanation: Sweating hands are a direct physiological response to stress, indicating the body's 'fight or flight' reaction. While tension, trouble sleeping, and inability to concentrate are related to stress, sweating is a clear physical symptom.

Q32. Match the term "EXTERNAL BARRIER" with the most suitable answer given below

- A) Facial Expression
- B) Computer
- C) Lack of confidence
- D) Noise

Correct Answer: D (Noise)

Explanation: Noise, such as loud machinery or distracting sounds, represents an external barrier that interferes with the clear transmission and reception of messages. Facial expressions and self-expression are forms of communication, and lack of confidence is an internal barrier.

Q33. Barriers to communication

- A) Create problems in communication
- B) Make the communication better
- C) Are essential for communication
- D) Do not influence communication

Correct Answer: A (Create problems in communication)

Explanation: Barriers to communication, whether internal or external, inherently create obstacles that impede the effective exchange of information. They obstruct clarity, understanding, and the intended meaning of the message.

Q34. When you use a computer, What do you mean by the term "REDO"?

- A) Quick save files
- B) Undoes previous actions
- C) Zoom in and Zoom out
- D) Redoes previous actions

Correct Answer: D (Redoes previous actions)

Explanation: The 'REDO' function in computing reverses an 'UNDO' action, reapplying any changes that were previously undone. It allows the user to restore actions that were mistakenly reversed.



Practice Set 3

Q1. Eng. Rating when in E/R watch must

- A) Frequently drink coffee to remain awake
- B) Constantly monitor all machinery and indicators and promptly report any abnormality to duty eng
- C) Remain in airconditioned ECR (Eng.Control Room)
- D) Remain in accommodation

Correct Answer: B (Constantly monitor all machinery and indicators and promptly report any abnormality to duty eng)

Explanation: During an E/R watch, an engineering rating's primary duty is to maintain constant surveillance of all machinery and critical indicators. Promptly reporting any deviations or abnormalities to the duty engineer is essential for preventing equipment failure and ensuring operational safety.

Q2. Keeping Engine Room and all Eng.machinery very clean is important job of

- A) Deck Ratings
- B) Eng. Crew & Eng. Staff
- C) Bosun
- D) Ch.Officer

Correct Answer: B (Eng. Crew & Eng. Staff)

Explanation: Maintaining a high standard of cleanliness in the engine room and on all engineering machinery is a crucial responsibility shared by all engineering crew and staff. This practice is vital for operational efficiency, safety, and early detection of potential issues.

Q3. SOPEP Items, L.S.A. & F.F.A are maintained by

- A) Engineers
- B) Deck Officer and Deck Crew
- C) Eng. Crew
- D) Elect.Officer

Correct Answer: B (Deck Officer and Deck Crew)

Explanation: The maintenance of the Shipboard Oil Pollution Emergency Plan (SOPEP) equipment, Life-Saving Appliances (LSA), and Fire-Fighting Appliances (FSA) falls under the purview of the Deck Officer and Deck Crew, adhering to SOLAS and MARPOL regulations.

Q4. Winches, Cranes and other Machinery on Deck are maintained by

- A) Deck Crew
- B) Eng.Staff & Crew
- C) Bosun
- D) Ch.Off

Correct Answer: B (Eng.Staff & Crew)

Explanation: The upkeep and maintenance of deck machinery, including winches, cranes, and other equipment, are primarily the responsibility of the engineering staff and crew. This ensures their operational readiness and safety.



- A) Eng. Crew
- B) Deck Officers
- C) Deck Crew
- D) Bosun

Correct Answer: C (Deck Crew)

Explanation: Deck crew members are responsible for the operation of various deck equipment such as winches, cranes, derricks, hatchcovers, and gangways. This operation is performed under the supervision of deck officers during cargo operations or vessel maneuvering.

Q6. Chipping & Painting on Deck is

- A) Done by shore staff only
- B) Done by Deck crew as and when required
- C) Done only in Dry dock
- D) Done by Eng. crew

Correct Answer: B (Done by Deck crew as and when required)

Explanation: Chipping and painting on deck, crucial for maintaining the vessel's hull integrity and appearance, is a regular task performed by the deck crew as required. This work is ongoing and not restricted to dry-docking or shore staff.

Q7. Ship Steering is done by

- A) OS
- B) Bosun
- C) AB
- D) GS

Correct Answer: C (AB)

Explanation: Ship steering, a critical navigational duty, is performed by Able Seafarers (AB) under the direct supervision of the officer on watch. They are trained to maintain course accurately as per helming orders.

Q8. For Mooring and Unmooring ship

- A) Primarily one Deck Team with Ch.Off. goes forward & one deck team with 2nd.Off. goes aft.
- B) Deck Crew goes forward and Eng. Crew goes aft
- C) Mooring & Unmooring is done by shore people
- D) Deck crew without any officer goes Forward & Aft

Correct Answer: A (Primarily one Deck Team with Ch.Off. goes forward & one deck team with 2nd.Off. goes aft.)

Explanation: During mooring and unmooring operations, the ship typically deploys designated deck teams, often led by officers. For example, the Chief Officer might lead one team while the Second Officer leads another, covering different parts of the vessel as needed.

Q9. For Anchoring

- A) Ch.Off must proceed on aft stations
- B) Ch.Off. with Bosun & rating must go forward stations
- C) Eng. Crew is required to go forward
- D) Only Deck rating must go forward

Correct Answer: B (Ch.Off. with Bosun & rating must go forward stations)

Explanation: For anchoring operations, the Chief Officer, along with the Bosun and relevant ratings, typically proceeds to the forward stations. Their role is to manage the anchor chain and windlass safely and efficiently.



- A) Cleaning Eng. Room
- B) Handle mooring lines, splice&repair ropes,wires, cordage
- C) Cook food in the evenings
- D) Oil Eng. Room machinery

Correct Answer: B (Handle mooring lines, splice&repair ropes,wires, cordage)

Explanation: The diverse duties of the deck crew extend beyond basic deck maintenance to include tasks like handling mooring lines, performing splices, and repairing ropes, wires, and other cordage. These skills are essential for safe ship operations.

Q11. Cleaning Holds or Tanks requires

- A) Max. efforts by Eng. Crew
- B) Max. efforts with sweeping, thorough washing and drying by Deck Crew with Bosun
- C) Quick sweeping by Deck Crew
- D) Quick mopping by any crew.

Correct Answer: B (Max. efforts with sweeping, thorough washing and drying by Deck Crew with Bosun)

Explanation: Cleaning holds or tanks is a significant undertaking that requires substantial effort from the deck crew, under the Bosun's supervision. It involves thorough washing, sweeping, and drying to prepare the spaces for cargo or maintenance.

Q12. A GP Rating Certificate holder can work in

- A) Deck, Eng. Or Catering Dept.
- B) Deck and/or Eng. Department
- C) Deck Department only
- D) Eng. Dept. only

Correct Answer: B (Deck and/or Eng. Department)

Explanation: A General Purpose (GP) Rating certificate holder is versatile and qualified to work in either the Deck or Engineering departments of a vessel, providing flexibility in manning.

Q13. An important duty of Deck Rating at Sea is

- A) To Keep Lookout on Bridge
- B) To Clean decks
- C) To assist Bosun
- D) To study books

Correct Answer: A (To Keep Lookout on Bridge)

Explanation: A vital duty for a Deck Rating at sea is maintaining a vigilant lookout on the bridge, especially during navigation or in restricted visibility, as per COLREGs requirements. This contributes significantly to the overall safety of the vessel.

Q14. Engine Dept. consists of

- A) Ch. Eng & 2nd. Eng
- B) Ch. Eng., 2nd. Eng., 3rd. Eng., 4th. Eng., & Eng. Ratings
- C) 2nd. Eng. & Eng. Ratings
- D) Ch. Eng., Ch. Off., 2nd. Eng. & Eng. Ratings

Correct Answer: B (Ch. Eng., 2nd. Eng., 3rd. Eng., 4th. Eng., & Eng. Ratings)

Explanation: The Engine Department comprises the Chief Engineer, Second Engineer, Third Engineer, Fourth Engineer, and the Engine Ratings. This structure ensures comprehensive oversight and operation of the ship's propulsion and auxiliary machinery.



- A) Head Of Nautical Dechapterment
- B) Overall In Charge
- C) Head Of Engine Dechapterment
- D) In Charge Of Deck Officers

Correct Answer: B (Overall In Charge)

Explanation: The Master of a vessel holds the ultimate responsibility and authority, serving as the overall in charge of the ship, its crew, passengers, and cargo. All other departmental heads report to the Master.

Q16. Chief Cook, General Steward & Catering Rating form

- A) Catering Dechapterment
- B) General Dechapterment
- C) Galley Dechapterment
- D) Cooking Dechapterment

Correct Answer: A (Catering Dechapterment)

Explanation: The Chief Cook, General Steward, and Catering Ratings collectively form the Catering Department. This department is responsible for the preparation and service of food and maintaining the cleanliness of all accommodation and galley areas.

Q17. Deck Dept. consists of

- A) Ch.Off, 2nd.Off , 3rd.Off. and Deck Cadet
- B) Master, Ch.Engr., 2nd.Eng & Ch.Off
- C) Ch.Off, 2nd.Off, 3rd.Off,Dk.Cadet, Bosun,ABs & OSs
- D) Deck Crew & Cabin Crew

Correct Answer: C (Ch.Off, 2nd.Off, 3rd.Off,Dk.Cadet, Bosun,ABs & OSs)

Explanation: The Deck Department encompasses the Chief Officer, Second Officer, Third Officer, Deck Cadets, Bosun, Able Seamen (ABs), and Ordinary Seamen (OSs). They are responsible for navigation, cargo operations, maintenance, and ship's safety.

Q18. Maintenance Of Machinery and Propulsion System is responsibility of

- A) Machinery Dechapterment
- B) Chief Engineer Dechapterment
- C) Engine Dechapterment
- D) 2nd.Engineer

Correct Answer: C (Engine Dechapterment)

Explanation: The responsibility for the maintenance of the ship's machinery and propulsion system lies with the Engine Department. The Chief Engineer oversees this critical function, ensuring the vessel's operational integrity.

Q19. Cargo Operations, Navigation & Administration are responsibility of

- A) Engine Dechapterment
- B) Nautical Dechapterment
- C) Captain Dechapterment
- D) Chief Officer Dechapterment

Correct Answer: B (Nautical Dechapterment)

Explanation: Cargo operations, navigation, vessel administration, and safety management are the primary responsibilities of the Nautical Department, led by the Chief Officer. This department ensures the efficient and safe execution of voyages.



- A) Crew Dept. & Officers Dept
- B) Eng. Rating Dept & Deck Rating Dept
- C) Nautical Dechapterment & Engine Dechapterment
- D) Cabin Dechapterment & Deck Dechapterment

Correct Answer: C (Nautical Dechapterment & Engine Dechapterment)

Explanation: Ships are typically organized into two main functional departments: the Nautical Department (Deck) and the Engine Department (Engineering). These departments manage distinct operational areas of the vessel.

Q21. Main Function Of Tug Boat is

- A) To Assist in Mooring & Unmooring ships
- B) To Transport stores to ships
- C) To Carry passengers for sightseeing
- D) To assist ships in anchoring

Correct Answer: A (To Assist in Mooring & Unmooring ships)

Explanation: The primary function of a tugboat is to assist larger vessels during maneuvering operations, such as mooring and unmooring in ports or confined waters. This assistance is crucial for the safe berthing and departure of ships.

Q22. OSV Vessels are

- A) Offshore Supply Vessel
- B) Onshore Supply Vessels
- C) Oil Bulk Oil Vessels
- D) Oceangoing Sailing Vessels

Correct Answer: A (Offshore Supply Vessel)

Explanation: OSV stands for Offshore Supply Vessel. These vessels are specifically designed and equipped to service offshore oil and gas platforms and other offshore installations.

Q23. Main Function of OSV is

- A) To Ferry Provisions, Stores, Crew to Offshore installations like Oil Rigs and Oil Wells
- B) To Patrol Sea near Ocean Rigs
- C) To tow barges
- D) To carry cargo to coastal ports

Correct Answer: A (To Ferry Provisions, Stores, Crew to Offshore installations like Oil Rigs and Oil Wells)

Explanation: The primary role of an OSV is to transport personnel, supplies, equipment, and provisions to and from offshore operational sites like oil rigs and exploration platforms.

Q24. LNG Carrier is designed to carry

- A) Liquid Non Corrosive Oil
- B) Gravel Stones
- C) Liquid Nitrogen Gas
- D) Light Density Products

Correct Answer: C (Liquid Nitrogen Gas)

Explanation: LNG Carriers are purpose-built ships designed to transport Liquefied Natural Gas, which is primarily methane cooled to a liquid state for efficient transport. The correct option refers to the substance it carries in its liquefied form.



- A) Liquid Chemical Products
- B) Liquid petroleum products
- C) Liquefied Petroleum Gas
- D) Liquid Palm Oil

Correct Answer: C (Liquefied Petroleum Gas)

Explanation: A Liquid Petroleum Gas (LPG) Tanker is designed to carry liquefied petroleum gases such as propane and butane, which are stored under pressure in a liquefied state. Option C accurately reflects this cargo.

Q26. A PCC Vessel is

- A) Air Conditioned Passenger Ship
- B) Pure Car Carrier
- C) Packaged Dangerous Chemicals
- D) Chemicals in bulk carrier

Correct Answer: B (Pure Car Carrier)

Explanation: PCC is an acronym for Pure Car Carrier. These specialized vessels are designed with multiple decks to efficiently transport large numbers of automobiles.

Q27. A PCC is designed to carry

- A) Dry Chemicals in cases
- B) Cars Only
- C) Petrol Products
- D) 20 Feet Small Containers

Correct Answer: B (Cars Only)

Explanation: Pure Car Carriers (PCCs) are exclusively designed and optimized for the transportation of motor vehicles, primarily cars. Their internal structure and ramp systems facilitate the loading and unloading of these wheeled cargo units.

Q28. A LoLo Ship is designed to carry

- A) Full Containers cargo
- B) Lubricating Oil
- C) Grain
- D) Logs

Correct Answer: A (Full Containers cargo)

Explanation: A LoLo (Lift-On Lift-Off) ship, typically a container ship, is designed to carry cargo, predominantly containers, which are loaded and unloaded using cranes (ship's own or shore-based).

Q29. A LoLo Ship is

- A) general Cargo Ship
- B) Lift On Lift Off Container ship
- C) Chemical Tanker
- D) Same as RoRo Ship

Correct Answer: B (Lift On Lift Off Container ship)

Explanation: LoLo, which stands for Lift-On Lift-Off, precisely describes the method of cargo handling for container ships. Containers are lifted onto the ship and then lifted off at the destination.



- A) 40 Feet Containers
- B) Heavy unpacked machinery
- C) Vehicles on Wheels
- D) Steel Coils

Correct Answer: C (Vehicles on Wheels)

Explanation: RoRo (Roll-On Roll-Off) ships are designed to carry any cargo that can be wheeled on and off. This includes cars, trucks, trailers, and other vehicles, facilitated by specialized ramps.

Q31. Liquid Bulk Cargo is carried in

- A) Tanker
- B) Bulk Carrier
- C) General Cargo ship
- D) Container ship

Correct Answer: A (Tanker)

Explanation: Liquid bulk cargo, such as oil, chemicals, and liquefied gases, is transported in specialized vessels known as tankers. These ships have tanks designed to safely contain and carry such liquid cargoes.

Q32. Scupper is

- A) flag flown on the foremast
- B) Hand Operated pump
- C) Rubber squeegee
- D) Drain pipe

Correct Answer: D (Drain pipe)

Explanation: A scupper is a drain pipe, typically found on the deck of a ship, used to allow water to drain overboard, preventing accumulation on deck. Options A, B, and C describe other maritime items or actions.

Q33. Reefer ship carries

- A) Trucks & Trailers
- B) Cases of machinery
- C) Dangerous cargo
- D) Frozen Cargo

Correct Answer: D (Frozen Cargo)

Explanation: Reefer ships are designed with refrigerated cargo holds to transport perishable goods that require temperature control, such as fruits, vegetables, and frozen cargo.

Q34. Iron Ore is carried in

- A) General Cargo ship
- B) Dry Bulk Carrier
- C) Tanker
- D) Navy ship

Correct Answer: B (Dry Bulk Carrier)

Explanation: Iron ore is a dense, dry commodity that is typically transported in bulk. Dry Bulk Carriers are purpose-built vessels with large cargo holds designed for carrying such materials efficiently and safely.



Practice Set 4

Q1. Welding can damage your eye sight if NOT DONE with proper protection

- A) False
- B) True

Correct Answer: B (True)

Explanation: Welding produces intense ultraviolet (UV) radiation and visible light that can cause severe eye damage, including arc eye and potential long-term vision impairment, if proper eye protection like welding helmets are not used.

Q2. Which one of the following is not the Enclosed spaces

- A) Sewage Tanks
- B) Inert Gas scrubber
- C) Cargo Holds and Cargo Tanks
- D) Engine Room

Correct Answer: D (Engine Room)

Explanation: The engine room, while having confined spaces and potential hazards, is generally designed with more open access and ventilation compared to tanks, sumps, or scrubbers, which are typically classified as enclosed spaces.

Q3. Redness in the EYE can be caused by

- A) Lack of oxygen
- B) Flying dust
- C) Fall
- D) Welding

Correct Answer: D (Welding)

Explanation: Direct exposure to the intense light and UV radiation from welding without proper eye protection can cause conjunctivitis (redness) and other forms of eye irritation or damage.

Q4. What is the most likely course of Accident when working with Sharp tools

- A) Suffocation
- B) Falls
- C) Head injury
- D) Cuts

Correct Answer: D (Cuts)

Explanation: Working with sharp tools inherently carries a high risk of accidental cuts to the skin. Proper handling, maintenance, and appropriate Personal Protective Equipment (PPE) are crucial to prevent such injuries.

Q5. Your Safety onboard is chapterly YOUR OWN responsibility

- A) True
- B) False

Correct Answer: A (True)

Explanation: While safety procedures are a collective responsibility, each seafarer is primarily accountable for their own safety and the safety of those around them by adhering to established protocols and using PPE correctly.



- A) Sharp objects
- B) Fall
- C) Flying dust
- D) Lack of oxygen

Correct Answer: C (Flying dust)

Explanation: Particles of dust or debris can become airborne during work and enter the eye, causing irritation, abrasion, and potentially more serious injury, hence the term 'chaptericle in eye' (likely referring to foreign particle in eye).

Q7. You DO NOT need a HOT WORK PERMIT, before doing Hot Work

- A) False
- B) True

Correct Answer: A (False)

Explanation: A Hot Work Permit is a mandatory safety document required before any activity involving open flames or sparks (like welding or grinding) can commence, ensuring a risk assessment and appropriate precautions are in place.

Q8. "Cuts" are caused by

- A) Blunt chisels
- B) Hammers
- C) Sharp objects
- D) Flat spanners

Correct Answer: C (Sharp objects)

Explanation: Cuts are lacerations caused by sharp edges. Therefore, sharp objects, including tools like knives, chisels, or blades, are the most direct cause of cuts.

Q9. What is the most likely cause of Accident when working on oily surfaces

- A) Slips
- B) Suffocation
- C) Cuts
- D) Sprains

Correct Answer: A (Slips)

Explanation: Oily surfaces are notoriously slippery, making slips and subsequent falls a primary risk when working in such environments. Ensuring surfaces are clean and dry, or using appropriate footwear, mitigates this hazard.

Q10. One should use _____ to protect Nose, Mouth and Face

- A) Hand gloves
- B) Safety shoes
- C) Safety Goggles
- D) Face shield

Correct Answer: D (Face shield)

Explanation: A face shield, often used in conjunction with safety goggles, provides comprehensive protection for the face, including the nose and mouth, against splashes, flying particles, and sparks.



Q11. Enclosed Spaces can kill you by SUFFOCATION, if proper safe working procedures are not followed

- A) False
- B) True

Correct Answer: B (True)

Explanation: Enclosed spaces often have limited ventilation and can accumulate hazardous gases or deplete oxygen levels, leading to asphyxiation (suffocation) if entry procedures and atmospheric testing are not rigorously followed.

Q12. "Suffocation" can occur due to

- A) Insufficient oxygen
- B) Electrocution
- C) Pollution
- D) Dust in atmosphere

Correct Answer: A (Insufficient oxygen)

Explanation: Suffocation occurs when the body is deprived of oxygen, which can happen in enclosed spaces due to displacement of air, consumption of oxygen, or the presence of inert gases.

Q13. When a Senior Officer Asks you to perform dangerous task without proper safety measures, You must SAY NO

- A) True
- B) False

Correct Answer: A (True)

Explanation: It is a fundamental right and duty of every seafarer to refuse unsafe orders. Prioritizing safety over potentially dangerous tasks, even when instructed by a superior, is crucial.

Q14. Safety Shoes are utilised to protect hands and fingers

- A) True
- B) False

Correct Answer: B (False)

Explanation: Safety shoes are designed to protect the feet from impact, crushing injuries, and puncture wounds, not the hands and fingers. Hand protection requires gloves.

Q15. What is the most likely cause of fracture limbs

- A) Flying dust
- B) Fall
- C) Too much noise.
- D) Sharp objects

Correct Answer: B (Fall)

Explanation: Falls from height, slips, or being struck by falling objects are common causes of fractures. A fall is a direct mechanism that can lead to broken limbs.



- A) Nose & mouth, Face
- B) Body
- C) Feet
- D) Head

Correct Answer: B (Body)

Explanation: A boiler suit, or coveralls, is designed to protect the wearer's entire body from dirt, grease, minor impacts, and certain chemical splashes, providing a layer of protection over regular clothing.

Q17. You must wear safety hand gloves and safety goggles while using chipping hammer

- A) True
- B) False

Correct Answer: A (True)

Explanation: Chipping hammers generate flying metal fragments and dust. Wearing safety hand gloves protects from cuts and abrasions, while safety goggles shield the eyes from these projectiles, as mandated by safety protocols.

Q18. What is the most likely cause of Chemical burns

- A) Lack of oxygen
- B) Acids and alkalis
- C) Welding
- D) Too much noise

Correct Answer: B (Acids and alkalis)

Explanation: Chemical burns are typically caused by direct contact with corrosive substances like acids and alkalis. These chemicals can rapidly damage skin and tissues.

Q19. "Safety Helmet" is utilised to protect _____

- A) Body
- B) Hands
- C) Head
- D) Nose & mouth, Face

Correct Answer: C (Head)

Explanation: A safety helmet is specifically designed to protect the head from falling objects, impacts, and blows, preventing serious head injuries.

Q20. You CANNOT use Boiler suit to protect your body from harm.

- A) True
- B) False

Correct Answer: B (False)

Explanation: Boiler suits are indeed utilized as protective clothing for the body, offering defense against various workplace hazards. The statement implies they are not usable, which is false.



- A) Body
- B) Feet
- C) Hands
- D) Nose & mouth, Face

Correct Answer: C (Hands)

Explanation: Hand gloves are Personal Protective Equipment (PPE) specifically designed to protect the hands and fingers from cuts, burns, chemicals, and other workplace hazards.

Q22. One can have permanent DAMAGE to EAR if proper ear protection is not used.

- A) True
- B) False

Correct Answer: A (True)

Explanation: Exposure to excessive noise levels, such as those found in engine rooms or during certain maintenance operations, can cause permanent hearing damage, including tinnitus and hearing loss, if adequate ear protection is not worn.

Q23. What is the most likely course of Accident when working under Falling objects

- A) Eyes injury
- B) Head injury
- C) Falls
- D) Burns

Correct Answer: B (Head injury)

Explanation: Working beneath areas where objects could fall poses a significant risk of head injury. A safety helmet is essential PPE in such scenarios.

Q24. Ear Muffs will protect _____

- A) Eyes
- B) Ears
- C) Feet
- D) Hands

Correct Answer: B (Ears)

Explanation: Ear muffs are a form of hearing protection designed to cover the entire external ear, effectively reducing the level of noise reaching the eardrum and protecting the ears from damage.

Practice Set 5

Q1. The vessels position is plotted on the chart as

- A) Greenwich Mean Time
- B) Longitude only
- C) Latitude only
- D) Latitude and Longitude

Correct Answer: D (Latitude and Longitude)

Explanation: A vessel's position on a nautical chart is defined by its latitude (North or South of the equator) and longitude (East or West of the Prime Meridian), plotted as a specific point.



- A) Port of call
- B) State
- C) Shipping Company
- D) Country

Correct Answer: C (Shipping Company)

Explanation: The house flag, also known as the owner's flag or company flag, is unique to each shipping company and is flown to identify the company that owns or operates the vessel.

Q3. The Intercode flag which is hoisted when there is a pilot on board is

- A) A
- B) P
- C) H
- D) G

Correct Answer: C (H)

Explanation: The 'H' flag in the International Code of Signals signifies 'I have a pilot on board'. It is hoisted to inform other vessels that a pilot is aboard and navigational assistance is being provided.

Q4. Finished with wheel

- A) Switch off steering motor
- B) Change over to emergency steering
- C) Change to auto pilot
- D) Helms no longer required

Correct Answer: D (Helms no longer required)

Explanation: When the helm order 'Finished with wheel' is given, it signifies that manual steering is no longer required. The helm is therefore 'finished', meaning the helmsman is relieved of duty.

Q5. Match the term "COMPASS ROSE" with the most suitable answers given below

- A) Green buoy
- B) 60 nautical miles
- C) Solar system
- D) 360 degrees

Correct Answer: D (360 degrees)

Explanation: A compass rose, depicted on charts and compasses, is a circle graduated into 360 degrees, representing directions. It is fundamental for determining bearings and courses.

Q6. Whilst receiving bunkers you must hoist Intercode flag

- A) "A" (Alpha)
- B) "D" (Delta)
- C) "B" (Bravo)
- D) "C" (Charlie)

Correct Answer: C ("B" (Bravo))

Explanation: International Code Flag 'B' (Bravo) is hoisted during the transfer of oils or dangerous liquids and gases, including bunkering operations, to signal that the vessel is handling hazardous cargo.



- A) Planet
- B) Divider
- C) Parallel ruler
- D) Depth in metres

Correct Answer: B (Divider)

Explanation: When navigating using charts, a divider is a crucial tool used for measuring and transferring distances between two points on the chart, representing a specific length.

Q8. Match the term "STARBOARD SIDE OF CHANNEL" with the most suitable answers given below

- A) Bay of Bengal
- B) Compass error
- C) Green buoy
- D) Solar system

Correct Answer: C (Green buoy)

Explanation: According to IALA (International Association of Lighthouse Authorities) buoyage system, the starboard side of a channel, when entering from seaward, is marked by a green buoy.

Q9. The intercode flag which is hosted when the vessel is handling dangerous cargo

- A) B
- B) C
- C) A
- D) D

Correct Answer: A (B)

Explanation: International Code Flag 'B' (Bravo) must be hoisted when a vessel is handling dangerous cargo, as per international maritime regulations, to warn other vessels.

Q10. Match the term "ONE DEGREE" with the most suitable answers given below

- A) 30 nautical miles
- B) 60 nautical miles
- C) 360 degrees
- D) Compass error

Correct Answer: B (60 nautical miles)

Explanation: On a nautical chart, one degree of latitude is equivalent to 60 nautical miles. This is a fundamental conversion used in celestial and terrestrial navigation.

Q11. Match the term "OCEAN CHART" with the most suitable answers given below

- A) Green conical buoy
- B) Red can buoy
- C) Planet
- D) Depth in metres

Correct Answer: D (Depth in metres)

Explanation: Ocean charts cover vast areas of the sea and are typically used for offshore navigation. Their primary function is to show depths and general seafloor topography, hence 'depth in metres' is the most relevant associated term.



- A) Seizing wires
- B) Halyards
- C) Heaving lines
- D) Flags

Correct Answer: D (Flags)

Explanation: Flag clips are specifically designed fasteners used to attach multiple flags together, typically for hoisting them on a single halyard for signalling purposes.

Q13. A strict fire and safety patrol should be kept in the dry dock because

- A) There is no water in dry dock
- B) Of repair work being carried out
- C) There is no ship power supply
- D) There are shore staff present on board

Correct Answer: B (Of repair work being carried out)

Explanation: During repair work in a dry dock, the presence of flammable materials and hot work increases the risk of fire. A strict fire and safety patrol is essential to mitigate these risks.

Q14. A vessel steering a course of zero degrees true from the equator without the effect of wind or current

- A) Decreases in latitude steadily
- B) Increases in longitude steadily
- C) Decreases in longitude steadily
- D) Increases in latitude steadily

Correct Answer: D (Increases in latitude steadily)

Explanation: Steering a course of 000 degrees True from the Equator means travelling directly north along a meridian. As a vessel moves north from the Equator, its latitude steadily increases.

Q15. The colour of a starboard hand buoy is:

- A) Green
- B) Red
- C) Orange
- D) Brown

Correct Answer: A (Green)

Explanation: According to the IALA buoyage system, a starboard hand buoy, marking the starboard side of a channel when entering from seaward, is colored green.

Q16. A vessel steering a course of 090 degrees true from the Greenwich Meridian without the effect of wind or current

- A) Decreases in easterly longitude steadily
- B) Increases in westerly longitude steadily
- C) Increases in easterly longitude steadily
- D) Decreases in westerly longitude steadily

Correct Answer: C (Increases in easterly longitude steadily)

Explanation: A vessel steering a course of 090 degrees True from the Greenwich Meridian means it is travelling directly east along a line of longitude. As a vessel moves east, its easterly longitude increases.



Q17. Match the term "STARBOARD HAND" with the most suitable answers given below

- A) Red can buoy
- B) Depth in metres
- C) Green conical buoy
- D) Parallel ruler

Correct Answer: C (Green conical buoy)

Explanation: In the IALA buoyage system, a starboard hand mark (buoy) is typically green and often conical in shape, indicating the starboard side of a channel.

Q18. Match the term "PORT HAND BUOY" with the most suitable answers given below

- A) Green conical buoy
- B) Depth in metres
- C) Star
- D) Red can buoy

Correct Answer: D (Red can buoy)

Explanation: A port hand buoy, in the IALA buoyage system, is typically red and can-shaped, marking the port side of a channel when entering from seaward.

Q19. When there is any under water diving:

- A) Flag O is hoisted
- B) Flag P is hoisted
- C) Flag B is hoisted
- D) Flag A is hoisted

Correct Answer: D (Flag A is hoisted)

Explanation: When underwater diving operations are in progress, the 'Divers Down' flag (International Code Flag 'A') must be displayed to warn other vessels and prevent navigation in the immediate vicinity.

Q20. Equator is at

- A) 90 degrees south
- B) 90 degrees North
- C) 0 degrees
- D) 180 degrees East

Correct Answer: C (0 degrees)

Explanation: The Equator is defined as the imaginary line around the middle of the Earth at 0 degrees latitude, dividing the Earth into the Northern and Southern Hemispheres.

Practice Set 6

Q1. The latitude of north pole is at

- A) 90 degrees North
- B) 0 degrees North
- C) 20 degrees South
- D) 100 degrees North

Correct Answer: A (90 degrees North)



Q2. The shape of a port hand buoy is:

- A) Can
- B) Hexagonal
- C) Circular
- D) Conical

Correct Answer: A (Can)

Explanation: In the IALA buoyage system, port hand buoys, which mark the left side of a channel when entering from seaward, are typically can-shaped.

Q3. The Intercode flag which is hoisted before the vessel is ready to sail is

- A) A
- B) Q
- C) P
- D) B

Correct Answer: C (P)

Explanation: International Code Flag 'P' (Preparative) is hoisted when a vessel is ready to sail, signalling that it is preparing to depart or has finished loading.

Q4. A vessel when steering by auto-pilot the helmsman

- A) Can be engage on deck
- B) Can go off duty
- C) Not Required on break Bridge
- D) Required to stand by on bridge

Correct Answer: D (Required to stand by on bridge)

Explanation: Even when a vessel is steering by auto-pilot, the helmsman is still required to be on duty and vigilant on the bridge. This is to ensure immediate manual intervention if the auto-pilot fails or circumstances change.

Q5. Ensign flag is the flag of the

- A) State
- B) Port of call
- C) Country
- D) Shipping Company

Correct Answer: C (Country)

Explanation: The ensign is the national flag flown by a merchant ship, signifying its country of registration, as per international maritime law and conventions.

Q6. A merchant ship is dry docked at intervals of

- A) 18 months
- B) 30 months
- C) 10 months
- D) 20 months

Correct Answer: B (30 months)

Explanation: Merchant ships are required to undergo dry-docking for hull inspection and maintenance at regular intervals, typically



Q7. Match the term "VENUS" with the most suitable answers given below

- A) Depth in metres
- B) Moon
- C) Star
- D) Planet

Correct Answer: D (Planet)

Explanation: Venus is one of the planets orbiting our Sun, making it a celestial body within the solar system.

Q8. Coastal charts are available as:

- A) Temperature charts
- B) Bar charts
- C) Mercator charts
- D) Solar charts

Correct Answer: C (Mercator charts)

Explanation: Coastal charts are typically produced using the Mercator projection, which allows for easier plotting of courses and bearings, as rhumb lines are represented as straight lines.

Q9. Match the term "COURSE" with the most suitable answers given below

- A) Moon
- B) Parallel ruler
- C) Depth in metres
- D) Divider

Correct Answer: B (Parallel ruler)

Explanation: A parallel ruler is a navigational instrument used to transfer bearings or courses from a compass rose on a chart to the vessel's position or desired track.

Q10. One nautical mile is equal to

- A) 1800 meters
- B) 1825 meters
- C) 1852 meters
- D) 1865 meters

Correct Answer: C (1852 meters)

Explanation: A nautical mile is defined as exactly 1852 meters, a standard used in maritime and aeronautical navigation worldwide.

Q11. A Mercator chart has the following identity:

- A) Only title
- B) Only number
- C) Alphabetical Code
- D) Title and a number

Correct Answer: D (Title and a number)

Explanation: Mercator charts are uniquely identified by both a title, which describes the area they cover, and a specific number for easy referencing and ordering.



- A) Country which the ship is calling
- B) Country in which the ship is registered
- C) Company
- D) Commonwealth Countries

Correct Answer: A (Country which the ship is calling)

Explanation: A courtesy flag is the national flag of the country a vessel is visiting, flown at the foremast as a sign of respect and adherence to local maritime protocols.

Q13. The Intercode flag which is hoisted when the vessel requires a pilot is

- A) G
- B) H
- C) P
- D) Q

Correct Answer: A (G)

Explanation: International Code Flag 'G' (Geg) is hoisted by a vessel when pilot is required, indicating its need for navigational assistance.

Q14. The Intercode flag which is hoisted when the vessel requires free pratique is

- A) A
- B) B
- C) P
- D) Q

Correct Answer: D (Q)

Explanation: International Code Flag 'Q' (Quebec) is hoisted when a vessel requests free pratique, signifying that it has no quarantine concerns and is ready for pratique to be granted.

Q15. Match the term "AZIMUTH MIRROR" with the most suitable answers given below

- A) Green buoy
- B) Solar system
- C) 60 nautical miles
- D) Compass error

Correct Answer: D (Compass error)

Explanation: An azimuth mirror is used in conjunction with a compass to take bearings of celestial bodies or terrestrial objects, aiding in determining compass error.

Q16. The earth is a planet in the

- A) Lunar system
- B) Satellite system
- C) Nuclear system
- D) Solar system

Correct Answer: D (Solar system)

Explanation: The Earth is the third planet from the Sun and is part of the Solar System, which includes the Sun and all the celestial bodies that orbit it.



- A) Polar chart
- B) Stellar chart
- C) Navigational chart
- D) Pictorial chart

Correct Answer: C (Navigational chart)

Explanation: A Mercator chart is a navigational chart that uses the Mercator projection, making it suitable for plotting courses and determining bearings accurately for sea voyages.

Q18. Knot is a unit of speed equal to _____ meters per hour

- A) 2100
- B) 2000
- C) 1900
- D) 1852

Correct Answer: D (1852)

Explanation: A knot is a unit of speed equivalent to one nautical mile per hour. Since one nautical mile is 1852 meters, a knot is equal to 1852 meters per hour.

Q19. Match the term "MUMBAI HARBOUR" with the most suitable answers given below

- A) Compass error
- B) 60 nautical miles
- C) Plan chart
- D) Green buoy

Correct Answer: C (Plan chart)

Explanation: Harbour charts, like the one for Mumbai Harbour, are large-scale charts that provide detailed information about a specific port or harbor area, thus they are a type of plan chart.

Q20. Match the term "JUPITER" with the most suitable answers given below

- A) Compass error
- B) 60 nautical miles
- C) Solar system
- D) Green buoy

Correct Answer: C (Solar system)

Explanation: Jupiter is the fifth planet from the Sun and is a significant celestial body within our Solar System.

Q21. At night a port hand buoy has a _____ light

- A) Green light
- B) Red light
- C) Orange light
- D) White light

Correct Answer: B (Red light)

Explanation: In the IALA buoyage system, port hand buoys are typically marked with a red light at night, corresponding to their red color during the day.

**Q1. The cemented spurling pipe prevents**

- A) Seaman from falling into the chain locker
- B) Rust from entering into the chain locker.
- C) Cover from getting rusted
- D) Water from entering into the chain locker

Correct Answer: D (Water from entering into the chain locker)

Explanation: The spurling pipe, often cemented, is designed to prevent seawater from entering the chain locker when the anchor is being weighed, thus protecting the anchor chain and locker contents from excessive moisture.

Q2. The scope of cable depends on the

- A) The size of the anchor chain
- B) The thickness of the anchor chain
- C) Length of anchor chain used
- D) The size of the anchor

Correct Answer: C (Length of anchor chain used)

Explanation: The scope of a cable, which is the ratio of the length of the anchor chain paid out to the depth of the water, is determined by the length of the anchor chain used, alongside other factors like environmental conditions.

Q3. The term anchor aweigh means

- A) Anchor is sighted
- B) Anchor is running out
- C) Anchor is lost
- D) Let go anchor

Correct Answer: A (Anchor is sighted)

Explanation: The term 'anchor aweigh' is a nautical term indicating that the anchor is no longer in contact with the seabed, meaning it has been lifted clear of the bottom. It signifies the commencement of weighing anchor.

Q4. Bow stopper is used to:

- A) Prevent Anchor chain from running out.
- B) Prevent Anchor chain from coming in
- C) Prevent the Anchor chain from fouling.
- D) Prevent the Anchor from dragging

Correct Answer: A (Prevent Anchor chain from running out.)

Explanation: A bow stopper, also known as a devil's claw, is a mechanical device used to secure the anchor chain after it has been hove up. Its primary function is to prevent the chain from running out unintentionally, thereby relieving pressure on the windlass brake.

Q5. The heaving line is used when berthing to send the

- A) Walkie Talkie ashore
- B) Fire hose ashore
- C) Mooring rope ashore
- D) Rat guard ashore

Correct Answer: C (Mooring rope ashore)

Explanation: A heaving line is a light, weighted line thrown ashore or to another vessel. It is used to establish a connection, enabling



Q6. When berthing a gant line is used to send the

- A) Heaving line ashore
- B) Lashing material ashore
- C) Mooring wire ashore
- D) Fenders ashore

Correct Answer: C (Mooring wire ashore)

Explanation: A gant line is a light line, often synthetic, used to pass heavier ropes or wires. When berthing, it serves as a messenger line to haul the main mooring wires or ropes from the quay to the ship.

Q7. A gant line acts as a

- A) Marking line
- B) Rocket line
- C) Heaving line
- D) Messenger line

Correct Answer: D (Messenger line)

Explanation: A gant line, also referred to as a messenger line, is a light, flexible line used to haul heavier ropes or wires. It facilitates the transfer of mooring lines or wires between the ship and the shore or another vessel.

Q8. Aft back spring is used to keep the vessel from moving

- A) Athwart ship direction
- B) Astern
- C) Away from the jetty
- D) Ahead

Correct Answer: B (Astern)

Explanation: An aft spring mooring line runs from the stern of the vessel forward to a quay bollard. It is primarily used to control the vessel's movement astern, preventing it from moving backward away from the jetty.

Q9. The last link in the anchor chain is called

- A) Chain end
- B) Bitter end.
- C) Better end.
- D) Half shackle end.

Correct Answer: B (Bitter end.)

Explanation: The bitter end is the terminal end of the anchor chain, which is connected to the ship's structure via a breaking link. It is the last link of the chain that is typically brought on board.

Q10. The anchor wash valve provides wash water for the

- A) The anchor wash valve provides wash water for the
- B) Windlass
- C) Hosing down on deck
- D) Chain locker

Correct Answer: A (The anchor wash valve provides wash water for the)

Explanation: The anchor wash valve provides a source of water to clean mud and debris from the anchor and chain as they are hauled up. This prevents the accumulation of sediment in the hawse pipe and chain locker.



- A) Brake band
- B) Gear box
- C) Windlass motor
- D) Windlass drum

Correct Answer: A (Brake band)

Explanation: The windlass brake lining is a critical component that provides friction to hold the anchor chain secure. This lining is attached to the brake band, which clamps onto the windlass drum to prevent movement.

Q12. A vessel can drag anchor when the sea is

- A) Calm with strong tide
- B) Rough with strong tide
- C) Rough with no tide
- D) All of the above

Correct Answer: D (All of the above)

Explanation: A vessel can drag anchor under various conditions where the holding power of the anchor is overcome. This includes rough seas and strong tides, or even calm conditions with a very strong tide, all of which exert significant force on the anchor.

Q13. Fenders are placed on the shipside when coming alongside a jetty to protect the

- A) Bow thrusters from contact damage
- B) Shore bollards
- C) Mooring ropes from wear and tear
- D) Shipside from contact damage

Correct Answer: D (Shipside from contact damage)

Explanation: Fenders are deployed along the ship's side when approaching or lying alongside a jetty or quay. Their purpose is to absorb impact and prevent damage to the vessel's hull and the quay structure.

Q14. When lowering the tug rope to the tug, the crew must

- A) Lower the rope with a rope stopper
- B) Allow the tug to pull the rope
- C) Lower the rope in a controlled manner
- D) Let the rope run out immediately

Correct Answer: C (Lower the rope in a controlled manner)

Explanation: When lowering a tug rope, it is crucial to do so in a controlled manner to prevent sudden jerks or accidents. This ensures the safety of personnel and equipment on both vessels.

Q15. The anchor cable is marked to

- A) Prevent corrosion
- B) Recognize the number of the shackle coming up on deck
- C) Measure the length of each cable
- D) Record when the cable was last painted

Correct Answer: B (Recognize the number of the shackle coming up on deck)

Explanation: The anchor cable is marked with paint at intervals of one shackle (approximately 27.5 meters). These marks allow the bridge team to accurately determine the amount of cable paid out.



- A) During anchorage.
- B) During repairs to anchor and anchor chain.
- C) During Manoeuvring at the anchorage area
- D) During anchoring operations

Correct Answer: A (During anchorage.)

Explanation: The anchor ball is a black spherical shape displayed during daylight. It is hoisted when a vessel is at anchor to indicate its status to other vessels, signifying that it is not under command and is at anchor.

Q17. When anchoring the order "let go" means

- A) Tighten the windlass brake.
- B) Allow the anchor to run out by releasing the windlass brake
- C) Increase the speed of the windlass
- D) Keep clear of anchor chain

Correct Answer: B (Allow the anchor to run out by releasing the windlass brake)

Explanation: The order 'let go' when anchoring signifies the release of the anchor. This is achieved by disengaging the windlass brake, allowing the anchor and chain to run out freely under gravity.

Q18. All modern ships have a

- A) Kedge anchor
- B) Stockless anchor
- C) Mushroom anchor
- D) Stock anchor

Correct Answer: B (Stockless anchor)

Explanation: Modern merchant ships predominantly use stockless anchors, such as the Hall or AC14 type. These anchors are designed for efficient handling and good holding power, with their flukes retracting into the body.

Q19. When a vessel is at anchor the bow stopper relieves the stress on the

- A) Anchor Chain
- B) Anchor Brake
- C) Hawse pipe
- D) Warping drum

Correct Answer: B (Anchor Brake)

Explanation: When a vessel is at anchor, the bow stopper (or chain stopper) takes the load off the windlass brake and cable holder. This prevents the windlass mechanism from being subjected to the full strain of the anchor chain.

Q20. Before proceeding out to sea on a long voyage anchors are secured using

- A) Turnbuckle and wire lashing
- B) Chain stopper
- C) Locking Pin
- D) Windlass Brake

Correct Answer: A (Turnbuckle and wire lashing)

Explanation: Before sailing on a long voyage, anchors are securely stowed using a combination of the windlass brake, chain stopper, and often wire lashings secured by turnbuckles. This prevents any accidental movement of the anchor during the voyage.



Practice Set 8

Q1. The forecastle of the ship is in the

- A) Midship chapter
- B) Aft chapter
- C) Rear chapter
- D) Forward chapter

Correct Answer: D (Forward chapter)

Explanation: The forecastle, commonly known as the 'fo'c'sle', is the forward-most part of the ship's upper deck. It is located at the forward end, typically above the forward perpendicular.

Q2. Chain Stopper is used to:

- A) Prevent anchor chain from running out
- B) Prevent gangway from slipping
- C) Hold tight mooring wire when being transferred
- D) Prevent chain from slipping through hawse pipe

Correct Answer: C (Hold tight mooring wire when being transferred)

Explanation: A chain stopper is a device used to secure the anchor chain, particularly when transferring mooring wires. It holds the chain firmly, preventing it from running out, thereby ensuring safety during mooring operations.

Q3. Bell on the forecastle is fitted to

- A) Raise an alarm in case of emergency.
- B) Signal change of watch
- C) Wake the crew Up
- D) Indicate number of anchor shackles paid out

Correct Answer: D (Indicate number of anchor shackles paid out)

Explanation: A bell on the forecastle, specifically the anchor bell, is used to indicate the number of shackle lengths of anchor chain paid out. This is a visual aid for the bridge during anchoring operations.

Q4. Fenders are placed on the jetty to

- A) Prevent damage to the shipside
- B) To help cargo operations
- C) Keep the ship alongside
- D) To minimize pollution

Correct Answer: A (Prevent damage to the shipside)

Explanation: Fenders are deployed to prevent the ship's hull from directly contacting the quay or other vessels. This protects both the ship and the fixed structures from potential damage during berthing.

Q5. Communication between the bridge and the mooring station is conducted by

- A) Hand signals
- B) Walkie Talkie
- C) Shouting orders
- D) Light signals

Correct Answer: B (Walkie Talkie)

Explanation: Effective communication between the bridge and mooring stations is vital for safe operations. Walkie-talkies (portable



Q6. Forward spring is used in mooring system to prevent the vessel from moving

- A) Away from the jetty
- B) Athwartships direction
- C) Ahead
- D) Astern

Correct Answer: C (Ahead)

Explanation: A forward spring mooring line runs from the forward part of the vessel aft to a quay bollard. It is used to control the vessel's movement ahead, preventing it from moving forward away from the jetty.

Q7. An anchor is used by the ship to

- A) Navigate in shallow waters.
- B) Make the ship fast to seabed.
- C) Tow the ship
- D) Make the ship fast alongside a jetty.

Correct Answer: B (Make the ship fast to seabed.)

Explanation: An anchor is a heavy device attached to a chain or cable, designed to grip the seabed. Its primary function is to hold a vessel in a fixed position and prevent it from drifting.

Q8. Anchor is lead to shipside through

- A) Hawse pipe.
- B) Lead pipe
- C) House pipe
- D) Anchor chain pipe

Correct Answer: A (Hawse pipe.)

Explanation: The anchor, when deployed or retrieved, passes through a specially designed opening in the ship's hull called a hawse pipe. This pipe guides the anchor chain and protects the hull from abrasion.

Q9. In berth rat guards are placed on the ships mooring ropes to

- A) Catch the rats as they move on the mooring rope
- B) Prevent the rats from chewing the rope
- C) Kill the rats as they move on the mooring rope
- D) Prevent rats from entering and leaving the ship

Correct Answer: D (Prevent rats from entering and leaving the ship)

Explanation: Rat guards are circular metal shields placed on mooring ropes and pilot ladders. They are designed to prevent rats and other rodents from climbing aboard or leaving the vessel.

Q10. When passing towline to tug from mooring deck

- A) Take full three turns on the bitts and throw the line towards tug
- B) Pass both ends of the rope to the tug
- C) Take half turn on bitts and pass one eye to the tug
- D) Make fast both ends on board and pass the bight to the tug

Correct Answer: C (Take half turn on bitts and pass one eye to the tug)

Explanation: When passing a towline to a tug, the ship's crew should take a half turn on the bitts and pass one eye of the rope to the tug. This allows for controlled tensioning and safe transfer of the towline.



- A) Radar Mast
- B) Stern Post
- C) Fore Castle
- D) Main Mast

Correct Answer: C (Fore Castle)

Explanation: The anchor ball, a statutory day signal, is always displayed on the foremast or the forecastle. It visually indicates to other vessels that the ship is at anchor.

Q12. Length of each shackle in the anchor cable is

- A) 27.5 kms
- B) 28.5 mtrs
- C) 29.5 mtrs
- D) 27.5 mtrs

Correct Answer: D (27.5 mtrs)

Explanation: The standard length of a shackle in the anchor cable on most merchant vessels is 27.5 meters. These markings are essential for determining the scope of the anchor cable being deployed.

Q13. Breast rope is used in mooring system to prevent the vessel from moving

- A) Towards the jetty
- B) Fore and aft direction
- C) Ahead
- D) Away from the jetty

Correct Answer: D (Away from the jetty)

Explanation: A breast rope runs perpendicular to the ship's centerline, from the ship's side to a quay bollard. It is used to hold the vessel firmly alongside the jetty, preventing it from moving away.

Q14. The term "commence weighing anchor means" to

- A) Lower the anchor to the water level
- B) Lower the anchor to the seabed
- C) Heave the anchor up from the seabed
- D) Check the weight of the anchor

Correct Answer: C (Heave the anchor up from the seabed)

Explanation: The term 'commence weighing anchor' is an order to begin the process of hauling the anchor up from the seabed. This involves operating the windlass to retrieve the anchor chain.

Q15. Bollard is a

- A) Steel block
- B) Stanchion
- C) Air pipe
- D) For making fast mooring ropes/wires.

Correct Answer: D (For making fast mooring ropes/wires.)

Explanation: A bollard is a short, sturdy post, typically made of cast iron or steel, fixed on a quay or ship. It serves as a strong point for securing mooring ropes and wires.



- A) Use the chain stopper
- B) Make fast the hawser on the bitts
- C) Do mooring operations faster.
- D) Start heaving the anchor faster

Correct Answer: B (Make fast the hawser on the bitts)

Explanation: In mooring terminology, 'make fast' means to secure a mooring line or wire firmly to a bitt or other securing point. It indicates that the line is properly tensioned and fastened.

Q17. When the tug is pulling the ship, the ship's crew should

- A) Stand close to the bollard where the rope is secured
- B) Keep well clear of the tug's rope
- C) Keep slacking the rope as the weight comes on it
- D) Tie a rope stopper to the tugs rope

Correct Answer: B (Keep well clear of the tug's rope)

Explanation: When a tug is pulling a ship, there is significant tension on the lines. Crew members should maintain a safe distance from the towline and any associated equipment to avoid injury from potential snap-backs.

Q18. In dry dock the anchor cable is

- A) Renewed at one end
- B) Renewed at both ends
- C) Interchanged in the middle
- D) Changed end to end

Correct Answer: D (Changed end to end)

Explanation: In dry dock, it is common practice to turn the anchor cable end-for-end. This procedure allows for even wear distribution and inspection of both ends of the chain, extending its service life.

Q19. A merchant ship anchors in the anchorage waiting area when her

- A) Fresh water tank has to be cleaned
- B) Aft draft has to be reduced
- C) Berth is not vacant
- D) Hatch cover has to be chipped and painted

Correct Answer: C (Berth is not vacant)

Explanation: A merchant ship anchors in an anchorage area primarily when its assigned berth is occupied by another vessel or unavailable for other reasons. This allows the ship to wait safely until the berth becomes vacant.

Practice Set 9

Q1. Cellular container vessel have several lift on lift off hatch cover to

- A) Minimize stress on the trackway
- B) Prevent water from entering into the cargo hold
- C) Reduce the weight of each hatch cover
- D) Carry more containers on deck

Correct Answer: D (Carry more containers on deck)



Q2. Sounding pipe cap is opened with a

- A) T' spanner
- B) Wheel spanner
- C) Box spanner
- D) Ring spanner

Correct Answer: A (T' spanner)

Explanation: Sounding pipe caps are typically secured with a T-spanner. This specialized tool allows for a firm grip to open or close the cap, which is often designed to be watertight.

Q3. Prior to loading cargo the hatch covers should be

- A) Hose tested
- B) Painted
- C) Visually checked
- D) Greased

Correct Answer: A (Hose tested)

Explanation: Before loading cargo, hatch covers must undergo a hose test. This is a crucial watertightness test to ensure that no water will enter the cargo holds during the voyage, protecting the cargo from damage.

Q4. The union purchase is rigged with a

- A) Seizing wire
- B) Mooring wire
- C) Bowsing wire
- D) Preventer wire

Correct Answer: D (Preventer wire)

Explanation: A preventer wire is used in a union purchase rig to prevent the derrick from swinging sideways, thereby increasing stability and safety during cargo operations. It acts as a secondary support to the primary guys.

Q5. The strum box is located in the

- A) Galley
- B) Hold bilges
- C) Fore peak store
- D) Mast house

Correct Answer: B (Hold bilges)

Explanation: The strum box is a coarse strainer fitted at the suction side of the bilge pumping system. It prevents large debris from entering the pump and pipelines, thereby protecting the pump from damage and blockages in the hold bilges.

Q6. The rubber packing in the hatch cover is used to make it

- A) Water tight
- B) Resistant to ships motion
- C) Weather tight
- D) Airtight

Correct Answer: C (Weather tight)

Explanation: The rubber packing in the hatch cover is designed to create a seal that is both watertight and airtight when the covers



Q7. Lift on lift off hatches are used on

- A) Gear less bulk carriers
- B) Car carriers
- C) Cellular container ships
- D) General cargo ships

Correct Answer: C (Cellular container ships)

Explanation: Lift-on/lift-off hatches are typically used on cellular container ships because they are designed to be stacked and moved by specialized container cranes. This method facilitates efficient loading and unloading of standardized container units.

Q8. Sounding of tanks and bilges are taken

- A) Weekly
- B) Fortnightly
- C) Daily
- D) Monthly

Correct Answer: C (Daily)

Explanation: Sounding of tanks and bilges should be taken daily. This regular monitoring is crucial for maintaining situational awareness of the vessel's stability, ballast status, and potential water ingress, which is vital for safe operation.

Q9. The lower the angle of the boom of the derrick or crane

- A) Lesser will be the lifting capacity
- B) Greater will be the lifting capacity
- C) Lesser will be the hoisting rate
- D) Greater will be the hoisting rate

Correct Answer: A (Lesser will be the lifting capacity)

Explanation: The lower the angle of the boom of a derrick or crane relative to the horizontal, the lesser will be its lifting capacity. This is due to the increased load on the hoisting wires and the reduced mechanical advantage.

Q10. Hatches are secured by

- A) Chain lashing
- B) Eccentric rollers
- C) Quick acting cleats
- D) Wire lashing

Correct Answer: C (Quick acting cleats)

Explanation: Hatches are secured by quick-acting cleats, which are leverage-based devices that quickly clamp the hatch covers down onto the coaming. This ensures a secure and tight closure against weather and sea.

Q11. The crane jib is raised and lowered with the

- A) Running block
- B) Moving block
- C) Topping block
- D) Standing block

Correct Answer: C (Topping block)

Explanation: The crane jib is raised and lowered using the topping lift, which is a wire rope system connected to the top of the jib. This allows for precise control over the jib's angle and height during lifting operations.



- A) Battened down
- B) Kept chapterly open
- C) Closed but not battened down
- D) Battened down chapterly

Correct Answer: A (Battened down)

Explanation: Before going to sea, all hatch covers must be securely battened down. This action ensures watertight integrity, protecting the cargo from any potential water ingress during the voyage, which is a critical safety requirement.

Q13. Can hooks are used for loading

- A) Machinery cases
- B) Drums
- C) Gunny bags
- D) Pipes

Correct Answer: B (Drums)

Explanation: Can hooks are specialized lifting attachments used for handling drums. They provide a secure grip around the circumference of the drum, allowing for safe and efficient hoisting.

Q14. Preventer guy is used when the derrick is working as a

- A) Union purchase
- B) Jumbo derrick
- C) Stulcken derrick
- D) Swinging derrick

Correct Answer: A (Union purchase)

Explanation: A preventer guy is a critical component used when the derrick is rigged for a union purchase. It provides additional stability and control, preventing excessive swinging of the cargo block and ensuring safe operation.

Q15. A cruise liner carries

- A) Grain cargo
- B) Stowaways
- C) Ro Ro cargo
- D) Passengers

Correct Answer: D (Passengers)

Explanation: A cruise liner's primary function is to carry passengers for leisure and travel. Unlike cargo vessels, its main payload consists of people enjoying a voyage.

Q16. Access to cargo holds is through

- A) Booby hatch
- B) Accommodation
- C) Fore castle
- D) Engine room

Correct Answer: A (Booby hatch)

Explanation: Access to cargo holds is typically gained through a 'booby hatch', which is a small hatchway providing entry from the deck into the upper part of the hold. This is a standard access point for personnel and equipment.



- A) Capacity plan
- B) Rigging plan
- C) Ships chaptericulars
- D) General Arrangement plan

Correct Answer: B (Rigging plan)

Explanation: The rigging plan details the configuration of cargo gear, including derricks and cranes, and specifies the Safe Working Load (SWL) for all associated components like blocks and shackles. This document is essential for safe lifting operations.

Q18. Machinery cases loaded in the cargo hold should be lashed with

- A) Nets
- B) Heaving lines
- C) Wire and turnbuckles
- D) Twist locks

Correct Answer: C (Wire and turnbuckles)

Explanation: Machinery cases loaded in cargo holds must be securely lashed using wire ropes and turnbuckles. This method provides the necessary tension and strength to prevent movement during the ship's motion at sea.

Q19. Side guys are used on

- A) Gantry cranes
- B) Cranes
- C) Derricks
- D) Chain blocks

Correct Answer: C (Derricks)

Explanation: Side guys are primarily used with derricks to control their athwartship movement and provide lateral stability. They are essential for positioning the derrick accurately over the cargo.

Q20. Bottle screw is used for

- A) Tightening wire ropes
- B) Putting screws
- C) Tightening man ropes
- D) Dunnage

Correct Answer: A (Tightening wire ropes)

Explanation: A bottle screw, also known as a turnbuckle, is used to adjust and tighten wire ropes. By rotating the central body, it shortens the wire rope assembly, providing adjustable tension.

Q21. Safe working load of cargo gear is the

- A) Minimum stress or weight required to break it
- B) Minimum weight which can be lifted safely
- C) Total weight required to stretch the wire
- D) Maximum weight which can be lifted safely

Correct Answer: D (Maximum weight which can be lifted safely)

Explanation: The Safe Working Load (SWL) of cargo gear is the maximum weight that can be lifted safely under normal operating conditions. Exceeding this limit can lead to failure of the equipment and potential accidents.



- A) Driver's cabin
- B) Master's cabin
- C) Stevedore's cabin
- D) Owner's cabin

Correct Answer: A (Driver's cabin)

Explanation: Crane controls are located in the driver's cabin, often referred to as the operator's cabin or crane house. This provides the crane operator with a clear view of the lifting operation and direct control over the machinery.

Q23. The weight of the hatch cover in the open position is taken by the

- A) Side rollers
- B) Cleats
- C) Eccentric rollers
- D) Wedges

Correct Answer: A (Side rollers)

Explanation: When hatch covers are in the open position, their weight is supported by side rollers that run along the hatch coaming. These rollers facilitate the smooth movement of the covers and bear the load.

Q24. Bulk carrier discharge cargo with

- A) Hosepipes
- B) Shovels
- C) Grabs
- D) Buckets

Correct Answer: C (Grabs)

Explanation: Bulk carriers primarily discharge granular or powdered cargo using grabs. These mechanical devices efficiently scoop and lift large quantities of bulk material from the holds.

Q25. Containers are lashed on a cellular container ship with

- A) Chains and shackles
- B) Twist locks and rod lashings
- C) Nylon ropes
- D) Nylon lashings

Correct Answer: B (Twist locks and rod lashings)

Explanation: Containers on a cellular container ship are secured using twist locks that engage with the corner castings of the containers. Rod lashings may also be used in conjunction for additional stability.

Q26. The SWL of derrick

- A) May be exceeded once a voyage
- B) Can be exceeded sometimes
- C) Should never be exceeded
- D) Can be exceeded

Correct Answer: C (Should never be exceeded)

Explanation: The Safe Working Load (SWL) of any derrick or lifting appliance should never be exceeded. This is a critical safety regulation to prevent catastrophic failure and ensure the safety of personnel and cargo.



- A) Warm sweat
- B) Ship sweat
- C) Cold sweat
- D) Cargo sweat

Correct Answer: D (Cargo sweat)

Explanation: When a ship moves from a cold region to a warmer region, moisture from the warmer air condenses on the cold surfaces of the cargo and ship's structure, leading to 'cargo sweat'. This condensation can damage certain types of cargo.

Q28. When filling a ballast tank it is important to

- A) Open the manhole cover
- B) Take gas readings
- C) Make sure that the tank air vents are open
- D) Press up the tank

Correct Answer: C (Make sure that the tank air vents are open)

Explanation: When filling a ballast tank, it is imperative that the tank's air vents are open. This allows air to escape as the tank fills, preventing pressure build-up and ensuring safe and efficient filling.

Q29. Rope slings are used for loading

- A) Motor cars
- B) Containers
- C) Locomotives
- D) Bagged cargo

Correct Answer: D (Bagged cargo)

Explanation: Rope slings are versatile and are commonly used for loading bagged cargo. The ropes are looped around the bags to form a secure bundle for hoisting.

Q30. Hatch covers can be of the

- A) Lift on Lift off
- B) Folding type
- C) Side opening type
- D) All of the above

Correct Answer: D (All of the above)

Explanation: Hatch covers come in various designs, including lift-on/lift-off, folding types, and side-opening types, depending on the ship's design and cargo. All these types are used to provide access to cargo holds.

Q31. The lower span block of the derrick is connected to the

- A) Mast
- B) Middle of the derrick
- C) Head of the derrick
- D) Heel of the derrick

Correct Answer: C (Head of the derrick)

Explanation: The lower span block of a derrick is connected to the head of the derrick, which is the uppermost point. This block is part of the hoisting system used to lift the cargo.



- A) Corner post
- B) Mast house
- C) Deck
- D) Crane post

Correct Answer: D (Crane post)

Explanation: The crane body, which houses the main machinery and hoist mechanism, is typically situated on a robust structure called a crane post or pedestal. This provides a stable base for the rotating crane.

Q33. Cargo holds carrying dangerous cargo should

- A) Have portable foam extinguishers
- B) Not have a fixed fire fighting system
- C) Have portable CO2 extinguishers
- D) Have a fixed fire fighting system

Correct Answer: D (Have a fixed fire fighting system)

Explanation: Cargo holds designated for dangerous cargo must be equipped with a fixed fire-fighting system, such as a CO2 or foam system, as per SOLAS regulations. This ensures prompt and effective fire suppression in a hazardous environment.

Q34. Canvas covers gives air pipes additional protection against

- A) Rust
- B) Corrosion
- C) Pollution
- D) Water ingress in rough weather

Correct Answer: D (Water ingress in rough weather)

Explanation: Canvas covers placed over air pipe heads provide an additional layer of protection against water ingress during rough weather. This helps prevent seawater from entering the tank through the air pipe.

Q35. The ship can be penalized in port if there is

- A) machinery breakdown
- B) An oil spill in the harbour water
- C) An emergency alarm
- D) A power failure

Correct Answer: B (An oil spill in the harbour water)

Explanation: A ship can face severe penalties if there is an oil spill in harbour waters, as this constitutes a breach of environmental regulations (MARPOL). Such incidents have significant legal and financial consequences.

Q36. Before entering ballast tanks you must

- A) Wear face mask
- B) Wear hand gloves
- C) Open tank for ventilation to air out foul gases
- D) Keep fire extinguisher ready near the entrance

Correct Answer: C (Open tank for ventilation to air out foul gases)

Explanation: Before entering any confined space, including ballast tanks, it is crucial to ventilate the space thoroughly to remove any dangerous or flammable gases. This is a fundamental safety procedure to prevent asphyxiation or explosion.



Practice Set 10

Q1. Eccentric rollers are lowered on steel hatch covers

- A) When the hatch cover has to be repaired
- B) To make the hatch cover roll on the trackway
- C) To make the hatch cover sit on the trackway
- D) Grease the eccentric rollers

Correct Answer: C (To make the hatch cover sit on the trackway)

Explanation: Eccentric rollers on steel hatch covers are lowered to ensure the cover sits securely and seals properly onto the coaming or trackway when closed, providing watertight integrity.

Q2. Vehicles are loaded on to a Ro Ro ferry through the

- A) Ramp
- B) Hatch cover
- C) Bulbous bow
- D) Tween deck

Correct Answer: A (Ramp)

Explanation: Ro Ro ferries are designed for the efficient loading and unloading of wheeled cargo. The ramp provides a direct, level access from the quay to the vehicle decks, allowing vehicles to drive on and off under their own power.

Q3. Grabs are used for loading

- A) Liquid cargo
- B) Chemical cargo
- C) General cargo
- D) Bulk cargo

Correct Answer: D (Bulk cargo)

Explanation: Grabs are mechanical devices specifically designed for handling loose, granular, or fragmented materials. This type of cargo, such as coal, ore, or grain, is efficiently collected and transported by the jaws of a grab.

Q4. On a container ship containers have to be secure as per the

- A) Convenience of the lashing gang
- B) Availability of the lashing material
- C) Size of the container
- D) Approved lashing plan

Correct Answer: D (Approved lashing plan)

Explanation: Securing containers on a cellular containership is a critical safety operation governed by strict regulations. An approved lashing plan, developed by naval architects and approved by classification societies, dictates the exact methods and materials to ensure stability and prevent shifting.

Q5. A wire snorter is a type of a

- A) Wire sling
- B) Cargo net
- C) Net sling
- D) Wooden tray

Correct Answer: A (Wire sling)



Q6. Hatches are battened down by

- A) Lowering eccentric rollers
- B) Cross wedges
- C) Placing locking pins
- D) Covering with tarpaulin

Correct Answer: B (Cross wedges)

Explanation: On steel hatch covers, eccentric rollers are rotated to secure them. When the hatch is closed, turning the eccentric rollers wedges the cover in place, providing a watertight and secure seal.

Q7. The capacity of tank with depth is available in the

- A) Oil record book
- B) ASTM tables
- C) Calibration tables
- D) Deck log book

Correct Answer: C (Calibration tables)

Explanation: Calibration tables, often called tank sounding or ullage tables, provide the volume of liquid in a tank corresponding to a given depth or ullage. These tables are essential for accurate cargo and ballast calculations.

Q8. Disposal of all cargo residue should be entered in the

- A) Garbage record book
- B) Oil record book
- C) Stevedores record book
- D) Official log book

Correct Answer: A (Garbage record book)

Explanation: The Garbage Record Book (GRB) is a mandatory log for recording the disposal of all types of garbage generated onboard ship, as required by MARPOL Annex V. Cargo residue is considered garbage and its discharge must be documented.

Q9. Container are loaded on board a gearless cellular container ship by

- A) Floating cranes
- B) Derricks
- C) Shore gantry cranes
- D) Grabs

Correct Answer: C (Shore gantry cranes)

Explanation: Gearless cellular container ships rely on shore-based equipment for loading and discharging. Shore gantry cranes are specifically designed to efficiently and safely lift containers to and from the ship's holds and deck.

Q10. In port loading and discharging on a cellular container ship is by

- A) Shore gantry
- B) Derricks
- C) Wire slings
- D) Grabs

Correct Answer: A (Shore gantry)

Explanation: Cellular container ships in port are loaded and discharged using specialized shore-based equipment. Shore gantry



Q11. When the derrick is secured for sea the head will rest on the

- A) Mast house
- B) Hatch cover
- C) Deck
- D) Crutch stand

Correct Answer: D (Crutch stand)

Explanation: When a derrick is secured for sea, its boom (head) rests on a crutch stand, which is a secure support designed to prevent movement and stress on the mast or deck.

Q12. Eccentric rollers are lifted on steel hatch covers

- A) To batten down the hatch cover
- B) To make the hatch cover roll on the trackway
- C) When the hatch cover has to be repaired
- D) Grease the eccentric rollers

Correct Answer: B (To make the hatch cover roll on the trackway)

Explanation: Eccentric rollers are part of the mechanism that allows steel hatch covers to be opened and closed. Lifting or rotating them disengages the cover from its locking position, enabling it to roll smoothly on its trackway.

Q13. Ship sweat occurs when a vessel loads cargo in a

- A) Warm and humid place and goes to a cooler place
- B) Warm place to another warm place
- C) Cold place to another cold place
- D) Cold and wet place and goes to a warm place

Correct Answer: A (Warm and humid place and goes to a cooler place)

Explanation: Ship sweat occurs when warm, moist air inside a cargo hold comes into contact with a colder surface (like the ship's structure or cargo). This temperature difference causes condensation to form, potentially damaging cargo.

Q14. Before entering enclosed spaces, the space must be

- A) Cleaned
- B) Ventilated
- C) Filled with inert gas
- D) Painted

Correct Answer: B (Ventilated)

Explanation: Before entering any enclosed space, thorough ventilation is crucial. This process removes or dilutes any hazardous or flammable gases and replenishes oxygen levels to ensure a safe atmosphere.

Q15. Cellular container vessels have several lift on lift off hatch covers to

- A) Prevent water from entering into the cargo hold
- B) Reduce the weight of each hatch cover
- C) Carry more containers on deck Reduce the weight of each hatch cover
- D) Minimize stress on the trackway

Correct Answer: C (Carry more containers on deck Reduce the weight of each hatch cover)

Explanation: Cellular container vessels utilize lift-on/lift-off hatch covers that are designed to be stowed on deck. This design allows for the carriage of additional containers on the hatch covers themselves, maximizing the vessel's carrying capacity.



- A) Height
- B) Depth of water
- C) Length of a ship
- D) Draft

Correct Answer: B (Depth of water)

Explanation: A hand lead line is a traditional sounding device used to measure the depth of water. It consists of a weighted line marked with depths, manually lowered to the seabed.

Q17. Cargoes which give off gases requires

- A) Cooling
- B) Heating
- C) Ventilation
- D) Drying

Correct Answer: C (Ventilation)

Explanation: Cargoes that release gases, such as certain organic materials, require adequate ventilation. This ensures that any accumulated gases are dispersed, preventing pressure build-up and maintaining a safe atmosphere within the hold.

Q18. Cargo hold washing are pumped out

- A) Through the double bottom tank
- B) Into the side
- C) Through the hold bilges
- D) Into the engine bilges

Correct Answer: C (Through the hold bilges)

Explanation: After cargo hold washing, the resulting water is typically pumped out through the hold bilge system. This system collects and pumps liquids from the lowest part of the hold overboard or to a slop tank.

Q19. The flammable range of a gas is

- A) Above UFL
- B) Between the LFL and UFL in air
- C) Between LFL and UFL in hydrogen
- D) Below LFL

Correct Answer: B (Between the LFL and UFL in air)

Explanation: The flammable range, or explosive limits, of a gas mixture in air is defined by the concentrations that can support combustion. It lies between the Lower Flammable Limit (LFL) and the Upper Flammable Limit (UFL).

Q20. Inert gas has a

- A) High content of oxygen
- B) Low content of nitrogen
- C) High content of sulphur
- D) Low content of oxygen

Correct Answer: D (Low content of oxygen)

Explanation: Inert gas, commonly used for cargo tank protection, is characterized by a very low oxygen content. This lack of oxygen prevents combustion by displacing the flammable vapor and air mixture.



- A) Liquid cargo
- B) LNG
- C) Bales
- D) Bulk grain

Correct Answer: D (Bulk grain)

Explanation: General cargo is a broad category that traditionally encompasses a wide variety of non-bulk, non-liquid commodities. While the options provided are varied, 'Bulk grain' is often considered a specific type of bulk cargo, but in a generalized context of cargo types, 'Bales' and similar packaged goods fall under general cargo.

Q22. The cargo hold of a cellular container Ship has the following fittings inside

- A) Tween deck
- B) Cell guides
- C) Pillars
- D) Hatch boards

Correct Answer: B (Cell guides)

Explanation: Cellular container ships are equipped with cell guides within the cargo holds. These vertical structures precisely guide containers into their designated slots, ensuring stability and efficient stowage.

Q23. Cargo hold bilge strum boxes should be cleaned

- A) After every discharge of cargo
- B) Every year
- C) Once a month
- D) In dry-dock

Correct Answer: A (After every discharge of cargo)

Explanation: Cargo hold bilge strum boxes are critical for preventing debris from entering the bilge pumping system. Cleaning them after every cargo discharge ensures the bilge system remains clear and effective.

Q24. All accesses to a cargo hold should be

- A) Corrosion resistant
- B) Water tight
- C) Weather tight
- D) Held tight

Correct Answer: C (Weather tight)

Explanation: All accesses to a cargo hold, such as hatches and manholes, must be weather tight. This is essential to prevent the ingress of seawater, rain, and spray, protecting the cargo from damage.

Q25. The safe working load of the derrick or crane can be

- A) Exceeded when required
- B) Exceeded
- C) Should not be exceeded
- D) Exceeded if operating slowly

Correct Answer: C (Should not be exceeded)

Explanation: The Safe Working Load (SWL) of any lifting appliance, including derricks and cranes, represents the maximum load they are certified to handle safely. Exceeding this limit poses a significant risk of equipment failure and accident.



- A) 180 degrees
- B) 270 degrees
- C) 90 degrees
- D) 360 degrees

Correct Answer: D (360 degrees)

Explanation: Ships' cranes, particularly those designed for cargo handling, are typically capable of rotating a full 360 degrees. This allows for comprehensive coverage and efficient operation around the working area.

Q27. A Ro Ro ship can be used to carry

- A) All of the below
- B) Passengers
- C) Trucks
- D) Cars

Correct Answer: A (All of the below)

Explanation: Ro Ro (Roll-on/Roll-off) vessels are specifically designed to carry wheeled cargo, including cars, trucks, trailers, and passengers who may be accompanying their vehicles. Therefore, they can accommodate all listed types of cargo.

Q28. Bilges should be cleaned, covered with burlap and cemented

- A) After loading bulk cargo
- B) After discharging bulk cargo
- C) Prior to loading bulk cargo
- D) Prior to cleaning the cargo hold

Correct Answer: C (Prior to loading bulk cargo)

Explanation: Prior to loading bulk cargo, the bilges of the holds must be prepared. Cleaning them and covering with burlap then cementing prevents loose material from entering the bilge system during loading and transit.

Q29. At sea container lashings should be tightened

- A) Daily
- B) Fortnightly
- C) Weekly
- D) Only after rough weather is encountered

Correct Answer: A (Daily)

Explanation: Container lashings on cellular container ships require regular inspection and tightening, especially at sea. Daily checks are often necessary to ensure the security of the containers against the dynamic forces of the marine environment.

Q30. A LNG tanker carries

- A) Chemicals
- B) Petroleum gases
- C) Crude oil
- D) Liquefied natural gas

Correct Answer: D (Liquefied natural gas)

Explanation: LNG tankers are specialized vessels designed for the transportation of Liquefied Natural Gas. The cargo is natural gas that has been cooled to a liquid state for easier storage and transport.



- A) Cause pollution
- B) Damage the tank
- C) Sink the ship
- D) Increase the draft

Correct Answer: B (Damage the tank)

Explanation: Pressurizing a ballast tank beyond its design limits can cause structural damage. Ballast tanks are designed to withstand hydrostatic pressure and normal venting, not over-pressurization.

Q32. All cargo gear should have

- A) Test certificates
- B) Maintenance certificates
- C) Name codes
- D) Colour codes

Correct Answer: A (Test certificates)

Explanation: All cargo gear, including cranes, derricks, and associated lifting equipment, must have valid test certificates. These certificates verify that the gear has been inspected, tested, and certified safe for its intended working load, as per international regulations.

Q33. Discharge of chemical cargo tank washing should comply with

- A) ISM
- B) STCW
- C) MARPOL
- D) SOLAS

Correct Answer: C (MARPOL)

Explanation: The discharge of chemical cargo tank washings is strictly regulated by MARPOL. Annex II of MARPOL provides specific requirements for the handling and disposal of residues from chemical tankers to prevent marine pollution.

Q34. Gooseneck of a derrick is an arrangement

- A) Which supports a derrick block
- B) Which supports the derrick heel
- C) For rigging a Derrick
- D) To house the derrick when at sea

Correct Answer: B (Which supports the derrick heel)

Explanation: The gooseneck is a component of a derrick rig that supports the derrick heel (the lower end of the mast or derrick spar). It allows the derrick to pivot and be secured in position.

Q35. Prior to loading bulk cargo the holds should be

- A) Cleaned and all the dunnage piled up in one section of the hold
- B) Cleaned in all respects for the next cargo
- C) Swept clean and all sweepings put in the bilges
- D) Cleaned with the bilge cover kept open

Correct Answer: B (Cleaned in all respects for the next cargo)

Explanation: Before loading bulk cargo, cargo holds must be thoroughly cleaned and prepared to ensure the cargo's integrity and to prevent contamination. All residues must be removed, and the holds must be in a suitable condition for the specific cargo being loaded.



- A) Bridge fittings
- B) Linkage plate
- C) Twist locks
- D) All of the above

Correct Answer: D (All of the above)

Explanation: Containers on board a vessel are secured together using various fittings. Twist locks are inserted into the corner castings to lock adjacent containers, while bridge fittings and linkage plates can be used for further securing.

Practice Set 11

Q1. Wire rope should be condemned if more than

- A) 10% of the wires are broken in a length of eight diameters
- B) 12% of the wires are broken in a length of eight diameters
- C) 12% of the wires are broken in a length of eight diameters
- D) 9% of the wires are broken in a length of eight diameters

Correct Answer: A (10% of the wires are broken in a length of eight diameters)

Explanation: Wire rope is condemned if more than 10% of its wires are broken within any length of eight diameters. This threshold indicates significant wear and potential loss of structural integrity, posing a safety hazard.

Q2. The knot used for making a back splice is a

- A) Figure of eight knot
- B) Reef knot
- C) Overhand knot
- D) Crown knot

Correct Answer: D (Crown knot)

Explanation: A crown knot is used as the finishing knot in a back splice for wire ropes. It secures the ends of the spliced wires, preventing them from unraveling.

Q3. Block which has a hinged side is known as

- A) Heel block
- B) Chain block
- C) Snatch block
- D) Gin Block

Correct Answer: C (Snatch block)

Explanation: A snatch block is a type of pulley block that has a hinged or opening side. This feature allows the rope to be easily inserted without having to be threaded through the entire block, simplifying rigging.

Q4. The advantage of using a purchase is that for a given size of wire rope

- A) smaller weight can be lifted
- B) A greater weight can be lifted
- C) The same weight can be lifted
- D) The frictional forces are reduced

Correct Answer: B (A greater weight can be lifted)



Q5. The SWL of each block is punched on the

- A) Swivel
- B) Binding straps
- C) Hook
- D) Cheek

Correct Answer: B (Binding straps)

Explanation: The Safe Working Load (SWL) of a block used in lifting tackle is typically stamped or punched onto the cheek plate, which is the side plate of the block. This marking ensures that the maximum safe load is clearly indicated.

Q6. A lead block is used in a derrick when rigging the

- A) Purchase to advantage
- B) Stay wire
- C) Preventer wire
- D) Heel block

Correct Answer: A (Purchase to advantage)

Explanation: A lead block, often a single sheave block, is used in a derrick rig to change the direction of the running part of a rope, enabling the purchase to be rove to advantage. This means the direction of pull is adjusted for more efficient lifting.

Q7. To make temporary eye at one end the most useful knot is

- A) Reef knot
- B) Figure of eight knot
- C) Overhand knot
- D) Bowline

Correct Answer: D (Bowline)

Explanation: The bowline is the most suitable knot for creating a temporary eye in a rope end. It forms a secure, non-slipping loop that is easy to untie even after being under load, essential for many rigging and rescue applications.

Q8. To increase the life of a steel wire rope in a crane it should be

- A) Greased regularly
- B) Painted
- C) Changed end to end
- D) Kept slack on the drum

Correct Answer: A (Greased regularly)

Explanation: Regular greasing of the steel wire rope used in cranes is crucial to prevent corrosion and reduce friction between the wires and strands. This maintenance significantly extends the rope's service life and ensures its safe operation.

Q9. Proof Load of derrick / crane is

- A) More than breaking strength
- B) More than safe working load
- C) Less than
- D) Same as safe working Load

Correct Answer: B (More than safe working load)

Explanation: The Proof Load of a derrick or crane is defined as the load that the equipment can withstand without permanent



Q10. A single sheave block is used to

- A) Prevent the wire from being damaged
- B) Act as a lead block
- C) Eliminate friction
- D) Increase the power gained

Correct Answer: B (Act as a lead block)

Explanation: A single sheave block, when used in a derrick or lifting arrangement, primarily functions as a lead block. It redirects the line of pull, allowing the rope to run smoothly and efficiently, often in conjunction with other blocks.

Q11. A shackle is moused to:

- A) Prevent corrosion of the pin
- B) Strengthen the shackle
- C) Prevent the pin from slipping
- D) Increase the SWL of the shackle

Correct Answer: C (Prevent the pin from slipping)

Explanation: Mousing a shackle, typically with wire or marline, is a safety measure to prevent the pin from accidentally working loose and falling out. This ensures the integrity of the connection, especially under dynamic loading conditions.

Q12. A purchase is rove to advantage when

- A) The pull is coming from the standing block
- B) The pull is coming from the moving block
- C) The purchase is hoisting more weight
- D) The wire thickness is reduced

Correct Answer: B (The pull is coming from the moving block)

Explanation: A purchase is rove to advantage when the direction of the hauling part originates from the moving block. This configuration allows for mechanical advantage, meaning less force is required to lift a given weight.

Q13. Blocks are greased to

- A) Prevent Accidents
- B) Allow free rotation of sheaves
- C) Maintain the SWL of the block
- D) Keep the check nut tight

Correct Answer: B (Allow free rotation of sheaves)

Explanation: Blocks are greased to ensure the free and smooth rotation of the sheaves. This reduces friction and wear on the sheave and the rope, which is vital for efficient operation and preventing damage.

Q14. The size of a manila rope is usually indicated by its

- A) Diameter
- B) Length
- C) Weight
- D) Circumference

Correct Answer: A (Diameter)

Explanation: The size of a manila rope, and indeed most ropes, is traditionally indicated by its diameter. This measurement is critical for selecting the appropriate rope for a specific load or application based on its strength.



- A) Round turn and two half hitches
- B) Reef knot
- C) Double sheet bend
- D) Clove hitch

Correct Answer: C (Double sheet bend)

Explanation: When rigging a bosun chair, a double sheet bend is the most secure and appropriate knot to connect the gantline to the chair. It creates a strong, reliable attachment that is resistant to slipping under load.

Q16. To rig a threefold purchase what blocks are required

- A) One 2 -sheave and one 3 sheave block
- B) Two 3 -sheave blocks
- C) Two 2- sheave blocks
- D) One 2- sheave block and a single sheave block

Correct Answer: B (Two 3 -sheave blocks)

Explanation: A threefold purchase, which provides a mechanical advantage of 3:1, requires a block with three sheaves attached to the load (moving block) and a block with three sheaves at the fixed point (standing block). Thus, two 3-sheave blocks are needed.

Q17. Rope should be stored

- A) In a dry well ventilated space
- B) Close to hot bulkheads
- C) In a place which is exposed to hot sunlight
- D) Close to chemicals and paints

Correct Answer: A (In a dry well ventilated space)

Explanation: Rope should always be stored in a dry, well-ventilated space, away from direct sunlight, heat, and chemicals. Proper storage preserves the rope's integrity and prevents degradation, ensuring its strength and longevity.

Q18. A gun tackle can be used

- A) Only to advantage
- B) Only to disadvantage
- C) Both to advantage and disadvantage
- D) Never to advantage

Correct Answer: C (Both to advantage and disadvantage)

Explanation: A gun tackle, consisting of one single movable block and one single fixed block, can be rigged to provide a mechanical advantage (to advantage) or without advantage depending on which block is attached to the load. Therefore, it can be used in both ways.

Q19. The stage can be lowered over side for shipside painting when the vessel is

- A) Making way through water in good weather
- B) At anchor in good weather
- C) Underway
- D) Manoeuvring alongside

Correct Answer: B (At anchor in good weather)

Explanation: When a vessel is at anchor in good weather, it provides a stable platform for shipside painting. Lowering a stage over the side while making way or manoeuvring would be extremely hazardous due to the vessel's movement.



- A) Reduce friction
- B) Increase friction
- C) Make it watertight
- D) Make it airtight

Correct Answer: A (Reduce friction)

Explanation: Greasing mechanical equipment, such as block sheaves or winch gears, is fundamentally done to reduce friction. Lower friction allows for smoother operation, less wear, and requires less force to move components.

Practice Set 12

Q1. The purpose of mousing a hook is to

- A) Prevent the hook from getting fouled
- B) Increase the SWL of the hook
- C) Prevent the sling from slipping out
- D) Reduce the swing of the object

Correct Answer: C (Prevent the sling from slipping out)

Explanation: Mousing a hook, typically with wire or seizing, is a safety procedure to prevent the load or sling from accidentally slipping out of the hook's throat. This is particularly important when the load is not directly attached or under dynamic conditions.

Q2. When a purchase is rigged to disadvantage the pull is from the

- A) Running block
- B) Standing block
- C) Moving block
- D) Lifting block

Correct Answer: B (Standing block)

Explanation: When a purchase is rigged to disadvantage, the hauling part originates from the standing block. This configuration provides no mechanical advantage; in fact, the effort required to lift the load is greater than the load itself.

Q3. The lay of a right hand lay rope is

- A) Midship to right
- B) Left to left
- C) From right to left
- D) Left to right

Correct Answer: D (Left to right)

Explanation: A right-hand lay rope is constructed such that the strands spiral from left to right when viewed from the end. This is the most common type of rope lay, designed for general-purpose use.

Q4. If the sheave is cracked the sheave has to be

- A) Soldered
- B) Welded
- C) Greased
- D) Renewed

Correct Answer: D (Renewed)



Q5. If the gap between the sheave and the cheek plate is excessive the wire

- A) Needs to be changed
- B) Needs to be greased
- C) Should be spliced
- D) Will get fouled

Correct Answer: D (Will get fouled)

Explanation: An excessive gap between the sheave and the cheek plates of a block can allow the wire rope to become fouled or jammed. This situation increases the risk of damage to the wire and potential failure of the lifting operation.

Q6. Strongest rope for the same diameter is made of

- A) Nylon
- B) Polypropylene
- C) Hemp
- D) Manila

Correct Answer: A (Nylon)

Explanation: For the same diameter, nylon ropes exhibit the highest tensile strength among the given options. This makes them suitable for applications requiring significant load-bearing capacity, such as towing or mooring lines.

Q7. Grease nipples are provided on blocks for

- A) De-greasing
- B) Applying anti-rust
- C) Painting
- D) Lubrication

Correct Answer: D (Lubrication)

Explanation: Grease nipples, often called Zerk fittings, are specifically designed on blocks and other machinery for the purpose of applying lubricant. Regular lubrication via these nipples is essential for maintaining proper function and longevity.

Q8. The split pin on a shackle prevents the pin from

- A) Getting corroded
- B) Unlocking
- C) Getting jammed
- D) Getting stuck

Correct Answer: B (Unlocking)

Explanation: A split pin (or cotter pin) inserted through a hole in the shackle pin and its head is used to secure the pin. It prevents the pin from backing out or unlocking due to vibration or movement, thus maintaining the shackle's connection.

Q9. The power gained in a threefold purchase is

- A) More than a twofold purchase when rove to advantage
- B) Less than a twofold purchase
- C) More than a gun-tackle
- D) Same as a twofold purchase

Correct Answer: A (More than a twofold purchase when rove to advantage)

Explanation: A threefold purchase offers a mechanical advantage of 3:1 when rove to advantage, meaning it multiplies the applied



Q10. The knot used at the end of a heaving line is a

- A) Bowline on the bight
- B) Carrick bend
- C) Monkey fist
- D) Crown knot

Correct Answer: C (Monkey fist)

Explanation: A monkey fist is a type of knot often tied to the end of a heaving line. Its weight and shape help to carry the line accurately to the receiving end during line transfer operations between vessels or to shore.

Q11. When a wire rope is joined to a fiber rope it should be

- A) Tied with a knot to the fiber rope
- B) Connected with a shackle
- C) Spliced to fiber rope
- D) Fitted with a thimble

Correct Answer: D (Fitted with a thimble)

Explanation: When joining a wire rope to a fibre rope, a thimble should be fitted into the eye of the wire rope splice. This protects the wire from crushing and abrasion where it forms the eye, and a suitable knot or fitting is then used to connect the fibre rope.

Q12. Breaking strength of a rope

- A) Is more than the safe working load
- B) Equal to safe working load
- C) Less than safe working load
- D) Is the amount it stretches on load

Correct Answer: A (Is more than the safe working load)

Explanation: The breaking strength of a rope is the minimum load at which the rope is expected to fail. It is always considerably higher than the Safe Working Load (SWL), which incorporates a safety factor to account for wear, shock loading, and other operational stresses.

Q13. Kinks in the rope

- A) Cause a permanent reduction to the length of the rope
- B) Damage the fairleads
- C) Can cause permanent injury to the rope
- D) Damage the warping drum

Correct Answer: C (Can cause permanent injury to the rope)

Explanation: Kinks in a rope are sharp bends or twists that can severely damage the rope's internal structure. This damage creates weak points, leading to a permanent reduction in the rope's strength and a significant risk of failure under load.

Q14. Eye splice is used

- A) to make a permanent eye at end of the rope
- B) To join two ropes together
- C) For preventing the rope end from unlaying
- D) To prevent the strands from unlaying

Correct Answer: A (to make a permanent eye at end of the rope)

Explanation: An eye splice is a method used to create a permanent, strong loop at the end of a rope. It involves interlacing the



Q15. Extra flexible steel wire rope has

- A) 6x24 wires per strand
- B) 6x12 wires per strand
- C) 6x37 wires per strand
- D) 6x48 wires per strand

Correct Answer: C (6x37 wires per strand)

Explanation: Extra flexible steel wire rope, designed for applications requiring high flexibility like cranes with extensive articulation, typically has a construction of 6x37. This means there are 6 main strands, each composed of 37 individual wires.

Q16. The lifeboat lifeline has the following knot on it at fixed intervals

- A) Reef knot
- B) Sheep-shank
- C) Bowline
- D) Figure of eight knot

Correct Answer: D (Figure of eight knot)

Explanation: The figure of eight knot is commonly used at fixed intervals along lifeboat lifelines. It provides a secure grip for rescue and helps prevent accidental sliding off the line, complying with Life Saving Appliance (LSA) Code requirements.

Q17. Whipping is carried out

- A) Prevent the ends of a rope from unlaying
- B) To protect the rope from weather
- C) Protect the ends from chafing damage
- D) Join two ropes of equal size

Correct Answer: A (Prevent the ends of a rope from unlaying)

Explanation: Whipping is the practice of tightly winding twine or cordage around the end of a rope. Its primary purpose is to prevent the strands of the rope from unlaying or unraveling, maintaining the rope's integrity.

Q18. If more than 10% in 8 diameters is broken the wire should be

- A) Renewed
- B) Welded
- C) Turned end to end
- D) Cut and spliced

Correct Answer: A (Renewed)

Explanation: If a wire rope exhibits more than 10% of broken wires within a length of 8 diameters, it is considered significantly damaged and unsafe. According to inspection standards, such a rope must be immediately renewed.

Q19. Before working on the stage the seaman should inspect the stage to ensure that the

- A) Length of the stage is 2m
- B) Mooring lines are kept tight
- C) Wood is intact and free from grease
- D) Rope is of polypropylene

Correct Answer: C (Wood is intact and free from grease)

Explanation: Before using a stage for tasks like shipside painting, a thorough inspection is crucial. The seaman must ensure the wood is sound, free from cracks or rot, and importantly, free from grease or oil, which could make it slippery and hazardous.



- A) Clove hitch
- B) Timber hitch
- C) Draw hitch
- D) Midshipman hitch

Correct Answer: B (Timber hitch)

Explanation: A timber hitch is the most suitable knot for lifting a spar or log vertically through a manhole. It securely grips the timber and tightens as the load is applied, while being relatively easy to release afterward.

Practice Set 13

Q1. In freezing weather the mooring winches should be started at least 30 minutes before use to

- A) Remove the ropes from the store
- B) Check the oil level
- C) Warm up the system
- D) Lower the anchor

Correct Answer: C (Warm up the system)

Explanation: In freezing conditions, starting mooring winches at least 30 minutes before use is essential to warm up the hydraulic or electrical systems. This prevents damage caused by cold, stiff components and ensures proper operation.

Q2. The full form of EEBD is

- A) Emergency exit below deck
- B) Emergency escape below deck
- C) Emergency escape breaking device
- D) Emergency escape breathing device

Correct Answer: D (Emergency escape breathing device)

Explanation: EEBD stands for Emergency Escape Breathing Device. It provides a self-contained source of breathable air for personnel to safely escape from hazardous atmospheres, such as in a fire or toxic gas release situation.

Q3. Safety goggles are used to protect the eyes from

- A) Foreign bodies entering
- B) Wet weather
- C) Heavy weather
- D) Snow

Correct Answer: A (Foreign bodies entering)

Explanation: Safety goggles are mandatory personal protective equipment (PPE) designed to protect the eyes from potential hazards. They prevent foreign bodies, such as flying debris, dust, or splashes, from entering the eyes during work.

Q4. After abandon ship, the survivors in a lifeboat must be given

- A) Two litres of water each
- B) One litre of water each
- C) No water for the first twenty four hours
- D) Half a litre of water each

Correct Answer: C (No water for the first twenty four hours)



Q5. When the ship is alongside a wharf the safe access to the ship is by the

- A) Gangway
- B) Combination ladder
- C) Coolie ladder
- D) Pilot ladder

Correct Answer: A (Gangway)

Explanation: When a vessel is alongside a wharf or quay, the gangway is the standard and safest means of access to and from the ship. It provides a stable, fixed walkway that complies with safety regulations for personnel transfer.

Q6. Match the word "RESTRICTED IN HER ABILITY TO MANEUVER" with the most suitable word given below

- A) One prolonged blast followed by two short
- B) Altering course to Starboard
- C) One prolonged blast every two minutes
- D) Five short blasts

Correct Answer: A (One prolonged blast followed by two short)

Explanation: According to Rule 3(ii) of COLREGs, a vessel 'restricted in her ability to maneuver' is one that cannot take actions to avoid another ship due to her work. The defined sound signal for such a vessel when underway is one prolonged blast followed by two short blasts.

Q7. SOLAS deals with

- A) Safety
- B) Tank cleaning
- C) Crew welfare
- D) Pollution

Correct Answer: A (Safety)

Explanation: SOLAS, the International Convention for the Safety of Life at Sea, is a critical maritime treaty that sets minimum safety standards for the construction, equipment, and operation of merchant ships. It directly addresses numerous aspects of ship safety to protect lives at sea.

Q8. Disposal of all food waste should be entered in the

- A) Oil record book
- B) Garbage record book
- C) Bridge log book
- D) Cargo record book

Correct Answer: B (Garbage record book)

Explanation: MARPOL Annex V governs the discharge of garbage from ships. All food waste, including that from galleys and living spaces, must be recorded in the Garbage Record Book, detailing quantities and disposal methods (e.g., incineration, discharge, or delivery to shore reception facilities).



- A) Count number of seamen working
- B) Engine room to switch off air/steam to whistle
- C) Master
- D) Engine room to switch off power on deck

Correct Answer: B (Engine room to switch off air/steam to whistle)

Explanation: When working near the funnel, especially if maintenance involves noise or potential steam release, it's crucial to coordinate with the bridge. The bridge must inform the engine room to temporarily stop the whistle (using steam or air) to prevent confusion or injury to personnel on deck.

Q10. What type of portable extinguisher should be used for oil fire

- A) Foam type
- B) Soda water
- C) CO2 type
- D) Water type

Correct Answer: A (Foam type)

Explanation: Oil fires, often classified as Class B fires, involve flammable liquids. Foam extinguishers work by creating a blanket over the burning surface, separating the fuel from the air and cooling it. Water-based extinguishers are ineffective and can spread the fire.

Q11. Match the term "MAKING WAY THROUGH WATER" with the most suitable answers given below

- A) Five short blasts
- B) Altering course to Starboard
- C) One prolonged blast every two minutes
- D) One prolonged blast followed by two short

Correct Answer: C (One prolonged blast every two minutes)

Explanation: The COLREGs define sound signals for vessels. 'Making way through water' means the vessel is underway and moving. The prescribed sound signal for a power-driven vessel making way through the water, when not otherwise required to be making sound signals, is one prolonged blast every two minutes.

Q12. Number of lifebuoys on a ship depends on its

- A) Length
- B) Draught
- C) Moulded breadth
- D) Deadweight

Correct Answer: A (Length)

Explanation: The number of lifebuoys required on a ship is determined by its overall length, as specified by SOLAS Chapter III. Longer vessels require a proportionally greater number of lifebuoys to ensure adequate coverage around the ship's perimeter for immediate rescue in case of man overboard.

Q13. What immediate action will you take if you see a man falling overboard at sea

- A) Release lifebuoy and MOB
- B) Sound emergency station
- C) Jump into the sea
- D) Inform duty officer

Correct Answer: A (Release lifebuoy and MOB)



Explanation: The immediate and crucial first action upon seeing a person fall overboard is to activate the rescue process. This involves releasing a lifebuoy with its attached light/smoke signal and immediately alerting the bridge by sounding the 'Man Overboard' alarm and the MOB button on the GMDSS.

Q14. When you smell something burning in your cabin your first action should be

- A) Telephone the next cabin to warn
- B) Vacate the cabin and raise alarm
- C) Wait for the fire alarm to ring
- D) Get a portable extinguisher to extinguish fire

Correct Answer: B (Vacate the cabin and raise alarm)

Explanation: Upon smelling smoke in your cabin, the first and most critical action is to evacuate the immediate area and raise the alarm to alert others. This ensures personal safety and allows for a trained response by the ship's crew to assess and fight the fire.

Q15. Red parachute flares are called

- A) Pyrotechnics
- B) Fire technics
- C) Light technics
- D) Flare technics

Correct Answer: A (Pyrotechnics)

Explanation: Red parachute flares are pyrotechnic distress signals used to indicate a vessel's position to rescuers, especially at night or in poor visibility. 'Pyrotechnics' is the general term encompassing all such signaling devices that involve a chemical reaction producing light or smoke.

Q16. For fighting an electrical fire, the action to be taken is to use a

- A) Foam Extinguisher
- B) Portable CO2 extinguisher
- C) Water Hose
- D) Soda Acid Extinguisher

Correct Answer: B (Portable CO2 extinguisher)

Explanation: Electrical fires (Class C) are best fought with a non-conductive agent. A portable CO2 extinguisher is ideal as it displaces oxygen and cools the fire without leaving residue or conducting electricity, thus preventing further damage or risk to personnel.

Q17. The following task requires a hot work permit

- A) Lifeboat drill
- B) Welding on deck
- C) Painting on deck
- D) Opening hatch covers

Correct Answer: B (Welding on deck)

Explanation: A hot work permit is mandatory for any activity that involves open flames, sparks, or high temperatures. Welding on deck generates sparks and heat, posing a significant fire risk, hence the requirement for a permit to ensure safety precautions are in place.



- A) Heat radiation
- B) Inflammable gases
- C) High intensity sound
- D) Bacterial infection

Correct Answer: C (High intensity sound)

Explanation: Ear muffs are personal protective equipment (PPE) designed to attenuate sound. They are used to protect the wearer's hearing from potentially damaging high-intensity noise levels commonly found in engine rooms, workshops, or during cargo operations.

Q19. Rigging the "Emergency Towing Arrangement" fore and aft when alongside is mandatory for

- A) General cargo ships
- B) Tankers
- C) Bulk carriers
- D) Container ships

Correct Answer: B (Tankers)

Explanation: The requirement to rig emergency towing arrangements when alongside is particularly emphasized for tankers due to the nature of their cargo. It ensures a rapid and safe means of towing in case of an emergency that might necessitate unberthing quickly, minimizing pollution risk.

Q20. Inspection of life saving appliances shall be carried out

- A) Monthly
- B) Half yearly
- C) Bimonthly
- D) Weekly

Correct Answer: A (Monthly)

Explanation: SOLAS Chapter III requires regular inspections of life-saving appliances (LSA). These inspections are typically carried out monthly by the ship's crew to ensure all equipment is in good condition and ready for immediate use in an emergency.

Q21. Safety harness is used

- A) When working aloft
- B) To prevent backache
- C) When cleaning the wheelhouse
- D) To store safety items

Correct Answer: A (When working aloft)

Explanation: A safety harness is a critical piece of PPE used to prevent falls when personnel are working at height. Its primary function is to secure the worker and arrest a fall, ensuring safety when working aloft or in other elevated positions.

Q22. During Bunkering

- A) Plug sounding pipes
- B) Plug all deck scuppers
- C) Plug air pipes
- D) Raise the gangway

Correct Answer: B (Plug all deck scuppers)

Explanation: During bunkering operations, all deck scuppers must be plugged. This is a crucial safety measure to prevent any potential spill of fuel oil or other hazardous substances from escaping overboard and causing marine pollution.



- A) Ships GRT
- B) Ship masters name
- C) Ships port of registry
- D) Ship owners name

Correct Answer: C (Ships port of registry)

Explanation: As per international regulations, lifejackets must be clearly marked with specific information. The ship's port of registry is a mandatory marking to identify the vessel to which the lifejacket belongs, aiding in inventory and accountability.

Q24. A self-contained breathing apparatus

- A) Is used for underwater surveys
- B) Contains oxygen
- C) Is connected to the deck air line
- D) Is used for entry in enclosed spaces

Correct Answer: D (Is used for entry in enclosed spaces)

Explanation: A Self-Contained Breathing Apparatus (SCBA) provides a supply of clean breathing air and is essential for entering potentially hazardous atmospheres. Its primary use is for entry into confined spaces where the air may be deficient in oxygen or contaminated with toxic gases.

Q25. Match the term "TWO SHORT BLASTS" with the most suitable answers given below

- A) Altering course to Starboard
- B) One prolonged blast followed by two short
- C) One prolonged blast every two minutes
- D) Altering course to port

Correct Answer: D (Altering course to port)

Explanation: According to Rule 34 of COLREGs, two short blasts sounded in succession indicate that a vessel altering course to port is intended. This is a maneuvering signal used between vessels to indicate intentions in compliance with the Rules of the Road.

Q26. The familiarization of the joining crew is done by the

- A) Cadets
- B) Chief engineer
- C) Outgoing crew member
- D) Master

Correct Answer: C (Outgoing crew member)

Explanation: Familiarization with a ship's layout, safety procedures, and equipment for joining crew members is typically provided by an outgoing crew member. This ensures a smooth transition and that new personnel are adequately informed about essential operational and safety aspects.

Q27. The distress signals, required to be kept in a lifeboat are

- A) Hand flares
- B) Rocket parachutes + Hand flares
- C) Smoke signals + Line throwing apparatus
- D) Rocket parachutes + Hand flares+ Smoke signals

Correct Answer: D (Rocket parachutes + Hand flares+ Smoke signals)

Explanation: Lifeboats must carry a comprehensive set of distress signals as per SOLAS. This includes rocket-parachute signals, hand flares, and smoke signals, all designed to alert potential rescuers and indicate the lifeboat's position effectively in an emergency.



- A) Use a soda acid extinguisher
- B) Use a foam type extinguisher
- C) Use a water jet
- D) Use a fire blanket

Correct Answer: B (Use a foam type extinguisher)

Explanation: Paint rooms store flammable liquids, making fires (Class B) likely. Foam extinguishers are highly effective as they create a cooling, vapor-suppressing blanket over the burning liquid surface, preventing re-ignition and spread.

Q29. The international signal for "Man Overboard" is

- A) Continuous ringing of the ship's alarm
- B) Five short and rapid blasts
- C) Three prolonged blasts
- D) Seven or more short blasts followed by prolong blast

Correct Answer: C (Three prolonged blasts)

Explanation: The recognized international signal for 'Man Overboard' is three prolonged blasts on the ship's whistle or siren. This distinct signal alerts the entire crew to the emergency, initiating immediate response procedures.

Q30. Engine room bilges are pumped into the sea through the

- A) Oily water separator
- B) Shore connection
- C) Bilge line
- D) Overboard valve

Correct Answer: A (Oily water separator)

Explanation: Engine room bilges collect oily water, which must be treated before discharge. The Oily Water Separator (OWS) is a mandatory piece of equipment designed to separate oil from water to meet MARPOL discharge limits before pumping overboard.

Q31. An emergency alarm is sounded when the ship

- A) Is overtaking another ship
- B) Has had a collision
- C) Is altering course
- D) Navigating in heavy traffic

Correct Answer: B (Has had a collision)

Explanation: An emergency alarm, typically seven or more short blasts followed by one prolonged blast, is sounded to signal a major ship emergency like a collision or grounding. This distinct signal alerts the entire crew to muster at their designated stations for evacuation or other emergency procedures.

Q32. Match the term "ONE PROLONGED BLAST FOLLOWED BY THREE BLASTS IN SUCCESSION" with the most suitable answers given below

- A) Five short blasts
- B) Six short blasts
- C) Altering course to Starboard
- D) Vessel being towed

Correct Answer: D (Vessel being towed)

Explanation: One prolonged blast followed by three short blasts in succession is the specific sound signal used by a power-driven vessel to indicate that it is directing its stern the vessel being towed. This is part of the COLREGs maneuvering and warning signals.



- A) Steering the ship
- B) Handling wire ropes
- C) Handling food stuff
- D) Cleaning crew's mess room

Correct Answer: B (Handling wire ropes)

Explanation: Safety hand gloves are essential PPE for handling materials that can cause abrasions or cuts. Wire ropes, due to their construction and tension, pose a significant risk of hand injury, making gloves crucial during their handling.

Q34. Match the term "TO ATTRACT ATTENTION" with the most suitable answers given below

- A) Vessel being towed
- B) Five short blasts
- C) One prolonged blast followed by two short
- D) Six short blasts

Correct Answer: B (Five short blasts)

Explanation: Five short blasts on the ship's whistle are used as a general warning signal to attract attention or to indicate a vessel's presence when there is a risk of collision, particularly in restricted visibility or congested areas.

Q35. A bowsing tackle is used to

- A) Keep the lifeboat close to the embarkation deck
- B) Lash the lifeboat to the davits
- C) Lowering the lifeboat oars
- D) Tow the life raft

Correct Answer: A (Keep the lifeboat close to the embarkation deck)

Explanation: A bowsing tackle is a system of ropes and blocks used to secure a lifeboat snugly against the ship's side or davit while it is in its stowed position, preventing movement and ensuring stability.

Q36. On joining the ship the crew members should familiarize themselves with the

- A) Contents of the lifeboat
- B) Menu
- C) Muster list
- D) Crew list

Correct Answer: C (Muster list)

Explanation: Upon joining a ship, crew members must familiarize themselves with the Muster List. This document details emergency duties, muster stations, and procedures, ensuring each crew member knows their role in various emergency scenarios.

Q37. A tank entry permit is to be completed before entering into the

- A) Ballast comchapterment
- B) Battery room
- C) Steering gear comchapterment
- D) Meat room

Correct Answer: A (Ballast comchapterment)

Explanation: A tank entry permit is required before entering confined spaces that may contain hazardous substances or an oxygen-deficient atmosphere. Ballast tanks, particularly those that have contained chemicals or are used for cargo, require this permit due to potential gas hazards.



- A) Smothering with foam
- B) Cooling with a water jet
- C) Cutting off the fuel supply
- D) Removing the burning material

Correct Answer: A (Smothering with foam)

Explanation: Oil fires (Class B) are effectively extinguished by smothering the fuel surface with foam. This prevents oxygen from reaching the fuel, thus extinguishing the fire, and also provides a cooling effect.

Practice Set 14

Q1. The pump room in a tanker should be ventilated

- A) When the pumps are running
- B) After entering
- C) Only when there is a gas leak
- D) Prior entry

Correct Answer: D (Prior entry)

Explanation: The pump room on tankers must be ventilated prior to entry to disperse any accumulated flammable or toxic gases. This is a critical safety procedure to prevent ignition or exposure to hazardous atmospheres before personnel enter.

Q2. Safety helmet is used to protect the head

- A) Against adverse weather
- B) From falling objects
- C) From getting wet
- D) From inflammable gases

Correct Answer: B (From falling objects)

Explanation: Safety helmets are a fundamental piece of Personal Protective Equipment (PPE) designed to protect the wearer's head from injury caused by falling objects or impacts during work on a vessel.

Q3. When the low pressure alarm sounds on the SCBA the user should

- A) Vacate the compartment immediately
- B) Close the air bottle valve
- C) Remove the face mask
- D) Monitor the pressure in the bottles

Correct Answer: A (Vacate the compartment immediately)

Explanation: When the low-pressure alarm sounds on a SCBA, it signifies a critically low air supply. The user must immediately and safely exit the hazardous atmosphere to avoid suffocation or running out of air.

Q4. An enclosed space entry permit is to be completed before entering into the

- A) Forepeak store
- B) Loaded cargo hold
- C) Paint store
- D) Provision store

Correct Answer: B (Loaded cargo hold)



Explanation: A loaded cargo hold, especially if carrying certain types of cargo, can pose risks of hazardous atmosphere (e.g., toxic gases, oxygen deficiency) and must be entered under a permit system. This ensures proper gas testing and ventilation procedures are followed.

Q5. The ullage tape lowered into a cargo tank of a tanker should be earthed to prevent

- A) Static hazards
- B) Tank going empty
- C) Pump running dry
- D) Tank overflow

Correct Answer: A (Static hazards)

Explanation: Earthing the ullage tape when measuring cargo tanks prevents the buildup of static electricity, which could lead to sparks and potentially ignite flammable cargo vapors. This is a vital safety measure on tankers.

Q6. FFA on board means

- A) Fire fighting arrangements
- B) Fire fighting appliances
- C) Foam fire apparatus
- D) Fixed fire appliances

Correct Answer: B (Fire fighting appliances)

Explanation: FFA is the standard maritime abbreviation for Fire Fighting Appliances, which includes all equipment and systems used on board for combating fires, such as extinguishers, hoses, and fixed systems.

Q7. The objective of Marpol is to

- A) Improve safety in accommodation
- B) Prevent and control pollution from ships
- C) Ensure adequate stability for ships
- D) Improve cleanliness on board

Correct Answer: B (Prevent and control pollution from ships)

Explanation: MARPOL (International Convention for the Prevention of Pollution from Ships) is the primary international convention aimed at preventing and minimizing pollution of the marine environment from ships, covering both accidental and operational discharges.

Q8. Risk assessment is carried out to

- A) Assess the time required for a job
- B) Fill up the required forms
- C) Identify the risks involved with a chaptericular task
- D) Decide how many people are required for a job

Correct Answer: C (Identify the risks involved with a chaptericular task)

Explanation: Risk assessment is a systematic process to identify potential hazards associated with a specific task, evaluate the likelihood and severity of harm, and implement control measures to mitigate risks. It is crucial for ensuring a safe working environment.



- A) Pyrotechnics and distress equipment
- B) Oil spill containment equipment
- C) Machinery spares
- D) Hold cleaning equipment

Correct Answer: B (Oil spill containment equipment)

Explanation: The SOPEP (Shipboard Oil Pollution Emergency Plan) locker is designated to store equipment for responding to oil spills. This includes items like oil booms, sorbents, and containment tools necessary to mitigate pollution events.

Q10. Boiler suit is used to protect the body

- A) When working on deck
- B) In wet weather
- C) Against chemical contamination
- D) When using the washing machine

Correct Answer: A (When working on deck)

Explanation: A boiler suit, often referred to as overalls, provides general protection to clothing and skin from dirt, grease, and minor abrasions, commonly encountered when working in machinery spaces or on deck.

Q11. After every use, a fire hose must

- A) Be hung up to dry and later correctly stowed
- B) Be tested to a pressure of 4 Kg/cm²
- C) Be stowed in a safety equipment locker
- D) Have their couplings removed

Correct Answer: A (Be hung up to dry and later correctly stowed)

Explanation: After use, fire hoses must be inspected, dried thoroughly to prevent degradation, and then correctly stowed to ensure they are ready and accessible for immediate deployment during an emergency.

Q12. Ship's galley is provided with the following for cooking

- A) Fuel oil burners
- B) LPG burners
- C) Diesel oil burners
- D) Electric hot plates

Correct Answer: D (Electric hot plates)

Explanation: Modern ships primarily use electric hot plates and ovens in their galleys for cooking. While other methods exist, electric appliances are favored for their safety, efficiency, and ease of control onboard.

Q13. During bunkering the following sign should be displayed prominently

- A) Restricted area
- B) Shore leave stopped
- C) No smoking
- D) Visitors prohibited

Correct Answer: C (No smoking)

Explanation: During bunkering operations, stringent safety precautions are mandatory. The 'No smoking' sign is a critical visual warning to prevent ignition sources near flammable cargo or fuels.



- A) Boarding survival craft
- B) Fighting fires
- C) Going on deck in heavy weather
- D) Emergency escape

Correct Answer: D (Emergency escape)

Explanation: EEBD (Emergency Escape Breathing Device) is a self-contained breathing apparatus designed to provide breathable air for a limited duration, allowing personnel to escape from hazardous atmospheres, such as those with toxic gases or smoke.

Q15. Before lifting a lifeboat from the water, it must be ensured that

- A) Bottom plug is shipped tight
- B) Engine is going astern
- C) Fall wires are clear and hooked securely
- D) Sea anchor is streamed

Correct Answer: C (Fall wires are clear and hooked securely)

Explanation: Before lifting a lifeboat, ensuring the fall wires are clear of obstructions and securely attached to the designated lifting points is paramount for safe and successful recovery. The bottom plug must also be shipped, but fall wire security is the immediate lifting prerequisite.

Q16. When lifting up weights, one should

- A) Keep knees straight and lift weight with bent arms
- B) Keep the legs and arms straight
- C) Keep arms outstretched and pick up weights
- D) Sit on knees and lift weight with a straight back

Correct Answer: D (Sit on knees and lift weight with a straight back)

Explanation: When lifting heavy weights, the correct ergonomic technique involves bending the knees and keeping the back straight to utilize leg muscles and minimize strain on the spine, thereby preventing injury.

Q17. Emergency escape routes should be kept

- A) Open when needed
- B) Open always
- C) Locked at sea
- D) Locked in port

Correct Answer: B (Open always)

Explanation: Emergency escape routes must be kept clear and unobstructed at all times to ensure safe and rapid evacuation during an emergency, regardless of location or operational status.

Q18. Immersion suit is used to prevent

- A) Hypothermia
- B) Drowning
- C) Injuries
- D) Heat burns

Correct Answer: A (Hypothermia)

Explanation: An immersion suit is specifically designed to protect the wearer from hypothermia, which is a dangerous drop in body temperature, when entering cold water.



- A) Covering with CO₂
- B) Cutting fuel supply
- C) Cutting contact with air
- D) Removing heat

Correct Answer: C (Cutting contact with air)

Explanation: Smothering a fire involves cutting off the oxygen supply to the fuel. This is achieved by excluding air from the fire, thereby preventing combustion.

Q20. Match the term "ONE SHORT BLAST" with the most suitable answers given below:

- A) One prolonged blast followed by two short
- B) Altering course to Starboard
- C) Five short blasts
- D) One prolonged blast every two minutes

Correct Answer: B (Altering course to Starboard)

Explanation: According to COLREGs, one short blast signifies intention to alter course to starboard while keeping out of the way of other vessels. This is a fundamental rule of the road.

Q21. When you see oil slick in the water at anchorage

- A) Report to the duty officer
- B) Lowering the lifeboat oars
- C) Do nothing
- D) Keep the lifeboat close to the embarkation deck

Correct Answer: A (Report to the duty officer)

Explanation: An oil slick at anchorage indicates a potential pollution incident. This must be immediately reported to the duty officer to initiate appropriate response procedures as per MARPOL regulations.

Q22. Before you start welding you must obtain a

- A) Cold work permit
- B) Hot work permit
- C) Shore leave permit
- D) Enclosed place permit

Correct Answer: B (Hot work permit)

Explanation: Welding is considered a 'hot work' activity due to the potential ignition sources it generates. A hot work permit is mandatory to ensure safety precautions are in place before commencing such operations.

Q23. When receiving LSA/FFA items on board, all items must be

- A) Open it and check contents against delivery order
- B) Received in good packing
- C) Cheaply available
- D) Of approved type

Correct Answer: D (Of approved type)

Explanation: When receiving Life Saving Appliances (LSA) or Fire Fighting Appliances (FFA) on board, it is essential that all equipment is of an approved type and meets regulatory standards (e.g., SOLAS, LSA Code).



- A) CO 2
- B) Dry Powder
- C) Sea water
- D) Foam

Correct Answer: D (Foam)

Explanation: For tankers, foam is the primary extinguishing medium for cargo tank fires. It effectively cools the surface and forms a barrier, suppressing flammable vapors.

Q25. A working aloft permit is to be completed before working on the

- A) Navigational bridge deck
- B) Aft deck
- C) Mast house on deck
- D) Fore mast

Correct Answer: D (Fore mast)

Explanation: Working aloft refers to any work performed at a height, such as on the fore mast, and requires a specific permit to ensure all safety precautions are taken.

Q26. During rough weather or at night before going on deck you must inform

- A) Bosun
- B) Duty engineer
- C) Duty officer
- D) Chief officer

Correct Answer: C (Duty officer)

Explanation: Before venturing on deck in hazardous conditions like rough weather or at night, it is imperative to inform the duty officer. This ensures someone is aware of your location and activity for safety.

Q27. Abandon ship is indicated by

- A) Intermittent ringing of the ships bell
- B) Seven short and one long blast on ships whistle
- C) Masters verbal orders
- D) Continuous ringing of ship's bell

Correct Answer: C (Masters verbal orders)

Explanation: Abandon ship is typically signaled by the Master's direct verbal command over the public address system, ensuring all crew understand the critical nature of the order.

Q28. The familiarization checklist should be completed when the crew member joins the vessel

- A) Prior to commencement of their duties on joining the ship
- B) Within one month of joining the ship
- C) Within one week of joining the ship
- D) Within two months of joining the ship

Correct Answer: A (Prior to commencement of their duties on joining the ship)

Explanation: The familiarization checklist, as required by STCW, must be completed before a crew member commences their duties on joining the vessel to ensure they are acquainted with safety procedures and their new environment.



- A) 0.16
- B) 0.19
- C) 0.21
- D) 0.18

Correct Answer: C (0.21)

Explanation: For safe entry into any enclosed space, the oxygen content must be within the normal atmospheric range, which is approximately 21% (0.21). Levels below this can be dangerous due to lack of oxygen.

Q30. Prior to the tug pulling the tug line should be kept on the

- A) Air pipe
- B) Bow stopper
- C) Bollard
- D) Warping drum

Correct Answer: C (Bollard)

Explanation: Prior to a tug commencing a tow, the towline should be secured to a strong point like a bollard on the vessel being towed, ensuring it remains stable and controlled.

Q31. Face mask is used on board to protect the face from

- A) Bacteria
- B) Poison
- C) Water spray
- D) Fume inhalation

Correct Answer: D (Fume inhalation)

Explanation: A face mask, particularly in industrial settings, is used to protect the wearer's respiratory system from inhaling harmful fumes, dust, or other airborne contaminants.

Q32. Careless housekeeping can result in

- A) Wastage of ship stores
- B) Accident, injury and fire
- C) Bad odour
- D) Higher inventory costs

Correct Answer: B (Accident, injury and fire)

Explanation: Poor housekeeping on a ship can create tripping hazards, accumulation of flammable materials, and obstruction of safety equipment, significantly increasing the risk of accidents, injuries, and fires.

Q33. The flammable range of a gas is

- A) Below LFL
- B) Between the LFL and UFL in air
- C) Above UFL
- D) Between the LFL and UFL in hydrogen

Correct Answer: B (Between the LFL and UFL in air)

Explanation: The flammable range of a gas or vapor is the concentration range in air, between the Lower Flammable Limit (LFL) and the Upper Flammable Limit (UFL), within which ignition can occur.



Q34. Purpose of immersion suit is to protect a person from

- A) Cold
- B) Fire
- C) Heat
- D) Sunburn

Correct Answer: A (Cold)

Explanation: The primary purpose of an immersion suit is to insulate the wearer from the extreme cold of the sea, thereby preventing hypothermia and prolonging survival time in water.

Q35. Breathing apparatus is used for

- A) For navigating the ship in fog
- B) Launching a lifeboat
- C) Keeping a bridge watch
- D) Entering a compartment full of smoke

Correct Answer: D (Entering a compartment full of smoke)

Explanation: Breathing apparatus (like SCBA) is essential for entering atmospheres that are oxygen-deficient or contain toxic gases and smoke, such as during a fire incident.

Q36. The Garbage Management Plan indicates the

- A) Procedure for disposing laundry waste
- B) Capacity of the storage drums
- C) Procedure for disposing ships garbage
- D) Location of the ships incinerator

Correct Answer: C (Procedure for disposing ships garbage)

Explanation: The Garbage Management Plan, mandated by MARPOL Annex V, outlines the procedures for the prevention, reduction, storage, and disposal of garbage generated onboard ships.

Q37. Ability to start the emergency fire pump is required in all

- A) The crew members
- B) Deck officers
- C) Duty engineers
- D) Engine crew

Correct Answer: A (The crew members)

Explanation: The ability to start the emergency fire pump is a fundamental safety requirement for all crew members, as it is crucial for effective firefighting operations during emergencies.

Practice Set 15

Q1. DGS stands for

- A) Deputy General of Shipping
- B) Director Governor of Shipping
- C) Deputy Governor of Shipping
- D) Directorate General of Shipping

Correct Answer: D (Directorate General of Shipping)



Q2. The immigration officer checks the validity of the

- A) Safety certificates
- B) Passport
- C) Certificate of competency
- D) ISM certificate

Correct Answer: B (Passport)

Explanation: An immigration officer's primary role is to verify the identity and legal right of entry for individuals, which is done by checking passports and visas.

Q3. CDC stands for

- A) Current Discharge Certificate
- B) Coastal Discharge Certificate
- C) Continuous Discharge Certificate
- D) Country Domicile Certificate

Correct Answer: C (Continuous Discharge Certificate)

Explanation: CDC stands for Continuous Discharge Certificate, which is a vital document recording a seafarer's sea service, endorsements, and qualifications.

Q4. MARPOL 73/78 does not regulate the discharge of

- A) Oil into the sea
- B) Chemicals into the sea
- C) Fresh water into the sea
- D) Garbage into the sea

Correct Answer: C (Fresh water into the sea)

Explanation: MARPOL regulates the discharge of harmful substances into the sea. While oil, chemicals, and garbage are covered, discharging clean fresh water does not pose a pollution threat under MARPOL.

Q5. The shore pass to the ships staff is issued by the

- A) Customs
- B) Immigration
- C) Port Health
- D) Port Control

Correct Answer: B (Immigration)

Explanation: Shore passes, allowing crew members to go ashore in foreign ports, are issued by the immigration authorities of the host country.

Q6. SOLAS stands for

- A) Survival of Life at Sea
- B) Safety of Life at Sea
- C) Sustaining of Life at Sea
- D) Survival of Lifeboat at Sea

Correct Answer: B (Safety of Life at Sea)

Explanation: SOLAS stands for the International Convention for the Safety of Life at Sea. It sets minimum safety standards for the



Q7. Sounding of all fuel tanks are entered in the

- A) Deck Log Book
- B) Engine Log Book
- C) Official Log Book
- D) Rough Log Book

Correct Answer: B (Engine Log Book)

Explanation: Soundings of fuel tanks, along with other critical machinery operations and readings, are meticulously recorded in the Engine Log Book for operational and safety monitoring.

Q8. The authority which inspects foreign ships in national ports is called

- A) Flag State Control
- B) Port State Control
- C) Pollution Control
- D) Merchant Ship Control

Correct Answer: B (Port State Control)

Explanation: Port State Control (PSC) authorities are responsible for inspecting foreign ships visiting national ports to ensure compliance with international conventions and national regulations.

Q9. MMD stands for

- A) Mercantile Marine Dechapterment
- B) Merchant Marine Dechapterment
- C) Master Mariners Dechapterment
- D) Manpower Marine Dechapterment

Correct Answer: A (Mercantile Marine Dechapterment)

Explanation: MMD stands for Mercantile Marine Department, an administrative body under the Directorate General of Shipping in India that handles various maritime-related functions.

Q10. One of the main duties of the Shipping Master includes

- A) Inspection of cargo holds
- B) Engagement and discharge of officers and ratings
- C) Navigation of the ship
- D) Conducting marine surveys on the ship

Correct Answer: B (Engagement and discharge of officers and ratings)

Explanation: A key function of the Shipping Master, particularly in some jurisdictions, involves overseeing the employment and termination processes for seafarers, ensuring fair practices and adherence to contracts.

Q11. Under ISPS Code the agent on boarding the ship should be given a

- A) Visitor's card
- B) Custom card
- C) Audit Card
- D) Greeting card

Correct Answer: A (Visitor's card)

Explanation: Under the ISPS Code, any person boarding a ship who is not part of the regular crew or assigned duties must be issued a Visitor's Card. This card serves as identification and signifies authorization for their presence onboard.



Q12. International standards for the safe management and operation of ships is stated in the

- A) LSA Code
- B) BLU Code
- C) ISPS Code
- D) ISM Code

Correct Answer: D (ISM Code)

Explanation: The International Safety Management (ISM) Code provides international standards for the safe management and operation of ships and for pollution prevention. It is a mandatory code for shipowners and operators.

Q13. ISPS stands for

- A) International Shipping and Port Security Code
- B) Indian Shipping and Port Security Code
- C) International Ship and Port Facility Security Code
- D) International Ship and Seaport Security Code

Correct Answer: C (International Ship and Port Facility Security Code)

Explanation: ISPS stands for the International Ship and Port Facility Security Code. This international code establishes minimum security requirements for ships and port facilities to prevent security threats.

Q14. The inspection of ships in their country of registry is done by

- A) RSC
- B) PSC
- C) FSC
- D) SSC

Correct Answer: C (FSC)

Explanation: FSC refers to Flag State Control. The flag state administration is responsible for ensuring that ships flying its flag comply with international conventions, including inspections in their country of registry.

Q15. IMO stands for

- A) International Marine Organization
- B) Indian Maritime Organization
- C) International Maritime Organization
- D) International Monetary Organization

Correct Answer: C (International Maritime Organization)

Explanation: IMO stands for the International Maritime Organization. It is a specialized agency of the United Nations responsible for measures to improve the safety and security of international shipping.

Q16. The conventions which sets minimum standards of basic labour rights is called

- A) ILO
- B) ISO
- C) SSO
- D) RSO

Correct Answer: A (ILO)

Explanation: The International Labour Organization (ILO) sets international labour standards, including conventions that establish minimum standards for basic labour rights for seafarers, ensuring decent work conditions.



- A) Tape recorders
- B) Narcotic drugs
- C) Gold chains
- D) Cigarettes

Correct Answer: B (Narcotic drugs)

Explanation: Port customs strictly prohibit the possession of narcotic drugs by any person, including seamen, due to international and national drug control laws aimed at preventing illicit trafficking.

Q18. On completion of a seafarer's contract the repatriation expenses will be borne by the

- A) Seaman
- B) Shared between the seaman company and the seaman
- C) Shipping company
- D) Shipping Master

Correct Answer: C (Shipping company)

Explanation: Upon completion of a seafarer's contract, the repatriation expenses are the responsibility of the shipping company that employed the seaman, as per international maritime labour conventions.

Q19. Watch keepers will be granted rest as per the requirements of the

- A) LSA Code
- B) STCW Convention
- C) MARPOL Convention
- D) SOLAS Convention

Correct Answer: B (STCW Convention)

Explanation: The STCW Convention, specifically Table A-VIII/1, sets the minimum rest hours for watchkeepers. This is crucial for ensuring that seafarers are well-rested and can perform their duties safely.

Q20. The highest level of security maintained on board a ship is level

- A) 1
- B) 3
- C) 4
- D) 2

Correct Answer: B (3)

Explanation: Security Level 3, as defined by the ISPS Code, represents the highest level of security. It is implemented when there is a credible security threat, requiring maximum vigilance and protection measures.

Q21. Entries in the Official Log Book are made by the

- A) Second Engineer
- B) Second Officer
- C) Master
- D) Chief Engineer

Correct Answer: C (Master)

Explanation: The Master of the ship is responsible for maintaining the Official Log Book, and therefore all entries concerning significant events, including disciplinary actions, are made by them.



- A) Shipside is rusted chapterially
- B) Competence of the crew is below standard
- C) Rat guards are not placed properly on the mooring ropes
- D) Cargo operations slows down

Correct Answer: B (Competence of the crew is below standard)

Explanation: Port State Control (PSC) has the authority to detain a vessel if it identifies deficiencies that are serious enough to impact safety or the environment, such as the substandard competence of the crew.

Q23. A seaman is guilty of an offense against discipline if he/she

- A) Is unable to steer the ship steadily
- B) Does not live in a hygienic condition
- C) Assaults another seaman on board
- D) Forgets to wear his safety shoes

Correct Answer: C (Assaults another seaman on board)

Explanation: Assaulting another seaman on board constitutes a serious breach of maritime discipline and is considered a significant offense requiring disciplinary action under shipboard regulations and maritime law.

Q24. The following certificate need not be carried on board by the seaman

- A) Continuous Discharge Certificate
- B) Medical Certificate
- C) School Leaving Certificate
- D) Mandatory STCW Certificates

Correct Answer: C (School Leaving Certificate)

Explanation: A School Leaving Certificate is an educational document and is not required to be carried on board by a seaman for professional duties; mandatory certificates relate to competency and employment.

Q25. Crews personal property declaration is a requirement of the port

- A) Health
- B) Control
- C) Customs
- D) Signal Station

Correct Answer: C (Customs)

Explanation: Declaration of personal property is primarily a requirement of port customs authorities. This is to ensure compliance with import/export regulations and to prevent the unauthorized entry of goods.

Q26. All entries of offence in the Official Log Book against a seaman have to be signed by

- A) Master only
- B) Master and one crew member
- C) Master, Chief Officer and one crew member
- D) Master and Chief Officer

Correct Answer: C (Master, Chief Officer and one crew member)

Explanation: Entries of offences in the Official Log Book against a seaman must be signed by the Master, Chief Officer, and one other crew member who witnessed the offence or is present during the entry. This ensures transparency and corroboration.



- A) Bridge Movement Book
- B) C.D.C
- C) Engine Log Book
- D) Official Log Book

Correct Answer: D (Official Log Book)

Explanation: Any act of misconduct or offence committed by a seaman that may lead to disciplinary action is officially recorded in the Official Log Book, serving as a legal record of shipboard events.

Q28. A seaman lawfully engaged can have his CDC suspended by DGS if he is

- A) Delayed in returning back to the ship from shore
- B) Unable to operate the crane to the satisfaction of the duty officer
- C) Convicted of an offense of smuggling narcotics
- D) Found indulging in gossip

Correct Answer: C (Convicted of an offense of smuggling narcotics)

Explanation: A seaman convicted of smuggling narcotics commits a serious criminal offense that directly impacts their fitness to be at sea and can lead to the suspension of their Continuous Discharge Certificate (CDC).

Q29. A vessel which has a dead person on board should anchor at the

- A) Pilot anchorage
- B) Inner anchorage
- C) Working anchorage
- D) Quarantine anchorage

Correct Answer: D (Quarantine anchorage)

Explanation: A Quarantine Anchorage is designated for vessels arriving with persons on board suffering from infectious diseases or in this case, a dead person, pending clearance from health authorities.

Q30. The purpose of SOLAS to

- A) How to conduct boat / fire drills
- B) How to launch life boat
- C) Advice ship officer on how to navigate their ships
- D) Enhance Safety of life at sea

Correct Answer: D (Enhance Safety of life at sea)

Explanation: The primary purpose of the SOLAS (Safety of Life at Sea) Convention is to enhance the safety of life at sea by setting minimum safety standards for the construction, equipment, and operation of merchant ships.

Q31. A maritime declaration of health is to be submitted to the Port Health to obtain

- A) Contact with signal station
- B) Pilot
- C) Contact with port control
- D) Free Pratique

Correct Answer: D (Free Pratique)

Explanation: A Maritime Declaration of Health is submitted to Port Health authorities to declare the health status of the ship and its crew, and upon acceptance, the vessel is granted Free Pratique, allowing pratique boarding.



- A) Merchant Shipping Notices
- B) Collective Bargaining Agreement
- C) DGS circulars
- D) Notices to mariners

Correct Answer: B (Collective Bargaining Agreement)

Explanation: Compensation benefits for seafarers are typically detailed and governed by a Collective Bargaining Agreement (CBA) negotiated between shipowners and seafarer unions.

Q33. STCW stands for

- A) Structured ,Training, Certification and Watch keeping
- B) Shipboard, Training, Certification and Watch keeping
- C) Standards of Training, Certification and Watch keeping
- D) Seafarers, Training, Certification and Watch keeping

Correct Answer: C (Standards of Training, Certification and Watch keeping)

Explanation: STCW stands for Standards of Training, Certification and Watchkeeping for Seafarers. It is an international convention setting the minimum standards for training and certification of seafarers.

Q34. The course of the ship is entered every watch in the

- A) Medical Log Book
- B) Official Log Book
- C) Deck Log Book
- D) GMDSS Log Book

Correct Answer: C (Deck Log Book)

Explanation: The course of the ship, along with other navigational details like position and log entries, is recorded in the Deck Log Book for each watch.

Q35. Details of shipboard life saving and fire fighting appliances is described in the

- A) SOLAS Convention
- B) ILO Convention
- C) MARPOL Convention
- D) STCW Convention

Correct Answer: A (SOLAS Convention)

Explanation: The SOLAS Convention extensively details requirements for shipboard Life-Saving Appliances (LSA) and Fire Fighting Appliances (FFA) to ensure the safety of the ship and its crew.