



Personal Survival Techniques (PST)

210 Practice Questions and Answers for STCW Exams

Updated for DG Shipping India Exams | Source: brightmariner.com

Practice Set 1

Q1. Emergency Position Indicating Radio Beacon (EPIRB) is considered as:

- A) Primary means of alerting device
- B) Secondary means of alerting device
- C) Both primary and secondary
- D) None of the above

Correct Answer: B (Secondary means of alerting device)

Q2. How can a Search and Rescue Radar Transponder (SART) effective range be maximized?

- A) The SART should be placed in water immediately after activation
- B) The SART should be put on high power mode
- C) Mount the SART horizontally with respect to rescue vessel radar
- D) It should be as high as possible

Correct Answer: D (It should be as high as possible)

Q3. On a passenger ship, muster of passengers must be carried out:

- A) Within one week after boarding the person
- B) Within 24 hours of leaving the port
- C) Whenever the passengers are settled out
- D) Anytime by surprise as decided by the master

Correct Answer: B (Within 24 hours of leaving the port)

Q4. The Thermal Protective Aid (TPA) should permit the wearer to remove it in the water:

- A) Not more than two minutes
- B) Not more than five minutes
- C) Not more than 10 minutes
- D) Not more than 15 minutes

Correct Answer: A (Not more than two minutes)

Q5. Which channel is designated as the VHF follow-on Communication channel required in all portable survival craft equipment?



- A) Channel 06
- B) Channel 70
- C) Channel 13
- D) Channel 16

Correct Answer: D (Channel 16)

Q6. How many survival craft VHF walkie-talkies are required to be carried on cargo ships above 500 Gross Registered Tonnage (GRT)?

- A) Two numbers
- B) Three numbers
- C) Four numbers
- D) Five numbers

Correct Answer: B (Three numbers)

Q7. You are at sea in an inflatable life raft in high altitudes, the greatest danger is:

- A) Collapse of the raft due to cold temperatures
- B) Asphyxiation due to keeping the canopy closed
- C) Hypothermia caused by cold temperature
- D) Starvation

Correct Answer: C (Hypothermia caused by cold temperature)

Q8. Prior to lowering the lifeboat, the most important item to check is:

- A) Oars
- B) Sail
- C) Boat plug
- D) Life preservers

Correct Answer: C (Boat plug)

Q9. You are on a survival craft broadcasting a distress message. What information is essential for rescuers?

- A) Nature of distress
- B) Time of the day
- C) Your radio call sign
- D) Your position by latitude and longitude

Correct Answer: D (Your position by latitude and longitude)

Q10. What is the type of battery used for EPIRB and your SART?

- A) Lead acid battery
- B) Solar rechargeable cells
- C) Lithium non-rechargeable
- D) None of the above

Correct Answer: C (Lithium non-rechargeable)



- A) Locating signals are transmitted by survival craft VHF transceivers
- B) Locating signals are transmitted by search and rescue radar transponders
- C) Locating signals are intended to facilitate the finding of distress vessel or survivors
- D) Locating signals are not transmitted by auto alarm generators

Correct Answer: A (Locating signals are transmitted by survival craft VHF transceivers)

Q12. The person aboard a vessel signaling by raising and lowering his or her outstretched arms to each side is indicating:

- A) Danger, stay away
- B) All is clear, it is safe to pass
- C) All is clear, it is safe to approach
- D) A distress signal

Correct Answer: D (A distress signal)

Q13. You are involved in an emergency landing of a helicopter in water. You should inflate your life jacket:

- A) Upon entering the helicopter
- B) Prior to reaching the water
- C) After reaching the water but prior to exiting the helicopter
- D) After clear of the helicopter

Correct Answer: D (After clear of the helicopter)

Q14. Choose the right combination of VHF channels for emergency communication during search and rescue for ship-to-ship and ship-to-aircraft communication:

- A) Channel 21 and 23
- B) Channel 06 and 30
- C) Channel 16 and 06
- D) Channel 70 and 16

Correct Answer: C (Channel 16 and 06)

Q15. Davit-launched life raft can be boarded:

- A) From the water only
- B) At the deck
- C) By jumping down onto it
- D) Through the escape tube

Correct Answer: B (At the deck)

Q16. Cargo ships of 100 meters and above but less than 150 meters should have how many life buoys?

- A) 8
- B) 12
- C) 30
- D) 14

Correct Answer: C (30)



- A) S-band radar
- B) Digital selective calling (DSC) receiver
- C) Satellite communication terminals
- D) X-band radar

Correct Answer: D (X-band radar)

Q18. With a sprinkler system and air system on and all hatches shut, the survival craft will provide protection from:

- A) Nuclear environment
- B) Fire and toxic environment
- C) Storm or a hurricane
- D) Sea creatures

Correct Answer: B (Fire and toxic environment)

Q19. What must be the characteristics of a lifebuoy attached with a self-igniting light and smoke?

- A) Two hours of light with two candle luminous intensity with 15 minutes of smoke
- B) One hour of light with 15 minutes of smoke
- C) Two hours of light with two hours of smoke
- D) 15 minutes of light with 15 minutes of smoke

Correct Answer: A (Two hours of light with two candle luminous intensity with 15 minutes of smoke)

Q20. The most important reason for taking anti-seasickness pills as soon as possible after entering into a life raft is to:

- A) Assist in sleeping
- B) Reduce appetite by decreasing nausea
- C) Prevent loss of body moisture by vomiting
- D) Prevent impact judgment due to motion-induced deliriousness

Correct Answer: C (Prevent loss of body moisture by vomiting)

Q21. The rescue vessel is approaching an activated SART at a distance of five miles. What indication appears on the rescue vessel radar screen?

- A) SOS symbol appears on the display of the radar screen
- B) Concentric circles
- C) A series of 12 equally spaced blips outward from the SART's position along its line of bearing
- D) Wide arcs

Correct Answer: C (A series of 12 equally spaced blips outward from the SART's position along its line of bearing)

Q22. On what frequency do EPIRBs transmit information to satellites on emergency activation?

- A) 121.5 MHz
- B) 243 MHz
- C) 156.8 MHz
- D) 406 MHz

Correct Answer: D (406 MHz)

Q23. What is the biggest danger to life when your vessel has collided with another ship?

Personal Survival Techniques (PST) EPI Exam Prep

brightmariner.com



- A) Oil pollution
- B) Building of compartments
- C) Damage to the ship
- D) Possibility of capsizing

Correct Answer: D (Possibility of capsizing)

Q24. What should be the duration and luminous intensity of a hand flare?

- A) 60 seconds with 30,000 candles
- B) 60 seconds with 15,000 candles
- C) 120 seconds with 30,000 candles
- D) 120 seconds with 15,000 candles

Correct Answer: B (60 seconds with 15,000 candles)

Q25. One of the main characteristics of a life jacket is:

- A) To swim
- B) To maintain the face of an unconscious person above the water level
- C) To float
- D) All of the above

Correct Answer: B (To maintain the face of an unconscious person above the water level)

Q26. Crew duties to passengers in an emergency especially in a passenger vessel involve:

- A) Warn all passengers
- B) Keeping the movement of the passengers towards the muster station
- C) Seeing that they have suitably donned the life jackets in a correct manner
- D) All of the above

Correct Answer: D (All of the above)

Q27. What indication does an EPIRB give on activation?

- A) Voice prompt saying EPIRB is activated
- B) Strobe lights or flashes on top of the EPIRB
- C) Gives out a printout of distress message sent
- D) All of the above

Correct Answer: B (Strobe lights or flashes on top of the EPIRB)

Q28. How many buoyant orange smoke floats should be kept on the bridge of a vessel?

- A) Two
- B) Four
- C) Six
- D) None

Correct Answer: D (None)



- A) Whistle and light
- B) Reflective tape
- C) Whistle, reflective tape, and a light
- D) Only a whistle

Correct Answer: C (Whistle, reflective tape, and a light)

Q30. How do you know how many persons a lifeboat can accommodate?

- A) Ask your chief officer
- B) No limitations, you can put maximum persons inside
- C) Number of persons it can hold is clearly marked on the outside of the lifeboat
- D) None of the above

Correct Answer: C (Number of persons it can hold is clearly marked on the outside of the lifeboat)

Practice Set 2

Q1. The number of lifebuoys on ship is dependent on:

- A) What owners provide
- B) Minimum of 10
- C) Minimum of 15
- D) Length of the vessel

Correct Answer: D (Length of the vessel)

Q2. EPIRB stands for:

- A) Emergency Position Indicating Radio Beacon
- B) Emergency Position Indicating Radar Beacon
- C) Escape Position Indicating Radar Beacon
- D) Escape Position Indicating Radio Beacon

Correct Answer: A (Emergency Position Indicating Radio Beacon)

Q3. Which of the following requirements for Immersion suit is correct?

- A) Donned within 2 minutes
- B) Allow the wearer to jump from 4.5m
- C) Allow the wearer to climb a vertical ladder of 5mtrs
- D) All of the above

Correct Answer: D (All of the above)

Q4. How much faster does the human body lose heat in the water?

- A) 10
- B) 20
- C) 26
- D) 36

Correct Answer: C (26)

Q5. When person floating in the water in group, they should be in:



- A) Help position
- B) Huddle position
- C) Yoga position
- D) None of the above

Correct Answer: B (Huddle position)

Q6. How should the painter of a liferaft which is fitted with hydrostatic release unit be secured to the ship?

- A) Secured via weak link to a secured point on the ship
- B) Secured to the part of hydrostatic release that is designed to break free
- C) It should not be secured anyway
- D) Directly to a secure point on the ship

Correct Answer: A (Secured via weak link to a secured point on the ship)

Q7. LTA is used as:

- A) Messenger line
- B) Heaving line
- C) Mooring Line
- D) Lashing line

Correct Answer: A (Messenger line)

Q8. Life jacket light shall be capable of providing luminous intensity of _____ for a period of _____:

- A) .75cd/8hrs
- B) .50cd/8hrs
- C) .75cd/6hrs
- D) .50cd/6hrs

Correct Answer: A (.75cd/8hrs)

Q9. Lifeboat must be stowed in such a way that they can be launched in _____ mins:

- A) 10 mins
- B) 15 mins
- C) 20 mins
- D) 05 mins

Correct Answer: A (10 mins)

Q10. A distress signal on deck:

- A) Pyrotechnics
- B) Open fire
- C) NC Flag
- D) All of the above

Correct Answer: D (All of the above)



- A) Search and Rescue Radar Transponder
- B) Search and Rescue Radar Transformer
- C) Search and Rescue Radar Transmission
- D) Search and Rescue Radar Transmisor

Correct Answer: A (Search and Rescue Radar Transponder)

Q12. Your vessel has been in collision and you are not sure if your vessel is sinking or not, How will you handle this situation?

- A) Make sure that the lifeboat has as much fuel as possible and make your course for nearest land
- B) Wait and see how the situation is developing
- C) Search for missing person, continue to monitor the situation and prepare for event management in case it becomes necessary
- D) Leave the vessel and stay not closer than 5 NM

Correct Answer: C (Search for missing person, continue to monitor the situation and prepare for event management in case it becomes necessary)

Q13. What is a fire wire?

- A) Wire for pulling burning ships off the pier
- B) Wire for handling fire bucket
- C) Wire for pulling fire hoses upto the top bridge
- D) Wire for securing smoke divers

Correct Answer: A (Wire for pulling burning ships off the pier)

Q14. Quantity of water in lifeboat per person:

- A) 3Ltrs
- B) 5Ltrs
- C) 4Ltrs
- D) 2Ltrs

Correct Answer: A (3Ltrs)

Q15. How many servival craft walkie talkie required as per SOLAS for a ship of more than 500GT?

- A) 2
- B) 3
- C) 5
- D) 1

Correct Answer: A (2)

Q16. Quantity of water in Life raft per person:

- A) 1.5 Ltrs
- B) 2 Ltrs
- C) 3 Ltrs
- D) 2.5 Ltrs

Correct Answer: A (1.5 Ltrs)



- A) The floor of the raft has a second layer which can be inflated to give additional insulation from the cold
- B) The floor of the raft has a second layer which can be inflated to help insulation in addition to the TPA
- C) TPA for each person
- D) At least 10% or 2 TPA of the total crew

Correct Answer: B (The floor of the raft has a second layer which can be inflated to help insulation in addition to the TPA)

Q18. Which of the listed requirements do not corresponds to present regulation the life raft shall have:

- A) Manually controlled lamp visible of at least two miles fitted at the top of the canopy
- B) All entrances fitted with rigid boarding ramps for boarding the life raft
- C) Floor preventing the ingress of water
- D) Manually controlled lamp fitted inside the liferaft

Correct Answer: B (All entrances fitted with rigid boarding ramps for boarding the life raft)

Q19. In free fall Lifeboat, instead of Immersion suit TPA is provided for all persons:

- A) True
- B) False

Correct Answer: B (False)

Q20. Your vessel have been in collision with another vessel, you are taking in water and you have to prepare for leaving the vessel. How will you act?

- A) Just jump overboard and be ready
- B) Collect your own personal belongings
- C) Assist your friends to collect their personal belonging
- D) Send a distress message and collect survival suits/Thermal bags

Correct Answer: D (Send a distress message and collect survival suits/Thermal bags)

Q21. Which one of the listed requirements regarding the stowage of a survival craft corresponds to present SOLAS regulations? Each survival craft shall be stowed:

- A) Wherever space is available
- B) In a state of readiness so that two crew members can prepare
- C) On the starboard side of the ship
- D) In a secure and sheltered position and protected from damage by fire and explosion

Correct Answer: B (In a state of readiness so that two crew members can prepare)

Q22. Which one of the listed requirements regarding LSA do not corresponds to present regulations?

- A) All prescribed LSA shall be made of non-combustible or fire retardant material
- B) All prescribed LSA shall be of a highly visible colour
- C) All prescribed LSA shall be fitted with a retro reflective material which will assist in detection
- D) All prescribed LSA shall be resistant to deterioration where exposed to sunlight

Correct Answer: A (All prescribed LSA shall be made of non-combustible or fire retardant material)

Q23. Which one of the listed requirements regarding launching appliances for survival craft and rescue boats not corresponds to present regulation?



- A) Parts requiring regular maintenance by ships crew shall be readily accessible
- B) The launching mechanism shall be arranged for actuating from a position within the survival craft or rescue boat in addition to a position on the ships deck
- C) All launching appliances shall be capable of recovering survival craft and rescue boats with their crew
- D) Launching appliances shall be constructed for minimum amount of routine maintainance

Correct Answer: C (All launching appliances shall be capable of recovering survival craft and rescue boats with their crew)

Q24. Maximum carrying capacity of a lifeboat:

- A) 100 Persons
- B) 150 Persons
- C) 50 Persons
- D) 25 Persons

Correct Answer: B (150 Persons)

Q25. An Immersion suit shall permit the person wearing it:

- A) Climb up and down a vertical ladder of atleast 5m in length
- B) Perform normal duties associated with abandoning ship
- C) Jump from a height of not less than 4.5m
- D) All of the above

Correct Answer: D (All of the above)

Q26. Checking and servicing life rafts as per PMS is:

- A) Once a year
- B) Twice a year
- C) Once in 5 years
- D) Based on condition of Liferaft

Correct Answer: A (Once a year)

Q27. Before lifting a Lifeboat from water it should be ensured that:

- A) Bottom plug is secured tight
- B) Falls wires are clear and secured tightly
- C) Engine is going astern
- D) Sea anchor is streamed

Correct Answer: B (Falls wires are clear and secured tightly)

Q28. Which one of the routine test and inspection of LSA is not required by regulations:

- A) Lifeboat engine should be run for atleast 3 mins every week
- B) General emergency alarm to be tested daily
- C) Survival craft and Rescue boats with launching appliances shall be visually inspected weekly
- D) Inspection of Lifeboat equipments shall be carried out monthly

Correct Answer: B (General emergency alarm to be tested daily)



- A) Substitute for limit switch of gravity davits
- B) To automatically unhook the lashing and release the life raft when the ship sinks
- C) For releasing life raft in bad weather
- D) For releasing lifeboat from sinking vessel

Correct Answer: B (To automatically unhook the lashing and release the life raft when the ship sinks)

Q30. Lifeboat should have:

- A) 2 Buoyant rescue quoits, attached to not less than 30mtrs buoyant line
- B) 2 buoyant rescue quoits attached to not less than 15mtrs buoyant line
- C) 1 Buoyant rescue quoits, attached to not less than 30mtrs buoyant line
- D) 1 buoyant rescue quoits attached to not less than 15mtrs buoyant line

Correct Answer: A (2 Buoyant rescue quoits, attached to not less than 30mtrs buoyant line)

Practice Set 3

Q1. The muster list shows who is the designated GMDSS operator. What do the letters GMDSS stand for?

- A) Global Marine Distress and Safety System
- B) General Maritime Distress and Safety System
- C) Global Maritime Distress and Safety System
- D) Global Maritime Distress and Security System

Correct Answer: C (Global Maritime Distress and Safety System)

Q2. A mobile unit in distress should transmit the appropriate alarm signal followed by the distress call and message on one or all international distress frequencies. Which of the following sets of frequencies is correct?

- A) 500 kHz, 2182 kHz, and 156.8 MHz
- B) 400 kHz, 2182 kHz, and 121.5 MHz
- C) 500 kHz, 1642 kHz, and 156.8 MHz
- D) 600 kHz, 2182 kHz, and 156.5 MHz

Correct Answer: A (500 kHz, 2182 kHz, and 156.8 MHz)

Q3. Using spoken communication, what is the code word used to indicate a distress message?

- A) Pan Pan
- B) Securite
- C) Mayday
- D) Emergency

Correct Answer: C (Mayday)



- A) Keep EPIRB and SART switched off until a ship is seen
- B) Switch on EPIRB and SART immediately and leave them on
- C) Switch on only the EPIRB
- D) Leave them on board the main vessel

Correct Answer: B (Switch on EPIRB and SART immediately and leave them on)

Q5. What do the letters E.P.I.R.B. stand for?

- A) Emergency Position Indicating Radar Beacon
- B) Emergency Position Indicating Radio Beacon
- C) Electronic Position Indicating Radio Beacon
- D) Emergency Place Indicating Radio Beacon

Correct Answer: B (Emergency Position Indicating Radio Beacon)

Q6. EPIRB alerting is a:

- A) Primary means of distress alerting
- B) Secondary means of distress alerting
- C) Tertiary means of distress alerting
- D) Non-essential means of distress alerting

Correct Answer: B (Secondary means of distress alerting)

Q7. EPIRB works on which satellite system?

- A) Inmarsat
- B) GPS / GLONASS
- C) COSPAS-SARSAT
- D) Iridium

Correct Answer: C (COSPAS-SARSAT)

Q8. LEOSAR stands for:

- A) Low Earth Orbiting Satellites for SAR
- B) Light Earth Orbiting Satellites for SAR
- C) Low Earth Orbiting Systems for Search and Rescue
- D) Long Earth Orbiting Satellites for SAR

Correct Answer: A (Low Earth Orbiting Satellites for SAR)

Q9. How many EPIRBs are carried on board a ship as per Solas regulations?

- A) Two
- B) Three
- C) One
- D) Four

Correct Answer: C (One)

Q10. All self-propelled vessels on an international voyage must be equipped with how many emergency position indicating radio beacons?



- A) Two approved category 1 EPIRBs
- B) One approved category 1 EPIRB
- C) One category 2 EPIRB
- D) None

Correct Answer: B (One approved category 1 EPIRB)

Q11. Which position is shown by an EPIRB?

- A) Dead reckoning position
- B) Real time position
- C) Estimate position
- D) Estimated time of arrival

Correct Answer: B (Real time position)

Q12. What is the frequency of a COSPAS-SARSAT EPIRB?

- A) 121.5 MHz
- B) 243 MHz
- C) 406 MHz
- D) 156.8 MHz

Correct Answer: C (406 MHz)

Q13. A VHF EPIRB is designed to be used in which GMDSS sea area?

- A) Area A2
- B) Area A3
- C) Area A1
- D) Area A4

Correct Answer: C (Area A1)

Q14. The battery used in EPIRBs, SARTs, and portable VHF radios is a:

- A) 12V Lead-acid battery
- B) 12V Primary lithium battery
- C) 6V Alkaline battery
- D) 12V Ni-Cad battery

Correct Answer: B (12V Primary lithium battery)

Q15. The capacity of a lithium battery should be enough to last for how long when activated?

- A) 24 Hours
- B) 48 Hours
- C) 72 Hours
- D) 96 Hours

Correct Answer: B (48 Hours)

Q16. The shelf life of a standard GMDSS survival craft battery is:

brightmariner.com



- A) 1 to 2 years
- B) 3 to 5 years
- C) 10 years
- D) 6 months

Correct Answer: B (3 to 5 years)

Q17. Batteries used specifically for an EPIRB have a very long shelf life of:

- A) 2 years
- B) 3 years
- C) 5 years or more
- D) 1 year

Correct Answer: C (5 years or more)

Q18. Each EPIRB shall be tested using the integrated test circuit and output indicator every:

- A) Week
- B) Month
- C) Six months
- D) Year

Correct Answer: B (Month)

Q19. An EPIRB signal is designed to be received ultimately by the:

- A) RCC / MRCC (Maritime Rescue Coordination Center)
- B) Coast Guard station only
- C) Passing aircraft only
- D) Ship's agent

Correct Answer: A (RCC / MRCC (Maritime Rescue Coordination Center))

Q20. The time delay in detection and relaying of an EPIRB transmission in global mode can be up to:

- A) 30 minutes
- B) 1 hour
- C) 2 hours
- D) 4 hours

Correct Answer: C (2 hours)

Q21. Your Master ensures that the EPIRB is:

- A) Tested weekly
- B) Tested monthly
- C) Tested yearly
- D) Serviced every 6 months

Correct Answer: B (Tested monthly)



- A) Hydrostatic Release Unit
- B) Hydraulic Release Unit
- C) High Rescue Unit
- D) Hydrostatic Rescue Utility

Correct Answer: A (Hydrostatic Release Unit)

Q23. SART stands for:

- A) Search and Rescue Radar Transmitter
- B) Search and Rescue Radar Transponder
- C) Shipping and Rescue Tracking
- D) Search and Recovery Transponder

Correct Answer: B (Search and Rescue Radar Transponder)

Q24. What does the standard IMO symbol with concentric circles and a mini radar indicator mean?

- A) EPIRB
- B) Two-way VHF
- C) SART
- D) Radar reflector

Correct Answer: C (SART)

Q25. How can a SART's detection range be increased?

- A) By placing it inside the water
- B) It should be held as high as possible
- C) By turning it off horizontally
- D) By wrapping it in cloth

Correct Answer: B (It should be held as high as possible)

Q26. In the search and rescue radar transponder (SART), how is this device activated?

- A) Automatically when submerged
- B) It is carried into the survival craft and switched on by the occupants
- C) Remotely from the bridge
- D) Via satellite signal

Correct Answer: B (It is carried into the survival craft and switched on by the occupants)

Q27. How long must a SART operate in standby mode?

- A) 24 hours
- B) 48 hours
- C) 96 hours
- D) 5 days

Correct Answer: C (96 hours)



- A) S-band
- B) X-band
- C) C-band
- D) Ka-band

Correct Answer: B (X-band)

Q29. What is the precise frequency and wavelength at which a SART operates?

- A) 3 GHz, 10 cm (S-band)
- B) 9 GHz, 3 cm (X-band)
- C) 156.8 MHz
- D) 406 MHz

Correct Answer: B (9 GHz, 3 cm (X-band))

Q30. How many radar transponders (SARTs) are required to be carried on board ships for use in survival crafts?

- A) One only
- B) Two (or one on each side of the ship)
- C) Three
- D) Four

Correct Answer: B (Two (or one on each side of the ship))

Practice Set 4

Q1. Which of the following is considered a distress signal on deck?

- A) Pyrotechnics
- B) Open fire
- C) Flag NC
- D) All of the above

Correct Answer: D (All of the above)

Q2. Your vessel has been in a collision with another vessel. You are taking in water and you have to prepare for leaving the vessel. How will you act?

- A) Immediately jump overboard
- B) Send a distress message and collect survival suits and thermal bags
- C) Wait on deck without any equipment
- D) Drop anchor and hide in your cabin

Correct Answer: B (Send a distress message and collect survival suits and thermal bags)

Q3. Your vessel has been in a collision and you are not sure if your vessel is sinking or not. How will you handle this situation?



- A) Order immediate abandonment without checking
- B) Search for missing persons, continue to monitor the situation, and prepare for abandonment in case it becomes necessary
- C) Disregard the collision and continue steaming
- D) Turn off all alarms to prevent panic

Correct Answer: B (Search for missing persons, continue to monitor the situation, and prepare for abandonment in case it becomes necessary)

Q4. An alarm signal consisting of seven short blasts followed by one prolonged blast is sounded by the ship's whistle and alarm bells. What are you to do?

- A) Go to the galley for food
- B) Go to your lifeboat/muster station
- C) Proceed to the engine room workshop
- D) Remain in your bunk

Correct Answer: B (Go to your lifeboat/muster station)

Q5. Your vessel is a tanker in ballast and the two vessels are interlocked after a collision. After ensuring all people are well taken care of, you try to separate the two vessels. What should be your greatest concern?

- A) Losing your anchor
- B) That the separation may cause sparks that can possibly ignite the oil or any other flammable substances
- C) Damaging the ship's paint
- D) Missing the next port schedule

Correct Answer: B (That the separation may cause sparks that can possibly ignite the oil or any other flammable substances)

Q6. Which one of the given requirements regarding the manning and supervision of survival craft corresponds to Solas regulations?

- A) Any crew member can command a survival craft
- B) A deck officer or certificated person shall be placed in charge of each survival craft to be used
- C) Only the Chief Cook can manage survival craft
- D) Lifeboats don't require any assigned person-in-charge

Correct Answer: B (A deck officer or certificated person shall be placed in charge of each survival craft to be used)

Q7. Where do you find the minimum drill requirements for merchant vessels?

- A) In the MARPOL convention
- B) In the STCW convention
- C) In the Solas convention
- D) In the ISPS code

Correct Answer: C (In the Solas convention)



- A) Having the best food on board
- B) That people are well trained
- C) Having a high speed engine
- D) Having a clean uniform

Correct Answer: B (That people are well trained)

Q9. When should abandonment of a ship be undertaken?

- A) As soon as a minor fire starts
- B) As a last resort on orders from the Master
- C) When the ship runs out of fresh water
- D) At any time individual crew members feel like it

Correct Answer: B (As a last resort on orders from the Master)

Q10. Posters or signs shall be provided on or in the vicinity of survival craft and their launching controls. Which of the following details does NOT explicitly need to be displayed according to this specific regulation?

- A) Illustrate the purpose of controls and procedures for launching
- B) Give recommendations for survival
- C) Give information on survival craft capacity
- D) Give warning notices

Correct Answer: C (Give information on survival craft capacity)

Q11. In an emergency situation, is it a good idea to jump overboard and swim towards a launched lifeboat?

- A) Yes, it is the quickest option
- B) As a general rule, don't jump into the sea
- C) Yes, always jump with your shoes off
- D) Jump only if the water is warm

Correct Answer: B (As a general rule, don't jump into the sea)

Q12. What is the working duration of a Man Overboard (MOB) smoke float?

- A) 5 minutes
- B) 10 minutes
- C) 15 minutes
- D) 30 minutes

Correct Answer: C (15 minutes)

Q13. Lifeboats can be safely lowered using painters when the vessel is making headway up to a speed of:

- A) 2 knots
- B) 5 knots
- C) 10 knots
- D) 12 knots

Correct Answer: B (5 knots)



- A) 1 liter
- B) 1.5 liters
- C) 3 liters
- D) 0.5 liters

Correct Answer: B (1.5 liters)

Q15. What is the minimum number of lifebuoys required on a cargo ship of length over 200 meters?

- A) 8
- B) 10
- C) 12
- D) 14

Correct Answer: D (14)

Q16. What is the percentage requirement for child life jackets on a cargo vessel?

- A) 5 percent
- B) 10 percent
- C) 15 percent
- D) 20 percent

Correct Answer: B (10 percent)

Q17. Once you hear the fire alarm, where must you proceed?

- A) To the bridge
- B) To your cabin to sleep
- C) Proceed to your designated muster station
- D) To the lifeboats directly

Correct Answer: C (Proceed to your designated muster station)

Q18. What is the regulatory donning time allowed for an immersion suit?

- A) 1 minute
- B) 2 minutes
- C) 3 minutes
- D) 5 minutes

Correct Answer: B (2 minutes)

Q19. When a group of persons is floating in cold water without a craft, they should form which protective position?

- A) Single line position
- B) Horizontal starfish position
- C) Huddle position
- D) Swimming in circles

Correct Answer: C (Huddle position)



- A) It shall be fitted with an efficient painter
- B) The floor shall prevent the ingress of water
- C) All the entrances must be fitted with rigid boarding ramps for boarding life rafts at sea
- D) It must be highly visible

Correct Answer: C (All the entrances must be fitted with rigid boarding ramps for boarding life rafts at sea)

Q21. Checking and servicing life rafts as per the Planned Maintenance System (PMS) is carried out:

- A) Once every 6 months
- B) Once a year (Every 12 months)
- C) Every 2 years
- D) Monthly

Correct Answer: B (Once a year (Every 12 months))

Q22. Before lifting a lifeboat from the water back to its davits, it must be ensured that:

- A) The engine is still running at full speed
- B) Falls are clear and secured tightly (hooked securely)
- C) All gear is thrown overboard
- D) The drain plug is wide open

Correct Answer: B (Falls are clear and secured tightly (hooked securely))

Q23. Which one of the listed routine tests and inspections of LSA is NOT required on a daily/weekly basis by present regulations?

- A) Lifeboat engine test weekly
- B) Inspection of lifeboats weekly
- C) General emergency alarm to be tested daily
- D) Testing of life jacket lights

Correct Answer: C (General emergency alarm to be tested daily)

Q24. Lifeboats should have:

- A) One rescue quoit with a 10-meter line
- B) Two buoyant rescue quoits attached to not less than 30 meters of buoyant line
- C) No rescue lines attached
- D) Wire lines instead of ropes

Correct Answer: B (Two buoyant rescue quoits attached to not less than 30 meters of buoyant line)

Q25. In a free-fall lifeboat, instead of immersion suits, TPAs (Thermal Protective Aids) are provided to all persons.

- A) True
- B) False

Correct Answer: B (False)

Q26. The luminous intensity of a hand flare should not be less than:



- A) 5,000 cd
- B) 10,000 cd
- C) 15,000 cd
- D) 20,000 cd

Correct Answer: C (15,000 cd)

Q27. Hand flares burn with a bright red color.

- A) True
- B) False

Correct Answer: A (True)

Q28. A Line Throwing Apparatus (LTA) is fundamentally used to pass a:

- A) Heavy mooring wire
- B) Messenger line
- C) Fuel hose line
- D) Anchor chain

Correct Answer: B (Messenger line)

Q29. A life jacket light shall have a source of energy capable of providing a luminous intensity of _____ for a period of _____:

- A) 0.5 cd / 4 hours
- B) 0.75 cd / 8 hours
- C) 1.5 cd / 2 hours
- D) 10 cd / 12 hours

Correct Answer: B (0.75 cd / 8 hours)

Explanation: Read as 0.75 cd in standard LSA code

Q30. Lifeboats must be stored in such a way on a cargo ship that they can be fully launched within a maximum of:

- A) 5 minutes
- B) 10 minutes
- C) 15 minutes
- D) 30 minutes

Correct Answer: B (10 minutes)

Practice Set 5



- A) Hidden inside cabins
- B) In conspicuous, clearly marked places on deck or at muster stations
- C) Locked inside the steering gear room
- D) In the paint locker

Correct Answer: B (In conspicuous, clearly marked places on deck or at muster stations)

Q2. Which of the listed requirements regarding the storage of lifeboats and life rafts does NOT correspond to present Solas regulations?

- A) Life rafts intended for throw-overboard launching shall be stored amidships secured to means for transfer to either side
- B) They must be stored in a state of continuous readiness
- C) They must not interfere with other survival craft
- D) They must be safely secured

Correct Answer: A (Life rafts intended for throw-overboard launching shall be stored amidships secured to means for transfer to either side)

Q3. Vessels of 100 meters and over in length should have a minimum of how many lifebuoys?

- A) 6 lifebuoys
- B) 8 lifebuoys
- C) 10 lifebuoys
- D) 12 lifebuoys

Correct Answer: C (10 lifebuoys)

Q4. The function of a hydrostatic release unit (HRU) is:

- A) To launch the lifeboat manually
- B) To automatically unhook the lashing and release the life raft when the ship sinks
- C) To measure the depth of the sea
- D) To pump water out of the life raft

Correct Answer: B (To automatically unhook the lashing and release the life raft when the ship sinks)

Q5. What are the characteristics of Carbon Dioxide (CO2)?

- A) It is lighter than oxygen
- B) It is heavier than oxygen
- C) It supports combustion
- D) It is bright green in color

Correct Answer: B (It is heavier than oxygen)

Q6. Which one of the listed requirements regarding buoyant smoke signals does NOT correspond to present regulations? The buoyant smoke signal shall:

- A) Emit smoke of a highly visible color
- B) Give a bright red light during the entire emission time
- C) Not ignite explosively
- D) Continue to emit smoke when submerged in water

Correct Answer: B (Give a bright red light during the entire emission time)



~~Q7. Which one of the listed requirements regarding the launching and recovery arrangements for survival craft corresponds to present Solas regulations?~~

- A) The operator on deck cannot see the craft during lowering
- B) Launching and recovery arrangements shall be such that the operator at all times observes the survival craft and lifeboats
- C) Only manual hand-crank can be used for lowering
- D) Launching must take at least 1 hour

Correct Answer: B (Launching and recovery arrangements shall be such that the operator at all times observes the s

Q8. Which one of the listed requirements regarding a lifeboat's propulsion system does NOT correspond to present regulations?

- A) The engine must be an internal combustion engine
- B) The engine shall be provided with an electric power starting system with rechargeable energy batteries only
- C) The engine must run on fuel with a flashpoint of 43 degreesC or less
- D) The engine must be capable of starting at 15 degreesC below zero

Correct Answer: B (The engine shall be provided with an electric power starting system with rechargeable energy bat

Explanation: Lifeboats must have secondary manual/hydraulic starting mechanisms

Q9. Which one of the listed requirements regarding abandon ship and fire drills does NOT correspond to present regulations?

- A) Every crew member must participate monthly
- B) On all short international voyages, muster of passengers shall take place as soon as possible after departure
- C) Passengers must be trained to launch lifeboats
- D) Drills must be recorded in the logbook

Correct Answer: B (On all short international voyages, muster of passengers shall take place as soon as possible aft

Explanation: For short voyages, it should be before or immediately at departure

Q10. After the first 24 hours in a life raft, how much water is allocated per person per day?

- A) 1 Liter
- B) 0.5 Liter (half liter)
- C) 1.5 Liters
- D) 2 Liters

Correct Answer: B (0.5 Liter (half liter))

Q11. Which of the following items shall be included in each fire drill?

- A) Painting the fire hydrants
- B) Checking the operation of watertight doors, fire doors, fire dampers, and relevant communication equipment
- C) Emptying all fuel tanks
- D) Dismantling the main fire pump

Correct Answer: B (Checking the operation of watertight doors, fire doors, fire dampers, and relevant communication



- A) Shackled directly to a heavy structural frame
- B) Secured via a weak link to a secure point on the ship
- C) Left loose on the deck
- D) Tied to the railing with a simple knot

Correct Answer: B (Secured via a weak link to a secure point on the ship)

Q13. Which one of the listed requirements regarding partially enclosed lifeboats does NOT correspond to present regulations? The canopy between rigid covers shall be:

- A) Easily erectable
- B) Insulated against cold and heat
- C) It has windows to admit sufficient daylight inside the boat with the canopy closed
- D) Completely opaque with no light entering

Correct Answer: C (It has windows to admit sufficient daylight inside the boat with the canopy closed)

Q14. Which of the following is considered a general emergency on board a ship?

- A) Hull failure
- B) Uncontrolled venting or cargo jettisoning on a gas tanker
- C) Loss of stability during cargo operations
- D) All of the above

Correct Answer: D (All of the above)

Q15. Which one of the listed requirements regarding the stability of inflatable life rafts does NOT correspond to present regulations? The stability of inflatable life rafts shall be such that:

- A) It can withstand high winds
- B) In the event of capsizing, it will automatically attain a position providing an enable water escape
- C) It has water pockets underneath
- D) It can be towed easily

Correct Answer: B (In the event of capsizing, it will automatically attain a position providing an enable water escape)

Explanation: Inflatable life rafts don't automatically self-right unless they are specially designed self-righting types

Q16. Retro-reflective tape is provided on which equipment?

- A) Anchor chains and windlass
- B) Lifeboats and life rafts
- C) Fire hoses and nozzles
- D) Main engine control panel

Correct Answer: B (Lifeboats and life rafts)

Q17. How much lifeboat capacity should be provided on a conventional cargo ship of more than 85 meters in length?

- A) 50% on each side
- B) 100% of the ship's complement on each side
- C) 150% total capacity anywhere
- D) 200% on each side



Q18. Which one of the listed requirements regarding rescue boat equipment does NOT correspond to present regulations? The normal equipment of every rescue boat shall include:

- A) Buoyant oars or paddlers
- B) A buoyant biler
- C) Immersion suits for the total number of persons the boat is permitted to accommodate
- D) A searchlight

Correct Answer: C (Immersion suits for the total number of persons the boat is permitted to accommodate)

Explanation: Regulations only specify them for the actual rescue boat crew, not full capacity

Q19. A SART typically uses a lithium primary battery of:

- A) 6 Volts
- B) 12 Volts
- C) 24 Volts
- D) 1.5 Volts

Correct Answer: B (12 Volts)

Q20. What is the minimum number of channels required for a portable 2-way VHF radio used for survival craft?

- A) Channel 12 only
- B) Channel 16
- C) Channels 6, 13, and 16
- D) Channel 70

Correct Answer: B (Channel 16)

Q21. Which channel is designated as the VHF follow-on communication channel and is mandatory in all portable survival craft equipment?

- A) Channel 6
- B) Channel 13
- C) Channel 16
- D) Channel 22

Correct Answer: C (Channel 16)

Q22. GMDSS regulations require that cargo vessels carry two-way VHF for survival craft. How many are required and when did the regulations fully apply?

- A) 2 sets for all ships built after 2000
- B) 3 sets; new builds from February 1992, other ships from February 1995
- C) 5 sets for any container ship
- D) 1 set per lifeboat station

Correct Answer: B (3 sets; new builds from February 1992, other ships from February 1995)



- A) They look old and dusty
- B) Battery to be changed as per the expiry date mentioned by the maker
- C) Every 6 months automatically
- D) Only after they drain out completely during an emergency

Correct Answer: B (Battery to be changed as per the expiry date mentioned by the maker)

Q24. If a distress signal is received on board, what should you do?

- A) Contact SAR authorities via the nearest coastal radio station
- B) Post an extra lookout
- C) Try to make contact with the vessel in distress
- D) All of the alternatives together

Correct Answer: D (All of the alternatives together)

Q25. What is the minimum required duration of a buoyant smoke marker?

- A) 1 minute
- B) 2 minutes
- C) 3 minutes
- D) 5 minutes

Correct Answer: C (3 minutes)

Q26. Life jackets should be stored in:

- A) Sealed boxes requiring tools to open
- B) Readily accessible spaces
- C) The steering flat
- D) Under lock and key by the Chief Mate

Correct Answer: B (Readily accessible spaces)

Q27. Which one of the listed requirements regarding lifeboat fittings does NOT correspond to present regulations? All lifeboats shall be fitted with:

- A) An efficient drain valve
- B) A rudder and tiller
- C) A continuous bright flame burning bucket around the outside of the lifeboat
- D) Lifelines becketed around the outside

Correct Answer: C (A continuous bright flame burning bucket around the outside of the lifeboat)

Q28. Lifeboats should have:

- A) Wire lines instead of lifelines
- B) Two buoyant rescue quoits attached to not less than a 30-meter buoyant line
- C) A 100-meter nylon hawser
- D) No lines for throwing

Correct Answer: B (Two buoyant rescue quoits attached to not less than a 30-meter buoyant line)



- A) Month
- B) Two months
- C) Three months
- D) Year

Correct Answer: C (Three months)

Q30. After abandoning ship, survivors in a lifeboat must be given:

- A) Rations and water immediately
- B) No water for the first 24 hours
- C) Double rations of water if they feel hot
- D) Seawater to drink

Correct Answer: B (No water for the first 24 hours)

Practice Set 6

Q1. Fire-protected lifeboats, when waterborne, should be capable of protecting their full complement when subjected to a continuous oil fire that envelops the boat for a period of not less than:

- A) 5 minutes
- B) 8 minutes
- C) 15 minutes
- D) 20 minutes

Correct Answer: B (8 minutes)

Q2. An enclosed lifeboat is fitted with a self-contained air support system. With the engine running, what is the minimum period of time the air should remain safe and breathable?

- A) 5 minutes
- B) 10 minutes
- C) 20 minutes
- D) 30 minutes

Correct Answer: B (10 minutes)

Q3. The smoke detector panel indicates a fire in a cargo hold loaded with general cargo. What first action should be taken?

- A) Open all hatches to look inside
- B) Run fire hoses into the hold immediately
- C) Close the ventilation system and other openings to the hold in order to choke the fire
- D) Increase the mechanical ventilation speed

Correct Answer: C (Close the ventilation system and other openings to the hold in order to choke the fire)



- A) 1 hour
- B) 2 hours
- C) 4 hours
- D) 8 hours

Correct Answer: B (2 hours)

Q5. Lifeboats on cargo vessels must be stored in such a way that they can be fully boarded and launched within a maximum of:

- A) 5 minutes
- B) 10 minutes
- C) 20 minutes
- D) 30 minutes

Correct Answer: B (10 minutes)

Q6. The centrifugal brake mechanism incorporated in a lifeboat handling winch is intended to:

- A) Stop the boat instantly if a cable snaps
- B) Automatically control the speed of lowering by gravity
- C) Increase the lifting speed of the winch motor
- D) Lock the davit arms in the stowed position

Correct Answer: B (Automatically control the speed of lowering by gravity)

Q7. If the water is rising in the bilge of a survival craft, you should first:

- A) Abandon the survival craft
- B) Check the bilge drain plug
- C) Start drilling holes to let water out
- D) Use a hand flare to signal for help

Correct Answer: B (Check the bilge drain plug)

Q8. The maximum speed of lowering for a lifeboat on gravity davits is controlled by the:

- A) Limit switch
- B) Governor brake
- C) Electric winch motor
- D) Hand crank handle

Correct Answer: B (Governor brake)

Q9. The function of the lifeboat davit limit switch is to:

- A) Stop the boat from lowering too fast into the water
- B) Cut off power to the winch when the lifeboat nears the final stowed position
- C) Release the hooks automatically
- D) Turn on the lifeboat internal lights

Correct Answer: B (Cut off power to the winch when the lifeboat nears the final stowed position)



- A) Balanced rudder
- B) Unbalanced rudder
- C) Flap rudder
- D) Semi-balanced rudder

Correct Answer: B (Unbalanced rudder)

Q11. At what speed and for how long must a fully loaded motor lifeboat operate in calm water?

- A) 4 knots for 12 hours
- B) 6 knots for 24 hours
- C) 10 knots for 48 hours
- D) 5 knots for 6 hours

Correct Answer: B (6 knots for 24 hours)

Q12. In a free-fall lifeboat, instead of immersion suits, TPAs (Thermal Protective Aids) are provided to all persons on board.

- A) True
- B) False

Correct Answer: B (False)

Q13. Which item in the lifeboat is considered a regulatory study/instructional material?

- A) Engineering blue print of the ship
- B) Instructions on how to survive on board the craft
- C) Nautical almanac
- D) Solas Consolidated Edition

Correct Answer: B (Instructions on how to survive on board the craft)

Q14. What is the standard minimum length of a lifeboat painter?

- A) 10 meters
- B) 15 meters
- C) 30 meters
- D) 50 meters

Correct Answer: B (15 meters)

Q15. What is the purpose of the hydrostatic interlock in the keel of an enclosed lifeboat?

- A) It prevents the engine from starting out of the water
- B) It prevents release of the hooks until the keel of the boat is fully under water
- C) It automatically pumps out the bilges
- D) It stabilizes the boat's rolling

Correct Answer: B (It prevents release of the hooks until the keel of the boat is fully under water)



- A) Go faster
- B) Capsize
- C) Pitch heavily
- D) Align smoothly

Correct Answer: B (Capsize)

Q17. With the water sprinkler system and the air system turned on and all hatches shut, an enclosed survival craft will provide protection from:

- A) Heavy rain only
- B) External fire and a toxic gas environment
- C) Shark attacks
- D) High pressure waves only

Correct Answer: B (External fire and a toxic gas environment)

Q18. Which data is NOT painted on the bow of a lifeboat?

- A) Dimensions of the boat
- B) Carrying capacity of persons
- C) Total weight of the boat with full load
- D) Name of the parent vessel

Correct Answer: C (Total weight of the boat with full load)

Explanation: Dimensions, capacity, and ship name are painted, while weight details are on the builder's plate

Q19. Every lifeboat requires to be launched into the water and maneuvered at least once in every:

- A) Month
- B) Two months
- C) Three months
- D) Six months

Correct Answer: C (Three months)

Q20. The mandatory distress pyrotechnics required to be kept inside a lifeboat container are:

- A) Rocket parachutes + Hand flares + Buoyant smoke signals
- B) Rocket parachutes + Line throwers
- C) Sound signals + Strobe lights
- D) Red flags and matches

Correct Answer: A (Rocket parachutes + Hand flares + Buoyant smoke signals)

Q21. When a rescue vessel approaches a lifeboat in heavy seas, the person in charge of the lifeboat should:

- A) Immediately order everyone to jump into the sea
- B) Wait for calmer weather or specific instructions before transferring personnel
- C) Tie the lifeboat directly to the rescue ship's propeller
- D) Turn off the lifeboat engine and abandon helm controls

Correct Answer: B (Wait for calmer weather or specific instructions before transferring personnel)



- A) Food rations
- B) Drinking water
- C) Anti-seasickness tablets
- D) All of the above

Correct Answer: D (All of the above)

Q23. Which will be the worst of emergencies that you would face if it happens at sea?

- A) Loss of Wi-Fi
- B) Foundering (Sinking completely)
- C) Minor galley fire
- D) Generator tripping

Correct Answer: B (Foundering (Sinking completely))

Q24. A life jacket has which of the following mandatory safety attachments on it?

- A) Retro-reflective tape + Whistle + Light
- B) Line thrower + Mirror
- C) Compass + Knife
- D) Flare gun + EPIRB

Correct Answer: A (Retro-reflective tape + Whistle + Light)

Q25. Which of these requirements regarding the launching and recovery arrangements for rescue boats corresponds to Solas regulations?

- A) They must take at least 30 minutes to prepare
- B) Embarkation and launching arrangements shall be such that the rescue boat can be boarded and launched in less than 5 minutes
- C) They must only be handled by the Captain
- D) They can only be launched when the ship is completely stopped

Correct Answer: B (Embarkation and launching arrangements shall be such that the rescue boat can be boarded and launched in less than 5 minutes)

Q26. When a person who has fallen overboard is being picked up by a rescue boat, how should the boat normally approach with the wind?

- A) Directly from astern
- B) Just off the bow and the victim to leeward
- C) With wind directly on the beam and victim to windward
- D) At full speed from windward side

Correct Answer: B (Just off the bow and the victim to leeward)

Q27. A person has fallen overboard and is being picked up with a rescue boat. If the person appears in immediate danger of drowning, how should the rescue boat maneuver?

- A) Perform an elegant, slow Williamson turn
- B) Make the most direct and safest immediate approach
- C) Wait for sunrise
- D) Circle the person three times before stopping



Q28. In moderate sea conditions, when loaded with its full complement of persons and equipment, the recovery time of a fast rescue boat (FRB) shall be not more than:

- A) 3 minutes
- B) 5 minutes
- C) 6 minutes
- D) 10 minutes

Correct Answer: C (6 minutes)

Q29. Inflatable rescue boats shall be marked externally with which information?

- A) Total weight of rubber used
- B) Serial number, the maker's name, and the date of manufacture
- C) Next port of call
- D) Names of all the crew members on board

Correct Answer: B (Serial number, the maker's name, and the date of manufacture)

Q30. The outboard engine of a Fast Rescue Boat (FRB) is approved to run using which fuel type?

- A) Heavy Fuel Oil (HFO)
- B) Gasoline / Petrol
- C) Liquefied Natural Gas (LNG)
- D) Marine Gas Oil (MGO) only

Correct Answer: B (Gasoline / Petrol)

Practice Set 7

Q1. The Public Address (PA) system shall be a loudspeaker installation enabling the broadcast of emergency messages into:

- A) Only the bridge and engine room
- B) All spaces where crew members or passengers, or both, are normally present, and to muster stations
- C) Only the cargo control room
- D) Open decks only

Correct Answer: B (All spaces where crew members or passengers, or both, are normally present, and to muster stations)

Q2. The liquid inside a standard wet card magnetic compass is a specific mixture of:

- A) Seawater and kerosene
- B) Distilled water and pure ethylene alcohol
- C) Glycerin and heavy oil
- D) Pure acetone

Correct Answer: B (Distilled water and pure ethylene alcohol)

Q3. What does the standard graphical IMO symbol showing a boat being lowered horizontally by two wires indicate?



- A) Launch life raft
- B) Lower rescue boat
- C) Evacuation slide usage
- D) Fast rescue boat recovery

Correct Answer: B (Lower rescue boat)

Q4. You are picking up a person who has fallen overboard. A rescue boat should normally approach the casualty with the:

- A) Victim to windward
- B) Victim to leeward
- C) Boat moving astern
- D) Engine completely turned off 50 meters away

Correct Answer: B (Victim to leeward)

Q5. All rescue boats shall be capable of being launched, utilizing painters where necessary, with the parent ship making headway at speeds up to:

- A) 2 knots in heavy seas
- B) 5 knots in calm water
- C) 10 knots in calm water
- D) 12 knots under any condition

Correct Answer: B (5 knots in calm water)

Q6. An inflatable life raft is stabilized against flipping and wind drift primarily by:

- A) heavy iron keel
- B) The water-filled stability pockets underneath it
- C) Rigging lines on top
- D) The weight of its canopy

Correct Answer: B (The water-filled stability pockets underneath it)

Q7. After abandoning ship, survivors inside a survival craft must be given:

- A) Water and food immediately on boarding
- B) No fresh water for the first 24 hours (unless injured)
- C) Double water rations to handle panic
- D) Seawater to preserve fresh water

Correct Answer: B (No fresh water for the first 24 hours (unless injured))

Q8. Every inflatable life raft, inflatable life jacket, and Hydrostatic Release Unit (HRU) shall be professionally serviced at an approved station every:

- A) 6 months
- B) 12 months (every year)
- C) 24 months
- D) 5 years



Q9. How much fresh water is available per person in a standard Lifeboat container?

- A) 1.5 Liters
- B) 2 Liters
- C) 3 Liters
- D) 5 Liters

Correct Answer: C (3 Liters)

Q10. If you have to abandon ship into cold water, what type of clothing preparation is best?

- A) Strip down to minimal light clothing to swim faster
- B) Put on extra layers of clothing, preferably with a waterproof layer on top
- C) Wear wool clothing only without any footwear
- D) Put on your heavy work boiler suit only

Correct Answer: B (Put on extra layers of clothing, preferably with a waterproof layer on top)

Q11. How much fresh water is provided per person inside an inflatable life raft equipment pack?

- A) 1 Liter
- B) 1.5 Liters
- C) 3 Liters
- D) 0.5 Liter

Correct Answer: B (1.5 Liters)

Q12. What critical step should be done before throwing a throw-overboard life raft pack into the sea, after securing its painter to a strong point?

- A) Inflate it on deck first
- B) Check that there is nothing and no casualties in the sea directly below
- C) Cut the container bands with an axe
- D) Throw the oars first

Correct Answer: B (Check that there is nothing and no casualties in the sea directly below)

Q13. How should the painter of a life raft fitted with a hydrostatic release unit (HRU) be secured to the ship structure?

- A) Shackled directly onto the main steel deck without any links
- B) Secured via a weak link to a secure part of the ship
- C) Wrapped loosely around the railing tubes
- D) Kept completely unattached until launching

Correct Answer: B (Secured via a weak link to a secure part of the ship)

Personal Survival Techniques (P-ST) Exit Exam Prep
Q14. Referring to the Solas convention, how often should every crew member on a cargo ship participate in at least one abandon ship drill and one fire drill?



- A) Weekly
- B) Monthly
- C) Every two months
- D) Every six months

Correct Answer: B (Monthly)

Q15. What constitutes the formal abandon ship signal?

- A) Any crew member shouting on the PA system
- B) A verbal or alarms command given only by the Master or his deputy
- C) The chief engineer stopping the main engine
- D) The sounding of the continuous fog horn automatically

Correct Answer: B (A verbal or alarms command given only by the Master or his deputy)

Q16. What are the core physical/smothering characteristics of Carbon Dioxide (CO2) when used for firefighting?

- A) It displaces oxygen
- B) It is in itself not dangerous (not toxic/poisonous in low levels)
- C) It is heavier than oxygen
- D) All of the above

Correct Answer: D (All of the above)

Q17. What is an immersion suit?

- A) lightweight swimming outfit for divers
- B) Special protective clothing to insulate and protect the wearer from the effects of being in a cold sea
- C) A chemical splash suit used for cargo sampling
- D) A boiler suit used for cleaning fuel tanks

Correct Answer: B (Special protective clothing to insulate and protect the wearer from the effects of being in a cold sea)

Q18. How would you know exactly how many people a specific lifeboat is certified to safely hold?

- A) By guessing from its length
- B) The number of persons should be clearly stated on the outside of the boat's bow
- C) By looking up the vessel's crew list only
- D) It is written inside the main engine casing plate only

Correct Answer: B (The number of persons should be clearly stated on the outside of the boat's bow)

Q19. Match the term "immersion suit" with its most fundamental functional objective:

- A) High speed swimming visibility
- B) Protection against cold/hypothermia
- C) Protection against shark bites
- D) Fire protection suit

Correct Answer: B (Protection against cold/hypothermia)

Q20. What is one of the most dangerous psychological or physiological states a survivor in cold water may suffer from?



- A) Hyperventilation only
- B) Hypothermia
- C) Seasickness only
- D) Dehydration within 5 minutes

Correct Answer: B (Hypothermia)

Q21. Standard Solas life jackets must have which auxiliary components attached to them?

- A) Compass and flare
- B) Light, whistle, and retro-reflective tape
- C) Knife and signaling mirror
- D) GPS tracker and radio

Correct Answer: B (Light, whistle, and retro-reflective tape)

Q22. LSA stands for:

- A) Life Saving Arrangement
- B) Life Saving Appliance
- C) Low Safety Area
- D) Life Security Apparatus

Correct Answer: B (Life Saving Appliance)

Q23. How is the painter attached to a lifeboat released once the boat is waterborne and ready to move away?

- A) It must be cut with a hack-saw
- B) Remove the toggle pin which will instantly release the painter eye
- C) Unwind 50 meters of rope from the drum
- D) It cannot be released and must be dragged along

Correct Answer: B (Remove the toggle pin which will instantly release the painter eye)

Q24. The limit switch of a lifeboat davit will stop the davit arms automatically before they reach their hard stowed position at a distance of:

- A) 6 inches
- B) 12 inches
- C) 24 inches
- D) 36 inches

Correct Answer: B (12 inches)

Q25. On a passenger ship, the formal muster of newly embarked passengers must be carried out:

- A) Within 12 hours of arrival at the next port
- B) Within 24 hours of leaving the port
- C) Only if the sea becomes rough
- D) Exactly 3 days into the voyage

Correct Answer: B (Within 24 hours of leaving the port)

Q26. You are at sea inside an inflatable life raft in high latitudes. The greatest physical threat to your life

Personal Survival Techniques (PST) Exam Exam Prep

brightmariner.com



- A) Lack of food rations
- B) Hypothermia caused by cold temperatures
- C) Sea predators and sharks
- D) Heavy rain damaging the canopy fabric

Correct Answer: B (Hypothermia caused by cold temperatures)

Q27. You are on a survival craft broadcasting a distress message via VHF. What information is absolutely essential for rescue forces to locate you?

- A) The ship's cargo manifest details
- B) Your precise position by latitude and longitude
- C) The name of the shipowner
- D) The number of years you have spent at sea

Correct Answer: B (Your precise position by latitude and longitude)

Q28. Which statement concerning locating signals within the GMDSS infrastructure is FALSE?

- A) Locating signals are intended to guide rescuers to the scene
- B) SARTs provide radar locating signals
- C) Locating signals are transmitted by Survival Craft VHF handheld transceivers automatically on 406 MHz
- D) Radiolocation tracking relies on transponders

Correct Answer: C (Locating signals are transmitted by Survival Craft VHF handheld transceivers automatically on 406 MHz)

Explanation: SARTs or EPIRBs transmit tracking data, not standard handheld VHF speech channels

Q29. The most important reason for taking anti-seasickness pills (ASAP) as soon as possible after entering a life raft is to:

- A) Help you sleep comfortably
- B) Prevent the critical loss of body moisture/water by vomiting
- C) Improve your vision in low light
- D) Increase your internal body temperature

Correct Answer: B (Prevent the critical loss of body moisture/water by vomiting)

Q30. What visual signal indication does an Emergency Position Indicating Radio Beacon (EPIRB) give when it is activated?

- A) Continuous green smoke emission
- B) A built-in strobe light flashes continuously
- C) An audible siren sounds loudly
- D) It projects a laser beam into the sky

Correct Answer: B (A built-in strobe light flashes continuously)