



Elementary First Aid (EFA)

90 Practice Questions and Answers for STCW Exams

Updated for DG Shipping India Exams | Source: brightmariner.com

Practice Set 1

Q1. What is called the voice box?

- A) Larynx
- B) Trachea
- C) Epiglottis
- D) None of the above

Correct Answer: A (Larynx)

Q2. In topographic anatomy, the term lateral means:

- A) Towards the midline of the body
- B) Away from the midline of the body
- C) Above the midline of the body
- D) Below the midline of the body

Correct Answer: B (Away from the midline of the body)

Q3. Where does the partly digested food in liquid form go after it leaves the stomach?

- A) Small intestine
- B) Large intestine
- C) Liver
- D) Pancreas

Correct Answer: A (Small intestine)

Q4. Urine enters the bladder through which structure?

- A) Urethra
- B) Ureter
- C) Nephron
- D) Bowman's capsule

Correct Answer: B (Ureter)



- A) Sympathetic nervous system
- B) Parasympathetic nervous system
- C) Central nervous system
- D) Endocrine system

Correct Answer: A (Sympathetic nervous system)

Q6. What is the correct sequence for the primary survey?

- A) D-R-A-B-C
- B) A-B-C-D-R
- C) R-A-B-C-D
- D) D-A-B-C-R

Correct Answer: A (D-R-A-B-C)

Q7. Which of the following are considered crucial protective equipment?

- A) Gloves
- B) Mask
- C) Eye shield
- D) All of the above

Correct Answer: D (All of the above)

Q8. You are taking blood pressure by palpation. A radial pulse indicates a blood pressure of at least:

- A) 60 mmHg
- B) 70 mmHg
- C) 80 mmHg
- D) 90 mmHg

Correct Answer: C (80 mmHg)

Q9. An unconscious seaman is lying on his back and not breathing. What is the first thing you do?

- A) Check for a pulse
- B) Give rescue breaths
- C) Tilt his head back as far as it will go
- D) Call for help

Correct Answer: C (Tilt his head back as far as it will go)

Q10. If you suspect a head or neck injury, you should:

- A) Move the victim as quickly as possible
- B) Support the head and neck in the position found
- C) Try to straighten the victim's neck
- D) None of the above

Correct Answer: B (Support the head and neck in the position found)



- A) Hold his head still
- B) Move his head gently
- C) Try to align his head and neck
- D) None of the above

Correct Answer: A (Hold his head still)

Q12. You suspect a head and neck injury in a victim who is unresponsive and not breathing. How would you open the airway to give breaths?

- A) Tilt the head back and lift the chin
- B) Jaw thrust technique
- C) Use a suction device
- D) None of the above

Correct Answer: B (Jaw thrust technique)

Q13. Check the carotid artery for a pulse on:

- A) The side of his neck
- B) The wrist
- C) The groin
- D) The ankle

Correct Answer: A (The side of his neck)

Q14. Fainting happens when:

- A) The heart stops beating
- B) The brain does not get enough blood with oxygen
- C) The person is dehydrated
- D) The person is anxious

Correct Answer: B (The brain does not get enough blood with oxygen)

Q15. If there is no response from the crew when you are doing the primary survey, you should:

- A) Call 108 and return to the crew
- B) Give rescue breaths
- C) Check for a pulse
- D) None of the above

Correct Answer: A (Call 108 and return to the crew)

Q16. Shock is the condition where:

- A) The body loses a lot of blood
- B) The person is dehydrated
- C) The cardiovascular system fails to deliver blood to all parts of the body
- D) The person is in pain

Correct Answer: C (The cardiovascular system fails to deliver blood to all parts of the body)



- A) 30 compressions, 2 breaths
- B) 15 compressions, 2 breaths
- C) 15 compressions, 4 breaths
- D) 30 compressions, 4 breaths

Correct Answer: C (15 compressions, 4 breaths)

Q18. What is the proper rate of chest compressions in CPR?

- A) 60 per minute
- B) 80 per minute
- C) 100 per minute
- D) 120 per minute

Correct Answer: C (100 per minute)

Q19. If an AED is available but does not have child pads or child energy setting, what should you do for a six-year-old non-responsive victim?

- A) Use the AED with adult pads
- B) Do not use the AED
- C) Call for help
- D) None of the above

Correct Answer: A (Use the AED with adult pads)

Q20. When giving care for external bleeding, what should you do first?

- A) Apply direct pressure
- B) Elevate the limb
- C) Apply a tourniquet
- D) Call for help

Correct Answer: A (Apply direct pressure)

Q21. For heavy bleeding, you need to apply pressure points to reduce bleeding.

- A) True
- B) False

Correct Answer: A (True)

Q22. You feel a sudden short pain in the bottom of your left foot. You look at the bottom of your left shoe and see a tack sticking in your shoe. What type of wound do you probably have?

- A) Abrasion
- B) Laceration
- C) Puncture
- D) Avulsion

Correct Answer: C (Puncture)

Q23. A tourniquet can be used for first resort to stop bleeding.



- A) True
- B) False

Correct Answer: B (False)

Q24. A tourniquet can be removed as and when necessary.

- A) True
- B) False

Correct Answer: B (False)

Q25. What are splints made of?

- A) Wood
- B) Cardboard
- C) Clean plastic
- D) All of the above

Correct Answer: C (Clean plastic)

Q26. What should you do if you think a crew has internal bleeding?

- A) Give them something to drink
- B) Apply pressure to their abdomen
- C) Call for help
- D) None of the above

Correct Answer: C (Call for help)

Q27. Burns that involve all layers of skin are:

- A) First-degree burns
- B) Second-degree burns
- C) Third-degree burns
- D) Full-thickness burns

Correct Answer: D (Full-thickness burns)

Q28. For second-degree burns, you can break the blister and serve.

- A) True
- B) False

Correct Answer: B (False)

Q29. If 15% of the body is affected by second-degree burns, you should take the victim to the hospital.

- A) True
- B) False

Correct Answer: A (True)



- A) Give some hot coffee
- B) Give some warm water
- C) Rub the affected area
- D) None of the above

Correct Answer: B (Give some warm water)

Practice Set 2

Q1. An unconscious person should not be placed in a position with the head lower than the body.

- A) Given an inhalation stimulant
- B) Given something to drink

Correct Answer: B (Given something to drink)

Q2. Which should not be a treatment for a person who has received a head injury and is groggy or unconscious?

- A) Given a stimulant
- B) Elevate his head
- C) Stop severe bleeding

Correct Answer: A (Given a stimulant)

Q3. A person who gets battery acid in an eye should immediately wash the eye with:

- A) Boric acid solution
- B) Water
- C) Baking soda solution

Correct Answer: A (Boric acid solution)

Q4. A person who gets something in his or her eye and you see that it is not embedded, you can:

- A) Get them to rub their eye until the object is gone
- B) Remove it with a match or toothpick
- C) Remove it with a moist cotton-tipped applicator

Correct Answer: C (Remove it with a moist cotton-tipped applicator)

Q5. A victim is coughing and wheezing from a partial obstruction of the airway. An observer should:

- A) Perform the Heimlich maneuver
- B) Give back blows and something to drink
- C) Allow the person to continue coughing and dislodge the obstruction on his own

Correct Answer: C (Allow the person to continue coughing and dislodge the obstruction on his own)

Q6. A shipmate chokes suddenly, cannot speak, and starts to turn blue. You should:

brightmariner.com



- A) Perform the Heimlich maneuver
- B) Make the victim lie down with the feet elevated to get blood to the brain
- C) Immediately administer CPR

Correct Answer: A (Perform the Heimlich maneuver)

Q7. When starting CPR on a drowning victim, you should:

- A) Start chest compressions before the victim is removed from the water
- B) Drain water from the lungs before ventilating
- C) Begin mouth-to-mouth ventilations as soon as possible

Correct Answer: C (Begin mouth-to-mouth ventilations as soon as possible)

Q8. When administering artificial respiration to an adult, the breathing cycle should be repeated about:

- A) 12 to 15 times per minute
- B) 18 to 20 times per minute
- C) As fast as possible

Correct Answer: A (12 to 15 times per minute)

Q9. If the person vomits during mouth-to-mouth resuscitation, the rescuer should first:

- A) Ignore it and continue mouth-to-mouth ventilation
- B) Switch to mouth-to-nose ventilation
- C) Turn the patient's body to the side, sweep out the mouth, and resume mouth-to-mouth resuscitation

Correct Answer: C (Turn the patient's body to the side, sweep out the mouth, and resume mouth-to-mouth resuscitation)

Q10. Bleeding from a vein is:

- A) Dark red and has a steady flow
- B) Bright red and slow
- C) Bright red and squirting

Correct Answer: A (Dark red and has a steady flow)

Q11. Blood flowing from a cut artery appears:

- A) Dark red with a steady flow
- B) Bright red with a steady flow
- C) Bright red and squirting

Correct Answer: C (Bright red and squirting)

Q12. The major cause of shock in burn victims is:

- A) The high level of pain
- B) Emotional stress
- C) Massive loss of fluid to the burnt area

Correct Answer: C (Massive loss of fluid to the burnt area)



- A) Area of the body involved
- B) Source of heat causing the burn
- C) Layers of skin affected

Correct Answer: C (Layers of skin affected)

Q14. Symptoms of heatstroke are:

- A) Cold and moist skin, high body temperature
- B) Cold and dry skin, low body temperature
- C) Hot and moist skin, high body temperature

Correct Answer: B (Cold and dry skin, low body temperature)

Q15. A crew member suffering from hypothermia should be given:

- A) A small dose of alcohol
- B) Treatment for shock
- C) A large meal

Correct Answer: B (Treatment for shock)

Q16. Which procedure should not be done for a person who has fainted?

- A) Revive the person with smelling salts
- B) Loosen the clothing
- C) Give pain reliever

Correct Answer: C (Give pain reliever)

Q17. First aid means:

- A) Medical treatment of an accident
- B) Setting of broken bones
- C) Emergency treatment at the scene of the injury

Correct Answer: C (Emergency treatment at the scene of the injury)

Q18. While administering artificial respiration, it is most important to:

- A) Monitor blood pressure
- B) Clear airways
- C) Use the rhythmic pressure method

Correct Answer: B (Clear airways)

Q19. A shipmate suffers a heart attack and stops breathing. You must:

- A) Immediately give a stimulant by force if necessary
- B) Make the victim comfortable in a bunk
- C) Immediately start CPR

Correct Answer: C (Immediately start CPR)

Q20. The best way to prevent a critical incident stress situation from becoming worse is to:

brightmariner.com



- A) Ignore it
- B) Be familiar with the signs and symptoms
- C) Ensure early use of proper medicine

Correct Answer: B (Be familiar with the signs and symptoms)

Q21. In cases of behavioral disorders, the responder should:

- A) Always use restraint
- B) Give the patient a choice in the treatment
- C) Play along with auditory or visual hallucinations

Correct Answer: C (Play along with auditory or visual hallucinations)

Q22. You are taking blood pressure by palpation. A radial pulse indicates a blood pressure of at least:

- A) 110 mmHg
- B) 100 mmHg
- C) 90 mmHg

Correct Answer: A (110 mmHg)

Q23. The skeletal covering for the brain is provided by the bones of the cranium. The overall skeletal structure covering the spinal cord is the vertebral column or spine.

- A) True
- B) False

Correct Answer: A (True)

Q24. You have tried to control a victim's forearm bleeding with direct pressure and elevation, but the bleeding does not stop. Where would you apply pressure?

- A) Outside the arm midway between the shoulder and the elbow
- B) On the inside of the elbow
- C) Inside the arm between the shoulder and elbow

Correct Answer: B (On the inside of the elbow)

Q25. What is the CPR procedure for a six-year-old boy?

- A) 15 compressions to 1 breath, 5 cycles in one minute
- B) 15 compressions to 2 breaths, 4 cycles in one minute
- C) 5 compressions to 1 breath, 12 cycles in one minute

Correct Answer: B (15 compressions to 2 breaths, 4 cycles in one minute)

Q26. Shock is a condition where:

- A) The respiratory system fails to deliver air to the lungs
- B) The cardiovascular system fails to deliver blood to all parts of the body
- C) All of the above

Correct Answer: C (All of the above)

Q27. If an AED is available but does not have child pads or child energy settings, what should you do for a six-year-old non-responsive victim?

Elementary First Aid (CPR) Exit Exam Prep

brightmariner.com



- A) Perform CPR but do not use the AED
- B) Use the AED but only apply one pad
- C) Use the AED in adult mode

Correct Answer: A (Perform CPR but do not use the AED)

Q28. Irrigate an eye with:

- A) Diluted vinegar
- B) Saline solution
- C) An appropriate chemical antidote

Correct Answer: B (Saline solution)

Q29. In topographic anatomy, the term "lateral" means:

- A) Away from the midline of the body
- B) Nearer the head
- C) Away from the head

Correct Answer: A (Away from the midline of the body)

Q30. The onset of shock in infants and children:

- A) May be sudden and severe
- B) Is no different than in adults
- C) Usually results from cardiac problems

Correct Answer: A (May be sudden and severe)

Practice Set 3

Q1. In order to assess for a pulse in an adult crew, you would assess for the:

- A) Carotid pulse for 5-10 seconds
- B) Radial pulse for 5-10 seconds

Correct Answer: A (Carotid pulse for 5-10 seconds)

Q2. What is the recommended amount of time to wash your hands?

- A) 20 seconds
- B) 30 seconds
- C) 40 seconds
- D) 5 minutes

Correct Answer: D (5 minutes)

Q3. You can best control the swelling and pain of an ankle sprain by:



- A) Rest, immobilization, application of cold, and elevation (RICE)
- B) Applying a compression bandage
- C) Taking over-the-counter pain medication
- D) All of the above

Correct Answer: A (Rest, immobilization, application of cold, and elevation (RICE))

Q4. Mouth-to-nose respiration should be used only when:

- A) The victim is unconscious
- B) The victim has a severe head injury
- C) The victim has a broken jaw
- D) It is impossible to open the victim's mouth

Correct Answer: D (It is impossible to open the victim's mouth)

Q5. Toxic substances can affect the body in the following ways:

- A) Through the lungs
- B) Through the skin
- C) Through the eyes
- D) All of the above

Correct Answer: D (All of the above)

Q6. What should you do if you think a crew member has internal bleeding?

- A) Monitor the victim's vital signs and seek medical attention if they worsen
- B) Apply a cold compress to the abdomen
- C) Give the victim pain medication
- D) Call your local emergency phone number for help

Correct Answer: D (Call your local emergency phone number for help)

Q7. Which of the following is a sign of severe airway obstruction?

- A) Forceful cough
- B) Wheezing
- C) High-pitched inhalation noise
- D) All of the above

Correct Answer: D (All of the above)

Q8. Infant CPR is administered to any child under the age of:

- A) 6 months
- B) 12 months
- C) 18 months
- D) 24 months

Correct Answer: B (12 months)



- A) A mid-shaft femur fracture
- B) An ankle sprain
- C) A wrist fracture
- D) A rib fracture

Correct Answer: A (A mid-shaft femur fracture)

Q10. To flush an eye that has been exposed to a chemical, hold the affected eye:

- A) Higher than the unaffected eye
- B) Lower than the unaffected eye
- C) At the same level as the unaffected eye
- D) It doesn't matter

Correct Answer: B (Lower than the unaffected eye)

Q11. You find an adult who is unresponsive and not breathing. The scene is safe. What is your next step?

- A) Check for a pulse
- B) Activate the emergency response system
- C) Perform CPR
- D) Administer rescue breaths

Correct Answer: B (Activate the emergency response system)

Q12. Dressings and pads are used to:

- A) Help control bleeding and keep germs out
- B) Immobilize injuries
- C) Provide warmth
- D) All of the above

Correct Answer: A (Help control bleeding and keep germs out)

Q13. What method of manhandling technique would you use if a crew member is unconscious?

- A) Fireman's lift
- B) Simple forward and aft carry
- C) Both the above options
- D) Neither of the above options

Correct Answer: C (Both the above options)

Q14. The treatment for fever is:

- A) Aspirin
- B) Ibuprofen
- C) Acetaminophen
- D) All of the above

Correct Answer: C (Acetaminophen)



- A) Decreased volume of blood
- B) An allergic reaction
- C) A heart attack
- D) A stroke

Correct Answer: A (Decreased volume of blood)

Q16. What is the average heartbeat of an adult at rest?

- A) 50-60 beats per minute
- B) 60-100 beats per minute
- C) 100-120 beats per minute
- D) 120-140 beats per minute

Correct Answer: B (60-100 beats per minute)

Q17. Increased respiratory difficulty accompanied by a weak, ineffective cough, wheezing, high-pitched crowing noises, and cyanosis are signs of:

- A) Pneumonia
- B) Asthma
- C) Severe airway obstruction
- D) Heart failure

Correct Answer: C (Severe airway obstruction)

Q18. Which of the following should be done for a crew member experiencing a heat-related illness?

- A) Apply cool, wet cloths to the body
- B) Give the victim plenty of fluids to drink
- C) Move the victim to a cool, shaded area
- D) All of the above

Correct Answer: D (All of the above)

Q19. Is it advisable to cover a tourniquet with clothes or bandages?

- A) Yes
- B) No
- C) Only in an emergency
- D) It doesn't matter

Correct Answer: B (No)

Q20. You have a casualty who is not breathing but has injuries to the face that prevent you from performing mouth-to-mouth resuscitation. What do you do?

- A) Perform chest compressions only at a rate of 100-120 per minute
- B) Attempt to open the victim's mouth using a jaw thrust maneuver
- C) Give rescue breaths through the nose
- D) Call for immediate medical assistance

Correct Answer: A (Perform chest compressions only at a rate of 100-120 per minute)



- A) Check for a pulse
- B) Continue rescue breaths
- C) Assess the victim's pupils
- D) Administer CPR

Correct Answer: A (Check for a pulse)

Q22. Can you use an adult AED on an infant?

- A) Yes
- B) No
- C) Only if the infant is at least 6 months old
- D) Only if the infant is at least 1 year old

Correct Answer: B (No)

Q23. Difficulty breathing may be a sign of:

- A) Heart attack
- B) Asthma attack
- C) Anaphylaxis
- D) All of the above

Correct Answer: D (All of the above)

Q24. The type of shock that is caused by a severe infection is called:

- A) Cardiogenic shock
- B) Hypovolemic shock
- C) Septic shock
- D) Anaphylactic shock

Correct Answer: C (Septic shock)

Q25. After discovering a possible fracture, you should assess which of the following before and after splinting?

- A) Capillary refill, pulse, and sensation
- B) Blood pressure, heart rate, and respiratory rate
- C) Level of consciousness, pupil response, and motor function
- D) All of the above

Correct Answer: A (Capillary refill, pulse, and sensation)

Q26. If you want to be a first aider at work, you should:

- A) Take a first aid course
- B) Get certified in CPR
- C) Arrange for your employer to put you on a first aiders course
- D) All of the above

Correct Answer: D (All of the above)



- A) As soon as possible after a cardiac incident
- B) Only after the victim has been moved to a safe location
- C) When the victim's heart rate is below 60 beats per minute
- D) When the victim's breathing is shallow or labored

Correct Answer: A (As soon as possible after a cardiac incident)

Q28. Which is the first step when caring for bleeding wounds?

- A) Apply direct pressure with a clean or sterile dressing
- B) Elevate the injured limb
- C) Control bleeding by applying a tourniquet
- D) Call for medical assistance

Correct Answer: A (Apply direct pressure with a clean or sterile dressing)

Q29. In topographic anatomy, the term "lateral" means:

- A) Away from the midline of the body
- B) Nearer the head
- C) Away from the head

Correct Answer: A (Away from the midline of the body)

Q30. The onset of shock in infants and children:

- A) May be sudden and severe
- B) Is no different than in adults
- C) Usually results from cardiac problems

Correct Answer: A (May be sudden and severe)