
Faculty of Computer Science and Mathematics

Lab Exercise 3

Name:	**MUHAMMAD AZMEER SYAFIQ BIN AHMAD**
Matric Num:	**S80226**



Overview:

This in-class exercise extends Lab Exercise 3. You will apply block and inline elements, for page organization, HTML entities, HTML5 input types and attributes (placeholder, autofocus, required), <datalist> and the <output> element to solve a realistic problem.

There are two problems. Your lecturer will assign one problem to you, or you may be asked to complete both.

Learning Outcomes

1. Differentiate and correctly use block and inline elements.
2. Organize a web page into sections using elements.
3. Apply HTML entities to display reserved and special characters.
4. Implement HTML5 input types, input attributes and <datalist> in a form.
5. Use the <output> element to display a calculated result dynamically.

Best of luck!

Problem A: Campus Bakery Online Order Page

A small bakery on campus wants customers to place pre-orders online. Customers must be able to see the price list, fill in an order form, and see the total price instantly before submitting the order. Build the page using HTML only (no CSS). You may choose any bakery name, products and prices.

Instructions

Create a file named lab3_ExerA.html that contains the following:

1. Page Structure

- Use `<!DOCTYPE html>` and organize the whole page using five `<div>` elements with the ids header, nav, content, sidebar and footer.

2. Header and Navigation

- In the header, display the bakery name using `<h1>`, and use a `<span>` inside the `<h1>` for a short slogan.
- In the nav, create at least three inline links (`<a>`) separated by `" | "`.

3. Block and Inline Elements

- In the content section, write an introduction paragraph (`<p>`) that contains at least three different inline elements, e.g. `<strong>`, `<em>`, `<span>` and `<a>`.
- Use at least three different block elements in the page (e.g. `<h2>`, `<p>`, `<ul>`, `<div>`).

4. HTML Entities (Sidebar and Footer)

- In the sidebar, show a "Price List" using a list. Use at least four different entities in the page, for example:
  - `®` for the brand name (e.g. CampusBake®)
  - `<` or `>` (e.g. Orders > 10 pieces get a free drink)
  - ` `, `£` or `€`, and `©` in the footer

5. Order Form (HTML5 Form Elements)

Inside a `<div>` in the content section, create an order form that contains:

- Customer name: text input with placeholder, required and autofocus.
- Phone number (`type="tel"`) and e-mail (`type="email"`), both required.
- Pick-up date (`type="date"`) and pick-time (`type="time"`).
- Flavour: an input linked to a `<datalist>` with at least 4 flavours.
- Icing colour (`type="color"`) and sweetness level using a range slider (`min="1"`, `max="5"`, `step="1"`).
- A submit button.

6. Price Calculator (<output>)

3

- Add two number inputs: Cupcakes (RM 3.00 each) and Cake Slices (RM 5.00 each), each with `min="0"` and `value="0"`.
- Use the form oninput attribute and an `<output>` element (with the correct name and for attributes) to show the total price automatically, e.g. 2 cupcakes + 1 slice = 11.

7. Comments

- Use comments (`<!-- ... -->`) to explain each section of your code.


Testing

- Click Submit with all fields empty. What happens? Then enter "myemail" in the e-mail field and submit again. Write your observations as a comment at the end of your file.
- Validate the file at https://validator.w3.org (Validate by File Upload).

Submission

Save the file as lab3_ExerA.html, validate it at `https://validator.w3.org` (Validate by File Upload), and submit it (Submit lab3_ExerA.html and Screenshot of validation) through Github > Update your index.html (if you hosting your lab in Github pages)

Lab3_ExerA.html



Azmeer Bakery® Try first and come again!!

Our Shop | Order Form | Price List

Welcome to Our Bakery

Welcome to **Azmeer Bakery**! We offer *delicious* and fresh treats every single day. Feel free to explore our menu and place an order.

- Freshly baked daily
- Organic ingredients

Order Form

Customer Name: Enter your name

Phone Number:

Email:

Pick up date: dd/mm/yyyy

Pick up time: --:-- --

Choose Your Flavour:

Icing colour:

Sweetness level:

Price Calculator

Cupcakes (RM 3.00 each): 0

Cake Slices (RM 5.00 each): 0

Total Price: RM 0.00

Submit Order

Price List

- Cupcake ® - RM 3.00
- Cake Slices - RM 5.00
- Bulk Orders >10 pieces get a free drink

Copyright © 2026 Azmeer Bakery | Currency accepted: €, £

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Azmeer Bakery</title>
</head>

<body>
    <!-- Header Section -->
    <div id="header">
        <h1>Azmeer Bakery&reg; <span>Try first and come again!!</span></h1>
    </div>

    <!-- Navigation Section -->
    <div id="nav">
        <a href="#intro">Our Shop</a> |
        <a href="#form">Order Form</a> |
        <a href="#sidebar">Price List</a>
    </div>

    <!-- Content & Introduction Section -->
    <div id="intro">
        <h2>Welcome to Our Bakery</h2>
        <p>Welcome to <strong>Azmeer Bakery</strong>! We offer <em>delicious</em>
            and fresh treats every single day. Feel free to explore our
            <a href="#sidebar">menu</a> and place an order.
        </p>

        <ul>
            <li>Freshly baked daily</li>
            <li>Organic ingredients</li>
        </ul>

        <!-- Order Form Section -->
        <div id="form">
            <h3>Order Form</h3>
            <form oninput="total.value = ((Number(cupcakes.value) * 3) + (Number(slices.value) * 5)).toFixed(2)">
                <p>
                    <label>Customer Name: <input type="text" placeholder="Enter your name" required autofocus></label>
                </p>

                <p>
                    <label>Phone Number: <input type="tel" required></label>
                </p>
                <p>
                    <label>Email: <input type="email" required></label>
                </p>
                <p>
                    <label>Pick up date: <input type="date"></label>
                </p>
                <p>
                    <label>Pick up time: <input type="time"></label>
                </p>
                <p>
                    <label>Choose Your Flavour: <input type="text" list="flavour"></label>

                    <datalist id="flavour">
                        <option value="Chocolate"></option>
                        <option value="Matcha"></option>
                        <option value="Strawberry"></option>
                        <option value="Cheese"></option>
                    </datalist>
                </p>
                <p>
                    <label>Icing colour: <input type="color"></label>
                </p>
                <p>
                    <label>Sweetness level: <input type="range" min="1" max="5" step="1"></label>
                </p>

                <!-- Price Calculator Section -->
                <h3>Price Calculator</h3>
                <p>
                    <label>Cupcakes (RM 3.00 each): <input type="number" id="cupcakes" min="0" value="0"></label>
                </p>
                <p>
                    <label>Cake Slices (RM 5.00 each): <input type="number" id="slices" min="0" value="0"></label>
                </p>
                <p>
                    Total Price: RM <output name="total" for="cupcakes slices">0.00</output>
                </p>

                <p>
                    <button type="submit">Submit Order</button>
                </p>
            </form>
        </div>
    </div>
```

```
91
92      <!-- Sidebar Section -->
93      <div id="sidebar">
94          <h3>Price List</h3>
95          <ul>
96              <li>Cupcake &reg; - RM 3.00</li>
97              <li>Cake Slices - RM 5.00</li>
98              <li>Bulk Orders &gt;10 pieces get a free drink</li>
99          </ul>
100     </div>
101
102     <!-- Footer Section -->
103     <div id="footer">
104         <p>Copyright &copy; 2026 Azmeer Bakery  |  Currency accepted: &euro;, &pound;</p>
105     </div>
106
107 </body>
108
109 </html>
```

Problem B: Ticket Booking (Debugging and Extend)

The campus cinema club built a ticket booking page, but users have reported several problems: the e-mail field accepts anything, the movie suggestions do not appear, the slider behaves strangely and the total shows "23" when the user books 2 adult and 3 child tickets. The copyright symbol also does not display. Find and fix the errors, then extend the page.

Given Code

```
1     <!DOCTYPE>
2     <html lang="en">
3     <head>
4     <meta charset="utf-8">
5     <title>Ticket Booking</title>
6     </head>
7     <body>
8     <div id="header">
9     <h1>e-Ticket <span>Your Campus Cinema</h1></span>
10    </div>
11    <span id="content">
12    <h2>Book Your Ticket</h2>
13    <p>Promotion: tickets < RM10 for students &amp staff!</p> 14      <form
action="booking.php" oninput="total.value = adult.value + child.value">
15    <label for="name">Name:</label>
16    <input type="text" id="name" name="name" placeholder="Enter your name"
required autofocus><br>
17    <label for="email">E-mail:</label>
18    <input type="emial" id="email" name="email"><br>
19    <label for="date">Show date:</label>
20    <input type="date" id="date" name="date"><br>
21    <label for="movie">Movie:</label>
22    <input id="movie" name="movie" list="movies"><br>
23    <datalist id="movielist">
24    <option value="Space Rangers">
25    <option value="Kampung Comedy">
26    </datalist>
27    <label for="adult">Adult tickets:</label>
28    <input type="number" id="adult" name="adult" value="0"><br>
29    <label for="child">Child tickets:</label>
30    <input type="number" id="child" name="child" value="0"><br>
31    <label for="rating">Rate our service:</label>
32    <input type="range" id="rating" name="rating" min="5" max="1"><br>
33    Total tickets: <output name="total" for="adult kid"></output><br>
34    <input type="submit" value="Book Now">
35    </form>
36    </span>
37    <div id="footer">
38    <p>&Copy; 2026 CineKampus. All rights reserved.</p>
39    </div>
40    </body>
41    </html>54  </body>
55  </html>
```

Instructions

Part 1. Find and Fix the Errors

1. Copy the given code into a new file named lab3_ExerB.html.
2. Identify and correct all errors. At the top of the `<body>`, write an HTML comment listing each error and the line number, e.g. `<!-- Error 1 (Line 1): missing <!DOCTYPE html> -->`.
3. Test the page: the movie suggestions must appear, the e-mail field must reject "myemail", and 2 adult + 3 child tickets must show a total of 5.
4. Validate your corrected file at `https://validator.w3.org`. Your final page must show "No errors or warnings to show".

```
<!--
Error 1 (Line 1): Incomplete DOCTYPE declaration (<!DOCTYPE> should be <!DOCTYPE html>)
Error 2 (Line 9): Incorrect tag nesting in <h1> and <span>
Error 3 (Line 11): Used inline <span> element for #content to wrap block elements instead of <div>
Error 4 (Line 13): Unescaped less-than sign (<) and unclosed entity (&amp instead of &amp;)
Error 5 (Line 14): oninput attribute performs string concatenation instead of numeric addition
Error 6 (Line 18): Typo in input type attribute ("emial" instead of "email")
Error 7 (Line 22, 23): Mismatched datalist id and list attribute ("movies" vs "movielist")
Error 8 (Line 32): Invalid range min and max values (min="5" max="1" should be min="1" max="5")
Error 9 (Line 33): Incorrect output 'for' attribute ("adult kid" should be "adult child")
Error 10 (Line 38): Capitalized entity name (&Copy; should be &copy;)
Error 11 (Lines 41, 55): Extraneous and duplicate trailing closing tags
-->
```


Part 2. Extend the Existing Page

5. Add a `<div id="sidebar">` titled "Now Showing" that lists at least 3 movies. Each item must use inline elements: the title in `<strong>`, the age rating in `<span>` and a trailer link using <a>.
6. Add a phone number input (`type="tel"`) with a placeholder and required, and a show time input (`type="time"`).
7. Add a second `<output name="price">` that shows the total price, where an adult ticket is RM 12 and a child ticket is RM 8 (e.g. 2 adults + 3 children = 48).
8. In the footer, add the text "e-Ticket® – Campus Cinema < RM10 every Tuesday" using the correct entities for ®, < and &.
9. Use comments to explain each new section of your code.

Submission

Save the file as lab3_ExerB.html, validate it at `https://validator.w3.org` (Validate by File Upload), and submit it (Submit lab3_ExerB.html and Screenshot of validation) through Github

extend.html



e-Ticket Your Campus Cinema

Now Showing

- **Dr Doom** - PG - Trailer
- **Street Fighter** - U - Trailer
- **Godzilla Minus Zero** - 13 - Trailer

Book Your Ticket

Promotion: tickets < RM10 for students & staff!

Name: Enter your name

E-mail:

Phone Number: 012-3456789

Show Time: --:-- --

Show date: dd/mm/yyyy

Movie:

Adult tickets: 3

Child tickets: 2

Rate our service:

Total tickets: 5

Total price (RM): 52

Book Now

© 2026 CineKampus. All rights reserved. e-Ticket® – Campus Cinema < RM10 every Tuesday

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Ticket Booking</title>
</head>
<body>

<div id="header">
    <h1>e-Ticket <span>Your Campus Cinema</span></h1>
</div>

<!-- Step 5: Add a sidebar listing at least 3 movies using inline elements (Fixed heading level to <h2>) -->
<div id="sidebar">
    <h2>Now Showing</h2>
    <ul>
        <li><strong>Dr Doom</strong> - <span>PG</span> - <a href="DrDoom.mp4">Trailer</a></li>
        <li><strong>Street Fighter</strong> - <span>U</span> - <a href="streetfighter.mp4">Trailer</a></li>
        <li><strong>Godzilla Minus Zero</strong> - <span>13</span> - <a href="Godzilla-Minus-Zero.mp4">Trailer</a></li>
    </ul>
</div>

<div id="content">
    <h2>Book Your Ticket</h2>
    <p>Promotion: tickets &lt; RM10 for students &amp; staff!</p>

    <!-- Step 7: Update oninput to calculate both total tickets and total price (Adult = RM12, Child = RM8) -->
    <form action="booking.php" oninput="total.value = Number(adult.value) + Number(child.value); price.value = (Number(adult.value) * 12) + (Number(child.value) * 8)">

        <label for="name">Name:</label>
        <input type="text" id="name" name="name" placeholder="Enter your name" required autofocus><br><br>

        <label for="email">E-mail:</label>
        <input type="email" id="email" name="email"><br><br>

        <!-- Step 6: Add phone number input and show time input -->
        <label for="phone">Phone Number:</label>
        <input type="tel" id="phone" name="phone" placeholder="012-3456789" required><br><br>

        <label for="showtime">Show Time:</label>
        <input type="time" id="showtime" name="showtime"><br><br>

        <label for="date">Show date:</label>
        <input type="date" id="date" name="date"><br><br>

        <label for="movie">Movie:</label>
        <input id="movie" name="movie" list="movielist"><br><br>
        <datalist id="movielist">
            <option value="Space Rangers">
            <option value="Kampung Comedy">
            <option value="Campus Mystery">
        </datalist>

        <label for="adult">Adult tickets:</label>
        <input type="number" id="adult" name="adult" value="0"><br><br>

        <label for="child">Child tickets:</label>
        <input type="number" id="child" name="child" value="0"><br><br>

        <label for="rating">Rate our service:</label>
        <input type="range" id="rating" name="rating" min="1" max="5"><br><br>

        Total tickets: <output name="total" for="adult child">0</output><br><br>

        <!-- Step 7: Second output element for total price -->
        Total price (RM): <output name="price" for="adult child">0</output><br><br>

        <input type="submit" value="Book Now">
    </form>
</div>

<div id="footer">
    <!-- Step 8: Footer text using correct entities for © (< and &) -->
    <p>&copy; 2026 CineKampus. All rights reserved. e-Ticket&reg; &ndash; Campus Cinema &lt; RM10 every Tuesday</p>
</div>
</body>
</html>
```

Rubric

Criteria	Excellent (5)	Good (4)	Average (2–3)	Needs Improvement (0–1)
Error Identification	Identifies at least 8 errors correctly with line numbers and clear explanations.	Identifies 6–7 errors correctly.	Identifies 3–5 errors, or explanations are unclear.	Identifies fewer than 3 errors.

Table A: Rubric for Additional Lab Exercise 3 – Problem A

Criteria	Excellent (5)	Good (4)	Average (2–3)	Needs Improvement (0–1)
Page Structure	Uses all five sections (header, nav, content, sidebar, footer) with correct ids and logical organization.	Uses sections effectively with minor layout or naming issues.	Uses some elements but the structure lacks refinement or sections are missing.	Poor organization or does not use elements appropriately.
Block and Inline Elements	Correctly uses inside <h1>, inline links in nav, and at least 3 inline and 3 block elements with correct nesting.	Demonstrates block vs. inline elements with minor mistakes.	Attempts to use block and inline elements, but lacks clarity or nesting is incorrect.	Does not demonstrate understanding of block vs. inline elements.
HTML Entities	Correctly uses at least 4 different entities (incl. © and ®) in appropriate locations.	Uses entities with minor errors (e.g. only 3 types).	Attempts to use entities but with noticeable mistakes (wrong case, missing semicolon).	Fails to include or misuses HTML entities.
HTML5 Form Elements	Includes tel, email, date, time, color, range and datalist, with placeholder, required and autofocus used correctly.	Includes most required inputs and attributes with minor issues.	Includes some HTML5 inputs but lacks variety or attributes.	Lacks required form elements or has significant errors.
Use of <output> Element	Total price is calculated correctly and updates dynamically; <output> has correct name and for.	Implements <output> with minor issues (e.g. wrong for attribute).	Attempts <output> but calculation is incorrect (e.g. joins numbers as text).	Fails to implement or incorrectly uses <output>.

Total				**25 marks**

Table B: Rubric for Additional Lab Exercise 2 – Problem B

Criteria	Excellent (5)	Good (4)	Average (2–3)	Needs Improvement (0–1)
Error Correction & Validation	All errors corrected; page works as described and passes the W3C Validator with no errors.	Most errors corrected with 1–2 remaining validation errors.	Some errors corrected but the page still does not work correctly.	Few or no errors corrected.
Page Structure and Block/Inline Elements	Sidebar added with at least 3 movies using , and <a> correctly; content uses correctly.	Sidebar added with minor nesting or layout issues.	Sidebar attempted but inline elements are missing or misused.	Sidebar not added or block/inline elements misused.
HTML5 Form Elements and Entities	tel (with placeholder and required) and time inputs added; footer uses ®, < and & correctly.	Inputs and entities added with minor errors.	Some inputs or entities added with noticeable mistakes.	Inputs and entities not added or incorrect.
Use of <output> Element	Both outputs (total tickets and total price) calculate correctly and update dynamically.	Outputs work with minor issues.	Output attempted but calculation is incorrect.	Fails to implement the price output.
Total				**25 marks**