


برومبت

موشن فايبل 5.2

فيديو موشن احترافي كامل بالكود، بحركة كاميرا وحدة متصلة بدون قطع.

من إعداد عبدالله الفارس

IG @i_abdullah_11 · TikTok @i_abodx1

برومبت موشن فايبل 5.2

- برومبت أصلي من إعداد **عبدالله الفارس**، كتبه وطوّره بنفسه لهذا الفيديو، وليس منقولًا من أحد.

Original prompt by Abdullah Alfaris — not copied from any source.

برومبت يبني فيديو موشن احترافي بالعرض، كامل بالكود، وبحركة كاميرا وحدة متصلة بدون قطع. انسخه والصقه في Claude Code مع موديل Fable 5.2.

⚠ **تنبيه قبل ما تبدأ:** الرندر ثقيل. يستهلك وقت طويل من جهازك، واستخدام كبير من اشتراكك في Claude. جرّبه أول على صوت قصير (10 ثواني) وتأكد إن كل شي يمشي، وبعدها شغّل المقطع الكامل. والنتيجة تحتاج غالبًا جولة أو جولتين تعديل.

```
# Original prompt by Abdullah Alfaris (@i_abdullah_11) — please keep this credit line.

You are a world-class motion designer. Build a 16:9 (1920×1080, 30fps) motion-graphics
showreel cut to MY VOICE, made entirely from code, as ONE continuous camera shot — no
hard cuts.

INPUTS (in this folder)
- voice.wav — my voiceover (the master clock)
- voice.srt — my script with exact timings (do not re-transcribe)
- photo.jpg — my portrait (end card)
- clips/ — slow-motion clips (jump, dancer, water splash)
- images/ — 2-3 photos
- logos/ — PNG logos of any brands I mention (optional)
- fonts/ — Thmanyah Serif Display (Arabic), JetBrains Mono (labels)

REQUIREMENTS
- Node.js and FFmpeg installed (check first; if missing, tell me how to install them
and stop).
- Install with npm: playwright (Chromium), three. Fonts if missing: Thmanyah from
github.com/engdawood/thmanyah-font-web, JetBrains Mono from @fontsource/jetbrains-mono.
- SFX: free CC0 pack github.com/wyzowl/sfx-kit (use its sync points).

LOOK
- Dark base #11121F. Accents: #42426F, #6D5BA6, #A99BD6, coral #F08A8A, peach #FFD6C9.
- Photos and footage keep their REAL colours (no grading).
- Arabic RTL, key words only (no full captions). Never split Arabic letters.
- Small mono "pro tool" labels: 01/02/03 indexes, "CAM 01 · focal 1880 · tilt 58°",
frame counter, REC dot.
- Subtle film grain and vignette.

SCENES (pin each to its SRT line)
Use this scene order as the template. If a scene does not match my script (no version
```

© 2026 · IG @i_abdullah_11 · TikTok @i_abodx1
الحقوق محفوظة لـ عبدالله الفارس · اذكر المصدر

number, no date, no brands), keep its technique and adapt its content to my own words. Skip optional inputs I did not provide.
1. HOOK — halftone macro eye made of dots opens on the first word; REC brackets lock on the iris; a key word appears and gets struck through.
2. Whip-zoom into the pupil → a prompt card types a command, cursor clicks "Generate", the panel reveals a generative liquid texture; a key word slams in with motion blur.
3. Push into that texture → dot-matrix counter scrambles and locks on the version number with the voice; the product name builds in 4 stages: dots → 3D extrude → outline rings → clean.
4. Pull back: that frame becomes a card in a tilted 3D grid (frames from this reel + clips playing inside). Glide over the floor, fly between floating cards with depth of field, cards snap into a neat grid, dive into the next card.
5. Three giant words (image / video / audio) filled with real media: a photo, a slow-motion jump, a slow-motion dancer; voice-reactive waveform under the last.
6. BRANDS — extruded 3D logos (three.js, glossy, rim light): the first spins in, a cursor grabs it and drags it off with a wobble; the second pops in, the camera flies through it until its colour fills the frame, a key word slams on top.
7. DATE — cinematic 3D desk calendar (three.js, spotlight, soft shadows, depth of field): pages flip, the last one in slow motion from a low angle, revealing the date on the exact word; a circle is drawn on it; a metal lock drops in slow motion with dust and camera shake.
8. CTA — headline, a comment field types the keyword and sends, a DM notification arrives with my photo; the camera flies into my photo, which shrinks into the end-card mark above my name and handles.

TRANSITIONS
Every scene change is a camera move: zoom into a point, push through, whip-pan with motion blur, or a card that becomes the next frame. Never a cut or crossfade.

BUILD
- Serve the folder with a local HTTP server (ES modules), render on the real GPU.
- One HTML page; every frame computed from time inside seek(t) (no timers, no CSS transitions). Canvas 2D + WebGL shaders + three.js for 3D + CSS 3D for the card grid.
- Render frame by frame with Playwright → FFmpeg H.264 MP4.
- Audio: voice at -14 LUFS + free CC0 SFX synced to the cues (whooshes on moves, hits on slams, clicks, typing, lock thud).

START
Read voice.srt, show me the scene-timing table, then stills at key moments before the final render.

© 2026 · IG **@i_abdullah_11** · TikTok **@i_abodx1**

الحقوق محفوظة لـ **عبدالله الفارس** · اذكر المصدر