



Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashi

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_selectors6

☆ ⚙️ 👤

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

Exercise:

Use the correct selector to hide all odd table rows in a table.

Correct!

Next >

Next Exercise >

🪟 🔍 🔄 📱 🗂️ 📄 📅

30°C Hujan ^ 🖨️ 🔌 🔴 📶 🔊 📶 IND 13.44 💬

Completed 60 of 60 Exercises:

jQuery Selectors	✓
jQuery Events	✓
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
✓ Exercise 4	
✓ Exercise 5	
<a href="#">Go to jQuery Events Tutorial</a>	
jQuery Hide and Show	✓
jQuery Fade	✓
jQuery Slide	✓
jQuery Animate	✓

## Exercise:

Use the `on()` method to attach a click event handler to all `<p>` elements.

```
$("p").on("click", function(){  
    $(this).hide();  
});
```

Show Answer

Submit Answer >

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors	✓
jQuery Events	✓
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
✓ Exercise 4	
✓ Exercise 5	
<a href="#">Go to jQuery Events Tutorial</a>	
jQuery Hide and Show	✓
jQuery Fade	✓
jQuery Slide	✓
jQuery Animate	✓

## Exercise:

Use the `on()` method to attach a click event handler to all `<p>` elements.

Correct!

Next >

Next Exercise >

Home Trash X

Completed 60 of 60 Exercises:

jQuery Selectors	✓
jQuery Events	✓
jQuery Hide and Show	✓
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
✓ Exercise 4	
<a href="#">Go to jQuery Hide and Show Tutorial</a>	
jQuery Fade	✓
jQuery Slide	✓
jQuery Animate	✓
jQuery Stop	✓

## Exercise:

Use a jQuery method to toggle between hiding and showing a <p> element.

```
$("#button").click(function(){  
    $("#p").toggle();  
});
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_hide\_show4

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Hide and Show Tutorial](#)

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

Exercise:

Use a jQuery method to toggle between hiding and showing a <p> element.

Correct!

Next >

Next Exercise >



Completed 60 of 60 Exercises:
jQuery Selectors ✓
jQuery Events ✓
jQuery Hide and Show ✓
jQuery Fade ✓
✓ Exercise 1
✓ Exercise 2
✓ Exercise 3
✓ Exercise 4
<a href="#">Go to jQuery Fade Tutorial</a>
jQuery Slide ✓
jQuery Animate ✓
jQuery Stop ✓

## Exercise:

Use a jQuery method to toggle between fading in and out a <div> element, when clicking on a button.

**Note:** The duration of the effect should be 1000 milliseconds.

```
$("#button").click(function(){
    $("#div").fadeToggle(1000);
});
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashi

CSS Exercises

Exercise v3.0

←

→

↺

🔒 w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_fade4

☆

⚙️

👤

⋮

Apl

Maps

Gmail

Translate

Drive

YouTube

Whatsapp

SPOT UPI

Yt Converter

I Love PDF

Github

Daftar bacaan

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Fade Tutorial](#)

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

## Exercise:

Use a jQuery method to toggle between fading in and out a `<div>` element, when clicking on a button.

**Note:** The duration of the effect should be 1000 milliseconds.

Correct!

Next >

Next Exercise >



Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashi

CSS Exercises

Exercise v3.0

←

→

↺

🔒 w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_slide4

☆

⚙️

👤

⋮

Apl

Maps

Gmail

Translate

Drive

YouTube

Whatsapp

SPOT UPI

Yt Converter

I Love PDF

Github

Daftar bacaan

🏠

🗑️

✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Slide Tutorial](#)

jQuery Animate ✓

jQuery Stop ✓

## Exercise:

Use a jQuery method to toggle between sliding up and down a <div> element, when clicking on a button.

```
$("#button").click(function(){
    $("#div").slideToggle();
});
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_slide4

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Slide Tutorial](#)

jQuery Animate ✓

jQuery Stop ✓

Exercise:

Use a jQuery method to toggle between sliding up and down a <div> element, when clicking on a button.

Correct!

Next >

Next Exercise >

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors	✓
jQuery Events	✓
jQuery Hide and Show	✓
jQuery Fade	✓
jQuery Slide	✓
jQuery Animate	✓
✓ Exercise 1	
✓ Exercise 2	
✓ Exercise 3	
✓ Exercise 4	
<a href="#">Go to jQuery Animate Tutorial</a>	
jQuery Stop	✓

## Exercise:

Use the `animate()` method to set the font-size of a `<div>` element to 100 pixels:

**Note:** The duration of the effect should be "slow".

```
$("#div").animate({fontSize: '100px'}, "slow");
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_animate4

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery Animate Tutorial](#)

jQuery Stop ✓

## Exercise:

Use the `animate()` method to set the font-size of a `<div>` element to 100 pixels:

**Note:** The duration of the effect should be "slow".

Correct!

Next >

Next Exercise >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashi

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_stop1

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

✓ Exercise 1

[Go to jQuery Stop Tutorial](#)

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

## Exercise:

Use a jQuery method to stop the animation effect of a <div> element.

```
$("#div").stop();
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashi

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_stop1

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

✓ Exercise 1

[Go to jQuery Stop Tutorial](#)

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

## Exercise:

Use a jQuery method to stop the animation effect of a <div> element.

Correct!

Next >

Next Exercise >



Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dom\_get4

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

## Exercise:

Use a jQuery method to return the URL address of a link.

```
$("a").attr("href");
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dom\_get4

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

## Exercise:

Use a jQuery method to return the URL address of a link.

Correct!

Next >

Next Exercise >

Completed 60 of 60 Exercises:
jQuery Stop ✓
jQuery Get ✓
jQuery Set ✓
✓ Exercise 1
✓ Exercise 2
✓ Exercise 3
✓ Exercise 4
<a href="#">Go to jQuery Set Tutorial</a>
jQuery Add ✓
jQuery Remove ✓
jQuery CSS Classes ✓
jQuery CSS ✓
iQuerv Dimensions ✓

## Exercise:

Use jQuery to change the text of a link to "Demo",  
and change the value of href's attribute value to "www.demo.com".

```
$("#myLink").text("Demo");  
$("#myLink").attr("href", "https://www.demo.com");
```

Show Answer

Submit Answer >

Completed 60 of 60 Exercises:
jQuery Stop ✓
jQuery Get ✓
jQuery Set ✓
✓ Exercise 1
✓ Exercise 2
✓ Exercise 3
✓ Exercise 4
<a href="#">Go to jQuery Set Tutorial</a>
jQuery Add ✓
jQuery Remove ✓
jQuery CSS Classes ✓
jQuery CSS ✓
iQuerv Dimensions ✓

## Exercise:

Use jQuery to change the text of a link to "Demo",  
and change the value of href's attribute value to "www.demo.com".

Correct!

[Next >](#)

[Next Exercise >](#)

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

←

→

↺

🔒 w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dom\_add2

☆

⚙️

👤

⋮

Apl

Maps

Gmail

Translate

Drive

YouTube

Whatsapp

SPOT UPI

Yt Converter

I Love PDF

Github

Daftar bacaan

🏠

🗑️

✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

✓ Exercise 1

✓ Exercise 2

## Exercise:

Use a jQuery method to insert the text "YES!" at the beginning of a <p> element.

```
$("p").prepend("YES!");
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

←

→

↻

🔒 w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dom\_add2

☆

⚙️

👤

⋮

Apl

Maps

Gmail

Translate

Drive

YouTube

Whatsap

SPOT UPI

Yt Converter

I Love PDF

Github

Daftar bacaan

🏠

🗑️

✕

Completed 60 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade ✓

jQuery Slide ✓

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

✓ Exercise 1

✓ Exercise 2

# Exercise:

Use a jQuery method to insert the text "YES!" at the beginning of a <p> element.

Correct!

Next >

Next Exercise >



Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dom\_remove3

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

[Go to jQuery Remove Tutorial](#)

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing ✓

## Exercise:

Use a jQuery method to remove all <div> elements with class="test" and class="demo".

```
$("div").remove($(".test, .demo"));
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dom\_remove3

☆ ⚙️ 👤 ⋮

Apl

Maps

Gmail

Translate

Drive

YouTube

Whatsapp

SPOT UPI

Yt Converter

I Love PDF

Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

[Go to jQuery Remove Tutorial](#)

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing ✓

# Exercise:

Use a jQuery method to remove all <div> elements with class="test" and class="demo".

Correct!

Next >

Next Exercise >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashi

CSS Exercises

Exercise v3.0

←

→

↺

🔒 w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_css\_classes4

☆

⚙️

👤

⋮

Apl

Maps

Gmail

Translate

Drive

YouTube

Whatsapp

SPOT UPI

Yt Converter

I Love PDF

Github

Daftar bacaan

Completed 60 of 60 Exercises:

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery CSS Classes Tutorial](#)

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing ✓

## Exercise:

Use a jQuery method to toggle between adding and removing the "important" class from the <p> element on click.

```
$( "p" ).click(function(){
    $(this).toggleClass("important");
});
```

Show Answer

Submit Answer >

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_css\_classes4

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to jQuery CSS Classes Tutorial](#)

jQuery CSS ✓

jQuery Dimensions ✓

jQuery Traversing ✓

## Exercise:

Use a jQuery method to toggle between adding and removing the "important" class from the <p> element on click.

Correct!

Next >

Next Exercise >

Completed 60 of 60 Exercises:
jQuery Add ✓
jQuery Remove ✓
jQuery CSS Classes ✓
jQuery CSS ✓
✓ Exercise 1
✓ Exercise 2
✓ Exercise 3
✓ Exercise 4
<a href="#">Go to jQuery CSS Tutorial</a>
jQuery Dimensions ✓
jQuery Traversing ✓

## Exercise:

Use the `css()` method to set the following styles for `<p>`:

Green background color, white text color, 25 pixels font size and a padding of 15 pixels.

```
$("p").css({  
  "background-color": "green",  
  "color": "white",  
  "font-size": "25px",  
  "padding": "15px"  
});
```

Show Answer

Submit Answer >

Completed 60 of 60 Exercises:
jQuery Add ✓
jQuery Remove ✓
jQuery CSS Classes ✓
jQuery CSS ✓
✓ Exercise 1
✓ Exercise 2
✓ Exercise 3
✓ Exercise 4
<a href="#">Go to jQuery CSS Tutorial</a>
jQuery Dimensions ✓
jQuery Traversing ✓

## Exercise:

Use the `css()` method to set the following styles for `<p>`:

Green background color, white text color, 25 pixels font size and a padding of 15 pixels.

Correct!

[Next >](#)

[Next Exercise >](#)



Use a jQuery method to get the height of a `<div>` element, including padding, border and margin.

**Show Answer**

**Submit Answer >**

Azmi Wallpapers!

(29) WhatsApp

SPOT UPI | Mahasiswa | Dashl

CSS Exercises

Exercise v3.0

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_dimensions5

☆ ⚙️ 👤 ⋮

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises:

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to jQuery Dimensions Tutorial](#)

jQuery Traversing ✓

# Exercise:

Use a jQuery method to get the height of a `<div>` element, including padding, border and margin.

Correct!

Next >

Next Exercise >

Completed 60 of 60 Exercises:

- jQuery CSS Classes ✓
- jQuery CSS ✓
- jQuery Dimensions ✓
- jQuery Traversing ✓
  - ✓ Exercise 1
  - ✓ Exercise 2
  - ✓ Exercise 3
  - ✓ Exercise 4
  - ✓ Exercise 5
  - ✓ Exercise 6

[Go to jQuery Traversing Tutorial](#)

## Exercise:

Use a jQuery method to get the first <div> element in the document.

```
$("#div").first();
```

Show Answer

Submit Answer >

Completed 60 of 60 Exercises:

- jQuery CSS Classes ✓
- jQuery CSS ✓
- jQuery Dimensions ✓
- jQuery Traversing ✓
  - ✓ Exercise 1
  - ✓ Exercise 2
  - ✓ Exercise 3
  - ✓ Exercise 4
  - ✓ Exercise 5
  - ✓ Exercise 6

[Go to jQuery Traversing Tutorial](#)

## Exercise:

Use a jQuery method to get the first <div> element in the document.

Correct!

Azmi Wallpapers!

WhatsApp

jQuery Exercises

Exercise v3.0

+

← → ↺

w3schools.com/jquery/exercise\_jq.asp?filename=exercise\_jq\_traversing6

☆ ⚙️ 👤

Apl Maps Gmail Translate Drive YouTube Whatsapp SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan

🏠 🗑️ ✕

Completed 60 of 60 Exercises

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

✓ Exercise 6



[Go to jQuery Traversing Tutorial](#)

✕

# Congratulations!

You have finished all 60 jQuery exercises.

Share your score:



---

## Get Certified!

Take our jQuery Developer Certificate to prove that you have fundamental knowledge of jQuery.

Get Certified Now!

---

Close