

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Tutorial, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_intro

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508



Get your own website


```
<!DOCTYPE html>
<html>
<body>

<?php
echo "Latihan";
?>

</body>
</html>
```

Latihan







Result Size: 668 x 508

```
<!DOCTYPE html>
<html>
<body>


<h1>Halaman Pertama</h1>

<?php
echo "Hello World!";
?>

</body>
</html>
```

Halaman Pertama

Hello World!





Result Size: 668 x 508

```
<!DOCTYPE html>
<html>
<body>

<?php
ECHO "Hello World!<br>";
echo "Hello World!<br>";
EcHo "Hello World!<br>";
?>

</body>
</html>
```

Hello World!
Hello World!
Hello World!

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Syntax, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_syntax_case2

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$color = "red";
echo "My car is " . $color . "<br>";
echo "My house is " . $color . "<br>";
echo "My boat is " . $color . "<br>";
?>

</body>
</html>
```

My car is red
My house is
My boat is

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Syntax, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_syntax_case2

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$color = "red";
echo "My car is " . $color . "<br>";
echo "My house is " . $color . "<br>";
echo "My boat is " . $color . "<br>";
?>

</body>
</html>
```

My car is red
My house is red
My boat is red

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Comments, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_comments3

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
// You can also use comments to leave out parts of a code line
$x = 5 /* + 15 */ + 5;
echo $x;
?>

</body>
</html>
```

10

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Variables, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_var

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$txt = "Hello world!";
$x = 5;
$y = 10.5;

echo $txt;
echo "<br>";
echo $x;
echo "<br>";
echo $y;
?>

</body>
</html>
```

Hello world!
5
10.5

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Variables, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_var4

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508



Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = 5;
$y = 4;
echo $x + $y;
?>

</body>
</html>
```

9



Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa | Dash, SPOT UPI | Mahasiswa | Dash, PHP Variables Scope, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_var_static

Browser extensions: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github

Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website


```
<!DOCTYPE html>
<html>
<body>

<?php
function myTest() {
    static $x = 0;
    echo $x;
    $x++;
}

myTest();
echo "<br>";
myTest();
echo "<br>";
myTest();
?>

</body>
</html>
```

0
1
2





Result Size: 668 x 508

[Get your own website](#)

```
<!DOCTYPE html>
<html>
<body>

<?php
echo "<h2>PHP is Fun!</h2>";
echo "Hello world!<br>";
echo "I'm about to learn PHP!<br>";
echo "This ", "string ", "was ", "made ", "with multiple parameters.";
?>

</body>
</html>
```






PHP is Fun!


Hello world!
I'm about to learn PHP!
This string was made with multiple parameters.

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Echo and Print St, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_echo2

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan



Result Size: 668 x 508 

```
<!DOCTYPE html>
<html>
<body>

<?php
$txt1 = "Learn PHP";
$txt2 = "W3Schools.com";
$x = 5;
$y = 4;

echo "<h2>" . $txt1 . "</h2>";
echo "Study PHP at " . $txt2 . "<br>";
echo $x + $y;
?>

</body>
</html>
```

Learn PHP

Study PHP at W3Schools.com

9

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Data Types, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_datatypes_string

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = "Hello world!";
$y = 'Hello world!';

echo $x;
echo "<br>";
echo $y;
?>

</body>
</html>
```

Hello world!
Hello world!

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Data Types, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_datatypes_integer

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = 5985;
var_dump($x);
?>

</body>
</html>
```

int(5985)

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Data Types, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_datatypes_array

Browser extensions: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github

Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$cars = array("Volvo","BMW","Toyota");
var_dump($cars);
?>

</body>
</html>
```

```
array(3) { [0]=> string(5) "Volvo" [1]=> string(3) "BMW" [2]=> string(6) "Toyota" }
```


Browser tabs: (26) WhatsApp, SPOT UPI | Mahasisw..., SPOT UPI | Mahasisw..., SPOT UPI | Mahasisw..., PHP Data Types, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_datatypes_object

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
class Car {
    public $color;
    public $model;
    public function __construct($color, $model) {
        $this->color = $color;
        $this->model = $model;
    }
    public function message() {
        return "My car is a " . $this->color . " " . $this->model . "!";
    }
}

$myCar = new Car("black", "Volvo");
echo $myCar -> message();
echo "<br>";
$myCar = new Car("red", "Toyota");
echo $myCar -> message();
?>

</body>
</html>
```

My car is a black Volvo!
My car is a red Toyota!

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Data Types, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_datatypes_null

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = "Hello world!";
$x = null;
var_dump($x);
?>

</body>
</html>
```

NULL

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Strings, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_string_length

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
echo strlen("Hello world!");
?>

</body>
</html>
```

12

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasisw, SPOT UPI | Mahasisw, SPOT UPI | Mahasisw, PHP Strings, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_string_reverse

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github

Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
echo strrev("Hello world!");
?>

</body>
</html>
```

!dlrow olleH

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Strings, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_string_replace

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan



Result Size: 668 x 508 

```
<!DOCTYPE html>
<html>
<body>

<?php
echo str_replace("world", "Dolly", "Hello world!");
?>

</body>
</html>
```

Hello Dolly!

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasisw..., SPOT UPI | Mahasisw..., SPOT UPI | Mahasisw..., PHP Numbers, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_numbers_integer

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
// Check if the type of a variable is integer
$x = 5985;
var_dump(is_int($x));

echo "<br>";

// Check again...
$x = 59.85;
var_dump(is_int($x));
?>

</body>
</html>
```

```
bool(true)
bool(false)
```

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Numbers, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_numbers_nan

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
// Invalid calculation will return a NaN value
$x = acos(8);
var_dump($x);
?>

</body>
</html>
```

float(NAN)

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Numbers, PHP Tryit Editor v1.2. Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_numbers_numeric. Search bar: Daftar bacaan.

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
// Check if the variable is numeric
$x = 5985;
var_dump(is_numeric($x));

echo "<br>";

$x = "5985";
var_dump(is_numeric($x));

echo "<br>";

$x = "59.85" + 100;
var_dump(is_numeric($x));

echo "<br>";

$x = "Hello";
var_dump(is_numeric($x));
?>

</body>
</html>
```

bool(true)
bool(true)
bool(true)
bool(false)

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Math, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_math_min_max

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
echo(min(0, 150, 30, 20, -8, -200) . "<br>");
echo(max(0, 150, 30, 20, -8, -200));
?>

</body>
</html>
```

-200
150

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Constants, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_constant_array

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508


Get your own website





```
<!DOCTYPE html>
<html>
<body>

<?php
define("cars", [
    "Alfa Romeo",
    "BMW",
    "Toyota"
]);
echo cars[0];
?>

</body>
</html>
```

Alfa Romeo





Result Size: 668 x 508

[Get your own website](#)

```
<!DOCTYPE html>
<html>
<body>

<?php
define("GREETING", "Welcome to W3Schools.com!");

function myTest() {
    echo GREETING;
}

myTest();
?>

</body>
</html>
```

Welcome to W3Schools.com!

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Operators, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_oper_ternary

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
    // if empty($user) = TRUE, set $status = "anonymous"
    echo $status = (empty($user)) ? "anonymous" : "logged in";
    echo("<br>");

    $user = "John Doe";
    // if empty($user) = FALSE, set $status = "logged in"
    echo $status = (empty($user)) ? "anonymous" : "logged in";
?>

</body>
</html>
```

anonymous
logged in

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Operators, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_oper_null_coalescing

Browser extensions: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github

Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
    // variable $user is the value of $_GET['user']
    // and 'anonymous' if it does not exist
    echo $user = $_GET["user"] ?? "anonymous";
    echo("<br>");

    // variable $color is "red" if $color does not exist or is null
    echo $color = $color ?? "red";
?>

</body>
</html>
```

anonymous
red

Browser tabs: (26) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP if...else...elseif Sta, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_if_else

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$t = date("H");

if ($t < "20") {
    echo "Have a good day!";
} else {
    echo "Have a good night!";
}
?>

</body>
</html>
```

Have a good day!

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP if...else...elseif Sta, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_if_elseif

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan



Result Size: 668 x 508 

```
<!DOCTYPE html>
<html>
<body>

<?php
$t = date("H");
echo "<p>The hour (of the server) is " . $t;
echo ", and will give the following message:</p>";

if ($t < "10") {
    echo "Have a good morning!";
} elseif ($t < "20") {
    echo "Have a good day!";
} else {
    echo "Have a good night!";
}
?>

</body>
</html>
```

The hour (of the server) is 06, and will give the following message:

Have a good morning!

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasisw..., SPOT UPI | Mahasisw..., SPOT UPI | Mahasisw..., PHP switch Statement, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_switch

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$favcolor = "blue";

switch ($favcolor) {
    case "red":
        echo "Your favorite color is red!";
        break;
    case "blue":
        echo "Your favorite color is blue!";
        break;
    case "green":
        echo "Your favorite color is green!";
        break;
    default:
        echo "Your favorite color is neither red, blue, nor green!";
}
?>

</body>
</html>
```

Your favorite color is blue!

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP while Loop, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_loop_while

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = 1;

while($x <= 5) {
    echo "The number is: $x <br>";
    $x++;
}
?>

</body>
</html>
```

The number is: 1
The number is: 2
The number is: 3
The number is: 4
The number is: 5

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasisw, SPOT UPI | Mahasisw, SPOT UPI | Mahasisw, PHP do while Loop, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_loop_do_while

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = 1;

do {
    echo "The number is: $x <br>";
    $x++;
} while ($x <= 5);
?>

</body>
</html>
```

The number is: 1
The number is: 2
The number is: 3
The number is: 4
The number is: 5

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP for loops, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_loop_for

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

[Get your own website](#)

```
<!DOCTYPE html>
<html>
<body>

<?php
for ($x = 0; $x <= 10; $x++) {
    echo "The number is: $x <br>";
}
?>

</body>
</html>
```

The number is: 0
The number is: 1
The number is: 2
The number is: 3
The number is: 4
The number is: 5
The number is: 6
The number is: 7
The number is: 8
The number is: 9
The number is: 10

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP for loops, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_loop_foreach

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$colors = array("red", "green", "blue", "yellow");

foreach ($colors as $value) {
    echo "$value <br>";
}
?>

</body>
</html>
```

red
green
blue
yellow

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Break and Contin, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_break_while

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$x = 0;

while($x < 10) {
    if ($x == 4) {
        break;
    }
    echo "The number is: $x <br>";
    $x++;
}
?>

</body>
</html>
```

The number is: 0
The number is: 1
The number is: 2
The number is: 3

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasisw, SPOT UPI | Mahasisw, SPOT UPI | Mahasisw, PHP Functions, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_function2

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
function familyName($fname) {
    echo "$fname Refsnes.<br>";
}

familyName("Jani");
familyName("Hege");
familyName("Stale");
familyName("Kai Jim");
familyName("Borge");
?>

</body>
</html>
```

Jani Refsnes.
Hege Refsnes.
Stale Refsnes.
Kai Jim Refsnes.
Borge Refsnes.

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Functions, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_function3

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github

Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
function familyName($fname, $year) {
    echo "$fname Refsnes. Born in $year <br>";
}

familyName("Hege", "1975");
familyName("Stale", "1978");
familyName("Kai Jim", "1983");
?>

</body>
</html>
```

Hege Refsnes. Born in 1975
Stale Refsnes. Born in 1978
Kai Jim Refsnes. Born in 1983

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Arrays, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_array_length

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$cars = array("Volvo", "BMW", "Toyota");
echo count($cars);
?>

</body>
</html>
```

3

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Indexed Arrays, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_array_num_loop

Browser extensions: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$cars = array("Volvo", "BMW", "Toyota");
$arrlength = count($cars);

for($x = 0; $x < $arrlength; $x++) {
    echo $cars[$x];
    echo "<br>";
}
?>

</body>
</html>
```

Volvo
BMW
Toyota

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Associative Array, PHP Tryit Editor v1.2. Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_array_assoc_loop. Bottom bar: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan.

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$page = array("Peter"=>"35", "Ben"=>"37", "Joe"=>"43");

foreach($page as $x => $x_value) {
    echo "Key=" . $x . ", Value=" . $x_value;
    echo "<br>";
}
?>

</body>
</html>
```

Key=Peter, Value=35
Key=Ben, Value=37
Key=Joe, Value=43

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Multidimensional, PHP Tryit Editor v1.2. Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_array_multi. Bottom bar: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan.



Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$cars = array (
    array("Volvo",22,18),
    array("BMW",15,13),
    array("Saab",5,2),
    array("Land Rover",17,15)
);

echo $cars[0][0].": In stock: ".$cars[0][1].", sold: ".$cars[0][2]."<br>";
echo $cars[1][0].": In stock: ".$cars[1][1].", sold: ".$cars[1][2]."<br>";
echo $cars[2][0].": In stock: ".$cars[2][1].", sold: ".$cars[2][2]."<br>";
echo $cars[3][0].": In stock: ".$cars[3][1].", sold: ".$cars[3][2]."<br>";
?>

</body>
</html>
```

Volvo: In stock: 22, sold: 18.
BMW: In stock: 15, sold: 13.
Saab: In stock: 5, sold: 2.
Land Rover: In stock: 17, sold: 15.

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP Sorting Arrays, PHP Tryit Editor v1.2. Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_array_asort. Search bar: Daftar bacaan.

Run > Result Size: 668 x 508 Get your own website

```
<!DOCTYPE html>
<html>
<body>

<?php
$page = array("Peter"=>"35", "Ben"=>"37", "Joe"=>"43");
asort($page);

foreach($page as $x => $x_value) {
    echo "Key=" . $x . ", Value=" . $x_value;
    echo "<br>";
}
?>

</body>
</html>
```

Key=Peter, Value=35
Key=Ben, Value=37
Key=Joe, Value=43

Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP \$GLOBALS, PHP Tryit Editor v1.2

Address bar: w3schools.com/php/phptryit.asp?filename=tryphp_global_global

Browser shortcuts: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan

Run >

Result Size: 668 x 508

Get your own website

```
<!DOCTYPE html>
<html>
<body>


<?php
$x = 75;
$y = 25;

function addition() {
    $GLOBALS['z'] = $GLOBALS['x'] + $GLOBALS['y'];
}

addition();
echo $z;
?>

</body>
</html>
```



100



Browser tabs: (27) WhatsApp, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, SPOT UPI | Mahasiswa, PHP \$_POST, Tryit Editor v3.5 - Show...

Address bar: tryphp.w3schools.com/showphp.php?filename=demo_global_post

Browser icons: Apl, Maps, Gmail, Translate, Drive, YouTube, Whatsapp, SPOT UPI, Yt Converter, I Love PDF, Github, Daftar bacaan



Result Size: 668 x 514


```
<!DOCTYPE html>
<html>
<body>


<form method="post" action="<?php echo $_SERVER['PHP_SELF'];?>">
  Name: <input type="text" name="fname">
  <input type="submit">
</form>

<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
  // collect value of input field
  $name = $_POST['fname'];
  if (empty($name)) {
    echo "Name is empty";
  } else {
    echo $name;
  }
}
?>

</body>
</html>
```

Name:








Result Size: 668 x 508





```
<!DOCTYPE html>
<html>
<body>

<?php
$str = "Visit W3Schools";
$pattern = "/w3schools/i";
echo preg_match($pattern, $str);
?>

</body>
</html>
```

1





Result Size: 668 x 508

[Get your own website](#)

```
<!DOCTYPE html>
<html>
<body>

<?php
$str = "Visit Microsoft!";
$pattern = "/microsoft/i";
echo preg_replace($pattern, "W3Schools", $str);
?>

</body>
</html>
```

Visit W3Schools!