

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_selectors1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 1 of 138 Exercises:

CSS Selectors

Exercise 1 (selected)

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Selectors Tutorial](#)

Exercise:

Change the color of all `<p>` elements to "red".

Hint

Edit This Code:

```
<html>
<head>
<style>
p {
    color: red;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

Check Your Code

Result:

This is a Heading

This is a paragraph.

This is another paragraph.

Show Answer

Completed 2 of 138 Exercises:

CSS Selectors

- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4

[Go to CSS Selectors Tutorial](#)

CSS How To...

CSS Background

CSS Border

CSS Margin

CSS Padding

CSS Height/Width

Exercise:

Change the color of the element with id="paral", to "red".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<!DOCTYPE html>
<head>
<style>
#paral {
    color: red;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p id="paral">This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_selectors3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 3 of 138 Exercises:

CSS Selectors

- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3

Exercise:

Change the color of all elements with the class "colortext", to "red".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
.colortext {
    color: red;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p class="colortext">This is another paragraph.</p>
<p class="colortext">This is also a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

This is also a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_selectors4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 4 of 138 Exercises:

CSS Selectors

- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4

[Go to CSS Selectors Tutorial](#)

Exercise:

Change the color of all `<p>` and `<h1>` elements, to "red". Group the selectors to minimize code.

Hint

Edit This Code:

```
<head>
<style>
h1, p {
    color: red;
}
</style>
</head>
<body>

<h1>This is a heading</h1>
<h2>This is a smaller heading</h2>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

Check Your Code

Result:

This is a heading
This is a smaller heading
This is a paragraph.
This is another paragraph.

Show Answer

Correct!

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_howto1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 5 of 138 Exercises:

CSS Selectors

CSS How To...

Exercise 1 (selected)

Exercise 2

Exercise 3

Exercise 4

[Go to CSS How To... Tutorial](#)

CSS Background

CSS Border

CSS Margin

CSS Padding

CSS Height/Width

Exercise:

Add an external style sheet with the URL: "mystyle.css".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="mystyle.css">
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 6 of 138 Exercises:

CSS Selectors ✓

CSS How To...

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS How To... Tutorial](#)

CSS Background

CSS Border

CSS Margin

CSS Padding

CSS Height/Width

Exercise:

Set "background-color: linen" for the page, using an internal style sheet.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<!DOCTYPE html>
<head>
<style>
body {
    background-color: linen;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_howto3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 7 of 138 Exercises:

CSS Selectors ✓

CSS How To...

✓ Exercise 1

✓ Exercise 2

✓ **Exercise 3**

Exercise 4

[Go to CSS How To... Tutorial](#)

CSS Background

CSS Border

CSS Margin

CSS Padding

CSS Height/Width

Exercise:

Set "background-color: linen" for the page, using an inline style.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
</head>
<body style="background-color: linen">
<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>
</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_howto4

Ap Google Translate YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 8 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to CSS How To... Tutorial](#)

CSS Background

CSS Border

CSS Margin

CSS Padding

CSS Height/Width

Exercise:

Remove all styles, except the external style sheet "mystyle.css".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" href="mystyle.css">
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_background1

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 9 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

CSS Background

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Background Tutorial](#)

CSS Border

CSS Margin

CSS Padding

Exercise:

Set the background color for the page to "linen" and the background color for `<h1>` to "lightblue".

Hint

Edit This Code: `body { background-color: linen; } h1 { background-color: lightblue; } </style> </head> <body> <h1>This is a Heading</h1> <p>This is a paragraph.</p> <p>This is another paragraph.</p> </body> </html>`

Check Your Code

Result:

This is a Heading

This is a paragraph.

This is another paragraph.

Correct!

26 (26) WhatsApp x | w CSS Exercises x | w Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_background2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 10 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

CSS Background

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Background Tutorial](#)

CSS Border

CSS Margin

CSS Padding

Exercise:

Set "paper.gif" as the background image of the page.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
<head>
<style>
body {
    background-image: url("paper.gif");
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_background3

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 11 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

CSS Background

✓ Exercise 1

✓ Exercise 2

✓ **Exercise 3**

Exercise 4

Exercise 5

[Go to CSS Background Tutorial](#)

CSS Border

CSS Margin

CSS Padding

Exercise:

Set "gradient_bg_vertical.png" as the background image of the page, and repeat it vertically only.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
body {
    background-image: url("gradient_bg_vertical.png");
    background-repeat: repeat-y;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 12 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- Exercise 5

[Go to CSS Background Tutorial](#)

Exercise:

Specify that the background image should be shown once, in the top right corner.

Hint

Edit This Code: [Check Your Code](#)

```
<html>
<head>
<style>
body {
    background-image: url("img_tree.png");
    background-repeat: no-repeat;
    background-position: top right;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

Result: [Show Answer](#)

This is a Heading

This is a paragraph.

This is another paragraph.



(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_background5

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 13 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

CSS Background ✓

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Background Tutorial](#)

CSS Border

CSS Margin

CSS Padding

Exercise:

Use the shorthand background property to set background image to "img_tree.png", show it once, in the top right corner.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
body {
    background: url("img_tree.png") no-repeat top right;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.



26 (26) WhatsApp x | w CSS Exercises x | w Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_border1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 14 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

CSS Background ✓

CSS Border

✓ **Exercise 1**

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Border Tutorial](#)

CSS Margin

CSS Padding

CSS Height/Width

Exercise:

Set a "4px", "dotted" border for <p>.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
p {
    border-style: dotted;
    border-width: 4px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_border2

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 15 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border**
- Exercise 1
- Exercise 2**
- Exercise 3
- Exercise 4
- [Go to CSS Border Tutorial](#)
- CSS Margin
- CSS Padding
- CSS Height/Width

Exercise:

Set the border color for <p> to "red".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
<style>
p {
    border-style: dotted;
    border-width: 4px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_border3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 16 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border**
- Exercise 1
- Exercise 2
- Exercise 3**
- Exercise 4
- [Go to CSS Border Tutorial](#)
- CSS Margin
- CSS Padding
- CSS Height/Width

Exercise:

Change the 3 border properties, so that they only show the border on the top side.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
p {
    border-top-style: dotted;
    border-top-width: 4px;
    border-top-color: red;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_border4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 17 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓

Exercise: Correct! ✕

With the border property: Set the border for p to "10px", "solid" and "green".

Hint

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to CSS Border Tutorial](#)

Edit This Code: Check Your Code Result: Show Answer

```
<head>
<style>
p {
    border: 10px solid green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_margin1

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 18 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to CSS Margin Tutorial](#)
- CSS Padding
- CSS Height/Width

Exercise:

Set the left margin of <h1> to "20px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: lightblue;
    margin-left: 20px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

Completed 19 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin
- Exercise 1
- Exercise 2**
- Exercise 3
- Exercise 4
- [Go to CSS Margin Tutorial](#)
- CSS Padding
- CSS Height/Width

Exercise:

Set all margins for `<h1>` to "25px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: lightblue;
    margin: 25px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_margin3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 20 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4

[Go to CSS Margin Tutorial](#)

[CSS Padding](#)

[CSS Height/Width](#)

Exercise:

Use the margin property to set the top and bottom margins for `<h1>` to "50px", and left and right margins to "25px".

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: lightblue;
    margin: 50px 25px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

26 (26) WhatsApp x | w CSS Exercises x | w Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_margin4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 21 of 138 Exercises:

CSS Selectors ✓

CSS How To... ✓

CSS Background ✓

CSS Border ✓

CSS Margin ✓

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Margin Tutorial](#)

CSS Padding

CSS Height/Width

Exercise:

Use the margin property to center align the `<h1>` element.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
h1 {
    background-color: lightblue;
    width: 300px;
    margin: auto;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_padding1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 22 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding
- Exercise 1 ✓
- Exercise 2
- Exercise 3

[Go to CSS Padding Tutorial](#)

Exercise:

Set the top padding of <p> to "30px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
p {
    background-color: lightblue;
    padding-top: 30px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

Completed 23 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding**
- ✓ Exercise 1
- ✓ Exercise 2**
- Exercise 3
- [Go to CSS Padding Tutorial](#)
- CSS Height/Width
- CSS Box Model

Exercise:

Set all paddings for <p> to "50px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
p {
    background-color: lightblue;
    padding: 50px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

Completed 24 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

[Go to CSS Padding Tutorial](#)

CSS Height/Width

CSS Box Model

Exercise:

Use the padding property to set the top and bottom paddings for `<p>` to "25px", and left and right paddings to "50px".

[Hint](#)

Edit This Code: [Check Your Code](#)

Result: [Show Answer](#)

```
<html>
<head>
<style>
p {
    background-color: lightblue;
    padding: 25px 50px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_dimension1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 25 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width
- ✓ Exercise 1
- Exercise 2

[Go to CSS Height/Width Tutorial](#)

[CSS Box Model](#)

[CSS Outline](#)

Exercise:

Set the height of `<h1>` to "100px".

[Hint](#)

Edit This Code: [Check Your Code](#)

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: lightblue;
    height: 100px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

Result: [Show Answer](#)

This is a Heading

This is a paragraph.

Completed 26 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- Exercise 1
- Exercise 2

[Go to CSS Height/Width Tutorial](#)

[CSS Box Model](#)

[CSS Outline](#)

Exercise:

Set the width of <h1> to "50%".

[Hint](#)

Edit This Code: [Check Your Code](#)

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: lightblue;
    width: 50%;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

Result: [Show Answer](#)

This is a Heading

This is a paragraph.

(26) (26) WhatsApp x | w CSS Exercises x | w Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_boxmodel1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 27 of 138 Exercises:

CSS Box Model

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Box Model Tutorial](#)

Exercise:

Set the width of the div to "200px".

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<head>
<style>
div {
    background-color: lightblue;
    width: 200px;
}
</style>
</head>
<body>

<div>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.</div>

</body>
</html>
```

Correct!

Completed 28 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model
- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4

Exercise:

Set the padding of the div to "25px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
div {
    background-color: lightblue;
    width: 200px;
    padding: 25px;
}
</style>
</head>
<body>

<div>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.</div>

</body>
</html>
```

Correct!

Result:

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_boxmodel3

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 29 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4

Exercise:

Set the border of the div to "25px solid navy".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<div>
    background-color: lightblue;
    width: 200px;
    padding: 25px;
    border: 25px solid navy;
</div>
</style>
</head>
<body>

<div>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.</div>

</body>
</html>
```

Result: A blue box with a dark blue border containing the text: "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua."

Correct!

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_boxmodel4

Ap Google Translate YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 30 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3 ✓
- Exercise 4 ✓

Exercise:

Set the margin of the div to "25px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
background-color: #cccccc;
width: 200px;
padding: 25px;
border: 25px solid navy;
margin: 25px;
}
</style>
</head>
<body>

<div>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.</div>

</body>
</html>
```

Correct!

Result: A blue-bordered box containing the text: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

26 (26) WhatsApp x | w CSS Exercises x | w Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_outline1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 31 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- CSS Outline ✓
- Exercise 1 ✓
- Exercise 2
- Exercise 3

Exercise:

Set a "solid", "5px" outline for <p>.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
p {
    outline-style: solid;
    outline-width: 5px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_outline2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 32 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- CSS Outline ✓
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3

Exercise:

Set the outline color for `<p>` to "green".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
p {
    outline-style: solid;
    outline-width: 4px;
    outline-color: green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_outline3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 33 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- CSS Outline ✓
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3 ✓

Exercise:

With the outline property: Set the outline for p to "red", "dotted" and "10px".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<head>
<style>
p {
    outline: red dotted 10px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_text1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 34 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- CSS Outline ✓
- Exercise 1**
- Exercise 2

Exercise:

Set the text color for the page to "red", and the text color for `<h1>` to "blue".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
color: red;
}

h1 {
    color: blue;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 35 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- CSS Outline ✓
- CSS Text
- ✓ Exercise 1
- ✓ Exercise 2

Exercise:

Center align the `<h1>` element.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
h1 {
    text-align: center;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_text3

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 36 of 138 Exercises:

CSS Height/Width ✓

CSS Box Model ✓

CSS Outline ✓

CSS Text

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Text Tutorial](#)

CSS Font

CSS Links

CSS Lists

Exercise:

Remove the underline from the link.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
<head>
<style>
a {
  text-decoration: none;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="css_text.asp">CSS text tutorial</a></p>

</body>
</html>
```

This is a Heading

This is a paragraph.

CSS text tutorial

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_text4

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 37 of 138 Exercises:

CSS Box Model ✓

CSS Outline ✓

CSS Text

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to CSS Text Tutorial](#)

CSS Font

CSS Links

CSS Lists

CSS Tables

Exercise:

Style text in `<h1>` to uppercase letters, and text in `<p>` to capitalized letters.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
    h1 {
        text-transform: uppercase;
    }
    p {
        text-transform: capitalize;
    }
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

THIS IS A HEADING

This Is A Paragraph.

This Is Another Paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_text5

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 38 of 138 Exercises:

CSS Outline ✓

CSS Text ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to CSS Text Tutorial](#)

CSS Font

CSS Links

CSS Lists

CSS Tables

CSS Display/Visibility

Exercise:

Indent the first line of the `<p>` element with 20px.

[Hint](#)

Edit This Code: [Check Your Code](#)

```
</head>
<body>

<h1>This is a Heading</h1>
<p>Lorem ipsum dolor sit amet, consectetur adipiscing
elit, sed do eiusmod tempor incididunt ut labore et dolore
magna aliqua. Ut enim ad minim veniam, quis nostrud
exercitation ullamco laboris nisi ut aliquip ex ea commodo
consequat. Duis aute irure dolor in reprehenderit in
voluptate velit esse cillum dolore eu fugiat nulla
pariatur. Excepteur sint occaecat cupidatat non proident,
sunt in culpa qui officia deserunt mollit anim id est
laborum</p>

</body>
</html>
```

Result: [Show Answer](#)

This is a Heading

Correct!

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_font1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 39 of 138 Exercises:

- CSS Selectors ✓
- CSS How To... ✓
- CSS Background ✓
- CSS Border ✓
- CSS Margin ✓
- CSS Padding ✓
- CSS Height/Width ✓
- CSS Box Model ✓
- CSS Outline ✓
- CSS Text ✓
- CSS Font ✓

Exercise:

Set the font family for the page to "Courier New", and the font family for `<h1>` to "Verdana".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
font-family: Courier New;
}

h1 {
    font-family: Verdana;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_font3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 41 of 138 Exercises:

CSS Box Model ✓

CSS Outline ✓

CSS Text ✓

CSS Font

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Font Tutorial](#)

CSS Links

CSS Lists

CSS Tables

Exercise:

Set the font size for the page to "20px", and the font size for `<h1>` to "3em".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
font-size: 20px;
}

h1 {
    font-size: 3em;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_font4

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 42 of 138 Exercises:

CSS Outline ✓

CSS Text ✓

CSS Font

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to CSS Font Tutorial](#)

CSS Links

CSS Lists

CSS Tables

CSS Display/Visibility

Exercise:

Show `<p>` elements as "bold" text.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
<head>
<style>
p {
    font-weight: bold;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_font5

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 43 of 138 Exercises:

CSS Text ✓

CSS Font ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to CSS Font Tutorial](#)

CSS Links

CSS Lists

CSS Tables

CSS Display/Visibility

CSS Positioning

Exercise:

With the font property: Set the `<p>` to "italic", "20px" and "Verdana".

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<style>
p {
    font: italic 20px Verdana;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x +

← → C https://w3schools.com/css/exercise.asp?filename=exercise_link1

Ap Google Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 44 of 138 Exercises:

Exercise:

Set the color for links to "green".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
a {
    color: green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

[W3Schools.com](https://www.w3schools.com)

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_link2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 45 of 138 Exercises:

CSS BOX MODEL

CSS Outline ✓

CSS Text ✓

CSS Font ✓

CSS Links

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS Links Tutorial](#)

CSS Lists

CSS Tables

CSS Display/Visibility

Exercise:

Set the color for unvisited links to "red", and the color for visited links "blue".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
/* selected link */
a:active {
    color: green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

[W3Schools.com](https://www.w3schools.com)

Correct!

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_link3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 46 of 138 Exercises:

CSS Outline ✓

CSS Text ✓

CSS Font ✓

CSS Links

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Links Tutorial](#)

CSS Lists

CSS Tables

CSS Display/Visibility

CSS Positioning

Exercise:

Remove underlines for visited and unvisited links, and specify "underline" for the hover and active link states.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
/* selected link */
a:active {
    text-decoration: underline;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p><a href="https://www.w3schools.com">W3Schools.com</a>
</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

W3Schools.com

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_link4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 47 of 138 Exercises:

CSS Text ✓

CSS Font ✓

CSS Links ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to CSS Links Tutorial](#)

CSS Lists

CSS Tables

CSS Display/Visibility

CSS Positioning

CSS Overflow

Exercise:

Correct!

Set the background color for visited and unvisited links to "lightblue", and the background color for the hover and active link states to "yellow".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
a:active {  
    background-color: yellow;  
}  
</style>  
</head>  
<body>  
  
<h1>This is a Heading</h1>  
<p>This is a paragraph.</p>  
<p><a href="https://www.w3schools.com">W3Schools.com</a>  
</p>  
  
</body>  
</html>
```

This is a Heading

This is a paragraph.

[W3Schools.com](https://www.w3schools.com)

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_list2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 49 of 138 Exercises:

CSS Outline

CSS Text ✓

CSS Font ✓

CSS Links ✓

CSS Lists

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS Lists Tutorial](#)

CSS Tables

CSS Display/Visibility

CSS Positioning

Exercise:

Set the image "sqpurple.gif" as the list item marker for the unordered list.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Coca Cola</li>
</ul>
```

This is an unordered list:

- Coffee
- Tea
- Coca Cola

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_list3

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 50 of 138 Exercises:

CSS Text ✓

CSS Font ✓

CSS Links ✓

CSS Lists

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Lists Tutorial](#)

CSS Tables

CSS Display/Visibility

CSS Positioning

CSS Overflow

Exercise:

With the list-style property: Set the unordered list marker to "img_marker.png", with a backup style of "circle", and display the markers inside the content flow.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
</style>
</head>
<body>

<p>This is an unordered list:</p>
<ul>
    <li>Coffee</li>
    <li>Tea</li>
    <li>Coca Cola</li>
</ul>

</body>
</html>
```

This is an unordered list:

- Coffee
- Tea
- Coca Cola

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_list4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 51 of 138 Exercises:

CSS Font ✓
CSS Links ✓
CSS Lists ✓

✓ Exercise 1
✓ Exercise 2
✓ Exercise 3
✓ Exercise 4

[Go to CSS Lists Tutorial](#)

CSS Tables
CSS Display/Visibility
CSS Positioning
CSS Overflow
CSS Alian

Exercise:

Remove the bullets/markers from the list items.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
ul {
    list-style-type: none;
}
</style>
</head>
<body>

<ul>
    <li>Coffee</li>
    <li>Tea</li>
    <li>Coca Cola</li>
</ul>

</body>
</html>
```

Coffee
Tea
Coca Cola

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_table1

Ap Google Translate YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 52 of 138 Exercises:

Exercise:

Set the border to "2px solid green" for table, th and td elements.

Hint

Correct!

Edit This Code: **Check Your Code** Result: **Show Answer**

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to CSS Tables Tutorial](#)

```
<tbl_struct>
<tbl_header>
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbl_info cols="2">FirstnameLastnamePeterGriffinLoisGriffin

| Firstname | Lastname |
|-----------|----------|
| Peter     | Griffin  |
| Lois      | Griffin  |


```

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_table2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 53 of 138 Exercises:

CSS Text

CSS Font ✓

CSS Links ✓

CSS Lists ✓

CSS Tables

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to CSS Tables Tutorial](#)

CSS Display/Visibility

Exercise:

Collapse the table borders into a single border.

[Hint](#)

[Check Your Code](#)

[Show Answer](#)

Edit This Code:

```
<tbl>
<thead>
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbody>
<tr>
<td>Peter</td>
<td>Griffin</td>
</tr>
<tr>
<td>Lois</td>
<td>Griffin</td>
</tr>
</tbody>
</table>

</body>
</html>
```

Result:

| Firstname | Lastname |
|-----------|----------|
| Peter | Griffin |
| Lois | Griffin |

Correct!

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_table3

Ap Google Translate YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 54 of 138 Exercises:

CSS Font ✓

CSS Links ✓

CSS Lists ✓

CSS Tables

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to CSS Tables Tutorial](#)

CSS Display/Visibility

CSS Positioning

Exercise:

Set the width of the table to "100%".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<tbl>
<thead>
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbody>
<tr>
<td>Peter</td>
<td>Griffin</td>
</tr>
<tr>
<td>Lois</td>
<td>Griffin</td>
</tr>
</tbody>
</table>

</body>
</html>
```

| Firstname | Lastname |
|-----------|----------|
| Peter | Griffin |
| Lois | Griffin |

Correct!

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_table4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 55 of 138 Exercises:

CSS Links ✓

CSS Lists ✓

CSS Tables

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to CSS Tables Tutorial](#)

CSS Display/Visibility

CSS Positioning

CSS Overflow

Exercise:

Set the text alignment in `<td>` elements to "right".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<tbl_struct_id id="1">
<tbl_header id="1">
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="2">
<tr>
<td>Peter</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="3">
<tr>
<td>Lois</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="4">
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="5">
<tr>
<td>Peter</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="6">
<tr>
<td>Lois</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
</tbl_header>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="7">
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="8">
<tr>
<td>Peter</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
<tbl_header id="9">
<tr>
<td>Lois</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
</tbl_header>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two data rows." />
</tbl_struct_id>
<table border="1">
| Firstname | Lastname |
| --- | --- |
| Peter | Griffin |
| Lois | Griffin |

```

| Firstname | Lastname |
|-----------|----------|
| Peter | Griffin |
| Lois | Griffin |

Correct!

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_table5

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 56 of 138 Exercises:

CSS Lists ✓

CSS Tables

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

Exercise 6

[Go to CSS Tables Tutorial](#)

CSS Display/Visibility

CSS Positioning

CSS Overflow

CSS Align

Exercise:

Set the padding in `<th>` elements to "15px".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<tbl_struct_id id="1">
<tbl_header id="1">
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two rows, each with a pair of cells." />
<tbl_header id="2">
<tr>
<td>Peter</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two rows, each with a pair of cells." />
<tbl_header id="3">
<tr>
<td>Lois</td>
<td>Griffin</td>
</tr>
<tbl_info cols="2" rows="2" summary="A simple table with two columns: Firstname and Lastname. It contains two rows, each with a pair of cells." />
<tbl_header id="4">
<tr>
</tr>
<tbl_info cols="2" rows="1" summary="A simple table with two columns: Firstname and Lastname. It contains one row with no cells." />
</tbl_header>
<tbl_info cols="2" rows="1" summary="A simple table with two columns: Firstname and Lastname. It contains one row with no cells." />
</tbl_struct_id>
<table border="1">
 Firstname | Lastname | Peter | Griffin || Lois | Griffin |
|
</tr>


```

| Firstname | Lastname |
|-----------|----------|
| Peter | Griffin |
| Lois | Griffin |
| | |

Correct!

26 (26) WhatsApp x | w CSS Exercises x | w Exercise v3.0 x +

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_table6

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 57 of 138 Exercises:

CSS Tables ✓

- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6

[Go to CSS Tables Tutorial](#)

CSS Display/Visibility

CSS Positioning

CSS Overflow

CSS Align

CSS Combinators

Exercise:

Set the background color of `<th>` elements to "lightblue".

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<tbl_struct_id id="1">
<tbl_header id="1">
<tr>
<th>Firstname</th>
<th>Lastname</th>
</tr>
<tbl_info cols="2" rows="2" ix="1" maxcspan="1" maxrspan="1" usedcols="2">
 Firstname | Lastname | Peter | Griffin || Lois | Griffin |

```

| Firstname | Lastname |
|-----------|----------|
| Peter | Griffin |
| Lois | Griffin |

Correct!

Completed 58 of 138 Exercises:

Exercise:

Hide the `<h1>` element. It should still take up the same space as before.

Hint

Check Your Code

Show Answer

Result:

```
<!DOCTYPE html>
<head>
<style>
h1 {
    visibility: hidden;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a paragraph.

This is another paragraph.

Completed 58 of 138 Exercises:

CSS Font ✓

CSS Links ✓

CSS Lists ✓

CSS Tables ✓

CSS Display/Visibility

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Display/Visibility Tutorial](#)

CSS Positioning

CSS Overflow

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_display_visibility2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 59 of 138 Exercises:

CSS Font

CSS Links ✓

CSS Lists ✓

CSS Tables ✓

CSS Display/Visibility

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS Display/Visibility Tutorial](#)

CSS Positioning

CSS Overflow

CSS Align

Exercise:

Hide the `<h1>` element. It should **not** take up any space.

Hint

Check Your Code

Show Answer

Edit This Code:

```
<!DOCTYPE html>
<head>
<style>
h1 {
    display: none;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

Result:

This is a paragraph.
This is another paragraph.

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_display_visibility3

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 60 of 138 Exercises:

CSS Links ✓

CSS Lists ✓

CSS Tables ✓

CSS Display/Visibility

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Display/Visibility Tutorial](#)

CSS Positioning

CSS Overflow

CSS Align

CSS Combinators

Exercise:

Display the list items as inline elements.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
display: inline;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>

<ul>
    <li>Apple</li>
    <li>Orange</li>
    <li>Pear</li>
</ul>

</body>
</html>
```

This is a Heading

Apple Orange Pear

(26) WhatsApp | CSS Exercises | Exercise v3.0

w3schools.com/css/exercise.asp?filename=exercise_display_visibility4

Ap Google Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 61 of 138 Exercises:

- CSS Lists ✓
- CSS Tables ✓
- CSS Display/Visibility ✓
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3 ✓
- Exercise 4 ✓

[Go to CSS Display/Visibility Tutorial](#)

Exercise:

Display the `` elements as block elements.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
strong {
    display:block;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a <strong>paragraph</strong>, with some words  
more <strong>important</strong> than others </p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph, with some words more important than others

This is another paragraph.

w3schools.com/css/exercise.asp?filename=exercise_positioning1

Completed 62 of 138 Exercises:

Exercise:

Position the `<h1>` element to always be 50px from the top, and 50px from the right, relative to the window/frame edges.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
position: fixed;
top: 50px;
right: 50px;
color: red;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a paragraph.
This is another paragraph.

This is a Heading

Correct!

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Positioning Tutorial](#)

CSS Overflow

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_positioning2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 63 of 138 Exercises:

CSS Links

CSS Lists ✓

CSS Tables ✓

CSS Display/Visibility ✓

CSS Positioning

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Positioning Tutorial](#)

CSS Overflow

CSS Align

Exercise:

Position the `<h1>` element 20px left, and 30px down, relative to its normal position.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
position: relative;
top: 30px;
left: -20px;
color: red;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading
This is a paragraph.
This is another paragraph.

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_positioning4

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 65 of 138 Exercises:

CSS Tables ✓

CSS Display/Visibility ✓

CSS Positioning

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to CSS Positioning Tutorial](#)

CSS Overflow

CSS Align

CSS Combinators

CSS Pseudo-classes

Exercise:

Position the `` element behind the text.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
position: absolute,  
left: 0px;  
top: 0px;  
z-index: -1;  
}  
</style>  
</head>  
<body>  
  
<h1>This is a Heading</h1>  
<p>This is a paragraph.</p>  
<p>This is another paragraph.</p>  
  
  
</body>  
</html>
```

This is a Heading
This is a paragraph.
This is another paragraph.

w3schools.com/css/exercise.asp?filename=exercise_positioning5

Completed 66 of 138 Exercises:

CSS Display/Visibility ✓

CSS Positioning ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to CSS Positioning Tutorial](#)

CSS Overflow

CSS Align

CSS Combinators

CSS Pseudo-classes

CSS Pseudo-elements

Exercise:

Position the element with the "topleft" class 30px from the left, and 15px from the top, relative to its container.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
height: auto,  
opacity: 0.3;  
}  
</style>  
</head>  
<body>  
  
<div class="container">  
      
    <div class="topleft">Top Left</div>  
</div>  
  
</body>  
</html>
```



(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_overflow1

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 67 of 138 Exercises:

Exercise:

Add a scrollbar to the <div> element.

Hint

Correct!

Edit This Code: Check Your Code Result: Show Answer

```
</style>
</head>
<body>

<div>
  <p>In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.</p>
  <p>'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'</p>
</div>

</body>
</html>
```

In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.

'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_overflow2

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete X

Completed 68 of 138 Exercises:

CSS LISTS

CSS Tables ✓

CSS Display/Visibility ✓

CSS Positioning ✓

CSS Overflow

✓ Exercise 1

✓ Exercise 2

Exercise 3

[Go to CSS Overflow Tutorial](#)

CSS Align

CSS Combinators

CSS Pseudo-classes

CSS Pseudo-elements

Exercise:

Specify that the overflowing text in the <div> element should not be visible, not even with scrolling.

Hint

Correct!

Edit This Code: Check Your Code Result: Show Answer

```
</html>
</head>
<body>

<div>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.</div>

</body>
</html>
```

Result: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_overflow3

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 69 of 138 Exercises:

CSS Tables ✓

CSS Display/Visibility ✓

CSS Positioning ✓

CSS Overflow ✓

Exercise 1

Exercise 2

Exercise 3

[Go to CSS Overflow Tutorial](#)

CSS Align

CSS Combinators

CSS Pseudo-classes

CSS Pseudo-elements

CSS Opacity

Exercise:

Add a horizontal scrollbar to <div>.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
border: 1px dotted black;
white-space: nowrap;
overflow-x: scroll;
}
</style>
</head>
<body>

<div>
    <p>In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.</p>
</div>

</body>
</html>
```

In my younger and mor

Correct!

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_align1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 70 of 138 Exercises:

Exercise:

Center align the `<div>` element using margins.

Hint

Correct!

Edit This Code: Check Your Code Result: Show Answer

```
</style>
</head>
<body>

<div>
    <p>In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.</p>
    <p>'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'</p>
</div>

</body>
</html>
```

In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.

'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_align2

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 71 of 138 Exercises:

CSS Tables

CSS Display/Visibility ✓

CSS Positioning ✓

CSS Overflow ✓

CSS Align ✓

✓ Exercise 1

✓ Exercise 2

[Go to CSS Align Tutorial](#)

CSS Combinators

CSS Pseudo-classes

CSS Pseudo-elements

CSS Opacity

CSS Attribute Selectors

Exercise:

Position the `<div>` element all the way to the right using absolute positioning.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
    position: absolute;
    right: 0px;
    width: 300px;
    background-color: #b0e0e6;
}
</style>
</head>
<body>

<div>
    <p>In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.

    'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'

```

In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since.
'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_combinators1

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 72 of 138 Exercises:

CSS Display/Visibility ✓

CSS Positioning ✓

CSS Overflow ✓

CSS Align ✓

CSS Combinators

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Combinators Tutorial](#)

CSS Pseudo-classes

CSS Pseudo-elements

Exercise:

Change the color of all `<p>` elements, that are descendants of `<div>` elements, to "red".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
</head>
<body>

<div>
  <p>This is a paragraph inside a div element.</p>
  <p>This is another paragraph inside a div element.</p>
  <span><p>This a paragraph inside a span element, inside a div element.</p></span>
</div>

<p>This is a paragraph, not inside a div element.</p>
<p>This is another paragraph, not inside a div element.
</p>

</body>
</html>
```

This is a paragraph inside a div element.

This is another paragraph inside a div element.

This a paragraph inside a span element, inside a div element.

This is a paragraph, not inside a div element.

This is another paragraph, not inside a div element.

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_combinators2

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 73 of 138 Exercises:

CSS Display/visibility ✓

CSS Positioning ✓

CSS Overflow ✓

CSS Align ✓

CSS Combinators

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS Combinators Tutorial](#)

CSS Pseudo-classes

CSS Pseudo-elements

CSS Opacity

Exercise:

Change the color of all `<p>` elements, that are immediate children of `<div>` elements, to "red".

[Hint](#)

Edit This Code: [Check Your Code](#)

```
</head>
<body>

<div>
  <p>This is a paragraph inside a div element.</p>
  <p>This is another paragraph inside a div element.</p>
  <span><p>This a paragraph inside a span element, inside a div element.</p></span>
</div>

<p>This is a paragraph, not inside a div element.</p>
<p>This is another paragraph, not inside a div element.
</p>

</body>
</html>
```

Result: [Show Answer](#)

This is a paragraph inside a div element.

This is another paragraph inside a div element.

This a paragraph inside a span element, inside a div element.

This is a paragraph, not inside a div element.

This is another paragraph, not inside a div element.

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_combinators3

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 74 of 138 Exercises:

CSS Positioning ✓

CSS Overflow ✓

CSS Align ✓

CSS Combinators

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Combinators Tutorial](#)

CSS Pseudo-classes

CSS Pseudo-elements

CSS Opacity

CSS Attribute Selectors

Exercise:

Change the color of the first `<p>` element that is directly after `<div>` elements, to "red".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
</head>
<body>

<div>
  <p>This is a paragraph inside a div element.</p>
  <p>This is another paragraph inside a div element.</p>
  <span><p>This a paragraph inside a span element, inside a div element.</p></span>
</div>

<p>This is a paragraph, not inside a div element.</p>
<p>This is another paragraph, not inside a div element.
</p>

</body>
</html>
```

This is a paragraph inside a div element.

This is another paragraph inside a div element.

This a paragraph inside a span element, inside a div element.

This is a paragraph, not inside a div element.

This is another paragraph, not inside a div element.

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_combinators4

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete X

Completed 75 of 138 Exercises:

CSS Overflow ✓

CSS Align ✓

CSS Combinators ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to CSS Combinators Tutorial](#)

CSS Pseudo-classes

CSS Pseudo-elements

CSS Opacity

CSS Attribute Selectors

CSS Rounded Corners

Exercise:

Change the color of `<p>` elements, that are the siblings of a `<div>` element, to "red".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
</head>
<body>

<div>
  <p>This is a paragraph inside a div element.</p>
  <p>This is another paragraph inside a div element.</p>
  <span><p>This a paragraph inside a span element, inside a div element.</p></span>
</div>

<p>This is a paragraph, not inside a div element.</p>
<p>This is another paragraph, not inside a div element.
</p>

</body>
</html>
```

This is a paragraph inside a div element.

This is another paragraph inside a div element.

This a paragraph inside a span element, inside a div element.

This is a paragraph, not inside a div element.

This is another paragraph, not inside a div element.

(27) WhatsApp x | w3schools.com CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | +

← → C https://w3schools.com/css/exercise.asp?filename=exercise_pseudo_classes1

Ap Google Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 76 of 138 Exercises:

CSS Positioning ✓
CSS Overflow ✓
CSS Align ✓
CSS Combinators ✓
CSS Pseudo-classes
✓ Exercise 1
Exercise 2
Exercise 3
Exercise 4
[Go to CSS Pseudo-classes Tutorial](#)
CSS Pseudo-elements
CSS Opacity

Exercise:

Set the background color for visited and unvisited links to "lightblue", and the background color for the hover and active link states to "yellow".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
a:active {  
    background-color: yellow;  
}  
</style>  
</head>  
<body>  
  
<h1>This is a Heading</h1>  
<p>This is a paragraph.</p>  
<p><a href="https://www.w3schools.com">W3Schools.com</a>  
</p>  
  
</body>  
</html>
```

This is a Heading

This is a paragraph.

[W3Schools.com](https://www.w3schools.com)

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_pseudo_classes2

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 77 of 138 Exercises:

CSS Positioning

CSS Overflow ✓

CSS Align ✓

CSS Combinators ✓

CSS Pseudo-classes

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS Pseudo-classes Tutorial](#)

CSS Pseudo-elements

CSS Opacity

CSS Attribute Selectors

Exercise:

Change the background color, when a user hovers over p elements, with the class "highlight", to "lightblue".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
<head>
<style>
p.highlight:hover {
    background-color: lightblue;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p class="highlight">This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C 🔍 w3schools.com/css/exercise.asp?filename=exercise_pseudo_classes3

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 78 of 138 Exercises:

CSS Overflow ✓

CSS Align ✓

CSS Combinators ✓

CSS Pseudo-classes

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to CSS Pseudo-classes Tutorial](#)

CSS Pseudo-elements

CSS Opacity

CSS Attribute Selectors

CSS Rounded Corners

Exercise:

Set the background color of `<p>` elements, that are the first child of any element, to "lightblue".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
<style>
p:first-child {
    background-color: lightblue;
}
</style>
</head>
<body>

<p>This is a paragraph.</p>
<p>This is also a paragraph</p>

</body>
</html>
```

This is a paragraph.

This is also a paragraph

(27) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_pseudo_classes4

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 79 of 138 Exercises:

CSS Align ✓

CSS Combinators ✓

CSS Pseudo-classes ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to CSS Pseudo-classes Tutorial](#)

CSS Pseudo-elements

CSS Opacity

CSS Attribute Selectors

CSS Rounded Corners

CSS Border Images

Exercise:

Correct!

Set the background color of <input> elements that are in focus (clicked or active), to "lightblue".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<style>
input:focus {
    background-color: lightblue;
}
</style>
</head>
<body>

<form action="/action_page.php" method="get">
    First name: <input type="text" name="fname"><br>
    Last name: <input type="text" name="lname"><br>
    <input type="submit" value="Submit">
</form>

</body>
</html>
```

First name:

Last name:

Submit

w3schools.com/css/exercise.asp?filename=exercise_pseudo_elements1

Completed 80 of 138 Exercises:

- CSS Positioning
- CSS Overflow ✓
- CSS Align ✓
- CSS Combinators ✓
- CSS Pseudo-classes ✓
- CSS Pseudo-elements

Exercise: Set text color to red, for the first line of the <p> element.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
p::first-line {
  color: red;
}
</style>
</head>
<body>

<p>In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since. 'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'</p>

</body>
</html>
```

In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since. 'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'

w3schools.com/css/exercise.asp?filename=exercise_pseudo_elements2

Completed 81 of 138 Exercises:

Exercise:

Set text color to "red", and the text size to "xx-large", for the first letter of the <p> element.

Hint

Edit This Code:

```
p::first-letter {  
    color: red;  
    font-size: xx-large;  
}  
</style>  
</head>  
<body>
```

Check Your Code

Result:

Show Answer

In my younger and more vulnerable years my father gave me some advice that I've been turning over in my mind ever since. 'Whenever you feel like criticizing anyone,' he told me, 'just remember that all the people in this world haven't had the advantages that you've had.'

Completed 82 of 138 Exercises:

- CSS Align
- CSS Combinators
- CSS Pseudo-classes
- CSS Pseudo-elements

Exercise:

Insert the image "smiley.gif" before, and after `<p>` elements, using the `::before` and `::after` pseudo-elements.

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
.p::before {  
    content: url(smiley.gif);  
}  
.p::after {  
    content: url(smiley.gif);  
}  
</style>  
</head>  
<body>  
  
<h1>This is a Heading</h1>  
<p>This is a paragraph.</p>  
<p>This is another paragraph.</p>  
  
</body>  
</html>
```

This is a Heading

 This is a paragraph. 

 This is another paragraph. 

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_image_transparency1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete Close

Completed 83 of 138 Exercises:

CSS Align ✓

CSS Combinators ✓

CSS Pseudo-classes ✓

CSS Pseudo-elements ✓

CSS Opacity

✓ Exercise 1

Exercise 2

[Go to CSS Opacity Tutorial](#)

CSS Attribute Selectors

CSS Rounded Corners

CSS Border Images

CSS Backgrounds

Exercise:

Set the transparency-opacity of the element to "0.4".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<!DOCTYPE html>
<html>
<head>
<style>
img {
    opacity: 0.4;
}
</style>
</head>
<body>



</body>
</html>
```



w3schools.com/css/exercise.asp?filename=exercise_attribute_selectors1

Completed 85 of 138 Exercises:

- CSS Combinators ✓
- CSS Pseudo-classes ✓
- CSS Pseudo-elements ✓
- CSS Opacity ✓
- CSS Attribute Selectors**
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6

[Go to CSS Attribute Selectors Tutorial](#)

Exercise:

Set the background-color to "lightblue" for elements with a "target" attribute.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
a[target] {
    background-color: lightblue;
}
</style>
</head>
<body>

<a href="https://www.w3schools.com">w3schools.com</a>
<a href="http://www.disney.com"
target="_blank">disney.com</a>
<a href="http://www.wikipedia.org"
target="_top">wikipedia.org</a>

</body>
</html>
```

w3schools.com disney.com wikipedia.org

w3schools.com/css/exercise.asp?filename=exercise_attribute_selectors2

Completed 86 of 138 Exercises:

CSS Combinators

- CSS Pseudo-classes ✓
- CSS Pseudo-elements ✓
- CSS Opacity ✓

CSS Attribute Selectors

- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6

[Go to CSS Attribute Selectors Tutorial](#)

CSS Rounded Corners

Exercise:

Set the background-color to "lightblue" for elements with an attribute like: target="_blank"

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<style>
a[target="_blank"] {
    background-color: lightblue;
}
</style>
</head>
<body>

<a href="https://www.w3schools.com">w3schools.com</a>
<a href="http://www.disney.com"
target="_blank">disney.com</a>
<a href="http://www.wikipedia.org"
target="_top">wikipedia.org</a>

</body>
</html>
```

w3schools.com disney.com wikipedia.org

(26) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_attribute_selectors4

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 88 of 138 Exercises:

CSS Pseudo-elements ✓

CSS Opacity ✓

CSS Attribute Selectors

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

Exercise 6

[Go to CSS Attribute Selectors Tutorial](#)

CSS Rounded Corners

CSS Border Images

CSS Backgrounds

Exercise:

Correct! ✅

Set a border with the color "red", around elements with a "title" attribute starting with "red".

Hint

Edit This Code: Check Your Code Result: Show Answer

```
</style>
</head>
<body>






</body>
</html>
```

The result section displays four flower images. The third image, which has a title starting with "red", is highlighted with a red border.

w3schools.com/css/exercise.asp?filename=exercise_attribute_selectors5

Completed 89 of 138 Exercises:

CSS Opacity ✓

CSS Attribute Selectors

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

Exercise 6

[Go to CSS Attribute Selectors Tutorial](#)

CSS Rounded Corners

CSS Border Images

CSS Backgrounds

CSS Colors

Exercise:

Set a border with the color "red", around elements with a "title" attribute ending with the word "flower" (not flowers).

Hint

Edit This Code: Check Your Code

Result: Show Answer

```
</style>
</head>
<body>






</body>
</html>
```





Completed 90 of 138 Exercises:

CSS Attribute Selectors ✓

- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- ✓ Exercise 5

✓ Exercise 6

[Go to CSS Attribute Selectors Tutorial](#)

CSS Rounded Corners

CSS Border Images

CSS Backgrounds

CSS Colors

CSS Gradients

Exercise:

Correct! ✅

Set a border with the color "red", around elements with a "title" attribute containing the value "flow".

Hint

Edit This Code:

Check Your Code

Result:

Show Answer

```
j
</style>
</head>
<body>






</body>
</html>
```



Completed 91 of 138 Exercises:

- CSS Pseudo-classes ✓
- CSS Pseudo-elements ✓
- CSS Opacity ✓
- CSS Attribute Selectors ✓
- CSS Rounded Corners

✓ Exercise 1

Exercise 2

[Go to CSS Rounded Corners Tutorial](#)

CSS Border Images

CSS Backgrounds

CSS Colors

CSS Gradients

Exercise:

Give the `<div>` element rounded corners (use the shorthand property and the value "25px").

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
div {
    border-radius: 25px;
    background: #73AD21;
    padding: 20px;
    width: 200px;
}
</style>
</head>
<body>

<div>This is a div element. It has some text.</div>

</body>
</html>
```

This is a div element. It has some text.

(26) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_css3_borders2

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete X

Completed 92 of 138 Exercises:

CSS Pseudo-classes

CSS Pseudo-elements ✓

CSS Opacity ✓

CSS Attribute Selectors ✓

CSS Rounded Corners ✓

✓ Exercise 1

✓ Exercise 2

[Go to CSS Rounded Corners Tutorial](#)

CSS Border Images

CSS Backgrounds

CSS Colors

CSS Gradients

CSS Shadow Effects

Exercise:

Give the `<div>` element a rounded corner (25px radius) on the bottom left side.

Hint

Correct!

Edit This Code: Check Your Code Result: Show Answer

```
<head>
<style>
div {
    border-bottom-left-radius: 25px;
    background: #73AD21;
    padding: 20px;
    width: 200px;
}
</style>
</head>
<body>

<div>This is a div element. It has some text.</div>

</body>
</html>
```

This is a div element. It has some text.

w3schools.com/css/exercise.asp?filename=exercise_css3_border_images1

Completed 93 of 138 Exercises:

Exercise:

Give the `<div>` element an image border using the image "border.png". Slice the image at 30px and repeat it.

Hint

Edit This Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
    border: 10px solid transparent;
    border-image: url(border.png) 30 round;
}
</style>
</head>
<body>

<div>This is a div element. It has some text.</div>

</body>
</html>
```

Check Your Code

Result:

This is a div element. It has some text.

Show Answer

Correct!

Completed 94 of 138 Exercises:

CSS Pseudo-elements

CSS Opacity ✓

CSS Attribute Selectors ✓

CSS Rounded Corners ✓

CSS Border Images ✓

✓ Exercise 1

✓ Exercise 2

[Go to CSS Border Images Tutorial](#)

CSS Backgrounds

CSS Colors

CSS Gradients

CSS Shadow Effects

CSS Text Effects

Exercise:

Give the `<div>` element an image border using the image "border.png". Slice the image at 30px and stretch it.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
    border: 10px solid transparent;
    border-image: url(border.png) 30 stretch;
}
</style>
</head>
<body>

<div>This is a div element. It has some text.</div>

</body>
</html>
```

This is a div element. It has some text.

Completed 95 of 138 Exercises:

CSS Opacity ✓

CSS Attribute Selectors ✓

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Backgrounds Tutorial](#)

Exercise:

Add a second background image ("img_flwr.gif") to the <body> element. Make sure that "img_flwr.gif" is displayed on top of the current background image.


Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
body {
    background-image: url(img_flwr.gif), url(paper.gif);
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```



26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - |  : |   

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_backgrounds2

Apl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 96 of 138 Exercises:

CSS Opacity ✓

CSS Attribute Selectors ✓

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Backgrounds Tutorial](#)

CSS Colors

CSS Gradients

Exercise:

Change the size of the background image to: width 100px, height 80px.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
body {
    background: url(img_flwr.gif);
    background-size: 100px 80px;
    background-repeat: no-repeat;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

w3schools.com/css/exercise.asp?filename=exercise_css3_backgrounds3

Completed 97 of 138 Exercises:

- CSS Attribute Selectors ✓
- CSS Rounded Corners ✓
- CSS Border Images ✓
- CSS Backgrounds**
- Exercise 1
- Exercise 2
- Exercise 3**
- Exercise 4
- Exercise 5

[Go to CSS Backgrounds Tutorial](#)

Exercise:

Change the size of the background image so it always fits the entire page.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
background-size: cover;
}

body {
    color: white;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.



w3schools.com/css/exercise.asp?filename=exercise_css3_backgrounds4

Completed 98 of 138 Exercises:

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to CSS Backgrounds Tutorial](#)

Exercise v3.0

Correct!

Exercise:

Specify that the background image position should start from the upper left corner of the content-box.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
background: url(images/w3i_w3i_8217.jpg);
background-repeat: no-repeat;
background-origin: content-box;
}
</style>
</head>
<body>

<div>
  <h1>This is a Heading</h1>
  <p>This is a paragraph.</p>
  <p>This is another paragraph.</p>
</div>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 99 of 138 Exercises:

CSS Border Images ✓

CSS Backgrounds ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to CSS Backgrounds Tutorial](#)

CSS Colors

CSS Gradients

CSS Shadow Effects

CSS Text Effects

CSS Web Fonts

Exercise:

Specify that the "painting area" of the background should be to the outside edge of the padding.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
padding: 50px;
background: lightblue;
background-clip: padding-box;
}
</style>
</head>
<body>

<div>
<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>
</div>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_colors1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 100 of 138 Exercises:

CSS Opacity ✓

CSS Attribute Selectors ✓

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds ✓

CSS Colors

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Colors Tutorial](#)

CSS Gradients

CSS Shadow Effects

Exercise:

Set the opacity for the background color of the `<h1>` element to "0.3" by using a RGBA color instead of RGB.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: rgba(0,255,0,0.3);
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_colors2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 101 of 138 Exercises:

CSS Attribute Selectors ✓

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds ✓

CSS Colors

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS Colors Tutorial](#)

CSS Gradients

CSS Shadow Effects

CSS Text Effects

Exercise:

Set the following HSL color as the background of the `<h1>` element: Set the Hue to red (0), Saturation to 100%, and lightness to 50%.

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: hsl(0,100%,50%);
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_colors3

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 102 of 138 Exercises:

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds ✓

CSS Colors

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS Colors Tutorial](#)

CSS Gradients

CSS Shadow Effects

CSS Text Effects

CSS Web Fonts

Exercise:

Set the opacity for the background color of the `<h1>` element to "0.3" by using a HSLA color instead of HSL.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<head>
<style>
h1 {
    background-color: hsla(0,100%,50%,0.3);
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 103 of 138 Exercises:

- CSS Border Images ✓
- CSS Backgrounds ✓
- CSS Colors ✓
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4**
- [Go to CSS Colors Tutorial](#)
- CSS Gradients
- CSS Shadow Effects
- CSS Text Effects
- CSS Web Fonts
- CSS 2D Transforms

Exercise:

Set the transparency-opacity of the `<h1>` element to "0.4".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
h1 {
    background-color: red;
    opacity: 0.4;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 104 of 138 Exercises:

- CSS Rounded Corners ✓
- CSS Border Images ✓
- CSS Backgrounds ✓
- CSS Colors ✓

Exercise:

Set a linear gradient background for the `<div>` element, going from the top to bottom, transitioning from "white" to "green".


Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
    background-image: linear-gradient(white, green);
}
</style>
</head>
<body>

<div style="height:200px"></div>

</body>
</html>
```



(26) WhatsApp x | w3schools.com CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - |  :

← → C https://w3schools.com/css/exercise.asp?filename=exercise_css3_gradients2

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 105 of 138 Exercises:

CSS Rounded Corners ✓

CSS Border Images ✓

CSS Backgrounds ✓

CSS Colors ✓

CSS Gradients

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Exercise 7

[Go to CSS Gradients Tutorial](#)

Exercise:

Set a linear gradient background for the `<div>` element, going from the top left to the bottom right, transitioning from "white" to "green".


[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<head>
<style>
div {
    background-image: linear-gradient(to bottom right,
white, green);
}
</style>
</head>
<body>

<div style="height:200px"></div>

</body>
</html>
```



(26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - |  :

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_gradients4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete X

Completed 107 of 138 Exercises:

CSS Backgrounds ✓

CSS Colors ✓

CSS Gradients

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

Exercise 6

Exercise 7

[Go to CSS Gradients Tutorial](#)

CSS Shadow Effects

CSS Text Effects

Exercise:

Correct! X

Set a linear gradient background for the `<div>` element, going from the top to bottom, transitioning from "white" to "red" to "blue" to "green".


Hint

Edit This Code: Check Your Code Result: Show Answer

```
<head>
<style>
div {
    background-image: linear-gradient(white, red, blue, green);
}
</style>
</head>
<body>

<div style="height:200px"></div>

</body>
</html>
```



w3schools.com/css/exercise.asp?filename=exercise_css3_gradients5

Completed 108 of 138 Exercises:

CSS Colors ✓

CSS Gradients

- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- ✓ Exercise 5

Exercise 6

Exercise 7

[Go to CSS Gradients Tutorial](#)

CSS Shadow Effects

CSS Text Effects

CSS Web Fonts

Exercise:

Set a linear gradient background for the `<div>` element, going from the top to bottom, transitioning from "rgba(0,255,0,0.2)" to "rgba(0,255,0,1)".


Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
div {
    background-image: linear-gradient(rgba(0,255,0,0.2), rgba(0,255,0,1));
}
</style>
</head>
<body>

<div style="height:200px"></div>

</body>
</html>
```



w3schools.com/css/exercise.asp?filename=exercise_css3_gradients6

Completed 109 of 138 Exercises:

CSS Gradients

- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6**
- Exercise 7

[Go to CSS Gradients Tutorial](#)

Exercise:

Set a radial gradient background for the <div> element, transitioning from "white" to "green".


Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
    background-image: radial-gradient(white, green);
}
</style>
</head>
<body>

<div style="height:200px"></div>

</body>
</html>
```



Completed 110 of 138 Exercises:

- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- Exercise 6
- Exercise 7**

[Go to CSS Gradients Tutorial](#)

CSS Shadow Effects

CSS Text Effects

CSS Web Fonts

CSS 2D Transforms

CSS 3D Transforms

Exercise:

Set a radial gradient background for the <div> element, with a circle shape, transitioning from "white" to "green".

Hint

Edit This Code:


```
<!DOCTYPE html>
<html>
<head>
<style>
div {
    background-image: radial-gradient(circle, white, green);
}
</style>
</head>
<body>

<div style="height:200px"></div>

</body>
</html>
```

Check Your Code

Result:



Show Answer

Completed 111 of 138 Exercises:

- CSS Border Images ✓
- CSS Backgrounds ✓
- CSS Colors ✓
- CSS Gradients ✓
- CSS Shadow Effects**
- ✓ Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5

[Go to CSS Shadow Effects Tutorial](#)

Exercise:

Set a "2px" horizontal, and "2px" vertical, text shadow for the `<h1>` element.

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<head>
<style>
h1 {
    text-shadow: 2px 2px;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

w3schools.com/css/exercise.asp?filename=exercise_css3_shadows2

Completed 112 of 138 Exercises:

- CSS Border Images
- CSS Backgrounds ✓
- CSS Colors ✓
- CSS Gradients ✓

Exercise:

Change the color of the text shadow to "green", and set a "5px" blur radius.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
h1 {
    text-shadow: 2px 2px 5px green;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - : Daftar bacaan

Completed 113 of 138 Exercises:

CSS Backgrounds ✓

CSS Colors ✓

CSS Gradients ✓

CSS Shadow Effects

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Shadow Effects Tutorial](#)

CSS Text Effects

CSS Web Fonts

CSS 2D Transforms

Exercise:

Add a new shadow (do not remove the current one) to the `<h1>` element with: no horizontal or vertical shadow, 10px blur, and a red color.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
h1 {  
    text-shadow: 2px 2px 5px green, 0 0 10px red;  
}  
</style>  
</head>  
<body>  
  
<h1>This is a Heading</h1>  
<p>This is a paragraph.</p>  
<p>This is another paragraph.</p>  
  
</body>  
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

(26) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_css3_shadows4

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 114 of 138 Exercises:

CSS Colors ✓

CSS Gradients ✓

CSS Shadow Effects

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

[Go to CSS Shadow Effects Tutorial](#)

CSS Text Effects

CSS Web Fonts

CSS 2D Transforms

CSS 3D Transforms

Exercise:

Set a "10px" horizontal, and "10px" vertical, box shadow for the <div> element.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<div>
  box-shadow: 10px 10px;
}
</style>
</head>
<body>

<div style="background-color: lightblue; width: 350px;
padding: 15px;">
<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>
</div>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 115 of 138 Exercises:

CSS Gradients ✓

CSS Shadow Effects ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

[Go to CSS Shadow Effects Tutorial](#)

CSS Text Effects

CSS Web Fonts

CSS 2D Transforms

CSS 3D Transforms

CSS Transitions

Exercise:

Change the color of the box shadow to "grey", and set a "5px" blur.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
  <head>
    <style>
      body {
        box-shadow: 10px 10px 5px grey;
      }
    </style>
  </head>
  <body>

    <div style="background-color: lightblue; width: 350px; padding: 15px;">
      <h1>This is a Heading</h1>
      <p>This is a paragraph.</p>
      <p>This is another paragraph.</p>
    </div>

  </body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

Completed 116 of 138 Exercises:

- CSS Backgrounds ✓
- CSS Colors ✓
- CSS Gradients ✓
- CSS Shadow Effects ✓
- CSS Text Effects**
- Exercise 1**
- Exercise 2
- Exercise 3

[Go to CSS Text Effects Tutorial](#)

Exercise:

Specify that the overflowed content for the `<p>` element should be signaled with an ellipsis (...)

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
  <head>
    <style>
      white-space: nowrap;
      width: 200px;
      border: 1px solid #000000;
      overflow: hidden;
      text-overflow: ellipsis;
    </style>
  </head>
  <body>
    <p>This paragraph contains a very long word: supercalifragilisticexpialidocious.</p>
  </body>
</html>
```

This paragraph contains a ve...

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_text_effects2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 117 of 138 Exercises:

CSS Backgrounds

CSS Colors ✓

CSS Gradients ✓

CSS Shadow Effects ✓

CSS Text Effects

✓ Exercise 1

✓ Exercise 2

Exercise 3

[Go to CSS Text Effects Tutorial](#)

CSS Web Fonts

CSS 2D Transforms

CSS 3D Transforms

CSS Transitions

Exercise:

Specify that text in the `<p>` element should wrap, even if it needs to split in the middle of a word.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<head>
<style>
p {
    width: 150px;
    border: 1px solid #000000;
    word-wrap: break-word;
}
</style>
</head>
<body>

<p>This paragraph contains a very long word:  
supercalifragilisticexpialidocious.</p>

</body>
</html>
```

This paragraph contains a very long word:
supercalifragilisticexpialidocious.

Completed 118 of 138 Exercises:

- CSS Colors
- CSS Gradients
- CSS Shadow Effects
- CSS Text Effects

Exercise:

Specify that text in the `<p>` element can break between any two letters.

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
<head>
<style>
p {
  width: 150px;
  border: 1px solid #000000;
  word-break: break-all;
}
</style>
</head>
<body>

<p>This paragraph contains a very long word: super-cali-fragi-listic-expialidocious.</p>

</body>
</html>
```

This paragraph contains a very long word: super-cali-fragi-listic-expialidocious.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_fonts1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 119 of 138 Exercises:

CSS Colors ✓

CSS Gradients ✓

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts

✓ Exercise 1

Exercise 2

[Go to CSS Web Fonts Tutorial](#)

CSS 2D Transforms

CSS 3D Transforms

CSS Transitions

CSS Animations

Exercise:

Add a web font with the name "sansation" and the URL "sansation_light.woff".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style> @font-face {font-family: sansation; font-weight: normal; font-style: normal; src: url("sansation_light.woff"); }</style></head><body><h1>This is a Heading</h1><p>This is a paragraph.</p><p>This is another paragraph.</p></body></html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_fonts1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 119 of 138 Exercises:

CSS Colors ✓

CSS Gradients ✓

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts

✓ Exercise 1

Exercise 2

[Go to CSS Web Fonts Tutorial](#)

CSS 2D Transforms

CSS 3D Transforms

CSS Transitions

CSS Animations

Exercise:

Add a web font with the name "sansation" and the URL "sansation_light.woff".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style> @font-face {font-family: sansation; src: url("sansation_light.woff"); }</style>
<head>
<body>
<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is another paragraph.</p>
</body>
</html>
```

This is a Heading

This is a paragraph.

This is another paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | x

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_fonts2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 120 of 138 Exercises:

CSS Colors

CSS Gradients ✓

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts ✓

✓ Exercise 1

✓ Exercise 2

[Go to CSS Web Fonts Tutorial](#)

CSS 2D Transforms

CSS 3D Transforms

CSS Transitions

CSS Animations

Exercise:

Add another @font-face rule for bold characters of the "sansation" font. Use the URL "sansation_bold.woff".

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
font-weight: bold; }

body {
    font-family: sansation;
}
</style>
</head>
<body>

<h1>This is a Heading</h1>
<p>This is a paragraph.</p>
<p>This is <strong>another</strong> paragraph.</p>

</body>
</html>
```

This is a Heading

This is a paragraph.

This is **another** paragraph.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_2dtransforms1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete Close

Completed 121 of 138 Exercises:

CSS Gradients ✓

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts ✓

CSS 2D Transforms

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS 2D Transforms Tutorial](#)

CSS 3D Transforms

CSS Transitions

Exercise:

With the transform property, move the <div> element 100px to the right, and 200px down.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
<style>
div {
    width: 100px;
    height: 100px;
    background-color: lightblue;
    border: 1px solid black;
    transform: translate(100px,200px);
}
</style>
</head>
<body>

<div></div>

</body>
</html>
```

Correct!

w3schools.com/css/exercise.asp?filename=exercise_css3_2dtransforms2

Completed 122 of 138 Exercises:

CSS Gradients

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts ✓

CSS 2D Transforms

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to CSS 2D Transforms Tutorial](#)

CSS 3D Transforms

CSS Transitions

CSS Animations

Exercise:

With the transform property, rotate the <div> element 45 degrees.


Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<div>
  width: 100px;
  height: 100px;
  margin: 50px;
  background-color: lightblue;
  border: 1px solid black;
  transform: rotate(45deg);
}
</style>
</head>
<body>

<div></div>

</body>
</html>
```



26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_2dtransforms3

Ap! Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete X

Completed 123 of 138 Exercises:

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts ✓

CSS 2D Transforms

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to CSS 2D Transforms Tutorial](#)

CSS 3D Transforms

CSS Transitions

CSS Animations


Exercise:

With the transform property, change the size of the <div> to half its width, but double its height.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
div {  
    width: 100px;  
    height: 100px;  
    margin: 50px;  
    background-color: lightblue;  
    border: 1px solid black;  
    transform: scale(0.5,2);  
}  
</style>  
</head>  
<body>  
</body>  
</html>
```



26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - |  : |   

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_2dtransforms4

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 124 of 138 Exercises:

CSS Text Effects ✓

CSS Web Fonts ✓

CSS 2D Transforms ✓

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

[Go to CSS 2D Transforms Tutorial](#)

CSS 3D Transforms

CSS Transitions

CSS Animations


Exercise:

With the transform property, skew the <div> element 20 degrees along the X-axis, and 30 degrees along the Y-axis.

Hint

Edit This Code: Check Your Code Result: Show Answer

```
div {  
    width: 100px;  
    height: 100px;  
    margin: 50px;  
    background-color: lightblue;  
    border: 1px solid black;  
    transform: skew(20deg, 30deg);  
}  
</style>  
</head>  
<body>  
  
<div></div>  
  
</body>  
</html>
```



https://www.w3schools.com/css/exercise.asp?filename=exercise_css3_2dtransforms4

w3schools.com/css/exercise.asp?filename=exercise_css3_3dtransforms1

Completed 125 of 138 Exercises:

CSS Shadow Effects ✓

CSS Text Effects ✓

CSS Web Fonts ✓

CSS 2D Transforms ✓

CSS 3D Transforms

✓ Exercise 1

Exercise 2

Exercise 3

[Go to CSS 3D Transforms Tutorial](#)

CSS Transitions

CSS Animations

Exercise:

With the transform property, rotate the <div> element 150deg around its X-axis.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<style>
div {
    width: 100px;
    height: 100px;
    background-color: lightblue;
    border: 1px solid black;
    transform: rotateX(150deg);
}
</style>
</head>
<body>

<div>This is a div element</div>

</body>
</html>
```

Correct!

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_3dtransforms2

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete Close

Completed 126 of 138 Exercises:

- CSS Shadow Effects ✓
- CSS Text Effects ✓
- CSS Web Fonts ✓
- CSS 2D Transforms ✓

CSS 3D Transforms

- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3

[Go to CSS 3D Transforms Tutorial](#)

CSS Transitions

CSS Animations

Exercise:

With the transform property, rotate the <div> element 120deg around its Y-axis.

Hint


Correct! ✅

Edit This Code: Check Your Code Result: Show Answer

```
<style>
div {
    width: 100px;
    height: 100px;
    background-color: lightblue;
    border: 1px solid black;
    transform: rotateY(120deg);
}
</style>
</head>
<body>

<div>This is a div element</div>

</body>
</html>
```



26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - |  :

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_transitions1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 128 of 138 Exercises:

Exercise:

Add a 2 second transition effect for width changes of the <div> element.

Hint

Edit This Code:

```
transition: width 2s;
}


div:hover {
    width: 300px;
}
</style>
</head>
<body>

<div></div>

<p>Hover over the div element above.</p>
</body>
</html>
```

Check Your Code

Result:



Hover over the div element above.

Show Answer

w3schools.com/css/exercise.asp?filename=exercise_css3_transitions2

Completed 129 of 138 Exercises:

CSS Text Effects

CSS Web Fonts ✓

CSS 2D Transforms ✓

CSS 3D Transforms ✓

CSS Transitions

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

[Go to CSS Transitions Tutorial](#)

CSS Animations

Exercise:

Specify that the transition of the <div> element should have a "ease-in-out" speed curve.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**


```
transition-timing-function: ease-in-out;
}

div:hover {
    width: 300px;
}
</style>
</head>
<body>

<div></div>

<p>Hover over the div element above.</p>

</body>
</html>
```

 Hover over the div element above.

Completed 130 of 138 Exercises:

- CSS Web Fonts ✓
- CSS 2D Transforms ✓
- CSS 3D Transforms ✓
- CSS Transitions**
- Exercise 1
- Exercise 2
- Exercise 3**
- Exercise 4
- Exercise 5

[Go to CSS Transitions Tutorial](#)

Exercise:

Specify that the transition of the <div> element should have a "0.5" second delay before starting.

Hint

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
transition-delay: 0.5s;
}

div:hover {
    width: 300px;
}
</style>
</head>
<body>

<div></div>

<p>Hover over the div element above.</p>

</body>
</html>
```

Hover over the div element above.

w3schools.com/css/exercise.asp?filename=exercise_css3_transitions4

Completed 131 of 138 Exercises:

- CSS Web Fonts ✓
- CSS 2D Transforms ✓
- CSS 3D Transforms ✓
- CSS Transitions**
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4**
- Exercise 5

[Go to CSS Transitions Tutorial](#)

Exercise:

Add a 2 second transition effect for background, and transform changes of the <div> element.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
<html>
<head>
<style>
div:hover {
    background: blue;
    transform: rotate(180deg);
}
</style>
</head>
<body>

<div></div>

<p>Hover over the div element above.</p>

</body>
</html>
```

Hover over the div element above.

w3schools.com/css/exercise.asp?filename=exercise_css3_transitions5

Completed 132 of 138 Exercises:

- CSS Web Fonts ✓
- CSS 2D Transforms ✓
- CSS 3D Transforms ✓
- CSS Transitions ✓

Exercise:

Using the transition shorthand property, specify width changes for the <div> element should have: "2" second duration, "ease-in-out" speed curve, and a "0.5" second delay before starting.

[Hint](#)

Edit This Code: [Check Your Code](#) Result: [Show Answer](#)

```
div:hover {  
    width: 400px;  
}  
</style>  
</head>  
<body>  
  
<div></div>  
  
<p>Hover over the div element above.</p>  
  
</body>  
</html>
```

Hover over the div element above.

26 (26) WhatsApp x | w CSS Exercises x | Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | + | - | □ | ×

← → C 🔒 w3schools.com/css/exercise.asp?filename=exercise_css3_animations1

Ap Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Home Delete X

Completed 133 of 138 Exercises:

CSS Text Effects

CSS Web Fonts ✓

CSS 2D Transforms ✓

CSS 3D Transforms ✓

CSS Transitions ✓

CSS Animations

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Go to CSS Animations Tutorial

Exercise:

Correct!

Add a 2 second animation for the <div> element, which changes the color from red to blue. Call the animation "example"

Hint


Edit This Code: Check Your Code Result: Show Answer

```
animation-name: example;
animation-duration: 2s;
}

@keyframes example {
  from {background-color: red;}
  to {background-color: blue;}
}
</style>
</head>
<body>

<div></div>

</body>
</html>
```



(26) WhatsApp x | w3schools.com CSS Exercises x Exercise v3.0 x (15) YouTube x iLovePDF | Online PDF tools x + - □ ×

← → C https://w3schools.com/css/exercise.asp?filename=exercise_css3_animations2

Appl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github Daftar bacaan

Completed 134 of 138 Exercises:

CSS Web Fonts

CSS 2D Transforms ✓

CSS 3D Transforms ✓

CSS Transitions ✓

CSS Animations

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to CSS Animations Tutorial](#)

Exercise:

Correct! ✅

Add the following 5 steps to the animation "example" (using 0%, 25%, 50%, 75%, and 100%):

1. 0% - Set background color to "red", left position to "0px", top position to: "0px"
2. 25% - Set background color to "blue", left position to "0px", top position to: "200px"
3. 50% - Set background color to "green", left position to "200px", top position to: "200px"
4. 75% - Set background color to "yellow", left position to "200px", top position to: "0px"
5. 100% - Set background color to "red", left position to "0px", top position to: "0px"

Hint

Edit This Code: Check Your Code Result: Show Answer

```
position: relative;
background-color: red;
animation-name: example;
animation-duration: 4s;
}

@keyframes example {
  0% {background-color: red; left:0px; top:0px;}
  25% {background-color: blue; left:0px; top:200px;}
  50% {background-color: green; left:200px; top:200px;}
```



w3schools.com/css/exercise.asp?filename=exercise_css3_animations3

Completed 135 of 138 Exercises:

- CSS 2D Transforms ✓
- CSS 3D Transforms ✓
- CSS Transitions ✓
- CSS Animations**
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3**
- Exercise 4
- Exercise 5
- Exercise 6

[Go to CSS Animations Tutorial](#)

Exercise:

Specify that the animation of the <div> element should have a "1" second delay before starting.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
animation-delay: 1s;
}

@keyframes example {
  0% {background-color: red; left:0px;}
  50% {background-color: yellow; left:200px;}
  100% {background-color: red; left:0px;}
}
</style>
</head>
<body>

<div></div>

</body>
</html>
```



w3schools.com/css/exercise.asp?filename=exercise_css3_animations4

Completed 136 of 138 Exercises:

- CSS 2D Transforms ✓
- CSS 3D Transforms ✓
- CSS Transitions ✓
- CSS Animations**
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4**
- Exercise 5
- Exercise 6

[Go to CSS Animations Tutorial](#)

Exercise:

Specify that the animation of the <div> element should continue to loop for ever.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
animation-iteration-count: infinite;
}

@keyframes example {
  0% {background-color: red; left:0px;}
  50% {background-color: yellow; left:200px;}
  100% {background-color: red; left:0px;}
}
</style>
</head>
<body>

<div></div>

</body>
</html>
```



w3schools.com/css/exercise.asp?filename=exercise_css3_animations5

Completed 137 of 138 Exercises:

- CSS 2D Transforms ✓
- CSS 3D Transforms ✓
- CSS Transitions ✓
- CSS Animations**
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- ✓ Exercise 5**
- Exercise 6

[Go to CSS Animations Tutorial](#)

Exercise:

Specify that the animation of the <div> element should alternate between running forwards and backwards.

Hint

Edit This Code: **Check Your Code** Result: **Show Answer**

```
@keyframes example {  
    0% {background-color: red; left:0px; top:0px;}  
    25% {background-color: blue; left:0px; top:200px;}  
    50% {background-color: green; left:200px; top:200px;}  
    75% {background-color: yellow; left:200px; top:0px;}  
    100% {background-color: red; left:0px; top:0px;}  
}  
</style>  
</head>  
<body>  
  
<div></div>  
  
</body>  
</html>
```



w3schools.com/css/exercise.asp?filename=exercise_css3_animations6

Completed 138 of 138 Exercises:

Congratulations!

You have finished all 138 CSS exercises.

Share your score:

f t

Get Certified!

Take our CSS Developer Certificate to prove that you have fundamental knowledge of web development using CSS.

Get Certified Now!

Correct! Show Answer

26 WhatsApp x | w CSS Exercises x | w Exercise v3.0 x | (15) YouTube x | iLovePDF | Online PDF tools x | +

Apl Maps Gmail Translate Drive YouTube Whatssap SPOT UPI Yt Converter I Love PDF Github

Daftar bacaan