



# HTML TAGS LIST

**Basic Forms** 



#### HTML Tags List





## 1. HTML Basic Tags

| Description  |
|--|
| It defines the document type   |
| It is the root of HTML document  |
| It defines the head of an HTML document that contains non-visible data like metadata and other information |
| It defines the body of a webpage and contains everything that you see on the webpage                       |
| These are a group of heading tags used to create heading in a webpage                                      |
| It defines the paragraph in a webpage  |
| It is used to write comments in HTML documents   |
| It defines a line break  |
| It creates a horizontal line in a webpage  |
|  |



#### 2. Formatting tags

This is a list of formatting tags in HTML5. It gives us the ability to format the text without using CSS.

| Tag                | Description   |
|--------------------|---|
| <u><b></b></u>     | It is used to define bold text  |
| <strong></strong>  | It is used to define important text, add more semantic meaning to the tag |
| <u><i>&gt;</i></u> | It formats text in italic form  |
| <em></em>          | It represents stress emphasis on the text same as i tag                   |
| <u><u></u></u>     | It underlines the text  |
| <sup></sup>        | It defines superscripted text   |
| <sub></sub>        | It defines subscripted text   |
| <pre>&lt;</pre>    | It defines preformatted text  |
| <small></small>    | It defines smaller text   |
| <abbr></abbr>      | It defines abbreviation or an acronym                                     |
| <code></code>      | It defines a piece of computer code                                       |
| <kbd></kbd>        | It is used to display keyboard input                                      |
| <del></del>        | It is used to display the text that has been removed from the webpage     |



| <ins></ins>  | It defines a word that has been inserted in the document. It underlines the word                   |
|--|--|
| <mark></mark>  | It is used to highlight specific text  |
| <br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br> | It is used for quotation of a text from another source   |
| <u>&lt;\$&gt;</u>  | It defines the text that incorrect   |
| <address></address>  | It defines the address or contact of users on a webpage  |
| <cite></cite>  | It defines the title of a journal, a book, a poem, etc   |
| <dfn></dfn>  | It is used to specify a word that is going defined within the content                              |
| <meter></meter>  | It defines a meter scale with a given range and shows the current value. It is also known as gauge |
| <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>   | It represents the progress of work on the webpage  |
| <u><q></q></u>   | It creates quotation around the text   |
| <samp></samp>  | It is used to define sample output or a computer program   |
| <template></template>  | It is used to hide a block of code when the page loads   |
| <time></time>  | It is used to define a specific time on the webpage  |
| <var></var>  | It is used to define some variable in a computer program or in a mathematical expression           |



# 3. Form and input tags

| Tag   | Description                               |
|---|---|
| <form></form>   | It is used to create a form on webpage    |
| <input/>  | It defines input of different type        |
| <label></label>   | It defines label for the <input/> element |
| <textarea>&lt;/th&gt;&lt;th&gt;It defines resizable multi-line plain text input&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;select&gt;&lt;/td&gt;&lt;td&gt;It provides a control to select from multiple options&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;optgroup&gt;&lt;/th&gt;&lt;th&gt;It defines a group of otions in &lt;select&gt; element&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;option&gt;&lt;/th&gt;&lt;th&gt;It defines an item to select within &lt;select&gt; element&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;fieldset&gt;&lt;/th&gt;&lt;th&gt;It defines group of multiple labels and inputs&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;legend&gt;&lt;/td&gt;&lt;td&gt;It defines a caption for a &lt;fieldset&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;datalist&gt;&lt;/td&gt;&lt;td&gt;It provides a control to select among multiple options as well as to submit your own new option&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;button&gt;&lt;/th&gt;&lt;th&gt;It defines a button&lt;/th&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</textarea> |   |



## 3. Form and input tags

```
<form>
  <fieldset>
    <legend>User Details:</legend>
    <label for="fname">First name:</label>
    <input type="text" id="fname" name="fname"><br>
    <label for="lname">Last name:</label>
    <input type="text" id="lname" name="lname"><br>
    <label for="email">Email:</label>
    <input type="email" id="email" name="email"><br>
    </fieldset>
  </form>
```

| User Details: |
|---------------|
| First name:   |
|               |
| Last name:    |
|               |
| Email:        |
|               |
|               |



#### 4. Media tags

| Tag             | Description  |
|-----------------|--|
| <audio></audio> | Used to define audio content on the webpage                                    |
| <video></video> | Used to define video content on the webpage                                    |
| <track/>        | It defines text track (subtitle) for the audio and video                       |
| <source/>       | It specifies multiple resources from the media like audio, video, and pictures |

```
<audio controls>
    <source src="ringtone.mp3" type="audio/mpeg">
</audio>
```

```
<video width="320" height="240" controls>
     <source src="movie.mp4" type="video/mp4">
        <source src="movie.ogg" type="video/ogg">
        Your browser does not support the video tag.
</video>
```

#### The video element



