USING DATAMEER, HDINSIGHT, TRENDMICRO DEEP SECURITY AND CHEF

AVYAN CONSULTING CORP | AZUREMARKETPLACE@AVYANCONSULTING.COM

The purpose of this section is to capture all changes made to the content of the document.

Contact for Enquiries and Proposed Changes

If you have any questions regarding this document, please contact:

Email Address

azuremarketplace@avyanconsulting.com

1 Table of Contents

| 1. | Overview3 | |
|--|--|--|
| 2. | How to deploy this solution3 | |
| 3. | How to configure the components | |
| | 1. | Datameer |
| | 2. | TrendMicro |
| 4. | Signing | g into Datameer UI8 |
| 5. | Configure Datameer to Fetch Data from Azure Storage | |
| 6. | Link, Clean and Prepare the Data15 | |
| 7. | Perform Analysis to Identify Outliers26 | |
| 8. | Logging in to the TrendMicro DSM | |
| | 1. | Server name |
| | 2. | Server login |
| 9. | Perform policy configuration on the TrendMicro DSM46 | |
| 10. Exercises | | |
| | 1. | Datameer – Visualize the Data |
| | 2. | TrendMicro – Malware test |
| 11. | 1. Visualize the Data48 | |
| 12. Malware Test | | re Test52 |
| | 1. | Generating Malware alert in the computer |
| | 2. | Dashboard – Malware Alert53 |
| | 3. | Malware Alert vertification |
| 13. References, Attachments & Definitions (Respective track leads) | | nces, Attachments & Definitions (Respective track leads)54 |
| | 1 | References 54 |

1 Overview

The purpose of this document is to provide the step-by-step instructions of deploying and configuring the Enterprise Risk Analysis using Datameer Business Intelligence and TendMicro DeepSecurity security solution and lab exercises.

The exercises includes creation of credit fraud risk awareness using sample (representative) data, building powerful Infographics of the Datameer and the security intelligence in the malware detection of the TrendMicro DeepSecurity


2 How to deploy this solution

This section will provide you the details of how to deploy this solution in the Microsoft Azure


- Go to the below link available in the Github
 https://github.com/AvyanConsultingCorp/azure-quickstart-templates/tree/master/datameer-trend-chef-businessintelligence
- 2) Click on the "Deploy to Azure" in the page, this will take you to the page where you need to to provide the parameters




3) Provide the custom paramaters for the solution accordingly and click "Next" $\,$




4) You need to select the subscription you want to deploy this solution




5) Either you can create a new "Resource Group" or use the existing resource group to deploy this solution




6) Select your choice of Region to deploy this solution,



7) Accept the legal terms to deply the products from the Azure marketplace which includes, Datameer, TredndMicro and Chef. Click on the "Purchase" button for the same.



8) Click on the "Create" button to start deply the solution now



3 How to configure the components

3.1 Datameer

Datameer is the product used for the Big Data Analysis. It can be used many types of data and can connect to different data sources like storage, database etc. In this solution, the data (.csv) from the azure blog storage will be used too identify the Fraud detection using the credit card. The below sections will provide the details of the configuration of the data in the Datameer for the Big Data Analysis

3.2 TrendMicro

TrendMicro is the industry leading security product, which has the capabilities of

- Anti-Virus/Anti-malware detection and prevention.
- Web reputation
- Host based firewall
- Host based Intrution detection and prevention
- File Integrity monitoring
- Log Inspection

TrenMicro DeepSecurity is an agent based security solution which will help the organisations to comply with all their security requirements.

This is solution, showcases the Anit-Malware capabilities of the TrendMicro deepSecurity and below sections will provide the details of the configuration on the same.


4 Signing into Datameer UI

The fraud analysis is performed with the Business Analytics components of the solution, and namely Datameer and Azure HDInsight. All steps are executed in the Datameer UI. There are two ways that you can use to access the Datameer UI:

- · Accessing it directly via the UI URL
- Accessing it via the Azure Management Portal

For the purposes of this HOL we will access the Datameer UI from the Azure Management Portal. Follow these steps:


In Azure Management Portal (http://portal.azure.com) click on *More Services* in the left-side navigation and type *HDInsight* in the filter box




Commented [GP1]: Instead we should ask them to open the resource group and then navigate to the HDInsight cluster.....

Commented [TM2]: Do we have specific name for the resource

2. Click on the HDInsight Clusters in the resulting list to open the HDInsight Clusters Blade



3. Click on the HDInsight Cluster from the Avyan Consulting Enterprise Risk Analysis Solution and on the right click on the *Applications* widget



You will see Datemeer as the only application in the list.

4. Click on the *Portal* link on the right of the Datameer application to load the Datameer UI




You will be prompted to sign in using your Datameer username and password


5. Sign into Datameer UI using the following default credentials:

username: admin password: admin

You will see the Welcome Screen for Datameer and an introduction video will pop up



6. Close the introduction video pop-up and click on the Browse tab




5 Configure Datameer to Fetch Data from Azure Storage


Datameer has more than 65 connectors built in, that allow various systems as data sources. For the purpose of this HOL we will use the Azure Storage connector and fetch the data from there. The assumption is that you have storage account data that contains the transaction data.

In order to configure Datameer to fetch the data from Azure Storage account you need to go through the following steps:


1. Expand the *Data* node in the left-side navigation and right-click on *Connections*




2. Select Create new -> Connection



3. In the Type drop-down, scroll down to File section and select Windows Azure Blob Storage



4. Click Next and fill in the following information on the next screen




Storage Name: The name of the storage account where your data is TBD for the HOL Container Name: The name of the container where your data is TBD for the HOL Access Key: The key used to access the above storage account TBD for the HOL

Leave the default values for *Protocol* and *Connection usage*.


5. Click *Next* and on the next screen type the following description for the connection: "Online Transactions Sample Data"



6. Click Save to save the connection and type the following name in the Save as field:



7. Click Save again and you will see the new connection in the list



Now you have Datameer configured to look for data in the specified Azure Storage account and you can start creating your analysis.


6 Link, Clean and Prepare the Data

Before we start our analysis we need to tell Datameer which data exactly we want to analyze and make sure that it is in the correct format. The sample data we provided has the following two fields that need to be fixed before it is usable for analysis:


- The *timestamp* field is in ISO-8601 format, which needs to be converted into date/time field that Datameer can understand. We can do this conversion while we are linking the data.
- The purchase_amount field is a money field that is interpreted as a STRING by Datameer. We need to
 convert this to FLOAT in order to be able to do calculations. We will do that using Datameer formulas
 once we start our analysis.

Here are the steps to link the data for analysis.


1. Right-click on the DataLinks node in the left-side navigation and select Create new -> Data link




2. On the next screen click on the Select Connection button and select the Conn_OLT_Sample_Data connection you created previously



3. Click on the Select button in the pop-up. Keep the default value CSV/TSV in the File Type drop down and click Next




4. On the next screen type the following in the *File Or Folder* field:




Scroll down to the bottom, keeping the default values for the rest of the fields, and click on Next


5. Datameer pre-fetches a representative sample of the data and shows it on the next screen




6. Click on the down-arrow for the field type under timestamp and change the type from STRING to DATE



7. The dates in the timestamp are automatically marked in red because Datameer cannot parse the ISO-8601 date by default and an input field appears under the field type drop-down



8. Type the following pattern in the field yyyy-MM-dd'T'HH:mm:ss'Z'



Datameer immediately parses the data in the field and shows it in the correct format. Scroll to the bottom of the screen and click on *Next*


9. On the next screen keep the default value for Trigger and click on Next




10. On the next screen type a meaningful description for the DataLink and click on Save



11. Type the following name in the Save as field for the DataLink and click on the Save button




12. The new data link will appear in the list of data links on the next screen




Now you have your dataset linked and have done some preliminary clean-up of the data. Next we will create a workbook where we will finish cleaning up our data and do our analysis. Here are the steps.


13. Expand the *Analytics* node in the left-side navigation, right-click on the *Workbook* node and select *Create* new -> Workbook



14. A new workbook is created and a pop-up window is shown asking you to select the dataset you want to use for analysis. Expand the *Data* node in the pop-up navigation and click on the *DataLinks* node. In the right-side window select the data link that you just created.




15. Click on Add Data to load a sample of the dataset in the workbook sheet




The UI you are presented with is very similar to Excel and uses the same concepts.


 $16. \ \ Right-click \ on \ the \ \textit{DL_OLT_Sample_Data} \ sheet \ at \ the \ bottom \ of \ the \ screen \ next \ and \ select \ \textit{Duplicate}$



17. Keep all of the fields selected in the pop-up and click on the Create Sheet Copy button




18. A new copy of the sheet is created that contains all of the data from the original sheet. Click on the $purchase_amount$ column to enable the f_x field for that column available on top of the sheet




19. Type the following in the f_x field and press *Enter*

FLOAT(SUBSTITUTEALL(SUBSTR(#DL_OLT_Sample_Data!purchase_amount;1);",";""))


The formula strips the \$ (dollar) sign in front of the amount, removes all commas and converts the string to FLOAT. Now you can use numeric functions to perform calculations on the field.



20. Right-click on the sheet name at the bottom of the screen to show the context menu for *Sheet1* and select



21. Rename Sheet1 to Transaction_Data




With this we are done with the clean-up of our data and are ready to perform our analysis.


7 Perform Analysis to Identify Outliers

The goal of our analysis is to identify unusual purchasing patterns that deviate from a well-established norm. If we notice something unusual this may be sign that fraud may be committed. For the purpose of this HOL we will be looking for period during the month, in which the transactions significantly deviate from the normal patters during the rest of the month. Here the steps:


1. Click on the + sign next to the Transaction_Data sheet to create an empty sheet for analysis




2. In the input field in the pop-up type GROUPBY to filter the functions and select GROUPBY from the list




3. In the *Arguments* input field at the bottom of the pop-up type *#Transaction_Data!user_id* to group the data by user identifier and click on the *OK* button



4. The first column of the sheet will be populated with list of unique user identifiers



 Click on the second column to show the functions pop-up again and type GROUPAVERAGE in the filter box and select the GROUPAVERAGE function. In the *Arguments* field type #Transaction_Data!purchase_amount




This will calculate the average purchase amount for each of the users.

6. Click on the third column to show the function pop-up again and type GROUPSTDEVP and select the GROUPSTDEVP function




In the Arguments field type #Transaction_Data!purchase_amount to calculate the standard deviation for the *purchase_amount* field


7. Right-click on the sheet name and select *Rename* from the context menu to rename the sheet. Choose the following name for the sheet:



8. Next we need to join the transaction data for each user with the statistical data for each user to determine how much particular transaction differentiates from the common norm. From the menu bar select *Data -> Join* to create a joined sheet




9. Expand the *Transaction_Data* node in the pop-up navigation tree and drag the *user_id* field to the right. Do the same with the *user_id* field from the *Stats* node.



Click on the Create Joined Sheet button to create the joined sheet.

10. The resulting sheet will show the joined data from both Transaction_Data and Stats sheets. For convenience let's rename few of the columns. Right-click and rename the columns as below:



For convenience let's rename few of the columns. Right-click and rename the columns as below: $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2} \right)$

Transaction_Data.user_id -> user_id

Transaction_Data.purchase_amount -> purchase_amount


 $Stats. Average_purchase_amount -> average_purchase_amount$

Stats.purchase_amount_Stddevp -> purchase_amount_deviation

Also, right-click on the sheet name and rename it to <code>Joined_Data_and_Stats</code>


11. Next, we will identify the outliers by creating a copy of the joined data and filtering it. Right-click on the <code>Joined_Data_and_Stats</code> sheet and select <code>Duplicate</code>. We will select only the data we need and ignore the rest. In the pop-up select only the following fields:

user_id purchase_amount average_purchase_amount purchase_amount_deviation




Click on Create Sheet Copy button

- 12. Right-click on the *Transaction_Data.timestamp* field and rename it to *timestamp* only.
- 13. For the purpose of our analysis we will consider transactions with deviation two times more than standard deviation as outliers. In the new sheet select *Data -> Filter* from the menu.




14. Select the Advanced tab in the pop-up and type the following formula:


ABS(#purchase_amount - #average_purchase_amount) > 2* #purchase_amount_deviation



15. The resulting sheet may be empty because the representative sample that Datameer has selected may not have transactions that are considered outliers. Right-click on the sheet name and rename it to *Outliers*



16. Finally, we would like to create a summary of the data that we would like to visualize. Let's start with summary of the *Transaction_Data*. Create new sheet and in the formula pop-up select the *GROUPBY* function




In the Arguments field type the following formula:

YEAR(#Transaction_Data!timestamp)

17. Click on the next column and in the formula pop-up select again the *GROUPBY* function and paste the following formula in the *Arguments* field:

MONTH(#Transaction_Data!timestamp)




18. Click on the third column and in the formula pop-up select again the *GROUPBY* function and paste the following formula in the *Arguments* field:

DAY(#Transaction_Data!timestamp)



19. Click on the fourth column and in the formula pop-up select the *GROUPCOUNT* function and click the *OK*




20. We have created summary sheet for our transaction data. Rename the field names as follows:

year

month

day


transactions_count



Also, rename the sheet to Transactions_Summary


21. Let's create similar summary for the outliers. Create new sheet and in the formula pop-up select the *GROUPBY* function. In the *Arguments* field type the following formula:

YEAR(#Outliers!timestamp)




22. Click on the next column and in the formula pop-up select again the *GROUPBY* function and paste the following formula in the *Arguments* field:

MONTH(#Outliers!timestamp)




23. Click on the third column and in the formula pop-up select again the *GROUPBY* function and paste the following formula in the *Arguments* field:

DAY(#Outliers!timestamp)




24. Click on the fourth column and in the formula pop-up select the *GROUPCOUNT* function and click the *OK* button




25. We have created summary sheet for our transaction data. Rename the field names as follows:

year month day outliers_count



Also, rename the sheet to Outliers_Summary

26. We need to join the two summary sheets to have the results available in a single sheet for visualization. Select *Data -> Join* and join the *Transactions_Summary* and *Outliers_Summary* sheets by year, month and date as on the picture below by clicking on the *Create Joined Sheet* button



Rename the joined sheet to Joined_Summary


27. Let's copy the joined sheet and remove the duplicate data from it. Right-click on the *Joined_Summary* sheet and select *Duplicate*. Select the following fields in the pop-up:

Transactions_Summary.year Transactions_Summary.month

Transactions_Summary.day

Transactions_Summary.transactions_count

Outliers_Summary.outliers_count



28. Rename the sheet to *Summary* and the columns as follows:


Transactions_Summary.year -> year

Transactions_Summary.month -> month

Transactions_Summary.day -> day


Transactions_Summary.transactions_count - > transactions_count

Outliers_Summary.outliers_count -> outliers_count




29. Click on the sixth column and cancel the formula pop-up. In the f_x field on top of the sheet type the following:

(#Summary!outliers_count/# Summary!transactions_count) * 100




Also, rename the field to *outliers_to_transactions*


30. Selct File -> Save from the menu and type the Vis_Ignite_Fraud in the Name field




31. On the next screen keep the default values for all the fields. Scroll down and click on the Save button again



32. In the list of workbooks select the newly created workbook and click on the run button from the toolbar. This will trigger the calculation on the full data set



You will see updates in the Status column, showing you how the Hadoop job is progressing.



8 Logging in to the TrendMicro DSM

8.1 Server name


From the output section of the deployment you can get the URL for TrendMicroDSM, Splunk and Chef Server (Microsoft.Template)



8.2 Server login

To login to TrendMicro DSM

- Paste the TrendMicro DSM URL in the browser
- Enter the **Username** and **Password** provided in the parameter section during the deployment



9 Perform policy configuration on the TrendMicro DSM


Changing the base policy
 Go to policies->Base Policy




2. Enable Anti-Malware

Go to Anti-malware->Anti-Malware State->On


Click "Save"



3. Applying policies to computer



4. Verifying policy in the computer



10 Exercises

10.1 Datameer - Visualize the Data

Datameer has powerful Infographis to Visualise the data. In this exercise, the data analysed in the above configuration will be displayed graphically.

10.2 TrendMicro – Malware test


TrendMicro has security intelligence built-in to protect the systems against the malwares. In this exercise, showcases the TrendMicro DSM malware detection capability

Play with the exercises and enjoy


11 Visualize the Data

The last exercise in this HOL is to visualize the data and identify certain days when the irregular transactions have spiked. To do that we will use the following steps:


1. In Datameer's Browser view expand the Visualization node and right click on Infographics -> Create New -> Infographic




2. Drag the Line and Area Chart from the Add Widget pane on the left to the work pane in the middle




3. In the Browser pane expand *Analytics* node and then *Workbooks -> Vis_Ignite_Fraud -> Latest Results -> Summary*




4. Drag the day field to the Label input field and the outliers_to_transactions field to the Data input field in the Work pane




Select Infographic -> View from the menu to present the infographic. You can easily see that on the 3rd
and 4th day of the month the outliers significantly spiked, which is a sign of something unusual going on
those two days



6. Select Infographic -> Edit from the Manu and then File -> Save. Type the following in the Name field:






12 Malware Test


12.1 Generating Malware alert in the computer
The Malware test can be performed by going to the url

 $\underline{https://www.google.com/url?sa=t\&rct=j\&q=\&esrc=s\&source=web\&cd=2\&cad=rja\&uact=8\&sqi=2\&ved=0ah\underline{UKEwj6n6H1-}$


 $\underline{\mathsf{IXPAhUSzGMKHZMGC5AQFggmMAE\&url=http\%3A\%2F\%2Fwww.eicar.org\%2Fdownload\%2Feicar.com.txt\&usg=AFQjCNE8DvVl7BE5Nd2hq1zNDTP6hNjclA\&bvm=bv.132479545,d.cGc}$

this is eicar malware test





12.3 Malware Alert vertification



13 References, Attachments & Definitions (Respective track leads)

13.1 References

| No. | Document Title | Link/ Attachment | Comments |
|-----|----------------|---------------------|----------|
| 1 | | | |