Contents

Azure	lm	na	ct	Re	no	rtin	
/ LZUI C		Du	CL	110	\sim	1 (11)	

Overview

What is Azure Impact Reporting?

Tutorials

Register for Private Preview

Report Impact on an Azure Virtual Machine

Onboard to Azure Impact Reporting

Report Impacts Using a Logic App

View Reported Impacts

View Allowed Impact Categories

FAQ

What is Impact Reporting?

12/8/2023 • 2 minutes to read

Azure Impact Reporting enables you to report issues with performance, connectivity, and availability impacting your Azure workloads directly to Microsoft. It is an additional tool you can leverage and a quicker way to let us know that something might be wrong. These reports are used by Azure internal systems to aid in quality improvements and regression detection.

What is an "Impact"?

In this context, an impact is any unexpected behavior or issue negatively affecting your workloads that has been root caused to the Azure platform.

Examples of impacts include:

- Performance Impact: Your application's performance degrades suddenly, you investigate and realize that database writes to your laaS SQL virtual machine are unusually slow.
- Connectivity Impact: You're not able to successfully write to blob store despite having the right permissions
- Availability: Your Azure virtual machine unexpectedly reboots


Next steps

Register your Subscription for Impact Reporting Feature?

12/8/2023 • 2 minutes to read

Follow the steps below to register your subscription for Impact Reporting.

- 1. Navigate to your subscription
- 2. Under the Settings tab section, go to Preview Features
- 3. Under this tab, filter for Microsoft.Impact in the type section



- 4. Click on Allow Impact Reporting feature and register
- 5. After approval, please go to Resource providers, search for Microsoft. Impact and register

Once your request is approved, you will have the ability to report Impact to your Azure workloads.

Next steps

Report Impact

12/8/2023 • 2 minutes to read

You can call our REST API to file an impact report.

TIP

Since most workloads have monitoring in place to detect failures, we recommend creating an integration through a logic app or Azure Function to file an impact report when your monitoring identifies a problem that you think is caused by the infrastructure.

Report Impact via Azure REST API

Please review our full REST API reference for more examples.

```
{
    "properties": {
        "impactedResourceId":
    "/subscriptions/<Subscription_id>/resourcegroups/<rg_name>/providers/Microsoft.Compute/virtualMachines/<vm_n ame>",
        "startDateTime": "2022-11-03T04:03:46.6517821Z",
        "endDateTime": null, //or a valid timestamp if present
        "impactCategory": "Resource.Availability", //valid impact category needed
        "workload": { "name": "webapp/scenario1" }
    }
}
```

```
az rest --method PUT --url
"https://management.azure.com/subscriptions/<Subscription_id>/providers/Microsoft.Impact/workloadImpacts/<im
pact_name>?api-version=2022-11-01-preview" --body <body_above>
```

--coming soon: file an impact report via azcli and Azure portal.

Next steps


• Get allowed impact category list


Quickstart: Onboard to Azure Impact Reporting

12/8/2023 • 2 minutes to read

NOTE

Please visit the API Docs to learn more about available impact management actions.






Register your Subscription for Impact Reporting Feature

NOTE

Please remember to also send the subscription list to impactrp-preview@microsoft.com.

Follow the steps below to register your subscription for Impact Reporting.

- 1. Navigate to your subscription
- 2. Under the Settings tab section, go to Preview Features
- 3. Under this tab, filter for Microsoft.Impact in the type section



- 4. Click on Allow Impact Reporting feature and register
- 5. After approval, please go to Resource providers , search for Microsoft.Impact and register

Once your request is approved, you will have the ability to report Impact to your Azure workloads.

Report Using Managed Identity

Grant Required Permissions

The principal reporting impacts needs to have the Impact Reporter Azure built-in role at the tenant, subscription, resource group, or resource level. This role provides the following actions:

```
"Microsoft.Impact/WorkloadImpacts/*",
```

Report Using curl or Powershell

Below are some examples on how you may report impact from the cli. Please note that in this case the user reporting impact needs to have the Impact Reporter Azure resource role assigned at the right scope.

- Powershell
- cURL

```
# Log in first with Connect-AzAccount if not using Cloud Shell
$azContext = Get-AzContext
$azProfile =
[Microsoft.Azure.Commands.Common.Authentication.Abstractions.AzureRmProfileProvider] :: Instance.ProfileProvider :: Instance.ProfileProvider
$profileClient = New-Object -TypeName Microsoft.Azure.Commands.ResourceManager.Common.RMProfileClient -
ArgumentList ($azProfile)
$token = $profileClient.AcquireAccessToken($azContext.Subscription.TenantId)
$authHeader = @{
          'Content-Type'='application/json'
          'Authorization'='Bearer ' + $token.AccessToken
}
$body = @"
      `"properties`": {
             "impactedResourceId`": `"/subscriptions/00000000-0000-0000-0000-000000000/resourceGroups/resource-
rg/providers/Microsoft.Sql/sqlserver/dbservercontext`",
            `"endDateTime`": null,
          `"impactDescription`": `"high cpu utilization`",
          `"impactCategory`": `"Resource.Performance`",
          `"workload`": {
               `"context`": `"webapp/scenario1`",
              `"toolset`": `"Other`'
          },
           `"performance`": [
                   `"metricName`": `"CPU`",
                    `"actual`": 90,
                    `"expected`": 60
              }
          ]
    }
}
 "@
# Invoke the REST API
$restUri = 'https://management.azure.com/subscriptions/00000000-0000-0000-0000-
0000000000/providers/Microsoft.Impact/workloadImpacts/<impact_name>?api-version=2023-02-01-preview'
$response = Invoke-RestMethod -Uri $restUri -Method Put -Body $body -Headers $authHeader
```

Payload Examples

Connectivity

```
PUT https://management.azure.com/subscriptions/00000000-0000-0000-0000-
{\tt 00000000000/providers/Microsoft.Impact/workloadImpacts/impact-001?api-version=2022-11-01-preview}
  "properties": {
    "impactedResourceId": "/subscriptions/00000000-0000-0000-0000-
0000000000/resourceGroups/resourceSub/providers/Microsoft.sql/sqlservers/db1",
    "startDateTime": "2022-06-15T05:59:46.6517821Z",
    "endDateTime": null,
    "impactDescription": "conection failure",
    "impactCategory": "Resource.Connectivity",
    "connectivity": {
      "protocol": "TCP",
      "port": 1443,
      "source": {
        "azureResourceId": "/subscriptions/00000000-0000-0000-0000-
{\tt 000000000000/resourceGroups/resourceSub/providers/Microsoft.compute/virtualmachines/vm1"}
      "destination": {
        "uri": "https://www.microsoft.com"
      }
    },
    "workload": {
      "context": "webapp/scenario1",
      "toolset": "Other"
    }
  }
```

Performance


```
PUT https://management.azure.com/subscriptions/00000000-0000-0000-0000-
00000000000/providers/Microsoft.Impact/workloadImpacts/impact-002?api-version=2022-11-01-preview
  "properties": {
    "impactedResourceId": "/subscriptions/00000000-0000-0000-0000-0000000000/resourceGroups/resource-
rg/providers/Microsoft.Sql/sqlserver/dbservercontext",
    "startDateTime": "2022-06-15T05:59:46.6517821Z",
    "endDateTime": null,
    "impactDescription": "high cpu utilization",
    "impactCategory": "Resource.Performance",
    "workload": {
      "context": "webapp/scenario1",
      "toolset": "Other"
    "performance": [
        "metricName": "CPU",
        "actual": 90,
        "expected": 60
     }
    1
 }
}
```

Report Impacts Using a Logic App

12/8/2023 • 3 minutes to read

NOTE

Please visit the API Docs to learn more about available impact management actions.



Prerequisites

Please first see Onboarding for steps on enabling private preview API access for your subscription.

A managed identity with PUT access to the ImpactRP API and read access to the data source for the workload is required. Additionally, a query with a 1 minute or greater polling interval for the data source to generate the following fields is needed:

- ImpactName
- ImpactStartTime
- ImpactedResourceld
- WorkloadContext
- ImpactCategory

This guide will use a Kusto cluster as an example data source with the following query:

```
ExampleTable
| where Status =~ "BAD" and ingestion_time() > ago(1m)
| distinct ImpactStartTime=TimeStamp, ImpactedResourceId=ResourceId, WorkloadContext=Feature,
ImpactCategory="Resource.Availability", ImpactName = hash_sha1(strcat(TimeStamp, ResourceId , Feature,
Computer, ingestion_time()))
```

NOTE

Please replace the above query with a query to a datastore or source that is supported by Logic Apps that returns the same columns. If all of these columns are not readily available, additional steps must be added to the workflow to generate the missing fields.

Steps

- 1. Create a new Logic Apps in Azure Portal with the following settings:
 - Publish: Workflow
 - Region: Central US
 - Plan: Standard
- 2. (Optional) Under the "Monitoring" section, set "Enable Application Insights" to "Yes". This will allow for failure monitoring. Additional steps will be at the bottom of this document.
- 3. Review and Create the Logic App. Once created, open the Logic App and navigate to "Settings" -> "Identity" in the side pane. In the "User assigned" section, click "Add" and select the managed identity created in the prerequisites. Click "Save" to save the changes.
- 4. Navigate to "Workflows" -> "Connections" and click on the "JSON View" tab. Create a connection for your data source. The following is an example for Kusto with managed identity, but any data source supported by Logic Apps can be used:

```
{
    "managedApiConnections": {
        "kusto": {
            "api": {
               "id":
"/subscriptions/<subscription_id>/providers/Microsoft.Web/locations/<region>/managedApis/kusto"
            "authentication": {
                "type": "ManagedServiceIdentity"
            "connection": {
                "id":
"/subscriptions/<subscription_id>/resourceGroups/<rg_name/providers/Microsoft.Web/connections/<connec
tion_name>"
            "connectionProperties": {
                "authentication": {
                    "audience": "https://kusto.kustomfa.windows.net",
                    "identity":
"/subscriptions/<subscription_id>/resourcegroups/<rg_name>/providers/Microsoft.ManagedIdentity/userAs
signedIdentities/<managed_identity_name>",
                    "type": "ManagedServiceIdentity"
            },
            "connectionRuntimeUrl": "<kusto_connection_runtime_url>"
        }
   }
}
```

Click "Save" to save the changes.

- 5. Navigate to "Workflows" -> "Workflows". Click "Add" and create and new blank workflow with "State Type" set as "Stateful".
- 6. Click on the newly created workflow. Navigate to to "Developer" -> "Code" and replace the contents of

```
{
    "definition": {
        "$schema": "https://schema.management.azure.com/providers/Microsoft.Logic/schemas/2016-06-
01/workflowdefinition.json#",
        "actions": {
            "For_each": {
                "actions": {
                    "HTTP": {
                        "inputs": {
                            "authentication": {
                                "identity":
"/subscriptions/<subscription id>/resourcegroups/<rg name>/providers/Microsoft.ManagedIdentity/userAs
signedIdentities/<managed_identity_name>",,
                                 "type": "ManagedServiceIdentity"
                            },
                            "body": {
                                "properties": {
                                    "endDateTime": null,
                                    "impactCategory": "@{items('For_each')?['ImpactCategory']}",
                                    "impactedResourceId": "@{items('For_each')?
['ImpactedResourceId']}",
                                    "startDateTime": "@{items('For_each')?['ImpactStartTime']}",
                                    "workload": {
                                         "context": "@{items('For_each')?['WorkloadContext']}"
                                }
                            },
                             "method": "PUT",
                            "retryPolicy": {
                                "count": 5,
                                "interval": "PT30M",
                                "maximumInterval": "PT24H",
                                "minimumInterval": "PT30M",
                                 "type": "exponential"
                            },
                            "uri": "@{concat('https://management.azure.com/subscriptions/',
split(item().ImpactedResourceId, '/')[2], '/providers/Microsoft.Impact/workloadImpacts/',
item().ImpactName, '?api-version=2022-11-01-preview')}"
                        },
                        "runAfter": {},
                        "type": "Http"
                    }
                },
                "foreach": "@body('Run_KQL_query')?['value']",
                "runAfter": {
                    "Run_KQL_query": [
                        "Succeeded"
                },
                "type": "Foreach"
            "Run_KQL_query": {
                "inputs": {
                    "body": {
                        "cluster": "https://examplecluster.eastus.kusto.windows.net/",
                        "csl": "ExampleTable\n|where Status =~ \"BAD\" and
ingestion_time()>ago(1m)\n|distinct ImpactStartTime=TimeStamp, ImpactedResourceId=ResourceId,
WorkloadContext=Feature, ImpactCategory=\"Resource.Availability\", ImpactName =
hash sha1(strcat(TimeStamp, ResourceId , Feature, Computer, ingestion time()))",
                        "db": "exampledb"
                    },
                    "host": {
                        "connection": {
                            "referenceName": "kusto"
                        }
                    },
```

```
"method": "post",
                    "path": "/ListKustoResults/false"
                },
                "runAfter": {},
                "type": "ApiConnection"
        },
        "contentVersion": "1.0.0.0",
        "outputs": {},
        "triggers": {
            "Recurrence": {
                "recurrence": {
                    "frequency": "Minute",
                    "interval": 1
                "type": "Recurrence"
            }
        }
    }.
    "kind": "Stateful"
}
```

Click "Save" to save the changes.

7. Navigate to "Developer" -> "Designer". Click on the "Run KQL Query" block. Replace "Cluster URL" and "Database" with the target Kusto cluster and database. Replace the "Query" with the query from the prerequisites. Next, click on the blue "Change connection" link underneath the query textbox. Set "Authentication" to Managed Identity and set "Managed identity" to the managed identity created in the prerequisites with an appropriate "Connection Name" and click "Create".

NOTE

If using a source other than Kusto, replace the "Run KQL Query" block with the appropriate block for your data source. The "For Each" block will need to be updated to iterate over the results of the query and the "HTTP" block will need to be updated to use the appropriate data from the query results.

- 8. (Optional) If the polling interval for the query is greater than 1 minute, click on the "Recurrence" block and set the "Interval" to the polling interval in minutes.
- 9. Click on the "HTTP" block and update the "Authentication" to the managed identity created in the prerequisites. Click "Save" to save the changes.
- 10. Navigate to "Overview" and click "Run" to test the flow. Results will be displated under "Run History".
- 11. (Optional) Return to the Logic App screen in Azure Portal. Navigate to "Settings" -> "Application Insights" and click on the hyperlink to the Application Insights resource. Navigate to "Monitoring" -> "Alerts". Click "Create" -> "Alert Rule". From here, you can create an alert rule to notify on failures.

View Impact Reports

12/8/2023 • 2 minutes to read

You can leverage the Impact Reporting REST API to view previously filed impact reports. Please review the full REST API reference.

However, you can also report an Impact via REST API call (Portal and Azure CLI coming soon).

View a single Impact Report

REST API reference

```
az rest --method GET --url
"https://management.azure.com/subscriptions/<Subscription_id>/providers/Microsoft.Impact/workloadImpacts/<im
pact_name>?api-version=2022-11-01-preview"
```

Response

```
"id": "/subscriptions/<Subscription\_id>/providers/Microsoft.Impact/workloadImpacts/Impact02", and the context of the context
        "name": "Impact02",
        "type": "microsoft.impact/workloadimpacts",
        "systemData": {
       },
        "properties": {
                "impactedResourceId": "/subscriptions/<Subscription_id>/resourceGroups/<rg-
name>/providers/Microsoft.Compute/virtualMachines/<vm-name>",
                "startDateTime": "2022-11-14T05:59:46.6517821Z",
               "endDateTime": null,
               "impactDescription": "something's not right",
                "impactCategory": "Resource.Performance",
                "workload": {
                      "context": "myCompany/scenario1",
                        "toolset": "REST"
               },
                "provisioningState": "Succeeded",
                "impactUniqueId": "1234n98-8dc8-4c52-8ce2-6fa86e6rs",
                 "reportedTimeUtc": "2022-11-14T20:55:38.7667873Z"
        }
}
```

Delete an Impact Report

```
az rest --method DELETE --url
"https://management.azure.com/subscriptions/<Subscription_id>/providers/Microsoft.Impact/workloadImpacts/<im
pact_name>?api-version=2022-11-01-preview"
```

Next steps

Impact Categories

12/8/2023 • 2 minutes to read

NOTE

All Azure resource types are currently supported for impact reporting.

Please review our full list of categories in our REST API reference.

Category list

CATEGORY NAME	PROBLEM DESCRIPTION
ARMOperation.CreateOrUpdate	Use this to report problems related to creating a new azure virtual machines such as provisioning or allocation failures
ARMOperation.Delete	Use this to report failures in deleting a resource.
ARMOperation.Get	Use this to report failures in querying resource metadata.
ARMOperation. Start	Use this to report failures in starting a resource.
ARMOperation.Stop	Use this to report failures in stopping a resource.
ARMOperation.Other	Use this to report Control Plane operation failures that don't fall into other ARMOperation categories.
Resource.Performance	Use this to report general performance issues. For example, as high usage of CPU, IOPs, disk space, or memory
Resource.Performance.Network	Use this to report performance issues which are networking related. For example, degraded network throughput.
Resource.Performance.Disk	Use this to report performance issues which are disk related. For example, degraded IOPs
Resource.Performance.CPU	Use this to report performance issues which are CPU related.
Resource.Performance.Other	Use this to report issues that don't fall under other Resource.Performance sub-categories.
Resource.Connectivity	Use this to report general connectivity issues to or from a resource.
Resource.Connectivity.Inbound	Use this to report inbound connectivity issues to a resource.
Resource.Connectivity.Outbound	Use this to report outbound connectivity issues from a resource.

CATEGORY NAME	PROBLEM DESCRIPTION
Resource.Connectivity.Other	Use this to report issues that don't fall into under other Resource.Connectivity sub-categories
Resource.Availability	Use this to report general unavailability issues
Resource.Availability.Restart	Use this to report if an unexpected virtual machine restarts
Resource.Availability.Boot	Use this to report virtual machines which are in a non-bootable state, not booting at all or is on a reboot loop
Resource.Availability.Disk	Use this to report availability issues related to disk
Resource. Availability. Un Responsive	Use this to report a resource that is not responsive now or for a period of time in the past
Resource.Availability.Storage	Use this to report availability issues related to storage.
Resource. Availability. Network	Use this to report network availability issues.
Resource.Availability.DNS	Use this to report DNS availability issues.
Resource. Availability. Other	Use this to report issues that don't fall into under other Resource. Availability sub-categories

Next steps

View previously filed impact reports

Azure impact Reporting FAQ

12/8/2023 • 2 minutes to read

Is this a replacement for opening a support ticket?

No. Azure Impact Reporting is simply another tool that enables you to inform Microsoft that something may be wrong. In addition to being analyzed by different service teams, your impact reports are correlated with ongoing deployments to determine what action should be taken.

What do I get as response to filing an Impact report?

Every Impact report is ingested by our internal correlation tools to help Microsoft provide you with better services and ease your pain. When there's a correlation, this will be indicated in the impact report.

Who do I reach out to if I need to learn more about a previously filed Impact report?

Please email impactrp-preview@microsoft.com

What Azure resource types are enabled for Impact reporting?

All Azure resource types are enabled for impact reporting.

Next steps