INTERNAL — DISCOVERY REPORT

Executive Summary

Live Discovery Report — azlocal-iic-01

Mode: current-state | Ranger Version: 2.1.0 | Generated: 04/06/2026 12:08:32

Overall Health · Azure Integration · Security Posture · Monitoring Coverage

Storage used:	0%
Storage reserve:	0%
Safe allocatable:	0%
Monitoring coverage:	100%
Backup coverage:	20%

Table of Contents

- Run Summary
- Readiness Snapshot
- Health Status
- Environment Overview
- Topology and Operating Model
- Domain Coverage
- Operational Risk Summary
- Workload Summary
- Capacity Summary

Priority Recommendations

- **[WARNING]** One or more node certificates expire within 90 days
  Review certificate ownership and renew expiring node certificates before handoff.
- **[WARNING]** iDRAC firmware below recommended baseline on all nodes
  Update iDRAC firmware via Dell OME or Lifecycle Controller during next maintenance window.

Collector Overview

hardware

Status: success

Targets:

management-performance

Status: success

Targets:

monitoring-observability

Status: success

Targets:

storage-networking

Status: success

Targets:

topology-cluster

Status: success

Targets:

waf-assessment

Status: success

Targets:

workload-identity-azure

Status: success

Targets:

Run Summary

- Mode: current-state
- Generated: 04/06/2026 12:08:32
- Cluster: azlocal-iic-01
- Nodes: 3
- Collectors: 7/7 successful
- Artifacts currently recorded: 0

Readiness Snapshot

- Schema validation: passed
- Critical findings: 0
- Warning findings: 2
- Informational findings: 2
- Successful collectors: 7 of 7
- Partial or failed collectors: 0

Health Status

- Overall health: GREEN (critical, warning findings)
- Azure integration: GREEN (10 Azure resources discovered)
- Security posture: GRAY (Secured-Core enabled on node(s))
- Monitoring coverage: GREEN (100% of nodes have Azure Monitor Agent)

Environment Overview

- VMs discovered: 5
- Azure resources discovered: 10
- Connected Azure auth method: service-principal
- Monitoring resources: 5
- Management services running: 4

Topology and Operating Model

- Deployment type: hyperconverged
- Identity mode: ad
- Connectivity mode: connected
- Storage architecture: storage-spaces-direct
- Network architecture: switched
- Variant markers: connected

Domain Coverage

- Cluster nodes: 3
- Cluster roles: 5
- Storage pools: 1
- Physical disks: 24
- Network adapters: 12
- VMs discovered: 5
- Azure resources: 10
- Alerting resources: 2
- Management services: 4

Operational Risk Summary

- Nodes not healthy: 0
- Unhealthy disks: 0
- High CPU nodes: 0
- Certificates expiring within 90 days: 1
- Azure Policy assignments: 2
- Schema warnings: 0
- Azure Advisor recommendations: total, 3 high-impact

Workload Summary

- Total VMs: 5
- Total nodes: 3
- AKS clusters: 1
- Arc-connected machines: 1
- Update compliance: No update resources tracked
- Licensing: IIC Platform Production
- VMs using Arc IP fallback: Not collected

Capacity Summary

- Storage total raw: 0 TiB
- Storage total usable: 0 TiB
- Storage used by workloads: 0 TiB (0% of usable)
- Storage reserve target: 0 TiB (0% of usable)
- Storage free usable: 0 TiB
- Projected safe allocatable: 0 TiB
- Thin provisioning ratio: Not computed
- vCPU:pCPU overcommit ratio: Not computed
- Memory overcommit ratio: Not computed
- Average VMs per node: N/A

Architecture Diagrams

Azure Arc Integration



Backup Recovery Map

Identity Access Surface

Logical Network Topology



Management Plane Tooling



Monitoring Health Heatmap



Monitoring Telemetry Flow



Oem Firmware Posture

Physical Architecture



Storage Architecture

Vm Placement Map



Workload Family Placement



Workload Services Map



Findings

WARNING **One or more node certificates expire within 90 days**

Identity posture data indicates certificate on azl-iic-n01 expires within 90 days.

Current state: 1 certificate expiring within 90 days

Recommendation: Review certificate ownership and renew expiring node certificates before handoff.

WARNING **iDRAC firmware below recommended baseline on all nodes**

OEM integration data shows iDRAC firmware at 7.10.30.00. The recommended baseline is 7.20 or later.

Current state: iDRAC firmware 7.10.30.00

Recommendation: Update iDRAC firmware via Dell OME or Lifecycle Controller during next maintenance window.