Zadanie 5.1

1.Listen together


1. Możliwość subskrybowania podkastów

2. Możliwość przesłuchania wybranych podkastów póżniej

4, 5. Możliwość zmiany kolorystyki strony ręcznie, lub według wybranej kolorystyki systemu

Zadanie 5.2

1. Metoda POST api "FeedsApi"

2. Metoda GET api "FeedsApi"

3. Metoda GET api "FeedsApi"

DELETE /feeds/{id}　　　　　　　　　　　　　　　　　　　　　　　　　　　∧ 🔒

Parameters　　　　　　　　　　　　　　　　　　　　　　　　　　　　Cancel

Name	Description
id * required string *(path)*	`b862a9b4-9a7e-4a11-f504-08dbaee88770`

Request body

[Execute]　　　　　　　　　　[Clear]

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:5003/feeds/b862a9b4-9a7e-4a11-f504-08dbaee88770' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:5003/feeds/b862a9b4-9a7e-4a11-f504-08dbaee88770
```

Server response

Code	Details
500 Undocumented	Error: Internal Server Error

Response body

```
System.InvalidOperationException: Unable to find the required 'IAuthenticationService' service. Please add all the required services by calling 'IServiceCollection.AddAuthentication' in the appl
ications startup code.
```

Response body

```
System.InvalidOperationException: Unable to find the required 'IAuthenticationService' service. Please add all the required services by calling 'IServiceCollection.AddAuthentication' in the appl
ication startup code.
   at Microsoft.AspNetCore.Authentication.AuthenticationHttpContextExtensions.GetAuthenticationService(HttpContext context)
   at Microsoft.AspNetCore.Authentication.AuthenticationHttpContextExtensions.ChallengeAsync(HttpContext context)
   at Microsoft.AspNetCore.Authorization.Policy.AuthorizationMiddlewareResultHandler.<>c__DisplayClass0_0.<<HandleAsync>g__Handle|0>d.MoveNext()
--- End of stack trace from previous location ---
   at Microsoft.AspNetCore.Authorization.AuthorizationMiddleware.Invoke(HttpContext context)
   at Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddlewareImpl.Invoke(HttpContext context)

HEADERS
=======
Accept: */*
Connection: keep-alive
Host: localhost:5003
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/116.0.0.0 Safari/537.36
Accept-Encoding: gzip, deflate, br
Accept-Language: en-GB,en-US;q=0.9,en;q=0.8
Cookie: .AspNetCore.Antiforgery.yL7e25ZPX9E=CfDJ8Jc20PkUDqdPjfayMIAMVFeKqpjUDRlTALkL0PiiWpHiTxTvkgaxFuY9mybdIZwR9VufRgLMhRC6DHD6La5x0hbR6TO7qZTWxNzPtfZFX9T7iLJ-bO3iMGoVL7sBZ6F4xQZ6yWuzeZ1RFEtjSm
pAoto
Origin: http://localhost:5003
Referer: http://localhost:5003/swagger/index.html
sec-ch-ua: "Chromium";v="116", "Not)A;Brand";v="24", "Google Chrome";v="116"
sec-ch-ua-mobile: ?0
sec-ch-ua-platform: "Windows"
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
```
[Download]

Response headers

```
content-type: text/plain; charset=utf-8
date: Wed,06 Sep 2023 15:06:51 GMT
server: Kestrel
transfer-encoding: chunked
```

Responses

Code	Description	Links
204	Success	*No links*
404	Client error	*No links*

Zadanie 5.3

1.

2.

3.

Zadanie 5.4

UserSubmittedFeeds
- Id
- Url
- Title
- Timestamp
- Categories

__EFMigrationsHistory
- MigrationId
- ProductVersion

Feeds
- Url
- IsFeatured

Shows
- Id
- Title
- Author
- Description
- Image
- Updated
- Link
- Email
- Language
- FeedId

FeedCategory
- FeedId
- CategoryId

Categories
- Id
- Genre

Episodes
- Id
- Title
- Description
- Explicit
- Published
- Duration
- Url
- ShowId

Zadanie 5.5

Client — GET ID → API ← SELECT — DB

Client ← episodeDto — API — episode → DB

Zadanie 5.6

```razor
@page "/settings"
@inject ThemeInterop ThemeInterop

<PageTitle>.NET Podcasts - Settings</PageTitle>

@if (isLoading)
{
    <Spinner />
}
else
{
    <div class="containerPage">
        <div class="titleWrapper">
            <TitlePage Label="Settings" />
        </div>

        <div class="contentWrapper">
            <SubtitlePage Label="Download settings" />
            <div class="settings-content">
                <ToggleSwitch Name="autodownload" Label="Autodownload using data"
                    Description="Turn on to allow downloads using cellular data if WiFi is unavailable." /
                
                <ToggleSwitch Name="deleteplayed" Label="Delete played episodes"
                    Description="Turn on to delete episodes after they've been played." />
                
                <ToggleSwitch Name="displayDates" Label="Display dates"
                    Description="Turn on to display dates." />
                
                <ToggleSwitch Name="systemtheme" Label=@($"Use System Theme ({systemTheme})") Checked="@is
                    Description="Turn on to follow the system theme."
                    OnChange="@OnUseSystemTheme" />
                
                <ToggleSwitch Name="darktheme" Label="Dark Theme" Checked="@isDarkMode"
                    Description="Turn on to use a dark theme (disabled when using system theme)." IsDisabl
                    OnChange="@OnDarkThemeChanged" />
            </div>
            <p class="settings-developed">Podcasts demo website developed in <a href="https://blazor.net"
        </div>
    </div>
}
```