



TG IETS News Alert



The Star, 26th Feb 2011

RM 17, 000 FINE For Releasing Untreated Effluents Into Drains

Johor Bahru, A manufacturing company was fined **RM 17,000** after a Session Court here found it guilty of **releasing untreated effluent into the drainage system.**

Synturn (M) Sdn Bhd managing director pleaded guilty to the offence under **Section 25(1)** of the **Environmental Quality Act 1974.**

The company was charged with the offence occurred at around 2.25 pm at its factory premises in **Taman Perindustrian Cemerlang** in **Ulu Tiram** **Nov 3, 2009.**

The company was accused of releasing **Biochemical Oxygen Demand (BOD)** and **Chemical Oxygen Demand (COD)** and other substances beyond permitted levels.

Session Court judge **Zamri Bakar** **fined the company RM 17,000** for the offence. It settled the fine.

" 100 % Environmental Compliance To DOE Industrial Effluent Standard B"

"If fail, subject to Max Fine of RM 100,000 and Max Imprisonment of 5 years or Both "

DOE Standard B:

- * COD = 200 mg/l
- * BOD = 50 mg/l
- * Zinc = 2 mg/l
- * O&G = 10 mg/l
- * pH = 5.5 - 9.0
- * TSS = 100 mg/l

Environmental Quote:

We can do small things every day that will make an impact on saving the earth.



Please minimize water usage in production and compounding to reduce burden in IETS & reduce water wastage.

DOE Last Visit:

F18, 18/02/2011