MALWARE ANALYSIS REPORT

Static & Dynamic Analysis Report | D. Wynkoop
September 5, 2026

[SUMMARY]

This report provides a technical analysis of executable sample 95c21c7542ced5450ff32d9d077f454c763443cacd821d45bd14c30b87d9e8f3.exe. Static and dynamic analysis identified a packed and obfuscated 64-bit .NET executable that modified Windows Defender settings, used hidden PowerShell with execution policy bypass, created persistence artifacts, and dropped a secondary payload. Windows Defender classified the dropped payload as Trojan:MSIL/NegaStealer.AB!MTB during local testing. Post analysis validation against MalwareBazaar identifies the submitted sample as RemcosRAT, with multiple linked sandboxes also reporting Remcos related behavior.

[THREAT SEVERITY] HIGH

The sample demonstrates high-risk behavior including .NET packing/obfuscation, attempts to modify Defender policy, hidden PowerShell execution, and persistence through registry and scheduled-task artifacts.

[STATIC ANALYSIS & METADATA]

Static property inspection of the binary confirms that the executable is compiled as a 64-bit Portable Executable (PE32+) targeted for the Microsoft .NET Framework (v4.7.2).

File Property	Value / Detail
File Name	95c21c7542ced5450ff32d9d077f454c763443cacd821d45bd14c30b87d9e8f3.exe
SHA-256 Hash	95C21C7542CED5450FF32D9D077F454C763443CACD821D45BD14C30B87D9E8F3
File Size	1.37 MB (1,444,864 bytes)
Compiler / Language	VB.NET / Microsoft Intermediate Language (MSIL)
Original Filename	Zlvc.exe
Embedded Product Name	VirtualMachine26
Embedded Company Name	HyperCore Labs (embedded metadata)
Compile Stamp	Thu Aug 27 03:46:08 2026 UTC
PDB Debug Path	C:\Users\Administrator\Desktop\Client\Temp\NOCvnnitRK\src\obj\Debug\Zlvc.pdb

[Entropy & Packing Indicators]

Detect It Easy and PeStudio showed unusually high entropy in key areas of the Portable Executable (PE). The .text section measured 7.944 entropy and represented most of the file, while an embedded resource measured 7.995 entropy (approximately 1.32 MB). High entropy is consistent with compression, packing, or obfuscation and can make static inspection more difficult. External sandbox validation later identified SmartAssembly .NET packing for this sample, supporting the local packing/obfuscation assessment.

[DYNAMIC BEHAVIOR & HOST MODIFICATIONS]

Upon dynamic execution within an isolated Windows analysis virtual machine, Process Monitor captured specific host tampering actions designed to weaken security configurations and degrade operating system defenses.

[ZoneMap Configuration Changes]

Process Monitor captured changes to Windows Internet Settings ZoneMap values. Specifically, the sample modified the following values under the registry path HKCU\Software\Microsoft\Windows\CurrentVersion\Internet Settings\ZoneMap\:

- ProxyBypass: 1 (Maps proxy-bypass sites into the Local Intranet zone)
- IntranetName: 1 (Includes local intranet sites not otherwise assigned)
- UNCAsIntranet: 1 (Maps UNC network paths into the Local Intranet zone)
- AutoDetect: 0 (Disables automatic intranet detection)

These values change how Windows classifies local and intranet resources. Proxy-bypass sites and UNC paths may be treated as Local Intranet content under this configuration. The analysis confirmed the registry changes but did not demonstrate proxy bypass traffic, unauthorized script execution, or lateral movement.

[Antivirus Defense Evasion]

Process Monitor and Defender alerts show an attempt to modify Microsoft Defender policy. The sample accessed and attempted to write the following value:
HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\DisableAntiSpyware
HKLM\SOFTWARE\Policies\Microsoft\Windows Defender\DisableAntiVirus
The attempted change is consistent with defense evasion. Defender detected the modification during the analysis; the local run did not establish that real time protection was successfully disabled or that C2 occurred.

[PERSISTENCE MECHANISMS]

Regshot comparison data showed two persistence-related artifacts created after execution:
The artifacts are documented as observed; intended trigger behavior was not independently validated.

Type	Target Registry/Task Path	Details / Command Line
Registry Run Key	HKU\S-1-5-21-...\Software\Microsoft\\Windows\CurrentVersion\Run\XoI	Launches PowerShell with -ExecutionPolicy Bypass and a hidden window.
Scheduled Task	\SoftLanding (GUID: {00B2430C-BAA4-45FD-9FBA-A23DC18FCBA7})	Creates a scheduled task artifact named SoftLanding; trigger behavior was not independently validated.

[Obfuscated Run-Key PowerShell Command Analysis]

The registry Run value Xoi invokes PowerShell with flags that suppress profiles, bypass execution policy, and hide the window:
powershell.exe -NoProfile -ExecutionPolicy Bypass -WindowStyle Hidden -Command ...
The command also contains Base64-encoded strings. Decoding the observed strings revealed:

Encoded String	Decoded Value	Technical Action
U3RhcnQtU2xlZXA=	Start-Sleep	Introduces an execution delay that may reduce behavior observed in short analysis windows.
QzpcVXNlcnNcV2luZG93c1VzZXJc QXBwRGF0YVxSb2FtaW5nXFhvbC 5leG== (Partially obfuscated string)	C:\Users\WindowsUser\AppData\Roaming\XoI.exe	References the dropped executable for later execution.

[DROPPED PAYLOADS & ENDPOINT DETECTION ALERTS]

During dynamic execution, the sample created or referenced a dropped executable under the user Roaming profile. Windows Defender generated the following alerts during the analysis.

Security Alert	Classification	Action Taken / Context
VirTool:Win32/DefenderTamperingRestore	Severe (Active/Quarantined)	Triggered by the attempted modification of the DisableAntiSpyware value in Microsoft Defender policies.
VirTool:PowerShell/Magnib.A	Severe (Active/Quarantined)	Triggered by the obfuscated Run-key PowerShell command; Defender/AMSI detected the script content.
Trojan:MSIL/NegaStealer.AB!MTB	Severe (Quarantined)	Local Defender classification for the dropped executable payload 'XoI.exe' under 'C:\Users\WindowsUser\AppData\Roaming\'.

[Incident Response]

- Host Isolation: Immediately isolate affected endpoints to prevent further network communication.

- Process Remediation: Terminate the malicious sample process, the dropped payload, and any associated suspicious PowerShell processes after preserving evidence.

- File Cleanup: Quarantine/remove C:\Users\WindowsUser\AppData\Roaming\XoI.exe after evidence collection.

- Registry/Task Restoration: Remove XoI and SoftLanding artifacts and restore modified Defender/ZoneMap settings from known-good values.

- EDR/AV Sweep: Scan for Remcos, NegaStealer detections, and the observed behavioral indicators.

[Post Analysis]

Post analysis comparison with MalwareBazaar was performed after the local investigation.
MalwareBazaar lists the submitted sample as RemcosRAT; the SHA-256 and file size match this sample.
Linked Joe Sandbox, Hatching Triage, CERT.PL MWDB, Threatray, and VMRay results also identify Remcos.
Triage reports SmartAssembly packing, PowerShell execution, Run-key persistence, and Defender policy changes.
It also extracts Remcos C2 configuration, including www.dmgl-international.xyz:2404 and backup domains.
These external results corroborate several local behaviors but are not treated as locally observed network activity.
The windows analysis VM was intentionally Internet-isolated, so no external C2 communications were confirmed locally.