Cucumber Report

Start : Jul 08, 7:24:53.302 PM	End : Jul 08, 7:24:58.859 PM	Duration : 5.557 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
US_06 Dean should be able to create Vice Dean	5.557 s	1	0	1	0	2	1	1	0

| #	Feature Name	Scenario Name
1	*US_06 Dean should be able to create Vice Dean*	*TC_001 User can create Vice Dean by entering required credentials "Positive Test"*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@US_06_API	1	0	1	0	1	0	1	0
@US_06_TC_001_API	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	US_06 Dean should be able to create Vice Dean	1	0	1	0	5.557 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	US_06 Dean should be able to create Vice Dean	TC_001 User can create Vice Dean by entering required credentials "Positive Test"	2	1	1	0	5.552 s

US_06 Dean should be able to create Vice Dean

FAILED	DURATION - 5.557 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 7:24:53.302 PM // 7:24:58.859 PM /			1		2

TC_001 User can create Vice Dean by entering required credentials "Positive Test"

FAILED	DURATION - 5.552 s		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
/ 7:24:53.307 PM // 7:24:58.859 PM /				2
US_06 Dean should be able to create Vice Dean				
@US_06_API @US_06_TC_001_API				

#	Step / Hook Details	Status	Duration
1	Given user sends post request with all required credentials	PASSED	1.632 s
2	Then verify that new Vice Dean is created	FAILED	0.230 s

	java.lang.RuntimeException: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (String)"<!doctype html><html lang="en"><head><meta charset="utf-8"/><link rel="icon" href="/favicon.ico"/><meta name="viewport" content="width=device-width,initial-scale=1"/><meta name="theme-color" content="#000000"/><meta name="description" content="Web site created using create-react-app"/><link rel="apple-touch-icon" href="/logo192.png"/><link rel="manifest" href="/manifest.json"/><title>Managementon Schools</title><script defer="defer" src="/static/js/main.015df32c.js"></script><link href="/static/"[truncated 155 chars]; line: 1, column: 2]
	   at utilities.ObjectMapperUtils.convertJsonToJava(ObjectMapperUtils.java:22)
	   at stepdefinitions.US_06_API_AddViceDeanStepDefs.verify_that_new_vice_dean_is_created(US_06_API_AddViceDeanStepDefs.java:56)
	   at ?.verify that new Vice Dean is created(file:///D:/Java%20Dersleri/TimeToLearnJava/managementOnSchools_05/./src/test/resources/features/US_06_DeanCanCreateVDean/API_Test_Positive_And_Negative_Tests.feature:8)
	Caused by: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (String)"<!doctype html><html lang="en"><head><meta charset="utf-8"/><link rel="icon" href="/favicon.ico"/><meta name="viewport" content="width=device-width,initial-scale=1"/><meta name="theme-color" content="#000000"/><meta name="description" content="Web site created using create-react-app"/><link rel="apple-touch-icon" href="/logo192.png"/><link rel="manifest" href="/manifest.json"/><title>Managementon Schools</title><script defer="defer" src="/static/js/main.015df32c.js"></script><link href="/static/"[truncated 155 chars]; line: 1, column: 2]
	   at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2477)		

#	Step / Hook Details	Status	Duration
	at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:750)		
	at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:674)		
	at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2085)		
	at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:808)		
	at com.fasterxml.jackson.databind.ObjectMapper._initForReading(ObjectMapper.java:4912)		
	at com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4818)		
	at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3772)		
	at com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3740)		
	at utilities.ObjectMapperUtils.convertJsonToJava(ObjectMapperUtils.java:20)		
	at stepdefinitions.US_06_API_AddViceDeanStepDefs.verify_that_new_vice_dean_is_created(US_06_API_AddViceDeanStepDefs.java:56)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	* Not displayable characters are replaced by '?'.		