

CareChart

Complete User, Administration, and Hospital Configuration Handbook

Prepared for	[Hospital / Clinic Name]	Edition	Customer Guide
Product	CareChart EMR	Updated	25 August 2026

What this guide does

This handbook explains CareChart in everyday language. It shows hospital owners how to configure the system, staff how to complete their daily work, and customers what must be prepared before using the application with real patients.

Example data: Names, phone numbers, clinical details, and prices shown in screenshots are fictional demonstration data. Replace them with your hospital's approved information.

Contents

Contents	2
1. Understanding CareChart	5
The hospital workspace idea.....	5
Main areas	5
What CareChart does not do automatically	6
2. Roles and access.....	7
Access rules customers should know	7
3. Signing in and password basics	8
First sign-in.....	8
Password rule.....	8
Forgotten password	8
4. Super Admin: create and switch hospitals.....	9
Create a hospital account	9
Switch hospitals	9
5. Hospital configuration - recommended order	11
5.1 Clinic locations	11
5.2 Departments	12
5.3 Practitioner profiles	12
5.4 Appointment types	12
5.5 Weekly schedules.....	12
5.6 Blocked periods and holidays	13
5.7 Service catalog, clinic prices, and tax.....	13
6. Staff administration	14
Invite staff by email.....	14
Create an account manually	14
Manage users.....	14
7. Front Desk workflow	15
Find an existing patient first	15

Register a new patient	15
Log a walk-in visit	15
8. Appointments and online booking.....	16
Book an appointment for an existing patient	16
Public online requests	16
Check in	16
9. Doctor's Desk and consultation	17
Review requests	17
Complete the consultation	17
Draft versus signed visit	18
10. Diagnostic orders and report review	19
Doctor creates the order	19
Lab/radiology processes the order	19
Doctor reviews the report	20
11. Patient Records and patient identity	21
Search and review.....	21
Longitudinal clinical summary	21
Additional identifiers	21
Duplicate review and merge	21
FHIR-style export.....	22
12. Patient documents	22
Protection applied by the application.....	22
13. Billing, invoices, and payments.....	23
Generate an invoice	23
Automatic pricing behavior.....	23
Payments, refunds, and voids	24
14. Patient portal	25
Activate access	25
What the patient can see.....	25
15. Audit, privacy, and safety controls	26

Audit history..... 26

Consent and privacy requests..... 26

Hospital responsibilities..... 26

16. End-to-end daily workflows 27

 Walk-in consultation 27

 Online appointment..... 27

 New hospital setup checklist 27

17. Troubleshooting..... 28

 Information to send support..... 28

18. Production readiness and current limits..... 29

 Minimum production preparation..... 29

 Integration status..... 29

19. Plain-language glossary..... 30

How to use this handbook: Start with Part 1 if you are setting up a hospital. Staff members can go directly to the section for their role. The final checklists are useful during training and go-live.

1. Understanding CareChart

CareChart is an outpatient electronic medical record (EMR) and clinic operations application. It brings registration, appointments, consultations, diagnostic orders, reports, documents, billing, and patient access into one organization-controlled workspace.

The hospital workspace idea

Every hospital is treated as a separate workspace. A normal staff member belongs to one hospital and only sees that hospital's patients, doctors, appointments, documents, invoices, and settings. A Super Admin may manage several hospitals and chooses the active hospital from the selector at the top of the screen.

Important: Always check the hospital name in the upper-left corner before entering or reviewing information. It tells you which hospital workspace is currently active.

Main areas

Area	What it is used for
Front Desk	Register patients, search existing records, record allergies, and place patients in the doctor's queue.
Schedule	Book appointments, review the day, manage online requests, and check patients in.
Doctor's Desk	Review requests and the waiting room, document consultations, prescribe, order tests, and sign visits.
Patient Records	Search the patient history and review the longitudinal clinical record.
Diagnostics	Start laboratory or imaging work, upload the final report, and send it to the ordering doctor.
Documents	Securely upload and retrieve PDF/JPEG/PNG patient documents.
Billing	Generate invoices from completed visits, collect payments, record refunds, and print invoices.
Admin	Create and manage staff, roles, invitations, and hospital accounts where permitted.
Settings	Configure locations, doctors, schedules, appointment types, clinic prices, and tax rules.
Audit	Review a time-stamped history of important security and workflow events.

What CareChart does not do automatically

- It does not decide a diagnosis, treatment, medicine, dosage, or clinical priority. Qualified staff remain responsible for clinical decisions.
- It does not invent prices. A service without a configured clinic price stays at zero and is clearly flagged on the invoice.
- It does not make a development installation compliant by itself. Production hosting, backups, legal review, security operations, and approved policies are still required.
- External PACS/DICOM, ABDM, payment gateway, and production messaging connections require separate integration work unless your deployment partner has enabled them.

2. Roles and access

CareChart shows each person only the functions needed for their job. This reduces confusion and lowers the chance of someone opening an area they do not use.

Role	Typical access
Super Admin	Creates and switches hospitals; can configure and administer the active hospital.
Hospital Admin	Manages users, settings, appointments, records, diagnostics, billing, documents, and audit for one hospital.
Doctor	Uses schedule, doctor's desk, patient records, diagnostics, and documents; completes and signs clinical visits.
Nurse	Uses appointments, patient records, and documents; supports patient and encounter preparation.
Front Desk	Registers patients, manages appointments, opens basic records, and uploads documents.
Billing	Reads patient details needed for billing and manages invoices, payments, refunds, and printing.
Lab / Radiology	Reads relevant patient/order information, starts diagnostic work, and uploads reports.
Patient	Uses the separate patient portal to view their own patient jacket and visit information.

Access rules customers should know

- A hospital user's organization comes from the signed-in account; staff cannot type another hospital ID into a form to change access.
- A suspended or removed user loses access when the server checks the account, without waiting for an old session to expire.
- A doctor may clinically acknowledge a report they ordered. An authorized administrator may also acknowledge when hospital policy allows it.
- Super Admin hospital switching changes the full active context. Patient and financial data are never combined into one cross-hospital screen.

3. Signing in and password basics

First sign-in

1. Open the web address supplied by your CareChart administrator.
2. Enter the email address assigned to your staff account.
3. Enter the temporary password supplied by the administrator or use the invitation link sent to your email.
4. If CareChart asks you to change the password, create your own password before continuing.
5. Confirm the hospital name and your role in the top navigation area.

Password rule

A password must contain at least 8 characters, including at least one letter and one number. Use a unique password that is not shared with another person.

Forgotten password

1. Choose Forgot password on the sign-in page.
2. Enter the account email address.
3. Open the time-limited reset link sent to that email.
4. Set and confirm a new password that follows the rule above.

Security reminder: Never share passwords, reset links, patient portal activation links, or screenshots containing real patient information over an unapproved channel.

4. Super Admin: create and switch hospitals

This section is only for a Super Admin who manages more than one customer hospital.

Create a hospital account

1. Open Admin and locate Create hospital account.
2. Enter the hospital or clinic name.
3. Enter the first administrator's full name and email address.
4. Create a temporary password with at least 8 characters, a letter, and a number.
5. Select Create hospital. CareChart creates the workspace and switches into it so configuration can begin.

Super Admin membership: The Super Admin can configure a newly created hospital immediately. The administrator email is not copied from a previous form and must be entered deliberately.

The screenshot displays the CareChart Admin interface. At the top, the header shows 'CareChart · Demo Hospital' with the tagline 'Electronic Medical Record'. On the right, it indicates the user is 'Super Admin · SUPER_ADMIN' with a 'Sign out' link. A navigation bar includes links for Front Desk, Schedule, Doctor's Desk, Patient Records, Admin (highlighted), Billing, Diagnostics, Documents, Audit, and Settings.

The main content area is titled 'Admin' with the subtitle 'Invite staff, approve join requests, and manage roles for your organization.' Below this, the 'CREATE HOSPITAL ACCOUNT' section contains a form with four input fields: 'HOSPITAL / CLINIC NAME', 'ADMINISTRATOR NAME', 'ADMINISTRATOR EMAIL' (pre-filled with 'superadmin@emrapp.in'), and 'TEMPORARY PASSWORD' (masked with dots). A 'Create hospital' button is positioned to the right of these fields.

Below the creation form, the 'INVITE STAFF BY EMAIL' section has an 'EMAIL' input field (pre-filled with 'name@example.com'), a 'ROLE' dropdown menu (set to 'Front Desk'), and a 'Send invite' button.

Further down, there is an 'ADD USER MANUALLY' section with an '+ Add user' button, and a 'PENDING JOIN REQUESTS (0)' section showing 'No pending requests.'

Figure 1. Super Admin hospital creation and hospital-scoped administration.

Switch hospitals

1. Find Active Hospital near the top-right corner.
2. Open the hospital selector.

3. Choose the hospital you want to manage.
4. Wait for the page to refresh and verify the chosen hospital name in both the selector and upper-left heading.

Before making changes: Switching hospitals changes the patients, users, schedules, documents, prices, and settings you can see. Verify the active hospital before every configuration session.

5. Hospital configuration - recommended order

Complete configuration in the order below. Later steps depend on earlier ones. For example, a doctor schedule needs a clinic and a practitioner profile, and invoice pricing needs a clinic and service catalog.

1. Create the clinic location or campus.
2. Add departments.
3. Link doctor accounts to practitioner profiles.
4. Create appointment types.
5. Set weekly doctor schedules and optional breaks.
6. Add blocked periods and holidays when required.
7. Configure services, clinic prices, and taxes.
8. Invite or create the remaining staff accounts.
9. Run a complete test journey using fictional patient data.

The screenshot shows the CareChart New Life Hospital interface. The top navigation bar includes the CareChart logo, the hospital name, and user information (Super Admin · SUPER_ADMIN) with a Sign out link. Below the navigation bar is a menu with icons for Front Desk, Schedule, Doctor's Desk, Patient Records, Admin, Billing, Diagnostics, Documents, Audit, and Settings. The Settings page is active, displaying the 'Clinic configuration' section. This section includes a subtitle 'Configure care locations, clinician availability, billable services, and tax rules.' and a form titled 'Locations and departments'. The form has fields for CLINIC NAME (New Life Hospital), CLINIC CODE (NLH001), ADDRESS (empty), and IANA TIMEZONE (Asia/Kolkata). Below these fields is a green 'Add clinic' button. At the bottom, there are dropdown menus for CLINIC (Select clinic) and CONFIGURATION TYPE (Department), followed by a NAME field.

Figure 2. Settings opens in the active hospital and begins with clinic/location configuration.

5.1 Clinic locations

A clinic location represents a physical campus, branch, or care location. Enter a clear name, a short unique code, the address, and the IANA timezone. For India, Asia/Kolkata is normally appropriate.

Field	Plain-language guidance
Clinic name	Use the name staff and patients recognize, such as Main Campus or Baner Clinic.
Clinic code	Use a short unique code, such as NLH01. Do not reuse the same code inside one hospital.
Address	Enter the full service address used for appointment and customer information.
Timezone	Controls how local appointment times are displayed. Database times are stored safely in UTC.

5.2 Departments

Departments group practitioners within a clinic. Examples include General Medicine, Pediatrics, Cardiology, and Radiology. Select the clinic, choose Department as the configuration type, enter the department name, and save.

5.3 Practitioner profiles

A staff account with the Doctor role becomes schedulable after it is linked to a practitioner profile. Select the doctor, clinic, department, specialty, qualification, registration number, and default appointment length. Use the doctor's official registration details.

5.4 Appointment types

Appointment types tell CareChart what kind of visit can be booked and how long it normally takes. Examples: General Consultation - 30 minutes, Follow-up - 15 minutes, Pediatric Consultation - 30 minutes.

5.5 Weekly schedules

1. Select the practitioner and weekday.
2. Enter the start and end time.
3. Enter the slot length in minutes.
4. Use Add break only when the practitioner has a break. Leave it removed when there is no break.
5. Select Save weekly schedule.
6. Repeat for each working day.

Updating a day: Saving the same practitioner and weekday again overwrites that day's existing schedule. It does not create a duplicate Saturday, Monday, or other weekday entry.

PRACTITIONER
Dr. Ananya Sharma · New Life Hospital – Main Campus

DAY
Saturday

STARTS
09:00 AM

ENDS
01:00 PM

SLOT MINUTES
30

BREAK (OPTIONAL)
--:-- PM

Please enter a valid value. The field is incomplete or has an invalid date.

Figure 3. Weekly schedule fields for practitioner, day, hours, slot length, and an optional break.

5.6 Blocked periods and holidays

Use blocked periods for doctor leave, training, or a temporary unavailable window. Use holidays when a whole clinic is closed. These controls prevent those times from being offered as available appointment slots.

5.7 Service catalog, clinic prices, and tax

The service catalog connects the care delivered to invoice prices. Create one entry per billable service and assign a price for each clinic. Use clear names that match what staff enter during care, such as General Consultation, Complete Blood Count, Paracetamol, or Chest X-ray.

Field	Example	Why it matters
Code	CONS_GEN	A short unique internal identifier.
Name	General Consultation	Used to match the visit line to the configured price.
Category	Consultation	Keeps consultation, medicine, test, imaging, and other charges separate.
Clinic price	800.00	The unit amount automatically copied into a new invoice.
Taxable	No	Choose according to approved billing and tax guidance.

Pricing rule: CareChart only auto-fills a price that has been configured for the visit's clinic. Missing prices remain zero and are highlighted before payment is collected.

6. Staff administration

Invite staff by email

1. Open Admin in the correct hospital workspace.
2. Enter the staff member's work email.
3. Choose the role that matches their actual job.
4. Select Send invite.
5. The staff member opens the link, creates their password, and joins that hospital.

Create an account manually

1. Open Add user manually.
2. Enter the full name and work email.
3. Create a temporary password with at least 8 characters, a letter, and a number.
4. Choose the correct role and select Create account.
5. Send the temporary password using your organization's approved secure process. The user is asked to change it at first sign-in.

Manage users

- Approve or reject pending join requests.
- Change an active user's role when their job changes.
- Revoke an invitation that should no longer be used.
- Remove a staff member when they leave the hospital; access is lost immediately.
- Do not share a generic login between several people. Individual accounts make the audit history meaningful.

7. Front Desk workflow

Find an existing patient first

Search by name, medical record number (MRN), or phone number before registering anyone. This reduces duplicate patient files.

Register a new patient

1. Open Front Desk and select New Patient Registration.
2. Enter the patient's name, age/date of birth, gender, phone, email, address, blood group, and emergency details where available.
3. Record known allergies exactly as reported and verify them with clinical staff.
4. Save the patient. CareChart assigns an MRN inside the active hospital.
5. If a possible duplicate appears, stop and ask an administrator to review it instead of creating another record.

Log a walk-in visit

1. Open the patient's record from Front Desk.
2. Choose the doctor and record the chief complaint and available basic observations.
3. Log the visit. The patient appears in that doctor's waiting room.
4. Tell the clinical team if an allergy or urgent concern was reported.

Patient identity: Do not merge two records just because their names look similar. Administrators should verify date of birth, phone, identifiers, and clinical history before an audited merge.

8. Appointments and online booking

Book an appointment for an existing patient

1. Open Schedule and choose the date.
2. Select New appointment.
3. Search for and select the patient.
4. Choose a doctor. CareChart shows the doctor's clinic and specialty.
5. Choose an appointment type, date/time, and reason.
6. Save. CareChart checks the selected time against configured availability and existing reservations.

Public online requests

A patient can use the public appointment page to choose an available doctor and time, enter contact details and a reason, accept the privacy statement, and submit a request. The time is reserved while the doctor reviews it. The patient receives a booking reference and, when email is configured, a confirmation message after approval.

Check in

1. Open the appointment on the day of arrival.
2. For an online patient, complete the required patient record details such as age and gender.
3. Select Check in. The appointment moves into the doctor's queue.

Status	Meaning
Requested	The patient asked for the time; a doctor or authorized user must review it.
Confirmed / Scheduled	The appointment is accepted and on the calendar.
Checked in / In consultation	The patient has arrived; the doctor may begin and continue the encounter.
Completed	The consultation is finished and may be billed.
Cancelled / No show / Rescheduled	The original appointment did not proceed as originally planned.

9. Doctor's Desk and consultation

The Doctor's Desk brings together online requests, confirmed appointments, and the walk-in waiting room.




Figure 4. Doctor's Desk with appointment-request, confirmed-queue, and waiting-room sections.

Review requests

- Approve a suitable online appointment request to confirm it.
- Reject or cancel only with an appropriate reason when required by hospital policy.
- Open a waiting-room patient to begin the consultation.

Complete the consultation

1. Confirm the patient's identity and read the allergy alert before entering clinical information.
2. Review the chief complaint, vitals, and relevant visit history.
3. Record examination findings, diagnosis, and advice in clear language.
4. Add medicines one at a time with dosage, frequency, and duration.
5. Review every allergy, duplicate-therapy, or interaction warning. Record an acknowledgement or clinical reason only when justified.
6. Add requested tests as separate items so billing and follow-up can match them correctly.

- Create an operational diagnostic order when the lab/radiology team must receive and track the request.
- Save a draft if the visit is not finished. Otherwise confirm the signature checkbox and select Complete & sign visit. After signing, use Print report when a patient or approved workflow needs a formatted consultation report.

Meera Joshi
 38 yrs · FEMALE · B+ · 9000010002 · DOB 9/22/1987

Print report
 Back to queue

ALLERGY ALERT
 Penicillin

Chief complaint: Headache, fatigue, and dizziness for three days **Vitals:** BP 142/92, Temp 98.4°F, Pulse 82, Wt 64kg

EXAMINATION NOTES / DOCTOR'S FEEDBACK
 Findings on examination...

DIAGNOSIS

ADVICE TO PATIENT
 e.g. Rest, stay hydrated, and return if symptoms worsen.

PRESCRIPTION
 + Add medicine

TESTS ORDERED
 e.g. Complete Blood Count + Add

OPERATIONAL DIAGNOSTIC ORDERS
 Laboratory Routine

Figure 5. Consultation form with allergy alert, complaint, vitals, examination, diagnosis, advice, medicines, and orders.

Draft versus signed visit

Action	Use it when
Save draft	Information is still being collected or the clinician is not ready to finalize.
Complete & sign visit	The clinician has checked the record and is ready to make it the finalized encounter.

Action	Use it when
Amendment	A signed encounter needs a documented correction. The original content is retained for traceability.

Clinical responsibility: CareChart records and warns; it does not replace professional judgement. The signing clinician remains responsible for accuracy and appropriateness.

10. Diagnostic orders and report review

Doctor creates the order

1. Inside the consultation, choose Laboratory or Imaging.
2. Choose Routine, Urgent, or STAT according to clinical judgement and hospital policy.
3. Enter the procedure name and optional code.
4. Enter the clinical indication and an optional scheduled time.
5. Select Create diagnostic order.

Lab/radiology processes the order

1. Open Diagnostics and find the order by type or status.
2. For a blood test, select Collect sample & start when the patient gives the sample. For imaging, select Start processing.
3. Complete the laboratory or imaging work outside CareChart using the hospital's approved process.
4. When the final result is ready, upload the PDF, JPEG, or PNG directly inside the in-progress order.
5. CareChart scans and stores the file, links it to the order, and changes the order to Completed (ready for review).

Hypertension baseline laboratory evaluation
DO-20260825-AA8892B5 · Meera Joshi (MRN-000002) · LABORATORY · ROUTINE · Dr. Rohan Kulkarni

IN_PROGRESS

Indication: Elevated BP with headache, fatigue, and dizziness
Scheduled: 8/25/2026, 3:00:00 PM

Structured results — Hypertension baseline laboratory evaluation
Reference and critical ranges are evaluated automatically.

Close

Test/component	Value	Number ▼	Unit	Ref low	Ref high	Critical high	×
----------------	-------	----------	------	---------	----------	---------------	---

+ Add component

Clinical result summary / impression (optional when structured results are entered)

Finalize results

Figure 6. In-progress diagnostic order ready for final report upload and doctor review.

Doctor reviews the report

1. Open the completed order from Diagnostics.
2. Select Open report and review the attached file.
3. If clinically satisfied, select Review & acknowledge and confirm the prompt.
4. The order changes to Reviewed and the action is recorded in the audit history.

Do not use the status as a substitute for reading: Completed means the report was uploaded. Reviewed means an authorized clinician actually opened, reviewed, and acknowledged it.

11. Patient Records and patient identity

Search and review

Patient Records provides a searchable history for the active hospital. Staff with permission can review demographics, allergies, past encounters, diagnoses, prescriptions, tests, documents, and signed visit details.

Longitudinal clinical summary

- Active problems and diagnoses
- Current medication statements
- Detailed allergies and reactions
- Immunizations
- Procedures
- Safety or clinical flags
- Reviewed diagnostic observations
- Past visits and signed encounter information

Additional identifiers

Administrators may record additional identifiers when needed, such as an external hospital number or approved national/partner identifier. The system keeps identifiers scoped to the hospital and avoids reusing the same system/value combination.

Duplicate review and merge

1. Search possible duplicates using normalized phone, date of birth, name, and other strong details.
2. Open both records and verify that they represent the same person.
3. Choose the surviving record carefully.
4. Enter a clear merge reason and confirm the administrator-only merge.
5. CareChart records the source snapshot and audit event. A merge is not casual and should follow hospital policy.

FHIR-style export

Authorized staff can obtain an audited, hospital-scoped FHIR R4-style patient bundle for supported information-exchange workflows. This is a technical export and should be used only with an approved receiving system and privacy process.

12. Patient documents

1. Open Documents and search for the patient.
2. Choose a PDF, JPEG, or PNG file.
3. Optionally link it to a diagnostic order; otherwise it remains a general patient document.
4. Select Upload securely.
5. Authorized users can later open or download the document from the same hospital workspace.

Protection applied by the application

- Only approved file types are accepted and the file content must match its declared type.
- A configurable size limit is enforced (10 MB by default in the supplied environment example).
- Files are checked by the configured malware scanner. Production must use a real scanner endpoint.
- Random private storage keys are used instead of patient names in server paths.
- Checksums detect unexpected file changes, and production storage encryption requires a configured key.
- Every download checks the signed-in user's active hospital and creates an audit event.

13. Billing, invoices, and payments

Generate an invoice

1. Complete and sign the clinical visit.
2. Open Billing. The visit appears under Completed visits awaiting invoice.
3. Select Generate invoice.
4. CareChart identifies the visit's clinic and matches consultation, medicine, test, and imaging lines to that clinic's configured catalog prices.
5. Review all lines, quantities, discounts, tax, and the grand total before saving or collecting money.

Invoice INV-1
Meera Joshi · 8/25/2026

Print Void invoice

Meera Joshi
9000010002 **UNPAID**

CATEGORY	DESCRIPTION	QTY	UNIT ₹	DISCOUNT ₹	TAX %	TOTAL ₹
CONSULTATION	Consultation — Headache, fatigue,	1	0	0	0	0.00 ×
MEDICINE	Paracetamol 500mg	1	0	0	0	0.00 ×
TEST	Complete Blood Count, fasting blo	1	0	0	0	0.00 ×

+ Add line item

Subtotal ₹0.00
Discount -₹0.00
Tax ₹0.00
Grand total ₹0.00

Save changes

PAYMENTS

Net paid: ₹0.00 Remaining: ₹0.00

Figure 7. Generated invoice with editable line items, totals, payment area, printing, and void controls.

Automatic pricing behavior

- General Consultation matches the configured consultation service for that clinic.
- A medicine matches its service catalog name even when the prescription also shows a strength or dosage.

- Comma-separated tests become separate invoice lines so each test can be priced independently.
- Tax is applied only when the matched service is marked taxable and an active clinic tax rule exists.
- If a match is missing, the unit price remains zero and CareChart lists the unconfigured services in a warning.

Payments, refunds, and voids

Action	Plain-language meaning
Record payment	Enter the amount, payment method, and optional reference. CareChart tracks remaining balance and produces receipt information.
Partial payment	The invoice remains partly unpaid until the balance is collected.
Refund	Record a refund amount and reason separately. The original payment remains visible for financial traceability.
Void invoice	Use only when the invoice should be cancelled. A reason is required and the action cannot be treated as an ordinary edit.
Print	Print or save a customer-facing copy using the browser's print function.

Before payment: Never collect against a zero-priced line unless it is intentionally free and approved. Configure missing services under Settings - Billing, then follow the hospital's correction process for an already-created invoice.

14. Patient portal

Activate access

1. The hospital creates or supplies a patient portal activation link using its approved process.
2. The patient opens the link, verifies the requested information, and creates a private password.
3. The patient signs in through the separate Patient Portal page, not the staff login page.

What the patient can see

- Name, MRN, age, gender, hospital, and blood group
- The next appointment when one exists
- Counts and summaries for allergies, visits, and medicines
- Past visit details, diagnosis, vitals, doctor's notes, advice, prescriptions, tests, and digital signature where available

Patient privacy: A portal user sees only the patient jacket connected to that portal account. Staff should verify the correct email and identity before activation.

15. Audit, privacy, and safety controls

Audit history

Audit is an append-only list of important actions for the active hospital. Administrators can review the time, action, resource, user/system identifier, and reason where one was supplied.

- Sign-ins, failed access attempts, and password events
- Hospital switching and administration changes
- Patient creation, updates, identity merges, and exports
- Appointment and encounter workflow changes
- Diagnostic order, report, and review actions
- Document uploads, downloads, and integrity failures
- Invoices, payments, refunds, and voids

Consent and privacy requests

CareChart includes consent and privacy-request records so the hospital can document requests such as access, correction, export, erasure review, or grievance. These records support a process; they do not automatically delete clinical or financial records.

Hospital responsibilities

- Give access only to people who need it for their work.
- Review active staff regularly and remove leavers promptly.
- Use HTTPS, strong secrets, encrypted backups, and approved production hosting.
- Define retention, correction, disclosure, and breach-response policies.
- Train staff not to put passwords, tokens, or unnecessary clinical text into audit reasons or support messages.
- Complete legal and regulatory review for the country and care setting, including applicable Indian DPDP and ABDM guidance when relevant.

16. End-to-end daily workflows

Walk-in consultation

1. Front Desk searches or registers the patient.
2. Front Desk logs the visit and chooses the doctor.
3. Doctor opens the patient from the waiting room.
4. Doctor documents, prescribes/orders, and signs the visit.
5. Lab/radiology completes any tracked diagnostic order and uploads the report.
6. Ordering doctor reviews and acknowledges the report.
7. Billing generates the clinic-priced invoice and records payment.
8. Authorized staff can later retrieve the signed visit, report, invoice, and audit history.

Online appointment

1. Patient requests a doctor, date, and open time online.
2. Doctor reviews and confirms the request.
3. Front Desk checks the patient in and completes any missing demographics.
4. The consultation, diagnostics, records, and billing follow the same controlled workflow as a walk-in visit.

New hospital setup checklist

- Hospital workspace created and active hospital verified
- Clinic locations, addresses, codes, and timezones entered
- Departments and appointment types created
- Doctor accounts linked to practitioner profiles
- Every working day and optional break checked
- Holidays and planned leave entered
- Common consultations, medicines, tests, and imaging prices configured per clinic
- Tax rules reviewed by an authorized finance professional
- Staff invited with least-privilege roles
- Email, secure storage, encryption, scanning, backups, and HTTPS tested
- Fictional end-to-end test completed before real patient entry

17. Troubleshooting

Problem	What to check
Wrong hospital name is shown	A Super Admin should open Active Hospital and switch. Other users must be assigned to the correct hospital account.
A staff member cannot see a menu	Check their role. CareChart intentionally hides functions outside that role.
Doctor is missing from scheduling	Confirm an active Doctor account has a practitioner profile linked to a clinic.
No appointment times appear	Check the doctor's weekday schedule, slot length, breaks, blocked periods, holidays, and existing bookings.
The same weekday appears twice	Save the same practitioner/day again; the current schedule overwrites the older entry. Contact support if old duplicate data remains.
Password is rejected	Use at least 8 characters with at least one letter and one number.
Invoice price is zero	Create an active service catalog price for that exact service/category in the visit's clinic.
Report cannot be uploaded	Confirm the order is In progress and the file is a valid PDF/JPEG/PNG within the configured size limit.
Doctor cannot acknowledge a report	Confirm the order is Completed and the signed-in doctor is the ordering doctor, or use an authorized administrator.
Page stays on Loading	Refresh once. If JavaScript/CSS files return 404, restart the application server and regenerate the current build assets.
Patient appears twice	Do not delete casually. Ask an administrator to verify and use the audited duplicate-merge workflow.

Information to send support

- The page name and approximate time the issue happened
- Your role and the hospital name shown in the header
- The safe error message (do not include a password, reset link, or secret)
- An approved screenshot with patient information hidden when possible
- The steps that led to the issue and whether it happens after a refresh

18. Production readiness and current limits

Customer disclosure: CareChart is a strong outpatient workflow foundation, but the supplied development application is not a legal, security, or regulatory certification. A production launch requires technical, operational, clinical, and legal readiness work.

Minimum production preparation

- Deploy behind HTTPS using a managed production environment.
- Use a strong random NextAuth secret and protected production database credentials.
- Use managed PostgreSQL backups, test restoration, and approve a retention schedule.
- Configure a verified email sender for appointment and password communications.
- Use production object storage, a 32-byte document encryption key, and a real malware-scanner service.
- Review permissions, audit monitoring, onboarding/offboarding, incident response, and support access.
- Complete clinical safety testing, user acceptance testing, security testing, and applicable privacy/regulatory review.

Integration status

Integration	Current guide position
Email	Supported when Resend and a verified sender are configured.
HL7 imaging message	Local workflow/adaptor foundation exists; production transport and receiving-system validation are deployment work.
PACS / DICOM	Not enabled as a complete production integration in the supplied application.
ABDM	Not enabled as a complete production integration; use only after separate design, consent, and conformance work.
Payment gateway	Not connected; staff record payments received through approved external methods.
FHIR-style export	A tenant-scoped patient export is available for approved technical workflows, not automatic exchange.

19. Plain-language glossary

Term	Meaning
Active hospital	The hospital workspace currently selected. All data and configuration on screen belong to it.
Appointment type	A named kind of visit with a standard length, such as General Consultation - 30 minutes.
Audit event	A time-stamped record showing that an important action happened.
Clinical indication	Why a test or imaging procedure is being requested.
Completed diagnostic order	The final report has been uploaded and is waiting for clinical review.
Department	A clinical grouping inside a location, such as Pediatrics or General Medicine.
Encounter / visit	The clinical record for one patient attendance or consultation.
FHIR	A standard structure used to exchange health information between approved systems.
IANA timezone	A standard location-based timezone name, such as Asia/Kolkata.
MRN	Medical Record Number - the patient's identifier inside a hospital.
Organization	The hospital-level workspace that keeps one customer's data separate from another's.
Practitioner profile	The scheduling and clinical details that connect a doctor account to a clinic and department.
Reviewed diagnostic order	An authorized clinician has opened and acknowledged the uploaded report.
Service catalog	The hospital's list of billable services and the names used to match invoice lines.
Tenant scoped	Restricted to one hospital workspace rather than shared across all hospitals.

Guide maintenance: Update this handbook when workflows, role permissions, integrations, password rules, or customer-facing screens change. Put the revision date on the cover so customers know which edition they received.