


Department of Mechanical and Production Engineering
Aarhus University

Homework Exercises

Author: Noah Rahbek Bigum Hansen
Student ID: 202405538
Course: Theory of Elasticity — 290211U007
Date: February 15, 2026



Contents

1	Lecture 1: Introduction	2
2	Lecture 3: The Cauchy Theorem & Principal Stresses	5

Lecture 1: Introduction

26. Januar 2026

Problem 1.1a

Show that

$$\delta_{ij}\delta_{ij} = 3.$$

DerivationExpanding $\delta_{ij}\delta_{ij}$ we get

$$\delta_{ij}\delta_{ij} = \delta_{11}\delta_{11} + \delta_{12}\delta_{12} + \delta_{13}\delta_{13} + \delta_{21}\delta_{21} + \delta_{22}\delta_{22} + \delta_{23}\delta_{23} + \delta_{31}\delta_{31} + \delta_{32}\delta_{32} + \delta_{33}\delta_{33}.$$

As $\delta_{11} = \delta_{22} = \delta_{33} = 1$ the above becomes:

$$\delta_{ij}\delta_{ij} = 1 \cdot 1 + 1 \cdot 1 + 1 \cdot 1 = 3.$$

$\delta_{ij}\delta_{ij} = 3$

RESULT

Problem 1.1c

Show that

$$\alpha_{ij}b_{jk} = \alpha_{in}b_{nk}.$$

Derivation

We expand by summing over the common index j :

$$\alpha_{ij}b_{jk} = \sum_j \alpha_{ij}b_{jk} = \alpha_{i1}b_{1k} + \alpha_{i2}b_{2k} + \alpha_{i3}b_{3k}.$$

Now we sum over n instead:

$$\alpha_{i1}b_{1k} + \alpha_{i2}b_{2k} + \alpha_{i3}b_{3k} = \sum_n \alpha_{in}b_{nk}.$$

Q.E.D.

$\alpha_{ij}b_{jk} = \alpha_{in}b_{nk}$

RESULT

Problem 1.1e

Show that

$$\delta_{ij}C_{jkl} = C_{ikl}.$$

Derivation

Expanding we get

$$\delta_{ij}C_{jkl} = \delta_{11}C_{1kl} + \delta_{22}C_{2kl} + \delta_{33}C_{3kl} = C_{ikl}.$$

$\delta_{ij}C_{jkl} = C_{ikl}$

RESULT

Lecture 3: The Cauchy Theorem & Principal Stresses

9. Februar 2026

Problem 2.1

Find the components of the traction on a plane defined by $n_1 = 1/\sqrt{2}$, $n_2 = 1/\sqrt{2}$, and $n_3 = 0$ for the following states of stress:

- (a) $\sigma_{11} = \sigma, \sigma_{12} = 0, \sigma_{13} = 0, \sigma_{21} = \sigma, \sigma_{22} = 0, \sigma_{33} = \sigma.$
 (b) $\sigma_{11} = \sigma, \sigma_{12} = \sigma, \sigma_{13} = 0, \sigma_{22} = \sigma, \sigma_{23} = 0, \sigma_{33} = 0.$

Derivation

- (a) The stress state in (a) is

$$\sigma = \begin{bmatrix} \sigma & 0 & 0 \\ \sigma & 0 & \sigma_{23} \\ \sigma_{31} & \sigma_{32} & \sigma \end{bmatrix}.$$

The Cauchy Theorem states that

$$T_i = \sigma_{ji} n_j \implies T = \sigma \cdot n.$$

Our plane is:

$$n = \begin{bmatrix} \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} \\ 0 \end{bmatrix}.$$

Hence,

$$T = \begin{bmatrix} \sigma & 0 & 0 \\ \sigma & 0 & \sigma_{23} \\ \sigma_{31} & \sigma_{32} & \sigma \end{bmatrix} \cdot \begin{bmatrix} \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} \\ 0 \end{bmatrix} = \begin{pmatrix} \frac{\sigma}{\sqrt{2}} \\ \frac{\sigma}{\sqrt{2}} \\ \frac{\sigma_{31}}{\sqrt{2}} + \frac{\sigma_{32}}{\sqrt{2}} \end{pmatrix}.$$

- (b) For (b) our stress state is:

$$\sigma = \begin{bmatrix} \sigma & \sigma & 0 \\ \sigma_{21} & \sigma & 0 \\ \sigma_{31} & \sigma_{32} & 0 \end{bmatrix},$$

so

$$T = \begin{bmatrix} \sigma & \sigma & 0 \\ \sigma_{21} & \sigma & 0 \\ \sigma_{31} & \sigma_{32} & 0 \end{bmatrix} \cdot \begin{bmatrix} \frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} \\ 0 \end{bmatrix} = \begin{pmatrix} \sqrt{2}\sigma \\ \frac{\sigma}{\sqrt{2}} + \frac{\sigma_{21}}{\sqrt{2}} \\ \frac{\sigma_{31}}{\sqrt{2}} + \frac{\sigma_{32}}{\sqrt{2}} \end{pmatrix}.$$

$$\begin{aligned} \text{(a)} \quad T &= \begin{bmatrix} \frac{\sigma}{\sqrt{2}} \\ \frac{\sigma}{\sqrt{2}} \\ \frac{\sigma_{31}}{\sqrt{2}} + \frac{\sigma_{32}}{\sqrt{2}} \end{bmatrix} \\ \text{(b)} \quad T &= \begin{bmatrix} \sqrt{2}\sigma \\ \frac{\sigma}{\sqrt{2}} + \frac{\sigma_{21}}{\sqrt{2}} \\ \frac{\sigma_{31}}{\sqrt{2}} + \frac{\sigma_{32}}{\sqrt{2}} \end{bmatrix}. \end{aligned}$$

RESULT

Problem 2.6

At a given point in a body,

$$\sigma_{11} = \sigma_{22} = \sigma_{33} = -p,$$

$$\sigma_{12} = \sigma_{23} = \sigma_{31} = 0.$$

Show that the normal stresses are equal to $-p$ and that the shearing stresses vanish for any other Cartesian coordinate system.

Derivation

Here, our stress tensor is

$$\boldsymbol{\sigma} = \begin{bmatrix} -p & 0 & 0 \\ 0 & -p & 0 \\ 0 & 0 & -p \end{bmatrix} = -p\mathbf{I}.$$

Using the Cauchy theorem $\mathbf{T} = \boldsymbol{\sigma} \cdot \mathbf{n}$ we get:

$$\mathbf{T} = (-p\mathbf{I}) \cdot \mathbf{n} = -p\mathbf{n}.$$

Hence, $\mathbf{T}$ is parallel to $\mathbf{n}$ meaning the traction does not have any components tangent to the plane and hence the stress is entirely normal with size $-p$.