Tutorial No : 8

Tutorial Title: Write a program in C++ to Read and Display the information of Employees Using Multiple Inheritance. Use Basic Info and Department Info as the base classes of the Employee class.

Name of Student: Shweta Lohakare
Class: SY **Div:** 2 **PRN No:** B25ET1099 **Batch:** B2

Program:

```
#include <iostream>
#include <string>

using namespace std;

class BasicInfo {
protected:
   int empId;
   string name;
public:
   void getBasicInfo() {
      cout << "Enter employee ID: ";
      cin >> empId;
      cin.ignore();
      cout << "Enter employee name: ";
      getline(cin, name);
   }
   void displayBasicInfo() const {
      cout << "Employee ID : " << empId << endl;
      cout << "Name : " << name << endl;
   }
};

class DepartmentInfo {
protected:
   string department;
   string designation;
public:
   void getDeptInfo() {
```

```
        cout << "Enter department: ";
        getline(cin, department);
        cout << "Enter designation: ";
        getline(cin, designation);
    }
    void displayDeptInfo() const {
        cout << "Department : " << department << endl;
        cout << "Designation : " << designation << endl;
    }
};

class Employee : public BasicInfo, public DepartmentInfo {
private:
    double salary;
public:
    void getEmployeeInfo() {
        getBasicInfo();
        getDeptInfo();
        cout << "Enter salary: ";
        cin >> salary;
    }
    void displayEmployeeInfo() const {
        cout << "\nEmployee Information" << endl;
        displayBasicInfo();
        displayDeptInfo();
        cout << "Salary : " << salary << endl;
    }
};

int main() {
    Employee emp;
    emp.getEmployeeInfo();
    emp.displayEmployeeInfo();
    return 0;
}
```

Output:

main.cpp

Run ▶

```
};

class Employee : public BasicInfo, public DepartmentInfo {
private:
    double salary;
public:
    void getEmployeeInfo() {
        getBasicInfo();
        getDeptInfo();
        cout << "Enter salary: ";
        cin >> salary;
    }
    void displayEmployeeInfo() const {
        cout << "\nEmployee Information" << endl;
        displayBasicInfo();
        displayDeptInfo();
        cout << "Salary : " << salary << endl;
    }
};
```

Output

```
Enter employee ID: 25
Enter employee name: Ram
Enter department: abc
Enter designation: abc
Enter salary: 33k

Employee Information
Employee ID : 25
Name : Ram
Department : abc
Designation : abc
Salary : 33
```