Tutorial No : 1

Tutorial Title: Perform String operations.
Name of Student:shweta lohakare
Class:SY **Div:** 2 **PRN No:**B25ET1099 **Batch:**B


Program:

```
#include <stdio.h>
#include <string.h>
int main(){
   printf(" Hello World\0");
   char name[10];

   int length1=0;
   char place[10];
   int length2=0;
   char no[5];
   int length3=0;

   printf(" \nenter your name:");
   scanf("%s",name);
   length1=strlen(name);
    printf("\n length of string is:%d",length1);
   printf("\n enter place:");
   scanf("%s",place);
      length2=strlen(place);
    printf("\n length of string is:%d",length2);
printf(" \nenter no.");
scanf("%s",no);
  length3=strlen(no);
    printf("\n length of string is:%d",length3)
      return 0;
}
```

Output:





Program:

```
#include <stdio.h>
#include <string.h>
int main(){
 char name[10];
 char place[10];
 char branch[10];
  int length1=0;
  int length2=0;
  int length3=0;
    int choice;
   printf("enter your choice between 1-3 :");
     scanf("%d",&choice);
       switch(choice){
         case 1:
       printf(" \n 1.enter your name:");
       scanf("%s",name);
       printf("length of name is:");
         length1=strlen(name);
     printf("\n length of string is:%d",length1);
     break;
     case  2:
```

```
 printf(" \n 2.enter place:");
      scanf("%s",place);
      printf("length is:");
        length2=strlen(place);
   printf("\n length of string is:%d",length2);
   break;
    case  3:
      printf(" \n 3.enter branch:");
      scanf("%s", branch);
      printf("length is:");
        length3=strlen(branch);
   printf("\n length of string is:%d",length3);
   break;
   default:
   printf("\n Invalid choice");
}
 return 0;
}
```

Output:





Program:

```
#include<stdio.h>
#include<string.h>
int  main(){
int choice;
int x,y;


printf("enter two numbers:" );
scanf("%d %d",&x,&y);
  printf("enter your choice between 1-4:");
    scanf("%d",&choice);

    switch(choice){
       case 1:
      printf("the sum is: %d\n",x+y);
      break;
      case 2:
      printf("the subtraction is: %d\n",x-y);
      break;
      case 3:
```

```
    printf("the multiplication is:%d\n",x*y);
    break;
    case 4:
    printf("the div is:%d\n" ,x/y);
    break;
    default:
    printf("invalid choice");
  }
  }
```

main.c | Share | Run | Output

```c
#include<stdio.h>
#include<string.h>
int  main(){
int choice;
int x,y;
printf("enter two numbers:" );
scanf("%d %d",&x,&y);
  printf("enter your choice between 1-4:");
     scanf("%d",&choice);

     switch(choice){
         case 1:
       printf("the sum is: %d\n",x+y);
       break;
       case 2:
       printf("the subtraction is: %d\n",x-y);
       break;
       case 3:
       printf("the multiplication is:%d\n",x*y);
       break;
       case 4:
       printf("the div is:%d\n" ,x/y);
       break;
       default:
       printf("invalid choice");
     }
```

```
enter two numbers:5 6
enter your choice between 1-4:2
the subtraction is: -1


=== Code Execution Successful ===
```

Program:

```
#include <stdio.h>
int main() {
 char name[10];
   char place[10];
   char branch[10];
   int choice;
   int length = 0;
 printf("Enter your choice between 1-3 : ");
   scanf("%d", &choice);
   if (choice == 1) {
      printf("\n1. Enter your name: ");
      scanf("%9s", name);
 while (name[length] != '\0') {
 length++;
      }
      printf("The length of your name is: %d\n", length);
   }
   else if (choice == 2) {
      printf("\n2. Enter place: ");
      scanf("%9s", place);
 while (place[length] != '\0') {
         length++;
      }
      printf("The length of the place is: %d\n", length);
   }
   else if (choice == 3) {
      printf("\n3. Enter branch: ");
      scanf("%9s", branch);
 while (branch[length] != '\0') {
         length++;
 }
      printf("The length of the branch is: %d\n", length);
   }
   else {
      printf("Invalid choice\n");
   }

   return 0;
}
```

Output:

main.c

```c
#include <stdio.h>
int main() {
 char name[10];S
    char place[10];
    char branch[10];
    int choice;
    int length = 0;
 printf("Enter your choice between 1-3 : ");
    scanf("%d", &choice);
    if (choice == 1) {
        printf("\n1. Enter your name: ");
        scanf("%9s", name);
 while (name[length] != '\0') {
 length++;
        }
        printf("The length of your name is: %d\n", length);
    }
    else if (choice == 2) {
        printf("\n2. Enter place: ");
        scanf("%9s", place);
 while (place[length] != '\0') {
 length++;
        }
        printf("The length of the place is: %d\n", length);
    }
    else if (choice == 3) {
```

Output

```
Enter your choice between 1-3 : 3

3. Enter branch: entc
The length of the branch is: 4


=== Code Execution Successful ===
```

main.c

```c
        printf("The length of your name is: %d\n", length);
    }
    else if (choice == 2) {
        printf("\n2. Enter place: ");
        scanf("%9s", place);
 while (place[length] != '\0') {
 length++;
        }
        printf("The length of the place is: %d\n", length);
    }
    else if (choice == 3) {
        printf("\n3. Enter branch: ");
        scanf("%9s", branch);
 while (branch[length] != '\0') {
            length++;
 }
        printf("The length of the branch is: %d\n", length);
    }
    else {
        printf("Invalid choice\n");
    }

    return 0;
}
```

Output

```
Enter your choice between 1-3 : 3

3. Enter branch: entc
The length of the branch is: 4


=== Code Execution Successful ===
```