

UI / UX HANDOFF

WAWUBasket Admin Dashboard Design + Functionality Guide

Web platform, design language inherited from the WAWUBasket mobile apps.

Scope: every administrative function defined in the platform build guide.

Audience: UI/UX designer. Output expected: high-fidelity Figma file consistent with the mobile design system.

Status: v1, ready for design.

Contents

1. Design language	colour, typography, spacing, components
2. Information architecture	nav, layout grid, screens
3. Authentication & access	SSO, MFA, RBAC
4. Dashboard home	system health, today's numbers
5. User management	approvals, suspensions, impersonation
6. Vendor / trader / agent / rider / driver approvals	
7. System configuration	zones, promos, feature flags, commissions
8. Disputes & escrow	
9. Financial reconciliation	
10. Audit log	
11. Monitoring & alerts	
12. Government data portal	subsidiary surface
13. Content reference	copy from brand guide
14. Acceptance criteria	

1. Design language

The admin dashboard inherits the WAWUBasket mobile design system. Reuse every token; do not introduce new colours, shadows, or radii. Designers in Figma should publish a shared library with these tokens at the top of the project.

1.1 Colour palette

Monochrome base with four sanctioned status accents. No gradients except the rider stylized-map radial; no decorative colour beyond status pills.

bgPrimary
#FFFFFF
Page background,
primary surface

bgSecondary
#F7F7F7
Section / shell
background

bgSoft
#EFEFEF
Chip + icon-tile fill

bgDivider
#E4E4E4
Borders, separators

surfaceDark
#111111
Hero cards, primary
buttons

surfaceCard
#FFFFFF
Content cards (with
soft shadow)

surfaceInput
#EEEEEE
Input fill, empty state

surfaceTag
#F1F1F1
Pill tags

statusSuccess
#22C55E

statusError
#EF4444

statusWarning
#F59E0B

statusInfo
#3B82F6

1.2 Typography

Primary face: **Inter** (loaded via Google Fonts in the mobile app). Use the same scale on web:

ROLE	SIZE / WEIGHT	LETTER-SPACING	WHERE
Hero	32 / 700	−0.025em	Page titles, section heroes
Page title	22 / 700	−0.02em	Screen H1 below the global header
Card title	16 / 600	−0.015em	Cards, modals, sheet titles
Body	14 / 500	0	Content, table cells
Secondary	13 / 500	0	Sub-labels, helper text
Caption	12 / 500	0	Meta, descriptions
Label	10 / 600	0.6px, uppercase	Stat / chip labels
Button	14 / 600	0	Pill buttons

1.3 Spacing & radii


Borrow the mobile WBSpacing + WBRadius tokens:

TOKEN	VALUE	USAGE
WBSpacing.xs	4	Inline gaps inside chips
WBSpacing.sm	8	Compact stacks
WBSpacing.md	14	Card paddings
WBSpacing.lg	20	Between sections
WBSpacing.xl	32	Between heros / major sections
WBSpacing.screenPadding	20	Outer page gutter
WBRadius.pill	999	Buttons, tabs, status pills
WBRadius.card	14	Cards, hero blocks
WBRadius.input	12	Inputs, segmented tabs
WBRadius.sheet	28	Bottom sheets, modal corners

1.4 Components


Six primitive components carry 95% of the surface. Map each to a Figma master component.

Buttons




All buttons are pill-radius. Sizes: sm (36 height), md (44), lg (52). Optional leading + trailing icons (16–20 px). Disabled state: bgSoft fill + fgDisabled text.

Status pills



All status pills follow the four sanctioned status colours + a muted neutral. Use them in tables, cards, sheets. Never invent a new colour for a state.

Inputs




Adunni Adesanya

52 px height, 14 px horizontal padding, 12 px radius. Empty fill is surfaceInput; focused/filled flips to bgPrimary with a 1 px borderFilled (#D4D4D4) hairline.

Cards & surfaces

- **Default card:** #FFFFFF + 14 px radius + soft 2-layer shadow.
- **Hero card:** surfaceDark (#111111) + white text + white-alpha 12% surfaces inside.
- **Outline card:** transparent fill + 1 px bgDivider border, used for grouped lists.
- **Soft card:** bgSoft (#EFEFEF) + no shadow, used for inline empty states.

Segmented tabs



Dark pill container with white-pill active state. Used wherever a small set of mutually exclusive filters live.

Tables

ID	BUSINESS	SUBMITTED	STATUS
VND-0421	Mama Cass Kitchen	3 May 2026	In review
VND-0420	Suya & Smoke	3 May 2026	Approved
VND-0418	Pantry Plus	2 May 2026	Rejected

10 pt body, uppercase 9 pt header labels, hairline bgDivider row separators, no zebra. Numbers right-aligned with tabular-nums.

2. Information architecture

2.1 Layout grid

12-column grid, 1280 px target width, 24 px gutters, 64 px outer page margin. Persistent left rail (240 px) for primary nav. Right rail (320 px) optional for context (audit log, system health, evidence gallery in disputes).

2.2 Global header

Mirrors the mobile WBHomeAppBar shape: avatar (admin profile), search, notifications, system-health indicator, sign out. Title slot to the left of the search field holds the current section name.

2.3 Primary navigation

Left rail, 240 px. Each item: 14 px text, 36 px icon tile, 12 px gap, full-row hover state.

SECTION	ICON	SUB-ITEMS
Home	Home	Today's numbers, system health, alerts queue
Users	User	Customers, suspensions, impersonation log
Approvals	Check	Vendor, Trader, Agent, Rider, Driver
Marketplace	Basket	Catalog moderation, featured slots, batch flags
Trade	Pin	Listings, corridor prices, transport loads
Finance	Card	Escrow, payouts, reconciliation, commissions
Disputes	Bell	Open, resolved, by corridor
System	More	Zones, promos, features, commission defaults
Audit	Clock	Read-only event log, export CSV
Monitoring	Bell	Health, alerts, backups
Data API	Card	Government keys, RBAC, IP whitelist

3. Authentication & access

3.1 Sign-in screen

Heading: Admin access

Subheading: Secure area. Authorized only.

Fields: Email, Password, MFA code (TOTP, 6-digit).

CTA: Sign in.

Note: This area is monitored. All actions are logged.

3.2 MFA setup

QR code + manual entry of the TOTP secret. Mandatory before any role with write scope can be used. Re-enrolment requires a second admin's approval.

3.3 Roles (RBAC)

ROLE	SCOPE	NOTES
Super Admin	All sections, write	2-of-2 approval for impersonation + escrow adjustments
Approvals Officer	Approvals, Users (read), Audit (read)	Cannot touch Finance / System
Finance Admin	Finance, Disputes, Audit (read)	Manual escrow adjustments require reason + audit entry
Support	Users (read), Disputes (write), Audit (read)	Customer-facing disputes only
Government Partner	Data API only, scoped corridor + commodity	API key auth + IP whitelist

4. Dashboard home

Single page split into four bands:

4.1 System health band

Four green/red pills for the top services: API, Database, Payments, Tracking. Click into each → details.

API • Operational

Database • Operational

Payments • Degraded

Tracking • Operational

4.2 Today's numbers

NEW USERS 218	ORDERS 1,432	VOLUME ¥42.5M
ESCROW HELD ¥18.4M	PENDING APPROVALS 37	OPEN DISPUTES 12

4.3 Approvals queue (top 5)

Compact card list pulling the oldest pending approval across roles. Quick actions: Review, Snooze, Reject (with reason).

4.4 Alerts feed

Live stream of monitoring + admin events: rate-limit triggers, dispute opens, payout failures, escrow mismatches, suspicious impersonation attempts. Each row links to the relevant detail screen.

5. User management

5.1 Users list

Searchable / filterable table of every account. Columns: ID, Name, Phone, Role(s), Joined, Status, Last seen. Filters: role, status, country, KYC tier.

5.2 User detail

Header card with avatar + name + role pills. Tabs:

- **Profile:** identity fields, KYC docs preview, change-history.
- **Orders:** full order history, links to each.
- **Wallet:** balance, top-up history, withdrawal history.
- **Disputes:** any disputes raised or against this user.
- **Activity:** device fingerprints, login locations, suspicious flags.

5.3 Actions

ACTION	ENDPOINT	AUDIT
Suspend / ban	PUT /admin/users/:id/suspend	Auto-logged
Restore	PUT /admin/users/:id/restore	Auto-logged
Impersonate (support mode)	POST /admin/impersonate/:id	2-admin approval; banner shown to support agent at all times
Adjust wallet	POST /admin/wallet/adjust	Reason required; auto-logged
Force MFA re-enrol	POST /admin/mfa/reset/:id	Auto-logged

6. Approvals

Five symmetrical screens (one per operator role). Same layout, different document set per role.

6.1 Approvals queue layout

Left rail of tabs: Vendor (V), Trader (T), Agent (A), Rider (R), Driver (D). Each tab shows count badge.
Body = filterable table + detail drawer.

6.2 Approval detail drawer

Slides in from the right. Three sections:

- 1. **Identity:** name, phone, business, region, date of application.
- 2. **Documents:** tiled previews + download. Each tile shows OCR-extracted text and a confidence badge (auto-verified, needs review).
- 3. **Bank verification:** resolved account name + match against KYC name; mismatch flagged in red.

Footer actions: Approve Decline (with reason) Block (with reason) .

6.3 Documents required by role

ROLE	REQUIRED DOCS
Vendor	CAC / business registration · operating permit · owner ID · store-location photo · utility bill · bank statement
Trader	Business registration · owner ID · farm/warehouse photo · corridors served · bank statement
Agent	ID · face capture · zone preference · union (optional) · payout account
Rider	Government ID · selfie with ID · vehicle registration · driver licence · insurance · payout account
Driver	Driver licence · vehicle registration · insurance · union endorsement · ECOWAS Trade Liberalisation Scheme certificate · AfCFTA registration · customs clearance licence · international passport · payout account

6.4 Commission override

Inside the approved detail, finance admin can override the default commission for that operator with an effective date. Shown as a chip on subsequent payouts.

7. System configuration

7.1 Zones

Map view (Mapbox, GL JS, light style) with polygon draw tools. Each zone has a name, boundary GeoJSON, currency, FX rate source, default commission overrides, active toggle.

7.2 Commission defaults

VERTICAL	DEFAULT %	FLOOR %	CEILING %
Restaurants	15	10	22
Produce	8	5	15
Livestock	10	7	18
Essentials	12	8	18
Bulk / cross-border	2	1	5

7.3 Promos

List + create modal. Fields: code, discount type (% or flat), max uses, per-user limit, eligible verticals, eligible corridors, start, expiry, stackable flag.

7.4 Feature flags

Boolean switches per vertical (Restaurants, Produce, Livestock, Essentials, Trade, Cross-border) plus a global maintenance-mode switch that surfaces a banner inside every mobile shell.

7.5 App banners

WYSIWYG composer for the in-app announcement banners (top of customer home). Schedule + target audience (role, country, last-purchase recency).

8. Disputes & escrow

8.1 Dispute queue

Table grouped by status: Open, Under review, Escalated, Resolved. Columns: dispute ID, order ID, party who raised, reason, age, escrow held, assigned admin.

8.2 Dispute thread

Chronological timeline: customer message, vendor reply, rider note, admin notes. Photo gallery with zoom for evidence. Order timeline rendered top-down (Paid → Held → Awaiting delivery → Confirm receipt).

8.3 Resolution actions

ACTION	EFFECT	AUDIT
Release to seller	POST /admin/disputes/:id/resolve, releases escrow to vendor / trader	Notes mandatory
Refund buyer	Releases held escrow back to buyer wallet	Notes mandatory
Partial split	Two-input form (seller TX , buyer TY , must sum to total)	Notes mandatory
Escalate	Re-queue to a senior admin, locks edits for 24h	Auto-logged

8.4 Escrow ledger

Read-only ledger of every escrow movement: held, released, refunded, disputed, adjusted. Mirrors the buyer-side *Bulk orders* screen but with admin annotations + manual-adjustment trail.

9. Financial reconciliation

9.1 Reconciliation dashboard

Three KPI tiles (Total held / Bank balance / Difference) on a hero card. If $|\text{difference}| > \text{₦}10,000$ the tile flashes `statusError` red and an alert is emitted.

9.2 Payouts

List of every payout grouped by status. Bulk actions: hold, release, retry. Each row has an idempotency key (UUID) shown in a copy chip — duplicate requests use the same key.

9.3 Currency conversion

Read-only feed of the FX rates pulled from the conversion service every 5 minutes (NGN ↔ XOF ↔ XAF). Spread is 2.5% — surfaced as a column. Designer note: chart with sparkline per pair.

9.4 Manual escrow adjustment

Restricted modal. Fields: order ID, amount, direction (buyer↑ / seller↑), reason (required), admin signature. Posts an audit entry, locks the row for 24 hours from further adjustment.

10. Audit log

10.1 Layout

Single screen, table-first. Filters across the top (admin, action, entity, date range, IP). Columns: timestamp (with timezone), admin name, action, entity, IP, diff (collapsed, expandable).

10.2 Detail row

Expanding a row shows the JSON diff (before / after) of the affected entity, with each changed key highlighted. Read-only.

10.3 Export

CSV export of the current filter set. Streamed to S3 then surfaced as a signed-URL toast.

11. Monitoring & alerts

11.1 Service health board

Grid of service tiles (API gateway, escrow service, dispatch service, tracking websocket, transactional email, push notification). Each tile shows uptime %, p95 latency, error rate.

11.2 Live transaction volume

Real-time line chart pulled via WebSocket (/admin/metrics/live). Two series: orders/min and \$ volume/min. 60-minute rolling window.

11.3 Alert configuration

Rules table. Each rule: metric, operator, threshold, window, recipients (Slack, email, SMS). Boilerplate set: error-rate > 1% for 5 min, p95 latency > 1s for 10 min, payout failure > 3 in 1h.

11.4 Backup management

List of automated daily PostgreSQL dumps shipped to S3. Manual trigger button (restricted to Super Admin). Restore is operator-led — surface a "Request restore" workflow that opens a ticket; do not expose restore from the UI.

12. Government data portal

Sub-portal of the admin dashboard, white-labelled per agency (NEPC, Customs, NAFDAC).

Authentication is API-key + IP whitelist, not the admin SSO. Visually subordinate to admin but uses the same design system.

12.1 Dashboard

Filter set across the top: corridor, date range, products. Below:

- Four metric cards (Total trade volume, Total trade value, Active shipments, Active traders).
- Trade-volume trend chart (Chart.js line).
- Top-products bar chart.
- Border-activity heatmap (Mapbox border-markers with bubble radii proportional to volume).

12.2 Reports

Self-serve report generator: type (monthly / quarterly / annual), corridor, products, format (PDF / CSV), schedule (one-off / monthly recurring). PDFs use the same Inter / monochrome look as this guide.

12.3 API keys

Create / revoke API keys per agency. Each key has expiry, IP whitelist, scope (corridor, product), rate limit. Show usage in a sparkline per key.

12.4 STR / policy

Two pushed pages reached from the data portal:

- **STR sync:** last successful push timestamp, manual re-push button, recent payload preview.
 - **Policy simulator:** three sliders (checkpoint count, fuel price, road-closure days). Right side shows projected trade-volume change, before/after lines, "Generate PDF report" button.
-

13. Content reference

Reuse the brand voice guide verbatim where possible. Below is the canonical copy palette for admin surfaces.

Tone

Calm, accurate, low-drama. Admin copy must read like an internal operator's notebook: short headings, factual descriptions, no marketing language. Avoid em dashes; use commas or full stops. Status pills are the visual carrier of emotion — let them do that work.

Key phrases

CONTEXT	COPY
Login note	This area is monitored. All actions are logged.
Sensitive action confirm	This action will be logged with your admin ID and IP.
Approval CTA	Approve · Decline (with reason) · Block (with reason)
Reconciliation alert	Escrow held does not match bank balance. Difference: ¥ X.
Empty queue	No pending approvals. Inbox is clear.
Impersonation banner	You are operating as {user}. Every action is recorded.
Dispute review intro	Help traders and buyers find middle ground.

14. Acceptance criteria

1. Every screen uses tokens from §1. No bespoke colours, shadows, or radii.
2. Every destructive action (suspend, refund, manual adjustment) requires a **reason** and writes a deterministic audit entry.
3. Every admin write endpoint sits behind RBAC; designers should denote the required role on the Figma frame note.
4. Every long-running list (users, orders, audit) supports cursor pagination with a 20-row default and a per-row anchor (`?after=...`).
5. Every detail surface has a "Last edited by" footer attribution drawn from the audit log.
6. Every numeric value is rendered with tabular-nums and the Naira symbol prefixed (no postfix); FX-converted values show original + converted side by side.
7. The government portal is visually separate but design-system identical — agency branding lands in the header avatar only.
8. Mobile breakpoints: 1024 px collapses the left rail into a hamburger; 768 px folds tables into card lists. The admin app is desktop-first; below 768 px is read-only.

End of guide. v1, ready for design.