

Name: Ms. Neha Agarwal

UHID: AM10232390

Contact: 8961736827

27 Y 0M 0D / F

Location: **Diagnostic Clinic/DHAKURIA**Doctor: **Referral Doctor**

Ordered: 28-Jan-2022 01:54 PM | Reported: 29-Jan-2022 11:27 AM

**COVID-19 OPEN RT PCR**

COVID-19 OPEN RT PCR

TEST	COVID-19 QUALITATIVE RT PCR
SAMPLE	Nasopharyngeal and oropharyngeal swab
SRF ID	1931281856227
METHOD	RT PCR
RESULT	NEGATIVE for SARS-CoV2

LIMITATION:

- False Negative result may be associated with insufficient viral RNA in the sample, presence of inhibitors, rare mutations or polymorphism in the conserved region. In such cases retesting should be conducted with freshly collected repeat sample.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection. Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. Repeat testing from fresh sample may be considered if clinically indicated.
- Result of Real-time PCR should be correlated with clinical symptoms and medical history.

NOTE:

- *AMRI Dhakuria is an ICMR approved COVID-19 RT PCR testing centre with ICMR Registration Number: AMRIHDK.
- * Tests are conducted with ICMR / CE-IVD/USFDA approved kit.
- * For further information, please contact: Call centre: 1800313444222 or 03323412600. Telemedicine Helpline Number: 033-23576001 (Source: Department of Health and Family Welfare: Government of West Bengal)

*Reported Test is not in NABL scope

Lab.No.: 30

--- End of Report ---



Dr. Neha Patnaik
M.D. (Microbiology)
Microbiologist

