
Connecting Dotloop to Claude

A plain-English guide for brokers, agents, and transaction coordinators

The short version

Dotloop already holds every detail of your transactions. This connection lets Claude read that information and answer questions about it in seconds — instead of you opening loop after loop to find a closing date.

For most agents, setup is a two-minute click-to-approve. Only one person at the brokerage does the technical part, and only once.

What it actually does

Once connected, you can ask ordinary questions in plain English and get straight answers pulled from your live Dotloop data:

- “Which of my deals close in the next two weeks?”
- “What’s the inspection deadline on the Meeting Street contract?”
- “Show me every loop under contract that’s missing a lender.”
- “Which files still need a signed disclosure?”
- “Summarize where the Johnson transaction stands right now.”

It reads the same contract fields your loops already contain — purchase price, closing date, earnest money, commission, inspection and offer dates, participants, tasks, and documents. Nothing new has to be entered anywhere.

Why this is faster than opening the file

Dotloop stores your contract terms as actual data fields, not just as a scanned PDF. That means Claude can check forty loops for a deadline in one pass, which is the kind of work that eats an afternoon by hand.

Who does what

There are three roles. Most people are only the third one.

Role	What they do	How long
Broker or owner	Approves the idea and signs off on Dotloop's API terms. Requests API access from your Dotloop Partner Success Manager.	One email
Setup person	Creates the Application Client inside Dotloop and installs the connector. One person, one time, for the whole brokerage.	About an hour
Individual agent	Clicks a link, logs into Dotloop, clicks Approve. That's the entire job.	Two minutes

Part 1 — For agents

If someone at your brokerage has already set this up, this is all you do.

1

Get the connector address

Your setup person gives you one web address. That is the only thing you need — there is nothing to download and nothing to install.

2

Add it in Claude

In Claude Desktop or Cowork, open **Settings**, then **Connectors**, then **Add custom connector**. Paste the address and save.

If it asks for OAuth client details, leave those boxes empty.

3

Log into Dotloop and click Approve

Claude sends you to Dotloop's own login page. Sign in with **your own** Dotloop account — the one holding your transactions — and click Approve.

Tip: if your browser is already signed into a different Dotloop account, sign out first or use a private window. Otherwise it may quietly connect the wrong account.

That is the whole job. You will not have to do it again.

Nobody handles your password, including your setup person

You type your Dotloop password on Dotloop's own site and nowhere else. Your setup person never sees it, and never sees the access key it creates for you.

You can turn it off whenever you want

Access is revocable from your own Dotloop account at any time, without anyone else's permission. Approving is not a one-way door.

Part 2 — For the setup person

This is the technical half. It happens once per brokerage, not once per agent. Some comfort with a command line helps, but there is no programming involved.

1

Get API access turned on

Ask your Dotloop Partner Success Manager for V2 API access. They will send a request form and approve the account. Expect a few days.

2

Create a dedicated Dotloop account

Dotloop requires a separate account to hold the connection — something like **api@yourcompany.com**. A free account is fine.

Do not use a personal account. If that person leaves the company, the whole integration has to be rebuilt from scratch.

3

Create the Application Client

Log into the new account, go to **My Account > Clients**, and click **+ Add Client**. Fill in every field and save. Dotloop then shows you a **Client ID** and a **Secret**.

The one step you cannot undo

On that same screen is a section called **Access Control** with five switches: Account, Loop, Template, Profile, and Contact.

Turn on all five. Dotloop's own guide states these can be set only once — changing them later means building a brand new client and starting over. There is no downside to enabling everything up front.

Also: the Secret is displayed exactly one time. Copy it somewhere safe before you close that window.

4

Put the connector online

Deploy the connector to a hosting service such as Railway, Render, or Fly. Give it your Client ID and Secret plus the public web address it will run at. The project README has the exact settings.

It has to be online rather than sitting on your desktop, because Claude on a phone or in a browser cannot reach a program running on your computer.

5

Register the return address

Go back to your Dotloop Client and add this to its **Redirect URLs**:

```
https://your-address/oauth/dotloop-callback
```

Dotloop matches this exactly, and every agent login fails until it is registered. The connector prints the exact address when it starts up. Unlike Access Control, this field can be edited later.

6

Connect yourself first, then share

Add the connector in your own Claude and walk through the Dotloop login. That proves the whole path works before anyone else touches it.

Then send the address to your agents. One address serves everyone — each person's own login is what decides whose loops they see.

One setup serves the whole office

You build the Dotloop client once. Every agent then connects themselves through it, and the connector keeps each agent's access separate. Adding someone later costs you nothing — you send them the same address.

Security and privacy

The questions a broker should ask, answered plainly.

Question	Answer
Where does our data go?	Nowhere new. The connection reads from Dotloop directly. There is no middleman database and no copy of your transactions stored elsewhere.

Question	Answer
Does it use our password?	No. Sign-in happens on Dotloop's own site using OAuth 2.0, the same standard behind 'Sign in with Google.' The connector never sees or stores anyone's password.
Can it change our contracts?	Only if you allow it. It can be run strictly read-only. Where editing is enabled, the assistant is instructed to state the exact change and get confirmation first.
Who can see whose deals?	Each agent's approval covers only that agent's loops. Approving does not expose one agent's transactions to another.
Can we shut it off?	Yes. Any agent can revoke their own access from Dotloop at any time. The brokerage can disable the whole client, and Dotloop can revoke API access at its own discretion.
Who holds the keys?	The connector does, on the server. Agents never see or handle a credential, so there is nothing for them to paste, email, or lose. The one secret a person handles is the brokerage's Client Secret, held by the setup person alone.

What Dotloop requires

Their rules, not ours. Worth knowing before you plan around this.

- **API access is approved case by case**, and Dotloop may discontinue it at their sole discretion.
- **A working demo is required** before the integration goes live.
- **Dotloop support does not help build it.** They answer questions about their endpoints, but only with a developer included on the thread.
- **There is a usage limit** of 100 requests per minute per user. Fine for daily work; large sweeps run in batches.

If you plan to resell this

Using this inside your own brokerage is one arrangement with Dotloop. Packaging and selling it to other brokerages is a different one — their request form scopes approval to a vendor or service provider of an existing Dotloop subscriber.

Talk to your Partner Success Manager before you build a pricing page. It is a cheap conversation early and an expensive one late.

Honest limitations

- **It reads what Dotloop has.** If a field was never filled in, the assistant cannot know it. Garbage in, nothing out.
 - **It is not legal advice.** It surfaces dates, terms, and gaps. Interpreting what a clause obligates anyone to do remains your job.
 - **Check before you act.** Treat it as a very fast assistant, not an unsupervised one. Verify anything consequential against the loop itself.
-

Questions

Barry Cunningham — The Boulevard Company
Barry@TheBlvdCompany.com · 843.530.0755

Dotloop API documentation: dotloop.github.io/public-api
Dotloop support: support.dotloop.com · 888.368.5667