



Escuela Politécnica Nacional

Evidencias de Resolución

Programación II


lunes, 10 de noviembre de 2025

$S_1:$

`getRep = 3` → Lo que me da el usuario

$9 \% 2 == 0 \rightarrow$ presenta " - "

else → presenta " + "



$$x \% 2 \neq 0$$

52:  $\rightarrow$ Serie Fibonacci

```
for (int i=1; i ≤ getrep; i++) {
```

$$c = a + b$$
$$a = b$$
$$b = c$$

```
for (int y = 1, y ≤ a, y++)
```

```
printf ("%s", s);
```

53.

++	+++	++++	+++++
2	3	5	7

Numero Primos

```
for (int i = 2; i ≤ getrep, i++) {  
    if (metodoVerificador) _____
```

```
for(int j=1; j<=9; j++) {
```

```
printf("%+");
```

```
print f( " " )
```

Int num;

$$\exists f(\text{num} < 2)$$

return false.

for (int i=2; i<= Math.sqrt(num); i++)

Solo necesito la mitad

2.18
 3.12
 4.9
 6.6

 9.4
 12.3

548

+	-	*	/	+	-	*	/
1	2	3	4	1	2	3	4
1	2	3	4	1	2	3	4

get Rep = 2

```
for (int i=1; i ≤ getrep; i++) {
```

for $(int\ j=1, j<4, j++)$ {

if (j%4) → ==2, ==3, ==4
printf("+")

9. 44

$$\begin{array}{r} 10 \overline{) 20} \\ \underline{20} \\ 0 \end{array}$$

S58 $\frac{1}{1} \quad \frac{-1}{2} \quad \frac{1}{3} \quad \frac{-1}{4} \quad \frac{1}{5}$

```
for (int j = 1; i <= getRep; i++) {
    if (i % 2 != 0) {
        for (int j = 1; j <= 3; j++) {
            if (j % 3 == 1)
                printf("\n");
            else if (j % 3 == 2)
                printf("\n");
            else if (j % 3 == 3)
                printf("\n");
        }
    }
}
```

S68 for (char letra 'a', letra < 'a' + getRepetition(), letra++)

me permite cambiar de letra a la repetición correspondiente

S78 $\frac{a}{1} + \frac{c}{2} - \frac{e}{3} + \frac{g}{4}$

char letra = 'a'

```
for (int i = 1; i <= getRep; i++) {
    if (i % 2 != 0) {
        printf("%c", letra);
        letra = letra + 2;
    }
    if (i % 2 == 0) {
        printf("%c", letra);
    }
}
```

S88 aa bbbb cccccc ddddddd

2 4 6 8 números pares

```
for (int i = 1; i <= getRep; i++) {
    for (int j = 1; j <= num; j++) {
        printf("%c", letra);
    }
    num = num + 2;
    letra = (char) (letra + 1);
}
```

598 a "" bbb "" ccc cc "" dddddd "" eeeeeeeee

```

for (int i=1; i <= 2*getRep; i++) {
    if (i%2 != 0) {
        for (int j=1; j <= i; j++) {
            printf("%c", letra);
        }
        letra = (char)(letra + 1);
    }
    else {
        printf(" ");
    }
}

```

para los
espacios

5108 a b c dd eee fffff 99999999

a=0 char letra='a'
b=1
c=0

printf(letra)

letra++

```

for (int i=1; i <= getRep; i++) {

```

```

    c = a+b
    a = b
    b = c

```

```

    for (int j=1; j <= getNum(); j++) {
        printf("%c", letra);
    }


```

```

    letra = (char)(letra + 1);
    printf(" ");
}

```


A03 $\rightarrow$ Autómatas para validar $a^+/b^+/c^+$



A04 $\rightarrow$ Autómatas para validar $1^+/\emptyset + 1^*$

