

Cucumber Report

Feb 23, 2024, 11:02:31 AM

Start : Feb 23, 11:02:17.406 AM

End : Feb 23, 11:02:30.115 AM

Duration : 12.709 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page Functionality</u>	12.709 s	1	0	1	0	6	0	1	5
<u>landing page feature</u>	12.628 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	<u>Login Page Functionality</u>	<u>login to the application with valid credentials</u>
2	<u>landing page feature</u>	<u>Search for a product</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>@Regression</i>	2	0	2	0	2	0	2	0
<i>@Functional</i>	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	Login Page Functionality	1	0	1	0	12.709 s
2	landing page feature	1	0	1	0	12.628 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Page Functionality</u>	<u>login to the application with valid credentials</u>	6	0	1	5	12.704 s
2	<u>landing page feature</u>	<u>Search for a product</u>	5	0	1	4	12.628 s


Login Page Functionality

FAILED	DURATION - 12.709 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 11:02:17.406 AM // 11:02:30.115 AM /					



login to the application with valid credentials

<div>FAILED</div> <div>DURATION - 12.704 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 11:02:17.411 AM // 11:02:30.115 AM /				
Login Page Functionality				
@Regression @Functional				



#	Step / Hook Details	Status	Duration
1	<p>Given user opens the url</p> <p>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 2.341 (Session info: chrome=121.0.6167.187) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e247f7f4c95e9d112598655aeb72792c, get {url=https://www.demoblaze.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.187, chrome: {chromedriverVersion: 121.0.6167.184 (057a8ae7deb..., userDataDir: C:\Users\larao\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51261}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51261/devtoo..., se:cdpVersion: 121.0.6167.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e247f7f4c95e9d112598655aeb72792c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>	FAILED	5.095 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefinations.LandingPageSteps.user_opens_the_url(LandingPageSteps.java:29) at ?.user opens the url(file:///C:/Users/arao/git/repository/ProjectQ12024/src/test/resources/AppFeatures/LoginPage.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	And click on Login option	SKIPPED	0.001 s
3	When user enters username "TESTDEMO"	SKIPPED	0.001 s
4	And user enters Password "test123"	SKIPPED	0.001 s
5	And user clicks on Login button	SKIPPED	0.006 s
6	Then user goto Homepage and WelcomeMsg should be "Welcome TESTDEMO"	SKIPPED	0.003 s
	AFTER - AppHooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.329 s
	login_to_the_application_with_valid_credentials		
			

landing page feature

FAILED	DURATION - 12.628 s	Scenarios		Steps	
/ 11:02:17.453 AM // 11:02:30.081 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

Search for a product

<div>FAILED</div> <div>DURATION - 12.628 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 11:02:17.453 AM // 11:02:30.081 AM /				
landing page feature				
@Regression @Functional				

#	Step / Hook Details	Status	Duration				
1	<div>Given user opens the url</div> <div>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 2.264 (Session info: chrome=121.0.6167.187) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fc08ea0fcb4d385154def411862a2a5e, get {url=https://www.demoblaze.com/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.187, chrome: {chromedriverVersion: 121.0.6167.184 (057a8ae7deb..., userDataDir: C:\Users\arao\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51260}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51260/devtoo..., se.cdpVersion: 121.0.6167.187, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fc08ea0fcb4d385154def411862a2a5e at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:301) at StepDefinations.LandingPageSteps.user_opens_the_url(LandingPageSteps.java:29) at ?.user opens the url(file:///C:/Users/arao/git/repository/ProjectQ12024/src/test/resources/AppFeatures/LandingPage.feature:20) * Not displayable characters are replaced by '?'. </div>	FAILED	5.094 s				
2	And click on Login option	SKIPPED	0.008 s				
3	<div>And user logged in with credentials User <username> and Password <password></div> <table><tr><td>username</td><td>password</td></tr><tr><td>TESTDEMO</td><td>test123</td></tr></table>	username	password	TESTDEMO	test123	SKIPPED	0.017 s
username	password						
TESTDEMO	test123						
4	When user clicks on category "Laptops"	SKIPPED	0.005 s				

#	Step / Hook Details	Status	Duration
5	Then search for a product "2017 Dell 15.6 Inch" with price "\$700"	SKIPPED	0.002 s
	AFTER - AppHooks.Hooks.teardown(io.cucumber.java.Scenario)	PASSED	0.345 s
	Search_for_a_product		
	