Sets

In [1]:
```
myset={1,2,3,4,5}
myset
```

Out[1]:
```
{1, 2, 3, 4, 5}
```

In [2]:
```
len(myset)
```

Out[2]:
```
5
```

In [3]:
```
my_set={1,1,2,2,3,4,5,5}
my_set
```

Out[3]:
```
{1, 2, 3, 4, 5}
```

In [4]:
```
myset1={1.79,2.08,3.99,4.56,5.45}
myset1
```

Out[4]:
```
{1.79, 2.08, 3.99, 4.56, 5.45}
```

In [5]:
```
myset2={'Asif','John','Tyrion'}
myset2
```

Out[5]:
```
{'Asif', 'John', 'Tyrion'}
```

In [6]:
```
myset3={10,20,"Hola",(11,22,32)}
myset3
```

Out[6]:
```
{(11, 22, 32), 10, 20, 'Hola'}
```

In [7]:
```
myset3={10,20,"Hola",[11,22,32]}
myset3
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
Cell In[7], line 1
----> 1 myset3={10,20,"Hola",[11,22,32]}
      2 myset3

TypeError: unhashable type: 'list'
```

In [8]:
```
myset4=set()
print(type(myset4))
```

```
<class 'set'>
```

In [9]:
```
type(set4)
```

```
---------------------------------------------------------------------------
NameError                                 Traceback (most recent call last)
Cell In[9], line 1
----> 1 type(set4)

NameError: name 'set4' is not defined
```

In [10]:
```
type(myset4)
```

Out[10]: set

In [11]:
```
my=set(1,3)
my
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
Cell In[11], line 1
----> 1 my=set(1,3)
      2 my

TypeError: set expected at most 1 argument, got 2
```

In [12]:
```
my=set(2)
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
Cell In[12], line 1
----> 1 my=set(2)

TypeError: 'int' object is not iterable
```

In [13]:
```
my=set()
print(type(my))
```

```
<class 'set'>
```

In [14]:
```
my_set1=set(('one','two','three','four'))
my_set1
```

Out[14]: {'four', 'one', 'three', 'two'}

In [15]:
```
type(my_set1)
```

Out[15]: set

In [16]:
```
my=set('22')
type(my)
```

Out[16]: set

loop through set

In [18]:
```
myset={'one','two','three','four','five','six','seven','eight'}
for i in myset:
    print(i)
```

```
one
three
six
five
seven
two
four
eight
```

In [19]:
```
for i in enumerate(myset):
    print(i)
```

```
(0, 'one')
(1, 'three')
(2, 'six')
(3, 'five')
(4, 'seven')
(5, 'two')
(6, 'four')
(7, 'eight')
```

In [20]:
```
if 'one' in myset:
    print("one is present in myset")
else:
    print("one is not present in myset")
```

```
one is present in myset
```

In [21]:
```
myset
```

Out[21]:
```
{'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}
```

In [22]:
```
'one' in myset
```

Out[22]:
```
True
```

In [23]:
```
'ten' in myset
```

Out[23]:
```
False
```

In [25]:
```
if 'three' in myset:
    print("Three is present in myset")
else:
    print("Three is not present in myset")
```

```
Three is present in myset
```

In [26]:
```
if 'eleven' in myset:
    print("Eleven is present in myset")
else:
    print("Eleven is not present in myset")
```

```
Eleven is not present in myset
```

Add & Remove Items

In [27]:
```
myset
```

Out[27]:
```
{'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}
```

In [30]:
```
myset.add('Nine')
myset
```

Out[30]:
```
{'Nine',
 'eight',
 'five',
 'four',
 'nine',
 'one',
 'seven',
 'six',
 'three',
 'two'}
```

In [31]:
```
myset('9')
myset
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
Cell In[31], line 1
----> 1 myset('9')
      2 myset

TypeError: 'set' object is not callable
```

In [32]:
```
myset.add('9')
myset
```

Out[32]:
```
{'9',
 'Nine',
 'eight',
 'five',
 'four',
 'nine',
 'one',
 'seven',
 'six',
 'three',
 'two'}
```

In [33]:
```
myset.remove('9')
myset
```

Out[33]:
```
{'Nine',
 'eight',
 'five',
 'four',
 'nine',
 'one',
 'seven',
 'six',
 'three',
 'two'}
```

In [34]:
```
myset.update(['TEN','ELEVEN','TWELVE'])
myset
```

Out[34]:
```
{'ELEVEN',
 'Nine',
 'TEN',
 'TWELVE',
 'eight',
 'five',
 'four',
 'nine',
 'one',
 'seven',
 'six',
 'three',
 'two'}
```

In [35]:
```
myset.remove('Nine')
myset
```

Out[35]:
```
{'ELEVEN',
 'TEN',
 'TWELVE',
 'eight',
 'five',
 'four',
 'nine',
 'one',
 'seven',
 'six',
 'three',
 'two'}
```

In [39]:
```
myset.discard('TEN')
myset
```

```
---------------------------------------------------------------------------
NameError                                 Traceback (most recent call last)
Cell In[39], line 1
----> 1 myset.discard('TEN')
      2 myset

NameError: name 'myset' is not defined
```

In [37]:
```
myset.clear()
myset
```

Out[37]:
```
set()
```

In [38]:
```
del myset
myset
```

```
---------------------------------------------------------------------------
NameError                                 Traceback (most recent call last)
Cell In[38], line 2
      1 del myset
----> 2 myset

NameError: name 'myset' is not defined
```

In [40]:
```
myset={1,3,4}
myset
```

Out[40]: {1, 3, 4}

In [41]:
```
myset={'one','two','three','four','five','six','seven','eight'}
myset
```

Out[41]: {'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}

In [42]:
```
myset1=myset
myset1
```

Out[42]: {'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}

In [43]:
```
id(myset),id(myset1)
```

Out[43]: (2268504198720, 2268504198720)

In [44]:
```
my_set=mysset.copy()
my_set
```

```
---------------------------------------------------------------------------
NameError                                 Traceback (most recent call last)
Cell In[44], line 1
----> 1 my_set=mysset.copy()
      2 my_set

NameError: name 'mysset' is not defined
```

In [45]:
```
my_set=myset.copy()
my_set
```

Out[45]: {'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}

In [46]:
```
my_set=myset1.copy()
my_set
```

Out[46]: {'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}

In [47]:
```
id(my_set)
```

Out[47]: 2268504357152

In [48]:
```
myset.add('nine')
myset
```

Out[48]: {'eight', 'five', 'four', 'nine', 'one', 'seven', 'six', 'three', 'two'}

In [49]:
```
myset1
```

Out[49]: {'eight', 'five', 'four', 'nine', 'one', 'seven', 'six', 'three', 'two'}

In [50]:
```
my_set
```

Out[50]: {'eight', 'five', 'four', 'one', 'seven', 'six', 'three', 'two'}

set operation

In [51]:
```
A={1,2,3,4,5}
B={4,5,6,7,8}
C={8,9,10}
```

In [52]:
```
A|B
```

Out[52]:
```
{1, 2, 3, 4, 5, 6, 7, 8}
```

In [56]:
```
A.union(B)
A
```

Out[56]:
```
{1, 2, 3, 4, 5}
```

In [54]:
```
A.union(B,C)
```

Out[54]:
```
{1, 2, 3, 4, 5, 6, 7, 8, 9, 10}
```

In [57]:
```
"""updates the set calling the update() method with union of A,B&C.
For below example Set A will be updated with union of A,B & C."""
A.update(B,C)
A
```

Out[57]:
```
{1, 2, 3, 4, 5, 6, 7, 8, 9, 10}
```

Intersection

In [58]:
```
A={1,2,3,4,5}
B={4,5,6,7,8}
```

In [59]:
```
A&B
```

Out[59]:
```
{4, 5}
```

In [60]:
```
A.intersection(B)
```

Out[60]:
```
{4, 5}
```

In [61]:
```
A.intersection(B)    Intersection of A and B
```

```
  Cell In[61], line 1
    A.intersection(B)    Intersection of A and B
                         ^
SyntaxError: invalid syntax
```

In [62]:
```
"""
Updates the set calling the intersection_update() method with the intersection
For below example Set A will be updated with the intersection of A & B.
"""
A.intersection_update(B)
A
```

Out[62]: {4, 5}

Difference

In [63]:
```
A={1,2,3,4,5}
B={4,5,6,7,8}
```

In [64]:
```
A-B
```

Out[64]: {1, 2, 3}

In [65]:
```
A.difference(B)
```

Out[65]: {1, 2, 3}

In [66]:
```
B-A
```

Out[66]: {6, 7, 8}

In [67]:
```
B.difference(A)
```

Out[67]: {6, 7, 8}

In [68]:
```
'''
Updates the set calling the differece_update() method with the difference of set
For below example Set B will be updated with the difference fo B & A.
'''
B.difference_update(A)
B
```

Out[68]: {6, 7, 8}

In [69]:
```
A={1,2,3,4,5}
B={4,5,6,7,8}
```

In [70]:
```
A^B
```

Out[70]: {1, 2, 3, 6, 7, 8}

In [71]:
```
A.symmetric_difference(B)
```

Out[71]: {1, 2, 3, 6, 7, 8}

In [72]:
```
A
```

Out[72]: {1, 2, 3, 4, 5}

In [73]:
```
A.symmetric_difference_update(B)
```

In [74]:
```
A
```

Out[74]: {1, 2, 3, 6, 7, 8}

Subset,Superset & Disjoint

In [76]:
```
#superset=parent
#subset=child/kid
#Disjoint=neighbour
```

In [84]:
```
A={1,2,3,4,5,6,7,8,9}
B={3,4,5,6,7,8}
C={10,20,30,40}
```

In [85]:
```
B.issubset(A)
```

Out[85]: True

In [86]:
```
A.issuperset(B)
```

Out[86]: True

In [87]:
```
C.isdisjoint(A)
```

Out[87]: True

In [88]:
```
B.isdisjoint(A)
```

Out[88]: False

A

In [89]:
```
A
```

Out[89]: {1, 2, 3, 4, 5, 6, 7, 8, 9}

In [90]:
```
sum(A)
```

Out[90]: 45

In [91]:
```
max(A)
```

Out[91]: 9

In [92]:
```
min(A)
```

Out[92]: 1

In [93]:
```
len(A)
```

Out[93]: 9

In [94]:
```
list(enumerate(A))
```

Out[94]: [(0, 1), (1, 2), (2, 3), (3, 4), (4, 5), (5, 6), (6, 7), (7, 8), (8, 9)]

In [95]:
```
D=sorted(A,reverse=True)
D
```

Out[95]: [9, 8, 7, 6, 5, 4, 3, 2, 1]

In [96]:
```
D
```

Out[96]: [9, 8, 7, 6, 5, 4, 3, 2, 1]

In [97]:
```
sorted(D)
```

Out[97]: [1, 2, 3, 4, 5, 6, 7, 8, 9]

In [98]:
```
E=sorted(C,reverse=True)
E
```

Out[98]: [40, 30, 20, 10]

In [99]:
```
sorted(E)
```

Out[99]: [10, 20, 30, 40]

In [ ]: