

$A \phi = c B \phi$: each $4n \times 4n$ matrix is a 4×4 grid of $n \times n$ blocks (rows = equations, columns = fields)

A — dense operator (15 blocks)

	$\hat{u}$	$\hat{v}$	$\hat{T}$	$\hat{p}$
continuity + state	$i\alpha I$	$D_1 - \frac{\tilde{T}'}{\tilde{T}}$	$-i\alpha \frac{\tilde{U}}{\tilde{T}}$	$i\alpha \gamma M^2 \tilde{U}$
x-momentum	$i\alpha \tilde{U}$ + visc.	$\tilde{U}'$ + visc.	transport	$i\alpha \bar{\rho}^{-1}$
y-momentum	visc.	$i\alpha \tilde{U}$ + visc.	transport	$\bar{\rho}^{-1} D_1$
energy	dissip.	$\tilde{T}' + \dots$	$i\alpha \tilde{U}$ $- C_K \mathcal{L}_C$	0

B — the c -terms only (5 blocks)

	$\hat{u}$	$\hat{v}$	$\hat{T}$	$\hat{p}$
continuity + state			$-\frac{i\alpha}{\tilde{T}}$	$i\alpha \gamma M^2$
x-momentum	$i\alpha$			
y-momentum		$i\alpha$		
energy			$i\alpha$	