

Description

[Submissions list](#)

[Similarity](#)

[Test activity](#)

## 01. Вмъкване на данни

Requested files: insert01.sql ([Download](#))

Type of work: Individual work

Настройки на оценките: Максимална оценка: 10

Run: Не. Run script: SQL. Evaluate: Да. Evaluate just on submission: Да

Automatic grade: Да. Maximum execution time: 960 s.

# 01. Colonial Journey Management System

## 0. Преглед на Базата Данни

Е / R диаграма на CJMS [база данни](#):

Създайте база с името `colonial_journey_management_system_db`.

Трябва да направите следните таблици:

- planets
- spaceports
- spaceship
- colonists
- journeys
- travel\_cards

## 1. Data Definition Language (DDL) – 30pts

Вашата задача е да създадете следните таблици:

## planets

Column Name	Data Type	Constraints
id	Integer, от 1 до 2,147,483,647.	Primary Key AUTO_INCREMENT
name	Низ съдържащ максимум 30 символа.	NULL HE е разрешено.

## spaceports

Column Name	Data Type	Constraints
id	Integer, from 1 to 2,147,483,647.	Primary Key AUTO_INCREMENT
name	Низ съдържащ максимум 50 символа.	NULL HE е разрешено.
planet_id	Integer, от 1 до 2,147,483,647.	Връзка с таблицата planets.

## spaceships

Column Name	Data Type	Constraints
id	Integer, от 1 до 2,147,483,647.	Primary Key AUTO_INCREMENT
name	Низ съдържащ максимум 50 символа.	NULL HE е разрешено.
manufacturer	Низ съдържащ максимум 30 символа.	NULL HE е разрешено.
light_speed_rate	Integer, от 0 до 2,147,483,647.	Има стойност по подразбиране 0.



## colonists

Column Name	Data Type	Constraints
id	Integer, от 1 до 2,147,483,647.	Primary Key AUTO_INCREMENT
first_name	Низ съдържащ максимум 20 символа.	NULL HE е разрешено.
last_name	Низ съдържащ максимум 30 символа.	NULL HE е разрешено.
ucn	Низ съдържащ <b>точно</b> 10 символа.	NULL HE е разрешено.  УНИКАЛНИ стойности.
birth_date	Дата <b>без</b> време.	NULL HE е разрешено.

## journeys

Column Name	Data Type	Constraints
id	Integer, от 1 до 2,147,483,647.	Primary Key AUTO_INCREMENT
journey_start	Дата <b>с</b> време.	NULL HE е разрешено.
journey_end	Дата <b>с</b> време.	NULL HE е разрешено.
purpose	Низ съдържащ максимум 11 символа.	Трябва да е една от следните стойности: "Medical", "Technical", "Educational", "Military"
destination_spaceport_id	Integer, от 1 до 2,147,483,647.	Връзка с таблицата <b>spaceports</b> .



spaceship_id	Integer, от 1 до 2,147,483,647.	Връзка с таблицата <b>spaceships</b> .
--------------	---------------------------------	--

## travel\_cards

Column Name	Data Type	Constraints
id	Integer, from 1 to 2,147,483,647.	Primary Key AUTO_INCREMENT
card_number	Низ съдържащ <b>точно</b> 10 символа.	NULL НЕ е разрешено. <b>УНИКАЛНИ</b> стойности.
job_during_journey	Низ съдържащ максимум 6 символа.	Should <b>only</b> contain one of the following jobs: "Pilot", "Engineer", "Trooper", "Cleaner", "Cook"
colonist_id	Integer, от 1 до 2,147,483,647.	Връзка с таблицата <b>colonists</b> .
journey_id	Integer, от 1 до 2,147,483,647.	Връзка с таблицата <b>journeys</b> .

Изпратете всички SQL заявки за създаване на таблици.

Вие също ще получите data.sql файл. Той ще съдържа набор от данни с произволни данни, които ще трябва да съхранявате в локалната си [база данни](#). Тези данни ще ви бъдат дадени, така че няма да ви се налага да мислите за данните и да загубите съществено време в процеса.

## 2. Data Manipulation Language (DML) – 30 pts

Тук трябва да направим няколко манипулации в базата данни, като промяна на данни, добавяне на данни и т.н.

## 3. Вмъкване на данни

You will have to **INSERT** records of data into the travel\_cards table, based on the **colonists** table.

За колонисти с id между 96 и 100 (включително) въведете данни в таблицата **travel\_cards** със следните стойности:

- За колонистите родени след '1980-01-01', номерът на картата трябва да бъде комбинация между годината на раждане, деня и първите 4 цифри от UCN. За останалата част - година на раждане, месец и последните 4 цифри от UCN.
- За колонистите с id което може да бъде разделено на 2 без остатък, работата трябва да бъде 'Pilot', за колонистите с id което може да бъде разделено на 3 без остатък – 'Cook', за всички останали – 'Engineer'.
- Id на пътуването е първата цифра от полета на колониста.

## 4. Обновяване на данни

ОБНОВЕТЕ целта на пътуването, на тези пътувания които отговарят на следните условия:

- Ако id-то на пътуването е делим на 2 без остатък – 'Medical'.
- Ако id-то на пътуването е делим на 3 без остатък – 'Technical'.
- Ако id-то на пътуването е делим на 5 без остатък – 'Educational'.
- Ако id-то на пътуването е делим на 7 без остатък – 'Military'.

## 5. Изтриване на данни

Изтрийте от колонистите тези, които нямат пътуване.

## 02. Заявки – 70 pts

Трябва да изведете информация от базата със заявки.

**ЗАБЕЛЕЖКА:** Примерни резултати използват записи от data файла. Препоръчително е да изчистите базата данни, която е била манипулирана от предишните проблеми от секцията DML, и да въведете отново набора от данни, които са ви дадени в data файла.

## 05. Извечете всички карти за пътуване

Извечете от базата данни всички карти за пътуване. Сортирайте резултатите по номер на картата във възходящ ред.

### Примери

---

card_number	job_during_journey
0032031181	Engineer
0037637193	Engineer
...	...

## 06. Извлекете всички колонисти

Изведете от базата данни, всички колонисти. Сортирайте резултатите по **собствено име**, по **фамилно име** и най-накрая по **id** по **възходящ ред**.

### Примери

id	full_name	ucn
35	Aigneis McConville	9225403496
92	Althea Kelinge	9998159318
...	...	...

## 07. Извлекете всички военни пътувания

Извличение от базата данни, всички **военни пътувания**. Сортирайте резултатите по **начална дата** на пътуването във **възходящ ред**.

### Примери

id	journey_start	journey_end
7	2019-01-04 23:44:40	2049-12-09 04:00:54
3	2019-02-21 22:06:34	2049-01-03 11:00:22
...	...	...

## 08. Извлечете всички пилоти

Извлечете от базата данни всички колонисти, които имат пилотна работа. Сортирайте резултата по **id** във **възходящ** ред.

### Примери

id	full_name
6	Clark Cowan
18	Wald Bim
...	...

## 09. Изтеглете най-бързия космически кораб

Extract from the database the fastest **spaceship** and its destination **spaceport name**. In other words, the ship with the **highest** light speed rate.

### Примери

spaceship_name	spaceport_name
SSE Priestess	Yggdrasil Station

## 10. Извлечете всички образователни мисии и космически кораби

Извличане от базите данни на всички **планети** и **техните** космодруми, които имат образователни мисии. Сортирайте резултатите по **име** на космодрума в **низходящ** ред.

### Примери

planet_name	spaceport_name
Kascarth	Yggdrasil Station
Lescore	Tartarus

...	...
-----	-----

## 11. Извлечете всички планети и тяхното пътуване

Извлечете от базата данни всички имена на планетите и пътуванията им. Поръчайте резултатите по броя на пътуванията, низходящите и възходящите по име на планетата.

### Примери

planet_name	journeys_count
Otroyphus	4
Eipra	2
...	...

### Execution files

vpl\_evaluate.cases





```
1 Case=QueryDB1
2 input=SELECT * FROM travel_cards
3 WHERE id > 95;
4 output=96
5 1994191458
6 Pilot
7 96
8 1
9 97
10 1981222886
11 Engineer
12 97
13 2
14 98
15 197090435
16 Pilot
17 98
18 9
19 99
20 196318580
21 Cook
22 99
23 5
24 100
25 196715685
26 Pilot
27 100
28 1
29
30 Case=QueryDB2
31 input=SELECT COUNT(id) FROM travel_cards
32 WHERE id > 95;
33 output=5
34
35 Case=QueryDB3
36 input=SELECT * FROM travel_cards
37 WHERE id > 95;
38 output=96
39 1994191458
40 Pilot
41 96
42 1
43 97
44 1981222886
45 Engineer
46 97
47 2
48 98
49 197090435
50 Pilot
```



```
51 98
52 9
53 99
54 196318580
55 Cook
56 99
57 5
58 100
59 196715685
60 Pilot
61 100
62 1
```

skeleton.sql



```

1 CREATE TABLE IF NOT EXISTS planets(
2     id INT(11) PRIMARY KEY AUTO_INCREMENT,
3     name VARCHAR(30) NOT NULL
4 );
5
6 CREATE TABLE IF NOT EXISTS spaceports(
7     id INT(11) PRIMARY KEY AUTO_INCREMENT,
8     name VARCHAR(50) NOT NULL,
9     planet_id INT(11),
10    CONSTRAINT fk_space_ports_planets FOREIGN KEY (planet_id) REFERENCES planets(id)
11 );
12
13 CREATE TABLE IF NOT EXISTS spaceships(
14     id INT(11) PRIMARY KEY AUTO_INCREMENT,
15     name VARCHAR(50) NOT NULL,
16     manufacturer VARCHAR(30) NOT NULL,
17     light_speed_rate INT(11) DEFAULT 0
18 );
19
20 CREATE TABLE IF NOT EXISTS colonists(
21     id INT(11) PRIMARY KEY AUTO_INCREMENT,
22     first_name VARCHAR(20) NOT NULL,
23     last_name VARCHAR(20) NOT NULL,
24     ucn CHAR(10) NOT NULL UNIQUE,
25     birth_date DATE NOT NULL
26 );
27
28 CREATE TABLE IF NOT EXISTS journeys(
29     id INT(11) PRIMARY KEY AUTO_INCREMENT,
30     journey_start DATETIME NOT NULL,
31     journey_end DATETIME NOT NULL,
32     purpose ENUM('Medical', 'Technical', 'Educational', 'Military') NOT NULL ,
33     destination_spaceport_id INT(11),
34     spaceship_id INT(11),
35     CONSTRAINT fk_journeys_to_space_ports FOREIGN KEY (destination_spaceport_id) REFERENCES spaceports(id),
36     CONSTRAINT fk_journeys_space_ships FOREIGN KEY (spaceship_id) REFERENCES spaceships(id)
37 );
38
39 CREATE TABLE IF NOT EXISTS travel_cards(
40     id INT(11) PRIMARY KEY AUTO_INCREMENT,
41     card_number CHAR(10) NOT NULL UNIQUE,
42     job_during_journey ENUM('Pilot', 'Engineer', 'Trooper', 'Cleaner', 'Cook') NOT NULL,
43     colonist_id INT(11),
44     journey_id INT(11),
45     CONSTRAINT fk_travel_cards_colonists FOREIGN KEY (colonist_id) REFERENCES colonists(id),
46     CONSTRAINT fk_travel_cards_journeys FOREIGN KEY (journey_id) REFERENCES journeys(id)
47 );
48
49 insert into planets (id, name) values (1, 'Otroyphus');
50 insert into planets (id, name) values (2, 'Suthiyclite');

```

```

51 insert into planets (id, name) values (3, 'Lescore');
52 insert into planets (id, name) values (4, 'Wescapus');
53 insert into planets (id, name) values (5, 'Teutera');
54 insert into planets (id, name) values (6, 'Wueyama');
55 insert into planets (id, name) values (7, 'Slagonope');
56 insert into planets (id, name) values (8, 'Chumeter');
57 insert into planets (id, name) values (9, 'Whora');
58 insert into planets (id, name) values (10, '5Q5');
59 insert into planets (id, name) values (11, 'Gleshan');
60 insert into planets (id, name) values (12, 'WR8');
61 insert into planets (id, name) values (13, 'Febblunus');
62 insert into planets (id, name) values (14, 'Aswuenerth');
63 insert into planets (id, name) values (15, 'Kascarth');
64 insert into planets (id, name) values (16, 'Casmadus');
65 insert into planets (id, name) values (17, 'Jeayama');
66 insert into planets (id, name) values (18, 'Eipra');
67 insert into planets (id, name) values (19, 'Pleceliv');
68 insert into planets (id, name) values (20, 'Stenurilia');
69
70
71 insert into spaceports (id, name, planet_id) values (1, 'Miracle Colony', 15);
72 insert into spaceports (id, name, planet_id) values (2, 'Horus Colony', 18);
73 insert into spaceports (id, name, planet_id) values (3, 'Torus Base', 5);
74 insert into spaceports (id, name, planet_id) values (4, 'Rebus Station', 10);
75 insert into spaceports (id, name, planet_id) values (5, 'Zeus Colony', 5);
76 insert into spaceports (id, name, planet_id) values (6, 'Sol', 11);
77 insert into spaceports (id, name, planet_id) values (7, 'Epitome Station', 17);
78 insert into spaceports (id, name, planet_id) values (8, 'Olympus Terminal', 19);
79 insert into spaceports (id, name, planet_id) values (9, 'Minerva Station', 16);
80 insert into spaceports (id, name, planet_id) values (10, 'Illume', 7);
81 insert into spaceports (id, name, planet_id) values (11, 'Themis', 5);
82 insert into spaceports (id, name, planet_id) values (12, 'Epiphany Colony', 10);
83 insert into spaceports (id, name, planet_id) values (13, 'Artemis', 19);
84 insert into spaceports (id, name, planet_id) values (14, 'Borealis Colony', 7);
85 insert into spaceports (id, name, planet_id) values (15, 'Juno Station', 3);
86 insert into spaceports (id, name, planet_id) values (16, 'Phantom Station', 19);
87 insert into spaceports (id, name, planet_id) values (17, 'Orphan Station', 17);
88 insert into spaceports (id, name, planet_id) values (18, 'Ark Terminal', 18);
89 insert into spaceports (id, name, planet_id) values (19, 'Nemo Colony', 13);
90 insert into spaceports (id, name, planet_id) values (20, 'Hypnos', 12);
91 insert into spaceports (id, name, planet_id) values (21, 'Nebula Base', 1);
92 insert into spaceports (id, name, planet_id) values (22, 'Inception Station', 2);
93 insert into spaceports (id, name, planet_id) values (23, 'Tartarus', 3);
94 insert into spaceports (id, name, planet_id) values (24, 'Phantom Colony', 20);
95 insert into spaceports (id, name, planet_id) values (25, 'Yggdrasil Station', 15);
96 insert into spaceports (id, name, planet_id) values (26, 'Fable Terminal', 17);
97 insert into spaceports (id, name, planet_id) values (27, 'Paradox Station', 15);
98 insert into spaceports (id, name, planet_id) values (28, 'Zion Terminal', 9);
99 insert into spaceports (id, name, planet_id) values (29, 'Angel Station', 15);
100 insert into spaceports (id, name, planet_id) values (30, 'Aeris', 1);

```

```

101 insert into colonists (id, first_name, last_name, ucn, birth_date) values (1, 'Llywellyn', 'Gethouse', '4339438960', '1970-07-17');
102 insert into colonists (id, first_name, last_name, ucn, birth_date) values (2, 'Ginny', 'de Zamora', '5915319416', '1958-12-06');
103 insert into colonists (id, first_name, last_name, ucn, birth_date) values (3, 'Gabie', 'Burthom', '1762102897', '1961-03-03');
104 insert into colonists (id, first_name, last_name, ucn, birth_date) values (4, 'Mitchell', 'Cortez', '8511063943', '1983-12-29');
105 insert into colonists (id, first_name, last_name, ucn, birth_date) values (5, 'Kiah', 'Saywood', '1602343357', '1971-11-28');
106 insert into colonists (id, first_name, last_name, ucn, birth_date) values (6, 'Clark', 'Cowan', '3675463850', '1956-03-31');
107 insert into colonists (id, first_name, last_name, ucn, birth_date) values (7, 'Donny', 'Rosewarne', '9303158830', '1993-09-16');
108 insert into colonists (id, first_name, last_name, ucn, birth_date) values (8, 'Sheffie', 'Stovine', '0591855062', '1982-08-13');
109 insert into colonists (id, first_name, last_name, ucn, birth_date) values (9, 'Irv', 'Hargate', '3738050981', '1958-03-10');
110 insert into colonists (id, first_name, last_name, ucn, birth_date) values (10, 'Bink', 'Uccelli', '0309591317', '1957-06-01');
111 insert into colonists (id, first_name, last_name, ucn, birth_date) values (11, 'Ximenez', 'Piggot', '0887173071', '1974-09-02');
112 insert into colonists (id, first_name, last_name, ucn, birth_date) values (12, 'Nicolai', 'Pering', '9032193457', '1994-10-03');
113 insert into colonists (id, first_name, last_name, ucn, birth_date) values (13, 'Angeline', 'Sibley', '6739912092', '1972-01-20');
114 insert into colonists (id, first_name, last_name, ucn, birth_date) values (14, 'Mic', 'Westbury', '1277343942', '1951-04-26');
115 insert into colonists (id, first_name, last_name, ucn, birth_date) values (15, 'Filippo', 'Scutter', '4702812238', '1973-10-31');
116 insert into colonists (id, first_name, last_name, ucn, birth_date) values (16, 'Ronalda', 'Mowsley', '1893106179', '1957-09-21');
117 insert into colonists (id, first_name, last_name, ucn, birth_date) values (17, 'Roslyn', 'Gatus', '3407200129', '1996-12-06');
118 insert into colonists (id, first_name, last_name, ucn, birth_date) values (18, 'Wald', 'Bim', '5432110725', '1990-01-04');
119 insert into colonists (id, first_name, last_name, ucn, birth_date) values (19, 'Brigg', 'Paulo', '1923893793', '1965-04-04');
120 insert into colonists (id, first_name, last_name, ucn, birth_date) values (20, 'Marillin', 'Pagen', '8648568714', '1956-10-25');
121 insert into colonists (id, first_name, last_name, ucn, birth_date) values (21, 'Edita', 'Leiden', '4378763079', '1957-10-29');
122 insert into colonists (id, first_name, last_name, ucn, birth_date) values (22, 'Brenna', 'Gidley', '8702130203', '1959-12-31');
123 insert into colonists (id, first_name, last_name, ucn, birth_date) values (23, 'Bernelle', 'Nobes', '9570880503', '1984-06-24');
124 insert into colonists (id, first_name, last_name, ucn, birth_date) values (24, 'Joaquin', 'Gheeraert', '5477599685', '1965-10-18');
125 insert into colonists (id, first_name, last_name, ucn, birth_date) values (25, 'Hale', 'O'Doireidh', '2977107460', '1951-05-09');
126 insert into colonists (id, first_name, last_name, ucn, birth_date) values (26, 'Timi', 'Blacksell', '1329244257', '1991-07-25');
127 insert into colonists (id, first_name, last_name, ucn, birth_date) values (27, 'Winn', 'Moehle', '1021140996', '1964-01-27');
128 insert into colonists (id, first_name, last_name, ucn, birth_date) values (28, 'Oberon', 'Filyakov', '1057711896', '1959-02-05');
129 insert into colonists (id, first_name, last_name, ucn, birth_date) values (29, 'Annabelle', 'Okker', '9101545213', '1956-06-23');
130 insert into colonists (id, first_name, last_name, ucn, birth_date) values (30, 'Arel', 'Power', '0930849914', '1980-03-14');
131 insert into colonists (id, first_name, last_name, ucn, birth_date) values (31, 'Vilma', 'Ferriday', '2097283276', '1985-10-17');
132 insert into colonists (id, first_name, last_name, ucn, birth_date) values (32, 'Kerr', 'Lody', '7735485093', '1953-04-24');
133 insert into colonists (id, first_name, last_name, ucn, birth_date) values (33, 'Cart', 'Lyptrade', '9262146426', '1996-03-02');
134 insert into colonists (id, first_name, last_name, ucn, birth_date) values (34, 'Philly', 'Randalston', '9875674540', '1977-08-07');
135 insert into colonists (id, first_name, last_name, ucn, birth_date) values (35, 'Aigneis', 'McConville', '9225403496', '1991-12-01');
136 insert into colonists (id, first_name, last_name, ucn, birth_date) values (36, 'Bradley', 'Cattow', '8115624241', '1987-02-19');
137 insert into colonists (id, first_name, last_name, ucn, birth_date) values (37, 'Puff', 'Woods', '7888873006', '1968-07-26');
138 insert into colonists (id, first_name, last_name, ucn, birth_date) values (38, 'Michell', 'Chapman', '4374713298', '1952-02-04');
139 insert into colonists (id, first_name, last_name, ucn, birth_date) values (39, 'Fionnula', 'Jankiewicz', '9608520029', '1975-07-03');
140 insert into colonists (id, first_name, last_name, ucn, birth_date) values (40, 'Mahmud', 'Satford', '1715614321', '1952-11-16');
141 insert into colonists (id, first_name, last_name, ucn, birth_date) values (41, 'Laurie', 'Askin', '2713419093', '1954-04-05');
142 insert into colonists (id, first_name, last_name, ucn, birth_date) values (42, 'Domeniga', 'De Pero', '0818480742', '1969-05-03');
143 insert into colonists (id, first_name, last_name, ucn, birth_date) values (43, 'Michal', 'Abilowitz', '7650649482', '1988-03-25');
144 insert into colonists (id, first_name, last_name, ucn, birth_date) values (44, 'Tobit', 'McCorkell', '7537611815', '1992-07-07');
145 insert into colonists (id, first_name, last_name, ucn, birth_date) values (45, 'Constanta', 'Mardlin', '2145571876', '1965-06-06');
146 insert into colonists (id, first_name, last_name, ucn, birth_date) values (46, 'Tessi', 'Oylett', '4568989884', '1972-11-25');
147 insert into colonists (id, first_name, last_name, ucn, birth_date) values (47, 'Barrie', 'Drinkhall', '4410917234', '1983-07-11');
148 insert into colonists (id, first_name, last_name, ucn, birth_date) values (48, 'Lezley', 'Fleischer', '5461541003', '1992-05-23');
149 insert into colonists (id, first_name, last_name, ucn, birth_date) values (49, 'Elka', 'Kayley', '5642134000', '1973-12-11');
150 insert into colonists (id, first_name, last_name, ucn, birth_date) values (50, 'Royal', 'Cuerdale', '6530389628', '1995-12-14');

```

```

151 insert into colonists (id, first_name, last_name, ucn, birth_date) values (51, 'Skipt', 'Scrivner', '7605680473', '1951-04-06');
152 insert into colonists (id, first_name, last_name, ucn, birth_date) values (52, 'Esmaria', 'Orrah', '5715982049', '1996-09-09');
153 insert into colonists (id, first_name, last_name, ucn, birth_date) values (53, 'Gwendolyn', 'Spataro', '3333684268', '1988-03-25');
154 insert into colonists (id, first_name, last_name, ucn, birth_date) values (54, 'Mollie', 'Renish', '3927497282', '1995-06-25');
155 insert into colonists (id, first_name, last_name, ucn, birth_date) values (55, 'Dare', 'Coogan', '9721652350', '1980-12-05');
156 insert into colonists (id, first_name, last_name, ucn, birth_date) values (56, 'Emmaline', 'McCabe', '6672282874', '1958-01-04');
157 insert into colonists (id, first_name, last_name, ucn, birth_date) values (57, 'Tania', 'Trinbey', '2936617863', '1975-09-22');
158 insert into colonists (id, first_name, last_name, ucn, birth_date) values (58, 'Karie', 'Dewing', '6257353688', '1969-09-04');
159 insert into colonists (id, first_name, last_name, ucn, birth_date) values (59, 'Auria', 'Bernadot', '6077478105', '1989-06-10');
160 insert into colonists (id, first_name, last_name, ucn, birth_date) values (60, 'Sioux', 'Temblett', '7865206178', '1952-03-26');
161 insert into colonists (id, first_name, last_name, ucn, birth_date) values (61, 'Reid', 'Kiera', '8944188416', '1981-07-06');
162 insert into colonists (id, first_name, last_name, ucn, birth_date) values (62, 'Christophe', 'Kench', '7520063968', '1997-01-21');
163 insert into colonists (id, first_name, last_name, ucn, birth_date) values (63, 'Klara', 'Fratson', '5145463413', '1991-11-16');
164 insert into colonists (id, first_name, last_name, ucn, birth_date) values (64, 'Cazzie', 'Stag', '8231774920', '1982-11-22');
165 insert into colonists (id, first_name, last_name, ucn, birth_date) values (65, 'Nanon', 'Davydychev', '7731782581', '1959-08-10');
166 insert into colonists (id, first_name, last_name, ucn, birth_date) values (66, 'Ralph', 'Elderfield', '0368613577', '1989-01-13');
167 insert into colonists (id, first_name, last_name, ucn, birth_date) values (67, 'Barbara-anne', 'Telfer', '8149737006', '1956-04-24');
168 insert into colonists (id, first_name, last_name, ucn, birth_date) values (68, 'Lynde', 'Bleue', '7047489932', '1966-11-13');
169 insert into colonists (id, first_name, last_name, ucn, birth_date) values (69, 'Ezequiel', 'Lownsbrough', '6203647039', '1995-08-30');
170 insert into colonists (id, first_name, last_name, ucn, birth_date) values (70, 'Town', 'Warcop', '9111417641', '1985-08-14');
171 insert into colonists (id, first_name, last_name, ucn, birth_date) values (71, 'Roselia', 'Crocce', '5268822853', '1967-06-06');
172 insert into colonists (id, first_name, last_name, ucn, birth_date) values (72, 'Millisent', 'Girardini', '1440409919', '1961-09-26');
173 insert into colonists (id, first_name, last_name, ucn, birth_date) values (73, 'Celia', 'Punshon', '2945848996', '1964-08-07');
174 insert into colonists (id, first_name, last_name, ucn, birth_date) values (74, 'Sherilyn', 'Cantor', '7082752296', '1950-08-05');
175 insert into colonists (id, first_name, last_name, ucn, birth_date) values (75, 'Natal', 'Adel', '5026822223', '1986-05-06');
176 insert into colonists (id, first_name, last_name, ucn, birth_date) values (76, 'Reinwald', 'Greenwell', '7777836307', '1995-04-16');
177 insert into colonists (id, first_name, last_name, ucn, birth_date) values (77, 'Gerry', 'Zorzin', '6088954132', '1996-08-14');
178 insert into colonists (id, first_name, last_name, ucn, birth_date) values (78, 'Belva', 'Nend', '9589437826', '1994-04-25');
179 insert into colonists (id, first_name, last_name, ucn, birth_date) values (79, 'Nerta', 'Leonardi', '1646136039', '1961-09-17');
180 insert into colonists (id, first_name, last_name, ucn, birth_date) values (80, 'Rollins', 'Iverson', '9378662773', '1959-07-10');
181 insert into colonists (id, first_name, last_name, ucn, birth_date) values (81, 'Kennith', 'Teasell', '0361925158', '1967-06-27');
182 insert into colonists (id, first_name, last_name, ucn, birth_date) values (82, 'Hettie', 'Ord', '5878469642', '1992-08-17');
183 insert into colonists (id, first_name, last_name, ucn, birth_date) values (83, 'Gretta', 'Addis', '4495697269', '1993-01-05');
184 insert into colonists (id, first_name, last_name, ucn, birth_date) values (84, 'Sheena', 'Oleszkiewicz', '0516669745', '1959-08-09');
185 insert into colonists (id, first_name, last_name, ucn, birth_date) values (85, 'Ive', 'Bowkett', '6334466569', '1973-11-18');
186 insert into colonists (id, first_name, last_name, ucn, birth_date) values (86, 'Jock', 'Holbie', '4434406051', '1952-07-15');
187 insert into colonists (id, first_name, last_name, ucn, birth_date) values (87, 'Tierney', 'Shrimpton', '4384489900', '1988-04-17');
188 insert into colonists (id, first_name, last_name, ucn, birth_date) values (88, 'Norbie', 'Dallaway', '8110968600', '1952-09-11');
189 insert into colonists (id, first_name, last_name, ucn, birth_date) values (89, 'Mora', 'Kristiansen', '5850225161', '1960-11-07');
190 insert into colonists (id, first_name, last_name, ucn, birth_date) values (90, 'Mickey', 'Satterfitt', '5939528198', '1984-10-20');
191 insert into colonists (id, first_name, last_name, ucn, birth_date) values (91, 'Faulkner', 'Daye', '2745264443', '1955-06-19');
192 insert into colonists (id, first_name, last_name, ucn, birth_date) values (92, 'Althea', 'Kelling', '9998159318', '1957-03-23');
193 insert into colonists (id, first_name, last_name, ucn, birth_date) values (93, 'Kirstin', 'Steade', '7311418755', '1959-06-29');
194 insert into colonists (id, first_name, last_name, ucn, birth_date) values (94, 'Chantalle', 'Filipputti', '0934906106', '1952-12-25');
195 insert into colonists (id, first_name, last_name, ucn, birth_date) values (95, 'Far', 'Shrieves', '8673439787', '1956-04-07');
196 insert into colonists (id, first_name, last_name, ucn, birth_date) values (96, 'Benito', 'Freke', '1458369730', '1994-02-19');
197 insert into colonists (id, first_name, last_name, ucn, birth_date) values (97, 'Roxi', 'Restieaux', '2886137715', '1981-05-22');
198 insert into colonists (id, first_name, last_name, ucn, birth_date) values (98, 'Nicolai', 'Creasey', '9690600435', '1970-09-06');
199 insert into colonists (id, first_name, last_name, ucn, birth_date) values (99, 'Bern', 'Goldsack', '5733358580', '1963-01-25');
200 insert into colonists (id, first_name, last_name, ucn, birth_date) values (100, 'Eadmund', 'Le Gall', '1986195685', '1967-01-01');

```



```

201 insert into spaceships (id, name, manufacturer, light_speed_rate) values (1, 'USS Templar', 'Oyoba', 1);
202 insert into spaceships (id, name, manufacturer, light_speed_rate) values (2, 'Anarchy', 'Fivebridge', 6);
203 insert into spaceships (id, name, manufacturer, light_speed_rate) values (3, 'LWSS Romulus', 'Camimbo', 2);
204 insert into spaceships (id, name, manufacturer, light_speed_rate) values (4, 'LWSS Dark Phoenix', 'Quimba', 4);
205 insert into spaceships (id, name, manufacturer, light_speed_rate) values (5, 'BC The Commissioner', 'Jamaika', 5);
206 insert into spaceships (id, name, manufacturer, light_speed_rate) values (6, 'BS Saratoga', 'Realbridge', 7);
207 insert into spaceships (id, name, manufacturer, light_speed_rate) values (7, 'SC Serpent', 'Agivu', 9);
208 insert into spaceships (id, name, manufacturer, light_speed_rate) values (8, 'Katherina', 'Skiba', 1);
209 insert into spaceships (id, name, manufacturer, light_speed_rate) values (9, 'Messenger', 'Leenti', 3);
210 insert into spaceships (id, name, manufacturer, light_speed_rate) values (10, 'SSE Priestess', 'Zoovu', 10);
211 insert into spaceships (id, name, manufacturer, light_speed_rate) values (11, 'Mercenary Star', 'Realbridge', 1);
212 insert into spaceships (id, name, manufacturer, light_speed_rate) values (12, 'Judgment', 'Quimba', 3);
213 insert into spaceships (id, name, manufacturer, light_speed_rate) values (13, 'Fade', 'Camimbo', 5);
214 insert into spaceships (id, name, manufacturer, light_speed_rate) values (14, 'Adder', 'Fivebridge', 7);
215 insert into spaceships (id, name, manufacturer, light_speed_rate) values (15, 'CS Hannibal', 'Oyoba', 9);
216
217 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (1, '2019-02-09 17:02:46', '20
218 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (2, '2019-01-28 20:27:45', '20
219 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (3, '2019-02-21 22:06:34', '20
220 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (4, '2019-02-08 13:38:42', '20
221 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (5, '2019-02-11 19:14:50', '20
222 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (6, '2019-02-23 03:26:28', '20
223 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (7, '2019-01-04 23:44:40', '20
224 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (8, '2019-02-13 20:56:47', '
225 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (9, '2019-02-22 08:37:15',
226 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (10, '2019-02-04 20:11:09',
227 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (11, '2019-02-13 20:20:05',
228 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (12, '2019-02-23 06:20:49', '2
229 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (13, '2019-02-19 16:40:06', '2
230 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (14, '2019-01-31 18:12:01', '2
231 insert into journeys (id, journey_start, journey_end, purpose, destination_spaceport_id, spaceship_id) values (15, '2019-02-26 17:52:04', '2
232
233 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (1, '8146587399', 'Trooper', 46, 10);
234 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (2, '2118029497', 'Engineer', 90, 7);
235 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (3, '9344537232', 'Trooper', 16, 9);
236 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (4, '9486883343', 'Trooper', 53, 1);
237 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (5, '1376917726', 'Engineer', 77, 15);
238 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (6, '6203185566', 'Trooper', 65, 5);
239 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (7, '7213731939', 'Trooper', 38, 12);
240 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (8, '0916463753', 'Cook', 4, 3);
241 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (9, '3171574225', 'Cleaner', 78, 14);
242 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (10, '7052651017', 'Trooper', 5, 3);
243 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (11, '6485601252', 'Trooper', 21, 5);
244 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (12, '1259573990', 'Pilot', 39, 2);
245 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (13, '8094792329', 'Engineer', 73, 5);
246 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (14, '6625314714', 'Trooper', 79, 13);
247 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (15, '9424426321', 'Cleaner', 17, 7);
248 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (16, '8828605863', 'Pilot', 54, 7);
249 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (17, '2159992313', 'Cook', 52, 5);
250 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (18, '3485558516', 'Trooper', 86, 2);

```

```

251 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (19, '2986646980', 'Cleaner', 91, 14);
252 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (20, '6684972129', 'Cook', 32, 9);
253 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (21, '4124832877', 'Pilot', 40, 13);
254 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (22, '6235688229', 'Pilot', 18, 10);
255 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (23, '0696213079', 'Pilot', 68, 3);
256 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (24, '4013832577', 'Cleaner', 34, 15);
257 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (25, '7294888914', 'Engineer', 11, 1);
258 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (26, '2452199249', 'Engineer', 44, 5);
259 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (27, '8109770304', 'Cook', 47, 10);
260 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (28, '0065437969', 'Engineer', 59, 6);
261 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (29, '2027180494', 'Cleaner', 19, 15);
262 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (30, '7428446880', 'Cook', 89, 9);
263 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (31, '9887148008', 'Pilot', 31, 7);
264 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (32, '7217275873', 'Trooper', 51, 13);
265 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (33, '2107121109', 'Cleaner', 83, 6);
266 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (34, '6762392385', 'Pilot', 6, 10);
267 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (35, '7283381686', 'Engineer', 66, 1);
268 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (36, '9136252824', 'Trooper', 27, 11);
269 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (37, '1245875957', 'Engineer', 70, 4);
270 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (38, '6672774165', 'Cook', 41, 10);
271 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (39, '3195824760', 'Trooper', 62, 6);
272 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (40, '1747094374', 'Cook', 43, 7);
273 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (41, '7027727544', 'Cleaner', 85, 3);
274 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (42, '2171192356', 'Engineer', 35, 10);
275 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (43, '5954191700', 'Cleaner', 8, 7);
276 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (44, '4095388420', 'Cleaner', 92, 14);
277 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (45, '9314496627', 'Cook', 2, 11);
278 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (46, '1773187996', 'Pilot', 30, 6);
279 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (47, '8355604253', 'Trooper', 50, 12);
280 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (48, '2988992428', 'Trooper', 49, 15);
281 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (49, '1659856329', 'Cook', 80, 14);
282 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (50, '0044135076', 'Trooper', 63, 2);
283 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (51, '9516474373', 'Cleaner', 14, 6);
284 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (52, '4157082869', 'Cleaner', 55, 9);
285 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (53, '8642394846', 'Pilot', 94, 8);
286 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (54, '7519103471', 'Cook', 56, 7);
287 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (55, '1438175310', 'Cleaner', 12, 15);
288 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (56, '9204929723', 'Engineer', 74, 14);
289 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (57, '2593519746', 'Cleaner', 23, 10);
290 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (58, '1668303752', 'Trooper', 75, 14);
291 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (59, '5216557148', 'Cook', 28, 2);
292 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (60, '3947076819', 'Engineer', 71, 1);
293 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (61, '9289794623', 'Cook', 3, 14);
294 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (62, '6742541032', 'Cleaner', 7, 5);
295 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (63, '1199734136', 'Engineer', 37, 6);
296 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (64, '2868171206', 'Engineer', 29, 6);
297 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (65, '4584707200', 'Trooper', 33, 4);
298 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (66, '9383154640', 'Trooper', 42, 14);
299 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (67, '6664373122', 'Trooper', 10, 10);
300 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (68, '4084900842', 'Cleaner', 69, 15);

```



```

301 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (69, '2601229160', 'Trooper', 13, 15);
302 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (70, '9893913284', 'Pilot', 81, 8);
303 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (71, '8132506049', 'Cleaner', 88, 4);
304 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (72, '0801743184', 'Cleaner', 1, 6);
305 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (73, '0129851787', 'Cleaner', 25, 7);
306 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (74, '0032031181', 'Engineer', 67, 14);
307 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (75, '9551949137', 'Pilot', 82, 12);
308 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (76, '8086387313', 'Pilot', 95, 4);
309 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (77, '1958989509', 'Cleaner', 93, 8);
310 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (78, '5284322916', 'Cook', 87, 7);
311 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (79, '4505522830', 'Cleaner', 57, 13);
312 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (80, '2193535426', 'Cleaner', 72, 15);
313 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (81, '6318403418', 'Cleaner', 26, 4);
314 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (82, '0157800563', 'Pilot', 64, 3);
315 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (83, '3190011672', 'Trooper', 20, 6);
316 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (84, '6339112293', 'Trooper', 45, 1);
317 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (85, '8070064854', 'Cook', 58, 6);
318 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (86, '2053374160', 'Pilot', 84, 7);
319 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (87, '6506342986', 'Cook', 15, 15);
320 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (88, '2689944235', 'Cook', 9, 11);
321 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (89, '0037637193', 'Engineer', 24, 12);
322 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (90, '2733009753', 'Engineer', 22, 7);
323 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (91, '2716188963', 'Cook', 48, 15);
324 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (92, '7933701663', 'Cleaner', 60, 2);
325 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (93, '8779697844', 'Cook', 76, 12);
326 insert into travel_cards (id, card_number, job_during_journey, colonist_id, journey_id) values (94, '0070475640', 'Cleaner', 26, 11);
327

```