GATE CH-23 44

EE23BTECH11011- Batchu Ishitha*

Q: A cascade control strategy is shown in the figure below. The transfer function between the output (y) and the secondary disturbance (d_2) is defined as

$$G_{d2}(s) = \frac{y(s)}{d_2(s)}$$

.

Which one of the following is the CORRECT expression for the transfer function $G_{d2}(s)$?



Fig. 0.

A. $\frac{1}{(11s+21)(0.1s+1)}$
B. $\frac{1}{(s+1)(0.1s+1)}$
C. $\frac{(s+1)}{(s+2)(0.1s+1)}$
D. $\frac{(s+1)}{(s+1)(0.1s+1)}$

Solution:

Variable	Description
$d_1(s)$	Primary disturbance
$d_2(s)$	Secondary disturbance
$G_{d2}(s)$	Transfer function between $y(s)$ and $d_2(s)$
$y_{set}(s)$	Set point for desired output
$y(s)$	Output

TABLE 4
Input Parameters

Variable	Description
$a(s)$	Error signal

TABLE 4
Defined Parameters



Fig. 4.

$$[(y_{set} - y(s))(1) - a(s)]\,10 + d_2(s)\frac{1}{0.1s+1} = a(s) \tag{1}$$

$$a(s)\left(\frac{1}{s+1}\right) + d_1(s)\frac{1}{(2s+1)} = y(s) \tag{2}$$

From 1

$$(y_{set} - y(s))\,10 - 10a(s) + d_2(s)\frac{1}{0.1s+1} = a(s) \tag{3}$$

$$(y_{set} - y(s))\,\frac{10}{11} + \frac{d_2(s)}{11\,(0.1s+1)} = a(s) \tag{4}$$

Substituting 4 in 2

$$\left[(y_{set} - y(s))\,\frac{10}{11} + \frac{d_2(s)}{11\,(0.1s+1)}\right]\frac{1}{(s+1)} + d_1(s)\left(\frac{1}{2s+1}\right) = y(s) \tag{5}$$

$$(0 - y(s))\,\frac{10}{11}\frac{1}{(s+1)} + \frac{d_2(s)}{11\,(0.1s+1)\,(s+1)} = y(s) \tag{6}$$

$$\frac{d_2(s)}{11\,(0.1s+1)\,(s+1)} = y(s)\left(\frac{11\,(s+1)+10}{11\,(s+1)}\right) \tag{7}$$

$$\frac{d_2 s}{(0.1s+1)} = y(s)\,[11s+21] \tag{8}$$

$$\frac{y(s)}{d_2(s)} = \frac{1}{(0.1s+1)\,(11s+21)} \tag{9}$$

$$\implies G_{d2}(s) = \frac{1}{(0.1s+1)\,(11s+21)} \tag{10}$$

Now taking the inverse laplace transform we have,

$$G_{d2}(t) = \mathcal{L}^{-1}\left(\frac{10}{(s+10)(11s+21)}\right) \tag{11}$$
$$= \mathcal{L}^{-1}\left(\frac{-10}{89(x+10)} + \frac{110}{89(11x+21)}\right) \tag{12}$$
$$= \frac{-10e^{-10t}}{89} + \frac{10e^{\frac{-21t}{11}}}{89} \tag{13}$$
$$= \frac{10\left(e^{\frac{-21t}{11}} - e^{-10t}\right)}{89} \tag{14}$$



Fig. 4.