

SCENARIO

Scenario Name : SetWindingSpeed

Participating Actors : Ahmet: User

“Ahmet opens the media player application and wants to play a video. Ahmet chooses the file he wants to execute with the help of the device's directory system. While the video is playing, Ahmet wants to fast forward the video 25 seconds. However, he realizes that the speed to forward the video is 5 seconds. Ahmet stopped the video and setting the fast forward speed from the app to 25 seconds, it now faster the video 25 seconds at a time. Then start the video again. Ahmet continues to use the app, glad to not have done 5 times to fast forward the video 25 seconds.”

Flow of Events :

1. Ahmet opens a media player broadcast (MBA) and wants to play a video.
2. Ahmet chooses the file he wants to execute with the help of the device's directory system.
3. While the video is playing, Ahmet wants to fast forward the video 25 seconds. Then stopped the video.
4. However, he realizes that the speed to forward the video is 5 seconds. After setting the fast forward speed to 25 seconds, it now fastens the video 25 seconds at a time.
5. When he setting the winding speed, he played the media again.
6. Ahmet continues to use the app, glad that he did not fast forward 5 times to fast forward the video 25 seconds.

TEXTUAL DESCRIPTION

Use Case Name : PlayVideo

Participating Actors : User

Entry Conditions : Users opens the video.

Exit Conditions : Users exit from the video.

Flow of Events :

1. The User opens the MBA and wants to PlayVideo.
2. The user chooses among the files he is looking for. (include use case SearchMedia)
3. User performs StopMedia.
4. User SetWindingLength to 25 seconds. Therefore User, watches the videos with 25 seconds winding speed after from set it.
5. After the SetWindingLength; User performs PlayMedia.