AGD-Project Setup Guide

Bennet Bleßmann, Sven Korfmann June 1, 2018

Contents

1	Clone	2
2	Install JDK-10	3
3	Setup Eclipse to use JDK10	4
4	Import to Eclipse	5
5	Import to InteliJ IDEA	14

1 Clone

As a first step you should clone the project to your device. We will assume you have cloned the project to the folder: $\sim/\text{git/AGD-Project}$

2 Install JDK-10

If you do not already have JDK10 Installed you should do that now. The Project has been tested with OpenJDK 10.0.1

If you are not using Linux or it is not available in your package manager you can find a download at http://jdk.java.net/10/

3 Setup Eclipse to use JDK10

ightarrow 5 InteliJ IDEA Setup

```
| Startup
| Polystoping actives equine. Leacher_1.4 & v2836223-1356 per
| - Leacher. Literary
| Companying actives equine. Leacher_1.4 & v2836223-1356 per
| - Leacher. Literary
| Companying actives equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping actives equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping actives equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping active equine. Leacher git lines. v86_64_1 i 551 v2827188-1834
| Polystoping activ
```

Figure 1: In the eclipse.ini file of your eclipse instalation change the highlighted line to the bin folder of your jdk10 instalation.

4 Import to Eclipse

Import to IntelliJ Idea




Figure 2: Click on "File \rightarrow Open Projects from File System"




Figure 3: Click on "Show other specialized import wizards"




Figure 4: Select " $Gradle \rightarrow Existing Gradle Project$ "




Figure 5: Input the folder the Project was cloned into.




Figure 6: You might need to replace a relative path by an absolute one.




Figure 7: On the Next Page you can just click "Next"




Figure 8: Wait for gradle to load the Project




Figure 9: Click "Finish"




Figure 10: Click "Cancle" to close the Dialog

5 Import to InteliJ IDEA